



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:03 PM UTC

PDB ID : 7K2N / pdb_00007k2n
Title : Kelch domain of human KEAP1 bound to Nrf2-based cyclic peptide, c[BAL-DEETGE]
Authors : Muellers, S.N.; Allen, K.N.
Deposited on : 2020-09-08
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	59% 63% 31% 6%
1	B	301	3% 84% 12% .
2	P	7	14% 57% 29% 14%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kelch-like ECH-associated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	0	0
			2170	1351	392	412	15			
1	B	290	Total	C	N	O	S	0	1	0
			2229	1385	405	423	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	613	SER	CYS	conflict	UNP Q14145
B	613	SER	CYS	conflict	UNP Q14145

- Molecule 2 is a protein called (BAL)DPETGE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	P	7	Total	C	N	O	0	0	0
			49	28	7	14			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	18	Total	O	0	0
			18	18		
4	B	69	Total	O	0	0
			69	69		
4	P	1	Total	O	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 2: (BAL)DPETGE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	162.08Å 68.74Å 77.01Å 90.00° 117.66° 90.00°	Depositor
Resolution (Å)	29.52 – 2.22 29.52 – 2.22	Depositor EDS
% Data completeness (in resolution range)	99.3 (29.52-2.22) 99.5 (29.52-2.22)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 2.22Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.247 , 0.290 0.250 , 0.293	Depositor DCC
R_{free} test set	2003 reflections (5.36%)	wwPDB-VP
Wilson B-factor (Å ²)	40.1	Xtriage
Anisotropy	0.542	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 36.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.011 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4546	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BAL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/2223	0.61	0/3029
1	B	0.43	0/2286	0.62	0/3112
2	P	0.52	0/44	0.77	0/59
All	All	0.39	0/4553	0.62	0/6200

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	P	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	P	76	BAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2170	0	2060	84	1
1	B	2229	0	2121	25	1
2	P	49	0	37	3	0
3	A	10	0	0	0	0
4	A	18	0	0	0	0
4	B	69	0	0	0	0
4	P	1	0	0	0	0
All	All	4546	0	4218	107	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:ASN:HB3	1:A:400:THR:HB	1.58	0.83
1:A:370:VAL:HG11	1:A:445:PRO:HG2	1.61	0.81
1:A:490:TYR:OH	1:A:495:ASN:OD1	1.98	0.81
1:A:346:ASN:ND2	1:A:348:SER:OG	2.15	0.79
1:B:466:ALA:HB1	1:B:514:VAL:HG23	1.64	0.77
1:A:536:ARG:HH12	1:B:494:ARG:HH21	1.33	0.76
1:A:354:ARG:HG2	1:A:354:ARG:HH11	1.52	0.75
1:A:327:LEU:CD2	1:A:346:ASN:HB2	2.21	0.71
1:A:518:CYS:HB3	1:A:536:ARG:HB2	1.73	0.70
1:A:442:ARG:NH1	1:A:444:GLU:OE2	2.24	0.69
1:A:566:ILE:HB	1:A:584:TYR:HB3	1.74	0.68
1:B:456:MET:HE1	1:B:460:ARG:HB2	1.76	0.67
1:A:522:ALA:HB1	1:A:550:MET:HE3	1.77	0.67
1:A:422:ASP:HB3	1:A:424:HIS:CD2	2.30	0.66
1:A:342:LEU:O	1:A:354:ARG:HD2	1.94	0.66
1:A:557:LEU:HD23	1:A:557:LEU:H	1.60	0.66
1:A:329:TYR:CE2	1:A:344:ALA:HB2	2.31	0.65
1:A:354:ARG:HG2	1:A:354:ARG:NH1	2.10	0.65
1:A:342:LEU:O	1:A:354:ARG:CD	2.44	0.65
1:B:421:ILE:HD11	1:B:472:LEU:HB2	1.79	0.64
1:A:515:LEU:HD22	1:A:566:ILE:HG13	1.80	0.64
1:A:536:ARG:NH1	1:B:494:ARG:HH21	1.97	0.63
1:A:447:ARG:HB3	1:A:449:GLU:HG3	1.83	0.60
1:A:327:LEU:HD23	1:A:346:ASN:HB2	1.84	0.59
1:A:599:SER:OG	1:A:601:ARG:NH2	2.37	0.58
1:A:377:VAL:HG22	1:A:393:LEU:HD13	1.86	0.58
1:A:354:ARG:HD2	1:A:355:LEU:H	1.68	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:TYR:HA	1:A:343:GLU:O	2.04	0.57
1:A:534:VAL:HG21	1:A:591:TRP:CZ2	2.40	0.56
1:A:503:MET:HE1	1:A:507:ARG:HB2	1.88	0.55
1:A:583:CYS:HB2	1:A:594:VAL:HG23	1.88	0.55
1:B:483:ARG:HG2	1:B:508[B]:SER:HB2	1.88	0.55
1:B:467:VAL:HG22	1:B:472:LEU:HD12	1.90	0.53
1:A:550:MET:HE2	1:A:568:VAL:HG21	1.91	0.53
1:B:566:ILE:HB	1:B:584:TYR:HB3	1.90	0.53
1:A:460:ARG:HB3	1:A:463:VAL:HB	1.91	0.52
1:A:369:VAL:HG21	1:A:608:VAL:C	2.34	0.52
1:B:460:ARG:HB3	1:B:463:VAL:HB	1.91	0.52
1:B:483:ARG:HG2	1:B:508[A]:SER:HB3	1.90	0.52
1:A:373:LEU:HD22	1:A:397:ASN:HA	1.92	0.52
1:A:397:ASN:CB	1:A:400:THR:HB	2.36	0.51
1:A:567:TYR:HE2	1:A:594:VAL:HG21	1.74	0.51
1:A:573:ASP:HB3	1:A:578:LEU:HD11	1.92	0.51
1:B:614:ARG:NE	1:B:614:ARG:HA	2.26	0.51
1:A:416:ILE:HD11	1:A:427:ALA:HB1	1.91	0.51
1:A:365:LEU:HD23	1:A:365:LEU:H	1.75	0.50
1:A:563:GLN:OE1	1:A:567:TYR:OH	2.26	0.50
1:A:329:TYR:O	1:A:606:VAL:HG13	2.11	0.49
1:A:550:MET:HE2	1:A:568:VAL:HG11	1.93	0.49
1:A:410:SER:HB3	1:A:441:GLU:OE2	2.12	0.49
1:B:515:LEU:HD22	1:B:566:ILE:HG13	1.94	0.48
1:A:566:ILE:O	1:A:583:CYS:HA	2.13	0.48
1:A:446:GLU:CD	1:A:447:ARG:HH21	2.22	0.48
1:A:490:TYR:HB2	1:A:497:TRP:CH2	2.48	0.47
1:A:565:ARG:HG2	1:A:583:CYS:SG	2.55	0.47
1:A:535:GLU:HB3	1:A:546:PHE:CD1	2.49	0.47
1:B:494:ARG:HG3	1:B:496:GLU:HG2	1.96	0.47
1:A:346:ASN:OD1	1:A:347:PRO:HD2	2.14	0.47
1:A:327:LEU:O	1:A:608:VAL:HG22	2.14	0.47
1:B:471:LEU:HD23	1:B:492:PRO:HD3	1.97	0.47
1:B:557:LEU:H	1:B:557:LEU:HD23	1.79	0.46
1:A:489:CYS:O	1:A:497:TRP:HA	2.15	0.46
1:A:550:MET:CE	1:A:568:VAL:HG11	2.46	0.46
1:A:552:HIS:HB2	1:A:554:ARG:HH21	1.81	0.46
1:A:583:CYS:HB2	1:A:594:VAL:CG2	2.46	0.45
1:A:393:LEU:HD22	1:A:450:TRP:CZ2	2.51	0.45
1:B:512:VAL:HA	1:B:520:TYR:O	2.16	0.45
1:A:562:HIS:O	1:A:563:GLN:HB2	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:406:CYS:HB3	1:A:448:ASP:OD1	2.17	0.44
1:A:334:TYR:CZ	2:P:82:GLU:HB2	2.52	0.44
1:A:393:LEU:HD22	1:A:450:TRP:HZ2	1.82	0.44
1:A:397:ASN:O	1:A:401:ASN:N	2.49	0.44
1:B:465:VAL:HA	1:B:473:TYR:O	2.17	0.44
1:A:328:ILE:O	1:A:345:TYR:N	2.51	0.44
1:A:413:ARG:NH2	1:A:439:SER:OG	2.51	0.44
1:A:490:TYR:HB2	1:A:497:TRP:CZ3	2.53	0.43
1:B:436:HIS:ND1	1:B:461:ILE:HD11	2.33	0.43
1:A:499:MET:HE2	1:A:499:MET:HB2	1.95	0.43
1:A:525:TYR:CD2	2:P:79:GLU:HG2	2.53	0.43
1:A:532:ASN:HB2	1:A:550:MET:O	2.18	0.43
1:A:334:TYR:CE1	2:P:82:GLU:HB2	2.53	0.43
1:A:354:ARG:HD2	1:A:355:LEU:N	2.32	0.43
1:A:345:TYR:HB2	1:A:352:TRP:CE3	2.54	0.43
1:A:400:THR:O	1:A:402:GLN:HG3	2.18	0.43
1:B:365:LEU:HD12	1:B:376:ALA:HB1	2.01	0.43
1:A:346:ASN:HB3	1:A:349:ASP:OD2	2.19	0.42
1:A:395:CYS:O	1:A:403:TRP:HA	2.19	0.42
1:A:342:LEU:O	1:A:354:ARG:HD3	2.18	0.42
1:A:345:TYR:HB2	1:A:352:TRP:CZ3	2.54	0.42
1:B:328:ILE:HD12	1:B:347:PRO:HG3	2.02	0.42
1:B:421:ILE:HB	1:B:426:TYR:HE1	1.85	0.42
1:A:534:VAL:HG21	1:A:591:TRP:HZ2	1.81	0.42
1:A:355:LEU:HD22	1:A:396:TYR:OH	2.20	0.41
1:A:358:LEU:HD13	1:A:362:ARG:HD3	2.02	0.41
1:A:550:MET:C	1:A:551:LYS:HD2	2.45	0.41
1:B:518:CYS:SG	1:B:536:ARG:HD2	2.61	0.41
1:A:467:VAL:O	1:A:514:VAL:HG21	2.21	0.41
1:A:472:LEU:HB3	1:A:490:TYR:HB3	2.03	0.41
1:A:518:CYS:HA	1:A:537:TYR:O	2.20	0.41
1:B:369:VAL:HG21	1:B:608:VAL:O	2.20	0.41
1:B:443:TYR:HB2	1:B:450:TRP:CE2	2.56	0.41
1:B:614:ARG:HA	1:B:614:ARG:HE	1.86	0.41
1:A:359:GLN:HG2	1:A:360:VAL:HG23	2.02	0.40
1:A:369:VAL:HG21	1:A:608:VAL:O	2.21	0.40
1:A:557:LEU:HD12	1:A:568:VAL:HB	2.03	0.40
1:A:421:ILE:HD11	1:A:472:LEU:HB2	2.02	0.40
1:A:584:TYR:HB2	1:A:591:TRP:CZ3	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:GLN:CG	1:B:336:ARG:NH2[1_556]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	281/301 (93%)	265 (94%)	16 (6%)	0	100	100
1	B	289/301 (96%)	282 (98%)	7 (2%)	0	100	100
2	P	5/7 (71%)	4 (80%)	1 (20%)	0	100	100
All	All	575/609 (94%)	551 (96%)	24 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/247 (92%)	228 (100%)	0	100	100
1	B	235/247 (95%)	235 (100%)	0	100	100
2	P	5/5 (100%)	5 (100%)	0	100	100
All	All	468/499 (94%)	468 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	346	ASN
1	A	381	ASN
1	A	402	GLN
1	B	432	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BAL	P	76	2	3,4,5	1.15	0	3,3,5	12.10	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BAL	P	76	2	-	0/1/2/3	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	76	BAL	CB-CA-C	20.94	151.90	111.60

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	701	-	4,4,4	0.23	0	6,6,6	0.17	0
3	SO4	A	702	-	4,4,4	0.28	0	6,6,6	0.34	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	283/301 (94%)	2.92	178 (62%) 0 0	30, 66, 123, 160	0
1	B	290/301 (96%)	0.24	9 (3%) 51 49	24, 36, 56, 84	1 (0%)
2	P	6/7 (85%)	1.39	1 (16%) 4 3	48, 48, 54, 54	0
All	All	579/609 (95%)	1.56	188 (32%) 1 0	24, 44, 110, 160	1 (0%)

All (188) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	327	LEU	9.5
1	A	353	LEU	8.3
1	A	356	ALA	8.2
1	A	452	LEU	8.0
1	A	373	LEU	7.5
1	A	608	VAL	7.4
1	A	329	TYR	7.3
1	A	399	MET	7.3
1	A	398	PRO	7.3
1	A	396	TYR	7.3
1	A	370	VAL	6.9
1	A	328	ILE	6.9
1	A	371	GLY	6.9
1	A	421	ILE	6.9
1	A	451	HIS	6.8
1	A	567	TYR	6.7
1	A	395	CYS	6.6
1	A	355	LEU	6.6
1	A	374	LEU	6.6
1	A	354	ARG	6.5
1	A	609	THR	6.2
1	A	342	LEU	6.1
1	A	443	TYR	6.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	403	TRP	6.1
1	A	405	PRO	6.1
1	A	584	TYR	6.1
1	A	425	ILE	5.9
1	A	515	LEU	5.9
1	A	423	GLY	5.9
1	A	368	CYS	5.9
1	A	594	VAL	5.9
1	A	400	THR	5.9
1	A	369	VAL	5.8
1	A	397	ASN	5.8
1	A	514	VAL	5.8
1	A	375	TYR	5.7
1	A	453	VAL	5.7
1	A	352	TRP	5.7
1	A	407	ALA	5.5
1	A	607	ALA	5.5
1	A	401	ASN	5.3
1	A	581	VAL	5.3
1	A	351	THR	5.3
1	A	350	GLY	5.2
1	A	562	HIS	5.1
1	A	587	ASP	5.0
1	A	348	SER	5.0
1	A	569	LEU	4.9
1	A	376	ALA	4.8
1	A	561	VAL	4.8
1	A	406	CYS	4.7
1	A	343	GLU	4.7
1	A	446	GLU	4.7
1	A	344	ALA	4.7
1	A	590	THR	4.6
1	A	449	GLU	4.5
1	A	551	LYS	4.5
1	A	595	THR	4.5
1	A	372	GLY	4.5
1	A	450	TRP	4.5
1	A	563	GLN	4.5
1	A	447	ARG	4.4
1	A	454	ALA	4.4
1	A	566	ILE	4.4
1	A	598	THR	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	467	VAL	4.4
1	A	564	GLY	4.3
1	A	420	VAL	4.3
1	A	516	HIS	4.3
1	A	426	TYR	4.2
1	A	591	TRP	4.2
1	A	393	LEU	4.2
1	A	349	ASP	4.2
1	A	445	PRO	4.2
1	A	347	PRO	4.2
1	A	578	LEU	4.2
1	A	345	TYR	4.2
1	A	491	TYR	4.2
1	A	442	ARG	4.2
1	A	605	GLY	4.1
1	A	560	THR	4.1
1	A	424	HIS	4.1
1	A	394	ASP	4.1
1	A	404	SER	4.1
1	A	585	ASP	4.0
1	A	422	ASP	4.0
1	A	358	LEU	4.0
1	A	471	LEU	4.0
1	A	592	SER	4.0
1	A	597	MET	3.9
1	A	330	THR	3.9
1	A	448	ASP	3.9
1	A	586	PRO	3.9
1	A	360	VAL	3.9
1	A	606	VAL	3.9
1	A	583	CYS	3.8
1	A	547	VAL	3.8
1	B	614	ARG	3.8
1	A	331	ALA	3.7
1	A	357	ASP	3.7
1	A	589	ASP	3.7
1	A	593	GLU	3.7
1	A	588	THR	3.7
1	A	402	GLN	3.6
1	A	559	ILE	3.6
1	A	565	ARG	3.6
1	A	600	GLY	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	470	ARG	3.5
1	A	495	ASN	3.5
1	A	408	PRO	3.4
1	A	548	ALA	3.4
1	A	493	GLU	3.4
1	A	599	SER	3.4
1	A	552	HIS	3.4
1	A	341	TYR	3.4
1	A	492	PRO	3.4
1	A	570	GLY	3.4
1	A	346	ASN	3.4
1	A	469	ASN	3.4
1	A	582	GLU	3.3
1	A	513	CYS	3.3
1	A	410	SER	3.3
1	A	366	ALA	3.2
1	A	550	MET	3.2
1	A	419	GLY	3.2
1	A	596	ARG	3.2
1	A	367	GLY	3.2
1	A	468	LEU	3.2
1	A	335	PHE	3.2
1	A	534	VAL	3.2
1	A	455	PRO	3.1
1	A	576	THR	3.1
1	A	568	VAL	3.1
1	A	472	LEU	3.1
1	A	490	TYR	3.0
1	A	444	GLU	3.0
1	A	604	VAL	3.0
1	A	377	VAL	3.0
1	A	571	GLY	3.0
1	A	520	TYR	2.9
1	A	533	SER	2.9
1	A	580	SER	2.9
1	A	418	VAL	2.9
1	A	575	HIS	2.9
1	A	339	LEU	2.9
1	A	409	MET	2.9
1	A	359	GLN	2.8
1	A	496	GLU	2.8
1	A	521	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	517	ASN	2.8
1	A	572	TYR	2.7
1	B	384	PRO	2.7
1	A	519	ILE	2.7
1	A	549	PRO	2.7
1	A	392	ALA	2.7
1	A	558	GLY	2.6
1	A	340	SER	2.6
1	A	494	ARG	2.6
1	A	391	SER	2.6
1	A	473	TYR	2.6
1	B	336	ARG	2.5
1	A	518	CYS	2.5
1	A	532	ASN	2.5
1	A	434	CYS	2.5
1	A	441	GLU	2.5
1	A	601	ARG	2.5
1	A	539	VAL	2.4
1	A	557	LEU	2.4
1	A	439	SER	2.4
1	A	512	VAL	2.4
1	A	378	GLY	2.3
1	B	383	SER	2.3
1	B	493	GLU	2.3
1	A	336	ARG	2.2
1	B	494	ARG	2.2
1	A	554	ARG	2.2
1	A	522	ALA	2.2
1	A	579	ASP	2.1
1	B	399	MET	2.1
1	A	546	PHE	2.1
1	A	577	PHE	2.1
2	P	78	PRO	2.1
1	A	466	ALA	2.1
1	A	465	VAL	2.1
1	A	427	ALA	2.1
1	B	382	ASN	2.1
1	B	385	ASP	2.0
1	A	361	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BAL	P	76	5/6	0.80	0.23	51,60,63,72	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	702	5/5	0.85	0.15	55,55,57,62	0
3	SO4	A	701	5/5	0.90	0.16	56,59,72,77	0

6.5 Other polymers [i](#)

There are no such residues in this entry.