



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 03:20 PM UTC

PDB ID : 5K3J / pdb_00005k3j
Title : Crystals structure of Acyl-CoA oxidase-2 in Caenorhabditis elegans bound with FAD, ascaroside-CoA, and ATP
Authors : Zhang, X.; Li, K.; Jones, R.A.; Bruner, S.D.; Butcher, R.A.
Deposited on : 2016-05-19
Resolution : 2.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5070 (2.70-2.66)
Clashscore	190562	5409 (2.70-2.66)
Ramachandran outliers	187476	5324 (2.70-2.66)
Sidechain outliers	187428	5324 (2.70-2.66)
RSRZ outliers	180081	5070 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	674	
1	B	674	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10979 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl-coenzyme A oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	662	Total	C	N	O	S	0	0	0
			5275	3344	930	974	27			
1	B	659	Total	C	N	O	S	0	0	0
			5243	3323	924	969	27			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	432	ALA	GLU	conflict	UNP O62137
A	662	ALA	-	expression tag	UNP O62137
A	663	ALA	-	expression tag	UNP O62137
A	664	ALA	-	expression tag	UNP O62137
A	665	HIS	-	expression tag	UNP O62137
A	666	HIS	-	expression tag	UNP O62137
A	667	HIS	-	expression tag	UNP O62137
A	668	HIS	-	expression tag	UNP O62137
A	669	HIS	-	expression tag	UNP O62137
A	670	HIS	-	expression tag	UNP O62137
A	671	HIS	-	expression tag	UNP O62137
A	672	HIS	-	expression tag	UNP O62137
A	673	HIS	-	expression tag	UNP O62137
A	674	HIS	-	expression tag	UNP O62137
B	432	ALA	GLU	conflict	UNP O62137
B	662	ALA	-	expression tag	UNP O62137
B	663	ALA	-	expression tag	UNP O62137
B	664	ALA	-	expression tag	UNP O62137
B	665	HIS	-	expression tag	UNP O62137
B	666	HIS	-	expression tag	UNP O62137
B	667	HIS	-	expression tag	UNP O62137
B	668	HIS	-	expression tag	UNP O62137
B	669	HIS	-	expression tag	UNP O62137
B	670	HIS	-	expression tag	UNP O62137
B	671	HIS	-	expression tag	UNP O62137

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	672	HIS	-	expression tag	UNP O62137
B	673	HIS	-	expression tag	UNP O62137
B	674	HIS	-	expression tag	UNP O62137

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $\text{C}_{27}\text{H}_{33}\text{N}_9\text{O}_{15}\text{P}_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{13}\text{P}_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
3	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 4 is {S}-[2-[3-[(2 {R})-4-[[[(2 {R}),3 {S},4 {R},5 {R})-5-(6-aminopurin-9-yl)-4-oxidanyl-3-phosphonooxy-oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxy-3,3-dimethyl-2-oxidanyl-butanoyl]amino]propanoylamino]ethyl] 5-[(2 {R}),3 {R},5 {R} ,6 {S})-6-methyl-3,5-bis(oxidanyl)oxan-2-yl]oxy-pentanethioate (CCD ID: 6QA) (formula: C₃₂H₅₄N₇O₂₁P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	
			64	32	7	21	3	1	0
4	B	1	Total	C	N	O	P	S	
			64	32	7	21	3	1	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	2	Total	Mg		
			2	2	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	64	Total	O		
			64	64	0	0
6	B	99	Total	O		
			99	99	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Acyl-coenzyme A oxidase

Chain A: 



• Molecule 1: Acyl-coenzyme A oxidase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.04Å 85.57Å 106.90Å 90.00° 91.43° 90.00°	Depositor
Resolution (Å)	39.72 – 2.68 39.72 – 2.68	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.72-2.68) 99.8 (39.72-2.68)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	0.20	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.54 (at 2.69Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.213 , 0.245 0.229 , 0.262	Depositor DCC
R_{free} test set	1938 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtriage
Anisotropy	1.297	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 26.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.090 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10979	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6QA, MG, ATP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/5379	0.80	6/7264 (0.1%)
1	B	0.32	0/5347	0.81	13/7221 (0.2%)
All	All	0.32	0/10726	0.81	19/14485 (0.1%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	377	GLY	N-CA-C	-9.26	103.17	114.66
1	A	454	LYS	N-CA-C	-6.44	105.42	113.28
1	B	279	PRO	CA-C-N	6.24	127.64	119.84
1	B	279	PRO	C-N-CA	6.24	127.64	119.84
1	B	637	SER	CA-C-N	6.21	126.40	119.32
1	B	637	SER	C-N-CA	6.21	126.40	119.32
1	A	88	ILE	N-CA-C	6.01	115.86	108.53
1	B	367	LEU	N-CA-C	-6.01	106.49	113.88
1	B	187	TRP	CA-C-N	-6.00	113.35	119.83
1	B	187	TRP	C-N-CA	-6.00	113.35	119.83
1	B	52	ILE	CA-C-N	5.94	125.64	119.05
1	B	52	ILE	C-N-CA	5.94	125.64	119.05
1	A	376	SER	N-CA-C	-5.86	106.26	113.41
1	A	637	SER	CA-C-N	5.39	125.73	119.47
1	A	637	SER	C-N-CA	5.39	125.73	119.47
1	B	282	ALA	CB-CA-C	-5.37	109.40	115.79
1	A	367	LEU	N-CA-C	-5.32	107.16	113.97
1	B	249	GLY	N-CA-C	5.22	118.83	111.42
1	B	88	ILE	N-CA-C	5.16	114.82	108.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5275	0	5299	88	0
1	B	5243	0	5249	105	0
2	A	53	0	30	3	0
2	B	53	0	30	6	0
3	A	31	0	12	1	0
3	B	31	0	12	3	0
4	A	64	0	0	0	0
4	B	64	0	0	1	0
5	B	2	0	0	0	0
6	A	64	0	0	3	0
6	B	99	0	0	6	0
All	All	10979	0	10632	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:ARG:HH11	1:B:140:ARG:CG	1.65	1.06
1:B:289:MET:HB3	1:B:293:ARG:NH2	1.74	1.03
1:A:375:THR:OG1	1:A:378:MET:HE3	1.60	1.01
1:B:140:ARG:HG2	1:B:140:ARG:NH1	1.51	1.00
1:A:136:GLU:O	1:A:140:ARG:HG3	1.75	0.86
1:B:470:ASP:O	1:B:471:LYS:HB3	1.77	0.84
1:B:471:LYS:HG3	1:B:471:LYS:O	1.78	0.83
1:B:441:GLN:OE1	4:B:705:6QA:C22	2.26	0.83
1:B:289:MET:HB3	1:B:293:ARG:HH22	1.48	0.79
1:B:475:THR:O	1:B:476:ASP:HB2	1.81	0.79
1:B:475:THR:O	1:B:476:ASP:CB	2.32	0.77
1:B:474:GLU:O	1:B:475:THR:CB	2.33	0.77
1:B:140:ARG:HH11	1:B:140:ARG:HG2	0.71	0.77
1:A:329:GLU:CD	1:B:154:HIS:HE2	1.91	0.76
1:B:473:ASP:O	1:B:474:GLU:CB	2.34	0.76
1:B:279:PRO:HB2	1:B:284:ILE:HD11	1.68	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:564:ASN:OD1	1:A:586:VAL:HG23	1.91	0.71
1:B:136:GLU:HG3	1:B:140:ARG:HD2	1.73	0.70
1:B:136:GLU:HG3	1:B:140:ARG:CD	2.22	0.69
1:B:471:LYS:O	1:B:471:LYS:CG	2.42	0.68
1:A:53:PRO:HG2	1:A:54:GLU:OE2	1.96	0.65
1:B:188:PRO:HA	2:B:702:FAD:C4	2.26	0.65
1:A:320:GLN:HE21	1:B:154:HIS:HA	1.63	0.63
1:A:304:LEU:HB2	1:A:396:THR:HG23	1.80	0.63
1:A:656:MET:HE3	1:B:144:ILE:HG13	1.81	0.63
1:A:51:LYS:NZ	6:A:802:HOH:O	2.32	0.63
1:B:289:MET:HB3	1:B:293:ARG:HH21	1.62	0.63
1:A:452:LEU:HD22	1:A:457:LYS:HB2	1.80	0.62
1:A:186:TRP:O	1:A:187:TRP:HB2	1.99	0.62
1:A:375:THR:OG1	1:A:378:MET:HB2	1.99	0.62
1:B:473:ASP:OD1	1:B:577:PHE:HE1	1.83	0.62
1:A:329:GLU:OE1	1:B:154:HIS:NE2	2.32	0.61
1:A:587:ARG:HD3	1:B:522:GLU:OE2	2.01	0.60
1:B:186:TRP:O	1:B:187:TRP:HB2	2.00	0.60
1:B:493:ARG:HD3	1:B:576:GLU:OE2	2.01	0.60
1:B:133:LYS:NZ	6:B:802:HOH:O	2.33	0.60
1:A:587:ARG:NH1	6:A:806:HOH:O	2.35	0.59
1:B:528:ARG:NH2	3:B:703:ATP:O1A	2.35	0.59
1:A:3:ASN:N	6:A:805:HOH:O	2.35	0.59
1:B:66:ARG:HD2	1:B:244:ASN:HB3	1.85	0.59
1:B:2:ALA:N	6:B:804:HOH:O	2.36	0.58
1:B:267:HIS:CD2	1:B:284:ILE:HG13	2.39	0.58
1:A:489:ASN:O	1:A:491:ALA:N	2.36	0.58
1:B:289:MET:HE3	1:B:293:ARG:HH22	1.69	0.57
1:B:4:ARG:NH1	6:B:803:HOH:O	2.34	0.57
1:A:70:VAL:HG21	1:B:639:LEU:HD11	1.85	0.57
1:B:136:GLU:O	1:B:140:ARG:HD3	2.05	0.57
1:B:473:ASP:OD2	1:B:473:ASP:N	2.30	0.57
1:B:113:LEU:HA	1:B:116:ALA:HB3	1.88	0.56
1:A:144:ILE:HG13	1:B:656:MET:HE3	1.86	0.56
1:A:479:SER:O	1:A:481:ASN:N	2.39	0.56
1:A:51:LYS:HG2	1:A:52:ILE:HG13	1.87	0.55
1:A:485:LYS:O	1:A:489:ASN:ND2	2.39	0.55
1:A:659:ALA:HB1	1:B:140:ARG:O	2.06	0.55
1:A:269:LYS:HB2	1:A:277:VAL:HB	1.88	0.55
1:B:470:ASP:O	1:B:471:LYS:CB	2.53	0.54
1:A:656:MET:HE2	1:B:143:ILE:HA	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:ILE:HB	1:A:211:TYR:HE2	1.73	0.53
1:B:362:LEU:HD23	1:B:381:LEU:HD13	1.90	0.53
1:B:53:PRO:HG2	1:B:54:GLU:OE2	2.08	0.53
1:A:282:ALA:O	1:A:283:LYS:HB2	2.09	0.53
1:B:126:ALA:C	1:B:266:ARG:HG2	2.34	0.53
1:A:188:PRO:HA	2:A:701:FAD:C4	2.39	0.52
1:A:188:PRO:HB2	1:A:191:LEU:HB2	1.91	0.52
1:B:289:MET:CE	1:B:293:ARG:HH22	2.21	0.52
1:A:327:GLN:HG2	1:A:328:VAL:HG23	1.90	0.52
1:B:452:LEU:HA	1:B:455:ALA:HB3	1.90	0.52
1:B:452:LEU:HD21	1:B:458:ALA:HA	1.92	0.52
1:A:567:LEU:HD23	1:A:586:VAL:HG21	1.93	0.51
1:A:645:LEU:HB2	1:A:648:VAL:HG23	1.93	0.51
1:A:113:LEU:HA	1:A:116:ALA:HB3	1.93	0.51
1:B:36:GLU:OE1	1:B:40:ARG:NH2	2.43	0.51
1:B:308:LEU:HD13	1:B:346:LEU:HA	1.91	0.51
1:B:450:VAL:O	1:B:452:LEU:N	2.43	0.50
1:A:522:GLU:OE2	1:B:587:ARG:HD3	2.11	0.50
1:B:108:GLY:HA3	1:B:246:ALA:HB2	1.94	0.50
1:A:209:ASN:HB3	1:A:211:TYR:CE2	2.47	0.50
1:A:576:GLU:HG3	1:B:580:PHE:CE2	2.46	0.50
1:B:489:ASN:OD1	1:B:492:ARG:NH2	2.35	0.50
1:A:391:VAL:HG22	1:A:528:ARG:HG2	1.94	0.50
1:B:9:GLY:O	1:B:625:HIS:NE2	2.40	0.50
1:B:166:VAL:HB	1:B:175:VAL:HG13	1.94	0.50
1:B:472:SER:O	1:B:473:ASP:O	2.30	0.49
1:B:28:MET:HE1	1:B:555:LEU:HG	1.94	0.49
1:A:113:LEU:HD12	1:A:117:LEU:HD12	1.95	0.49
1:B:505:LEU:HD13	1:B:518:LYS:HG2	1.93	0.49
1:A:653:LYS:HB2	1:A:654:PRO:HD3	1.94	0.49
1:A:365:GLN:C	1:A:367:LEU:H	2.20	0.49
1:A:630:LEU:HD23	1:B:152:LEU:HD11	1.95	0.48
1:B:562:HIS:O	1:B:566:GLU:HG2	2.13	0.48
1:B:593:TYR:HA	1:B:596:LYS:HB2	1.94	0.48
1:B:502:PHE:HD2	6:B:806:HOH:O	1.94	0.48
1:B:456:GLY:O	1:B:458:ALA:N	2.46	0.48
1:A:444:ARG:HG2	1:A:516:TRP:CH2	2.49	0.48
1:B:484:VAL:O	1:B:488:GLU:HG2	2.14	0.47
1:A:472:SER:O	1:A:474:GLU:N	2.47	0.47
1:A:402:GLN:NE2	3:B:703:ATP:H1'	2.30	0.47
3:A:702:ATP:H1'	1:B:402:GLN:NE2	2.30	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:156:SER:OG	2:B:702:FAD:O1A	2.31	0.47
1:B:156:SER:HB2	2:B:702:FAD:O1A	2.15	0.47
1:B:140:ARG:CG	1:B:140:ARG:NH1	2.37	0.47
1:B:653:LYS:HB2	1:B:654:PRO:HD3	1.96	0.47
1:A:185:LYS:HB2	1:A:251:LEU:HB3	1.97	0.46
1:B:188:PRO:HB2	1:B:191:LEU:HB2	1.97	0.46
1:B:543:VAL:HA	1:B:546:ILE:HD12	1.97	0.46
1:B:490:MET:SD	1:B:574:ALA:HB2	2.55	0.46
1:B:541:ARG:O	1:B:545:ARG:HG3	2.15	0.46
1:A:562:HIS:O	1:A:566:GLU:HG2	2.16	0.46
1:B:489:ASN:HA	1:B:492:ARG:NH1	2.31	0.46
1:A:490:MET:SD	1:A:574:ALA:HB2	2.55	0.46
1:A:208:ARG:HD3	1:A:208:ARG:C	2.40	0.46
3:B:703:ATP:N6	6:B:813:HOH:O	2.43	0.46
1:A:24:ASP:HB3	1:A:27:LYS:HB2	1.97	0.46
1:A:145:GLY:HA2	1:A:197:TYR:O	2.16	0.46
1:A:401:GLU:HA	1:A:401:GLU:OE2	2.15	0.45
1:A:521:VAL:O	1:A:525:ARG:HG3	2.16	0.45
1:A:540:MET:HB3	1:A:540:MET:HE2	1.81	0.45
1:A:571:ALA:O	1:A:575:LEU:HG	2.16	0.45
1:A:82:LYS:HE3	1:A:83:TYR:CZ	2.51	0.45
1:A:547:GLU:H	1:A:547:GLU:HG2	1.47	0.45
1:A:477:LEU:HD22	1:A:477:LEU:H	1.81	0.45
1:B:273:ASP:OD1	1:B:273:ASP:N	2.41	0.45
2:B:702:FAD:O5'	2:B:702:FAD:O3'	2.30	0.45
1:A:144:ILE:HB	1:A:195:CYS:HA	1.99	0.45
1:A:651:TYR:HB2	1:B:74:THR:HG22	1.97	0.45
2:A:701:FAD:O1A	2:A:701:FAD:H8A	2.16	0.45
1:A:102:GLU:HA	1:A:614:GLN:HB2	1.99	0.45
1:B:292:ILE:O	1:B:296:MET:HG2	2.16	0.45
1:A:148:ALA:HA	1:A:188:PRO:CG	2.47	0.45
1:A:564:ASN:OD1	1:A:586:VAL:CG2	2.63	0.45
1:B:156:SER:CB	2:B:702:FAD:O1A	2.65	0.45
1:A:117:LEU:C	1:A:120:PRO:HD2	2.41	0.45
1:A:148:ALA:HA	1:A:188:PRO:HG3	1.98	0.44
1:A:338:GLN:O	1:A:342:LEU:HB2	2.17	0.44
1:A:303:PHE:O	1:A:306:HIS:HB3	2.18	0.44
1:A:239:PRO:HB2	1:B:414:MET:HG3	2.00	0.44
1:A:313:ARG:NH2	1:A:606:ASP:OD1	2.37	0.44
1:A:477:LEU:C	1:A:479:SER:H	2.25	0.44
1:A:527:SER:O	1:A:531:THR:HG23	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:136:GLU:CG	1:B:140:ARG:HD2	2.45	0.44
1:B:375:THR:C	1:B:377:GLY:H	2.25	0.43
1:A:343:PHE:HD2	1:A:594:LEU:HD12	1.84	0.43
1:B:645:LEU:HB2	1:B:648:VAL:HG23	2.00	0.43
1:A:33:TYR:HB3	1:A:38:PHE:CD2	2.54	0.42
1:A:434:GLU:OE1	2:A:701:FAD:O2B	2.34	0.42
1:A:66:ARG:HD3	1:A:244:ASN:HB3	2.02	0.42
1:A:74:THR:HG22	1:B:651:TYR:HB2	2.01	0.42
1:A:74:THR:HG23	1:B:652:LEU:HG	2.01	0.42
1:B:297:ALA:HA	1:B:392:VAL:HG11	2.01	0.42
1:B:473:ASP:HA	1:B:489:ASN:OD1	2.19	0.42
1:A:284:ILE:H	1:A:284:ILE:HG13	1.59	0.42
1:A:323:LEU:HD23	1:A:323:LEU:HA	1.90	0.42
1:B:185:LYS:HB2	1:B:251:LEU:HB3	2.02	0.42
1:A:298:MET:SD	1:A:353:ILE:HG23	2.60	0.42
1:B:77:ILE:HD12	1:B:77:ILE:HA	1.93	0.42
1:B:649:GLU:HA	1:B:653:LYS:HG3	2.01	0.42
1:A:639:LEU:HD12	1:A:639:LEU:HA	1.93	0.41
1:A:326:LYS:HB3	1:A:326:LYS:HE2	1.78	0.41
1:A:13:GLU:OE1	1:A:319:ARG:NH2	2.52	0.41
1:B:505:LEU:CD1	1:B:518:LYS:HG2	2.49	0.41
1:B:237:ILE:HG12	1:B:248:ASN:O	2.20	0.41
1:A:58:ILE:HG23	1:A:59:LYS:HG2	2.02	0.41
1:B:651:TYR:C	1:B:654:PRO:HD2	2.46	0.41
1:A:119:ILE:HB	1:A:120:PRO:HD3	2.03	0.41
1:B:548:ASP:OD2	1:B:551:VAL:HG23	2.21	0.41
1:A:458:ALA:O	1:A:461:LEU:HB2	2.21	0.41
1:B:248:ASN:ND2	6:B:832:HOH:O	2.54	0.41
1:A:12:PRO:HA	1:A:15:LEU:HB3	2.03	0.40
1:B:136:GLU:HG3	1:B:140:ARG:HD3	2.03	0.40
1:B:178:THR:N	1:B:253:LEU:O	2.42	0.40
1:B:358:GLU:O	1:B:362:LEU:HB2	2.21	0.40
1:B:497:LYS:O	1:B:501:LYS:HD3	2.21	0.40
1:B:281:HIS:HB3	1:B:282:ALA:H	1.61	0.40
1:A:338:GLN:NE2	2:B:702:FAD:H4B	2.36	0.40
1:A:358:GLU:O	1:A:362:LEU:HG	2.21	0.40
1:B:119:ILE:HB	1:B:120:PRO:HD3	2.03	0.40
1:B:215:PHE:O	1:B:263:LEU:HD12	2.22	0.40
1:B:586:VAL:HA	1:B:589:GLN:HB2	2.04	0.40
1:B:144:ILE:HB	1:B:195:CYS:HA	2.04	0.40
1:B:372:MET:HG2	1:B:373:GLY:H	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	660/674 (98%)	610 (92%)	34 (5%)	16 (2%)	4	10
1	B	655/674 (97%)	615 (94%)	26 (4%)	14 (2%)	5	13
All	All	1315/1348 (98%)	1225 (93%)	60 (5%)	30 (2%)	5	11

All (30) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	187	TRP
1	A	266	ARG
1	A	283	LYS
1	A	580	PHE
1	B	187	TRP
1	B	280	PRO
1	B	452	LEU
1	B	457	LYS
1	B	473	ASP
1	B	474	GLU
1	B	475	THR
1	B	476	ASP
1	A	473	ASP
1	A	480	LEU
1	B	451	GLU
1	B	471	LYS
1	A	208	ARG
1	A	372	MET
1	A	490	MET
1	A	545	ARG
1	B	480	LEU
1	A	280	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	328	VAL
1	A	451	GLU
1	A	452	LEU
1	A	548	ASP
1	B	282	ALA
1	B	376	SER
1	B	155	GLY
1	A	155	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	562/574 (98%)	531 (94%)	31 (6%)	19	41
1	B	557/574 (97%)	519 (93%)	38 (7%)	14	32
All	All	1119/1148 (98%)	1050 (94%)	69 (6%)	16	36

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ARG
1	A	66	ARG
1	A	208	ARG
1	A	209	ASN
1	A	234	VAL
1	A	268	CYS
1	A	284	ILE
1	A	289	MET
1	A	326	LYS
1	A	338	GLN
1	A	342	LEU
1	A	367	LEU
1	A	368	LYS
1	A	369	ASP
1	A	375	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	376	SER
1	A	454	LYS
1	A	457	LYS
1	A	477	LEU
1	A	478	THR
1	A	485	LYS
1	A	493	ARG
1	A	500	GLU
1	A	532	ARG
1	A	547	GLU
1	A	558	LEU
1	A	576	GLU
1	A	580	PHE
1	A	588	ASP
1	A	594	LEU
1	A	653	LYS
1	B	19	ARG
1	B	76	LYS
1	B	129	GLU
1	B	140	ARG
1	B	175	VAL
1	B	234	VAL
1	B	256	LEU
1	B	266	ARG
1	B	275	THR
1	B	277	VAL
1	B	278	LYS
1	B	283	LYS
1	B	284	ILE
1	B	320	GLN
1	B	326	LYS
1	B	367	LEU
1	B	368	LYS
1	B	371	ASP
1	B	435	ASN
1	B	453	ILE
1	B	466	SER
1	B	468	LEU
1	B	472	SER
1	B	473	ASP
1	B	477	LEU
1	B	478	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	480	LEU
1	B	488	GLU
1	B	493	ARG
1	B	545	ARG
1	B	546	ILE
1	B	553	GLU
1	B	558	LEU
1	B	575	LEU
1	B	576	GLU
1	B	584	ASP
1	B	595	GLU
1	B	635	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	209	ASN
1	A	254	ASN
1	A	255	ASN
1	A	322	HIS
1	A	394	HIS
1	A	410	HIS
1	A	435	ASN
1	B	267	HIS
1	B	340	HIS
1	B	365	GLN
1	B	394	HIS
1	B	435	ASN
1	B	614	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	701	-	58,58,58	2.67	16 (27%)	85,89,89	1.91	20 (23%)
4	6QA	B	705	-	65,67,67	3.11	23 (35%)	90,98,98	1.78	20 (22%)
3	ATP	A	702	5	32,33,33	1.40	4 (12%)	48,52,52	1.71	8 (16%)
3	ATP	B	703	5	32,33,33	1.43	6 (18%)	48,52,52	1.76	10 (20%)
2	FAD	B	702	-	58,58,58	2.65	16 (27%)	85,89,89	1.91	22 (25%)
4	6QA	A	703	-	65,67,67	3.11	23 (35%)	90,98,98	1.78	22 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	701	-	-	6/34/50/50	0/6/6/6
4	6QA	B	705	-	-	24/59/91/91	0/4/4/4
3	ATP	A	702	5	-	5/22/38/38	0/3/3/3
3	ATP	B	703	5	-	6/22/38/38	0/3/3/3
2	FAD	B	702	-	-	3/34/50/50	0/6/6/6
4	6QA	A	703	-	-	24/59/91/91	0/4/4/4

All (88) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	705	6QA	P26-O28	10.77	1.71	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	703	6QA	P26-O28	10.74	1.71	1.59
4	B	705	6QA	O34-C35	9.14	1.63	1.42
4	A	703	6QA	O34-C35	9.12	1.63	1.42
2	A	701	FAD	O4B-C1B	8.55	1.61	1.42
2	B	702	FAD	O4B-C1B	8.36	1.61	1.42
2	B	702	FAD	C2B-C1B	-7.87	1.28	1.53
2	A	701	FAD	C2B-C1B	-7.87	1.28	1.53
4	B	705	6QA	O34-C33	-7.56	1.28	1.45
4	A	703	6QA	O34-C33	-7.54	1.28	1.45
4	B	705	6QA	C46-C35	-7.43	1.30	1.53
4	A	703	6QA	C46-C35	-7.40	1.30	1.53
4	A	703	6QA	P29-O28	6.96	1.67	1.59
4	B	705	6QA	P29-O28	6.92	1.67	1.59
2	A	701	FAD	C4X-N5	6.66	1.45	1.30
2	B	702	FAD	C4X-N5	6.53	1.44	1.30
2	B	702	FAD	O4B-C4B	-6.40	1.30	1.45
2	A	701	FAD	O4B-C4B	-6.11	1.31	1.45
4	A	703	6QA	C18-N17	5.87	1.47	1.33
4	B	705	6QA	C18-N17	5.87	1.47	1.33
4	B	705	6QA	P50-O49	5.48	1.69	1.59
4	A	703	6QA	P50-O49	5.45	1.69	1.59
2	A	701	FAD	C10-N1	5.36	1.44	1.33
2	B	702	FAD	C10-N1	5.35	1.44	1.33
4	B	705	6QA	C44-N45	5.07	1.47	1.34
4	A	703	6QA	C44-N45	5.06	1.47	1.34
4	B	705	6QA	C14-N13	5.03	1.45	1.33
4	A	703	6QA	C14-N13	5.03	1.45	1.33
3	A	702	ATP	C5-C4	4.79	1.47	1.39
3	B	703	ATP	C5-C4	4.66	1.47	1.39
4	B	705	6QA	C09-S10	4.62	1.87	1.76
4	A	703	6QA	C09-S10	4.59	1.87	1.76
2	A	701	FAD	C2-N1	4.49	1.46	1.36
2	A	701	FAD	C9A-N10	4.34	1.48	1.41
2	B	702	FAD	C2-N1	4.34	1.46	1.36
2	B	702	FAD	C9A-N10	3.98	1.48	1.41
2	B	702	FAD	C5X-N5	3.83	1.46	1.39
2	A	701	FAD	C5X-N5	3.76	1.46	1.39
2	B	702	FAD	C2-N3	3.64	1.47	1.39
2	A	701	FAD	C2-N3	3.55	1.46	1.39
2	B	702	FAD	O3B-C3B	-3.49	1.34	1.43
2	A	701	FAD	O3B-C3B	-3.43	1.34	1.43
2	A	701	FAD	C6A-N6A	3.42	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	FAD	C10-N10	3.38	1.44	1.37
2	B	702	FAD	C6A-N6A	3.38	1.42	1.34
4	B	705	6QA	C08-C09	-3.35	1.47	1.50
4	A	703	6QA	C08-C09	-3.32	1.47	1.50
4	A	703	6QA	C03-C02	3.20	1.54	1.52
4	B	705	6QA	C03-C02	3.20	1.54	1.52
4	B	705	6QA	C15-C14	3.08	1.57	1.51
4	A	703	6QA	C15-C14	3.07	1.57	1.51
2	B	702	FAD	C10-N10	3.07	1.44	1.37
4	B	705	6QA	O47-C46	3.03	1.50	1.43
2	B	702	FAD	O2B-C2B	3.02	1.50	1.43
4	A	703	6QA	O47-C46	3.00	1.50	1.43
4	A	703	6QA	C22-C21	2.84	1.59	1.53
4	B	705	6QA	C63-C62	-2.83	1.47	1.52
4	B	705	6QA	C22-C21	2.83	1.59	1.53
3	B	703	ATP	C5-C6	2.81	1.48	1.41
2	A	701	FAD	O2B-C2B	2.81	1.49	1.43
4	A	703	6QA	C63-C62	-2.80	1.47	1.52
3	A	702	ATP	C5-C6	2.74	1.48	1.41
2	B	702	FAD	C5A-C4A	-2.69	1.34	1.39
4	B	705	6QA	O04-C03	-2.68	1.35	1.40
4	A	703	6QA	O04-C03	-2.67	1.35	1.40
2	A	701	FAD	C5A-C4A	-2.60	1.34	1.39
4	B	705	6QA	C32-C33	2.52	1.59	1.51
4	A	703	6QA	C32-C33	2.50	1.59	1.51
4	B	705	6QA	C63-C02	-2.46	1.48	1.52
4	A	703	6QA	C63-C02	-2.45	1.48	1.52
3	B	703	ATP	C8-N7	2.41	1.36	1.31
2	B	702	FAD	C8A-N7A	2.34	1.36	1.31
4	A	703	6QA	P29-O31	2.34	1.68	1.59
4	B	705	6QA	P29-O31	2.33	1.68	1.59
3	A	702	ATP	C5-N7	-2.31	1.34	1.39
3	A	702	ATP	C8-N7	2.28	1.36	1.31
3	B	703	ATP	C5-N7	-2.26	1.35	1.39
3	B	703	ATP	PB-O3A	2.19	1.61	1.59
2	A	701	FAD	C8A-N7A	2.15	1.35	1.31
4	A	703	6QA	O57-C14	-2.14	1.19	1.23
4	B	705	6QA	O57-C14	-2.13	1.19	1.23
2	B	702	FAD	O2'-C2'	-2.11	1.38	1.43
4	B	705	6QA	C37-N36	-2.10	1.34	1.37
3	B	703	ATP	PA-O3A	2.10	1.61	1.59
4	A	703	6QA	C37-N36	-2.07	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	FAD	O2'-C2'	-2.06	1.39	1.43
4	B	705	6QA	O64-C62	2.03	1.47	1.43
4	A	703	6QA	O64-C62	2.02	1.47	1.43

All (102) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	703	ATP	C5-C4-N3	-5.95	118.52	126.72
2	A	701	FAD	N6A-C6A-N1A	-5.93	105.17	118.38
2	B	702	FAD	N6A-C6A-N1A	-5.93	105.18	118.38
3	A	702	ATP	C5-C4-N3	-5.70	118.87	126.72
2	B	702	FAD	N3A-C2A-N1A	-5.64	120.04	128.58
2	A	701	FAD	N3A-C2A-N1A	-5.49	120.27	128.58
4	A	703	6QA	C39-C40-N41	-5.45	119.21	126.72
4	B	705	6QA	C39-C40-N41	-5.44	119.23	126.72
2	A	701	FAD	C7M-C7-C6	-5.44	110.00	119.57
2	B	702	FAD	C7M-C7-C6	-5.11	110.57	119.57
4	A	703	6QA	O58-C09-C08	-5.08	118.12	123.98
4	B	705	6QA	O58-C09-C08	-5.08	118.12	123.98
2	B	702	FAD	C5A-C4A-N3A	-4.89	119.99	126.72
2	A	701	FAD	C5A-C6A-N6A	4.70	134.92	123.29
2	B	702	FAD	C5A-C6A-N6A	4.66	134.84	123.29
2	A	701	FAD	C5A-C4A-N3A	-4.61	120.36	126.72
3	B	703	ATP	N3-C4-N9	4.56	134.92	127.17
3	A	702	ATP	N3-C4-N9	4.44	134.72	127.17
4	B	705	6QA	O58-C09-S10	4.42	128.31	122.68
4	A	703	6QA	O58-C09-S10	4.41	128.29	122.68
2	A	701	FAD	C7M-C7-C8	4.37	129.69	120.76
2	B	702	FAD	N9A-C8A-N7A	-4.34	107.78	113.94
2	A	701	FAD	N9A-C8A-N7A	-4.22	107.95	113.94
2	B	702	FAD	C7M-C7-C8	4.16	129.26	120.76
4	A	703	6QA	C11-S10-C09	4.11	113.98	101.84
4	B	705	6QA	C11-S10-C09	4.09	113.94	101.84
4	B	705	6QA	N43-C42-N41	-4.02	122.50	128.58
4	A	703	6QA	N43-C42-N41	-4.02	122.50	128.58
4	B	705	6QA	N41-C40-N36	3.90	133.80	127.17
4	A	703	6QA	N41-C40-N36	3.89	133.78	127.17
3	B	703	ATP	C2-N3-C4	3.69	120.85	111.83
3	B	703	ATP	C4-C5-N7	-3.60	106.47	110.58
3	A	702	ATP	C2-N3-C4	3.58	120.56	111.83
3	A	702	ATP	C4-C5-N7	-3.54	106.53	110.58
4	B	705	6QA	C48-C46-C35	3.47	107.52	99.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	703	6QA	C48-C46-C35	3.45	107.47	99.89
2	A	701	FAD	C4-N3-C2	-3.39	119.62	125.64
2	B	702	FAD	C2A-N3A-C4A	3.35	120.01	111.83
4	B	705	6QA	C42-N41-C40	3.33	119.97	111.83
4	A	703	6QA	C42-N41-C40	3.33	119.97	111.83
4	B	705	6QA	O01-C02-C03	-3.31	102.63	108.87
4	A	703	6QA	O01-C02-C03	-3.30	102.65	108.87
4	A	703	6QA	C22-C21-C19	-3.29	103.16	108.77
4	B	705	6QA	C22-C21-C19	-3.28	103.18	108.77
2	A	701	FAD	C2A-N3A-C4A	3.21	119.68	111.83
2	B	702	FAD	C4-N3-C2	-3.17	120.00	125.64
3	A	702	ATP	N3-C2-N1	-3.11	123.88	128.58
3	B	703	ATP	N3-C2-N1	-3.08	123.92	128.58
2	A	701	FAD	C5A-N7A-C8A	3.00	108.16	103.45
2	B	702	FAD	N3A-C4A-N9A	2.98	132.23	127.17
4	B	705	6QA	C16-C15-C14	-2.97	107.45	112.39
4	A	703	6QA	C16-C15-C14	-2.96	107.47	112.39
4	A	703	6QA	C40-C39-N38	-2.94	107.22	110.58
2	B	702	FAD	C5A-N7A-C8A	2.93	108.06	103.45
4	B	705	6QA	C40-C39-N38	-2.92	107.25	110.58
4	A	703	6QA	C16-N17-C18	-2.70	117.69	122.55
2	A	701	FAD	C4X-C10-N10	2.69	120.33	116.48
4	B	705	6QA	C16-N17-C18	-2.69	117.72	122.55
2	A	701	FAD	N3A-C4A-N9A	2.66	131.68	127.17
3	B	703	ATP	C5-N7-C8	2.65	107.62	103.45
2	B	702	FAD	C4X-C4-N3	2.64	119.97	113.25
2	A	701	FAD	C4X-C4-N3	2.63	119.96	113.25
4	A	703	6QA	C39-N38-C37	2.62	107.56	103.45
4	B	705	6QA	C39-N38-C37	2.60	107.53	103.45
2	A	701	FAD	C4'-C3'-C2'	-2.56	109.30	113.57
2	A	701	FAD	C10-C4X-N5	-2.53	119.64	124.81
3	B	703	ATP	C4-N9-C8	2.49	108.36	105.74
3	A	702	ATP	C5-N7-C8	2.49	107.36	103.45
4	B	705	6QA	C23-C21-C22	2.46	114.11	109.20
4	A	703	6QA	C23-C21-C22	2.46	114.11	109.20
2	B	702	FAD	C4X-C10-N10	2.46	120.00	116.48
2	B	702	FAD	O4-C4-C4X	-2.45	120.07	126.53
2	B	702	FAD	C10-C4X-N5	-2.40	119.91	124.81
4	B	705	6QA	O04-C03-C02	2.39	111.85	108.26
4	A	703	6QA	O04-C03-C02	2.38	111.83	108.26
3	A	702	ATP	C4-N9-C8	2.37	108.23	105.74
4	B	705	6QA	C62-C63-C02	2.36	114.23	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	FAD	C4A-N9A-C8A	2.36	108.21	105.74
2	A	701	FAD	O4-C4-C4X	-2.34	120.35	126.53
4	A	703	6QA	C62-C63-C02	2.32	114.19	111.50
2	A	701	FAD	C4A-C5A-N7A	-2.32	107.93	110.58
3	B	703	ATP	O4'-C1'-N9	2.31	112.52	108.09
4	B	705	6QA	P50-O49-C48	-2.29	117.31	123.43
4	A	703	6QA	P50-O49-C48	-2.29	117.33	123.43
4	A	703	6QA	C11-C12-N13	-2.27	107.68	112.41
4	B	705	6QA	C11-C12-N13	-2.26	107.70	112.41
2	A	701	FAD	C4X-C10-N1	-2.18	119.24	124.59
2	A	701	FAD	C5X-C9A-N10	2.16	119.92	117.97
2	B	702	FAD	C8M-C8-C9	-2.16	115.77	119.57
2	A	701	FAD	C4A-N9A-C8A	2.15	108.00	105.74
2	B	702	FAD	C5X-C9A-N10	2.14	119.91	117.97
2	B	702	FAD	C4A-C5A-N7A	-2.11	108.17	110.58
2	B	702	FAD	C9A-C5X-N5	-2.10	120.22	122.45
3	B	703	ATP	N9-C8-N7	-2.08	110.99	113.94
4	A	703	6QA	C15-C14-N13	2.07	120.12	116.34
3	B	703	ATP	C6-C5-N7	2.06	136.07	132.09
4	B	705	6QA	C15-C14-N13	2.06	120.10	116.34
3	A	702	ATP	C6-C5-N7	2.04	136.02	132.09
2	B	702	FAD	C4'-C3'-C2'	-2.04	110.18	113.57
4	A	703	6QA	C46-C48-C33	2.02	106.78	103.24
4	A	703	6QA	O57-C14-C15	-2.00	118.39	122.02
2	B	702	FAD	C6A-C5A-C4A	2.00	119.91	117.18

There are no chirality outliers.

All (68) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	FAD	C5B-O5B-PA-O3P
2	B	702	FAD	C5'-O5'-P-O2P
2	B	702	FAD	C5'-O5'-P-O3P
3	B	703	ATP	O4'-C4'-C5'-O5'
4	A	703	6QA	C32-O31-P29-O28
4	A	703	6QA	C32-O31-P29-O30
4	A	703	6QA	C32-O31-P29-O54
4	A	703	6QA	O59-C03-O04-C05
4	A	703	6QA	C06-C05-O04-C03
4	A	703	6QA	C06-C07-C08-C09
4	A	703	6QA	C08-C09-S10-C11
4	A	703	6QA	O58-C09-S10-C11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	703	6QA	C12-C11-S10-C09
4	A	703	6QA	S10-C11-C12-N13
4	A	703	6QA	C14-C15-C16-N17
4	A	703	6QA	C22-C21-C24-O25
4	A	703	6QA	C23-C21-C24-O25
4	B	705	6QA	C32-O31-P29-O28
4	B	705	6QA	C32-O31-P29-O30
4	B	705	6QA	C32-O31-P29-O54
4	B	705	6QA	O59-C03-O04-C05
4	B	705	6QA	C06-C05-O04-C03
4	B	705	6QA	C06-C07-C08-C09
4	B	705	6QA	C08-C09-S10-C11
4	B	705	6QA	O58-C09-S10-C11
4	B	705	6QA	C12-C11-S10-C09
4	B	705	6QA	S10-C11-C12-N13
4	B	705	6QA	C14-C15-C16-N17
4	B	705	6QA	C22-C21-C24-O25
4	B	705	6QA	C23-C21-C24-O25
3	B	703	ATP	C3'-C4'-C5'-O5'
4	A	703	6QA	C02-C03-O04-C05
4	B	705	6QA	C02-C03-O04-C05
4	A	703	6QA	O04-C05-C06-C07
4	B	705	6QA	O04-C05-C06-C07
3	A	702	ATP	O4'-C4'-C5'-O5'
4	A	703	6QA	P26-O28-P29-O31
4	B	705	6QA	P26-O28-P29-O31
2	A	701	FAD	C3B-C4B-C5B-O5B
3	A	702	ATP	C3'-C4'-C5'-O5'
4	A	703	6QA	O31-C32-C33-C48
4	B	705	6QA	O31-C32-C33-C48
3	B	703	ATP	PG-O3B-PB-O2B
4	A	703	6QA	C19-C21-C24-O25
4	B	705	6QA	C19-C21-C24-O25
2	A	701	FAD	C5B-O5B-PA-O1A
2	B	702	FAD	C5'-O5'-P-O1P
4	A	703	6QA	C33-C32-O31-P29
4	B	705	6QA	C33-C32-O31-P29
2	A	701	FAD	PA-O3P-P-O2P
3	B	703	ATP	PA-O3A-PB-O3B
2	A	701	FAD	O4B-C4B-C5B-O5B
3	A	702	ATP	PB-O3A-PA-O2A
3	B	703	ATP	PG-O3B-PB-O1B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	703	6QA	P29-O28-P26-O25
4	B	705	6QA	P29-O28-P26-O25
4	A	703	6QA	O31-C32-C33-O34
4	B	705	6QA	O31-C32-C33-O34
2	A	701	FAD	PA-O3P-P-O1P
3	A	702	ATP	PG-O3B-PB-O1B
4	A	703	6QA	P26-O28-P29-O30
4	A	703	6QA	P26-O28-P29-O54
4	B	705	6QA	P26-O28-P29-O30
4	B	705	6QA	P26-O28-P29-O54
4	A	703	6QA	C21-C24-O25-P26
4	B	705	6QA	C21-C24-O25-P26
3	A	702	ATP	PG-O3B-PB-O2B
3	B	703	ATP	PA-O3A-PB-O2B


There are no ring outliers.

5 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	FAD	3	0
4	B	705	6QA	1	0
3	A	702	ATP	1	0
3	B	703	ATP	3	0
2	B	702	FAD	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FAD A 701




Ligand 6QA B 705









5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	662/674 (98%)	-1.62	0 100 100	10, 45, 91, 148	0
1	B	659/674 (97%)	-1.61	0 100 100	11, 45, 103, 167	0
All	All	1321/1348 (97%)	-1.62	0 100 100	10, 45, 99, 167	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FAD	B	702	53/53	0.99	0.03	25,34,51,54	0
3	ATP	A	702	31/31	0.99	0.02	40,44,59,62	0
3	ATP	B	703	31/31	0.99	0.02	41,52,71,79	0
4	6QA	A	703	64/64	0.99	0.04	39,81,96,112	0
4	6QA	B	705	64/64	0.99	0.04	39,81,96,112	0
5	MG	B	701	1/1	0.99	0.01	44,44,44,44	0
2	FAD	A	701	53/53	1.00	0.03	21,26,46,49	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MG	B	704	1/1	1.00	0.02	41,41,41,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FAD B 702:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP B 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 6QA A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 6QA B 705:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.