



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:42 AM UTC

PDB ID : 5K3V / pdb_00005k3v
Title : apo-PDX1.3 (Arabidopsis)
Authors : Robinson, G.C.; Kaufmann, M.; Roux, C.; Fitzpatrick, T.B.
Deposited on : 2016-05-20
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	 7% 83% 12%
1	B	315	 11% 81% 13% 6%
1	C	315	 11% 83% 12%
1	D	315	 11% 83% 12%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8956 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyridoxal 5'-phosphate synthase subunit PDX1.3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	7	0
			2111	1315	389	389	18			
1	B	274	Total	C	N	O	S	0	6	0
			2088	1302	384	384	18			
1	C	277	Total	C	N	O	S	0	5	0
			2115	1318	386	393	18			
1	D	277	Total	C	N	O	S	0	3	0
			2084	1299	382	385	18			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	310	HIS	-	expression tag	UNP Q8L940
A	311	HIS	-	expression tag	UNP Q8L940
A	312	HIS	-	expression tag	UNP Q8L940
A	313	HIS	-	expression tag	UNP Q8L940
A	314	HIS	-	expression tag	UNP Q8L940
A	315	HIS	-	expression tag	UNP Q8L940
B	310	HIS	-	expression tag	UNP Q8L940
B	311	HIS	-	expression tag	UNP Q8L940
B	312	HIS	-	expression tag	UNP Q8L940
B	313	HIS	-	expression tag	UNP Q8L940
B	314	HIS	-	expression tag	UNP Q8L940
B	315	HIS	-	expression tag	UNP Q8L940
C	310	HIS	-	expression tag	UNP Q8L940
C	311	HIS	-	expression tag	UNP Q8L940
C	312	HIS	-	expression tag	UNP Q8L940
C	313	HIS	-	expression tag	UNP Q8L940
C	314	HIS	-	expression tag	UNP Q8L940
C	315	HIS	-	expression tag	UNP Q8L940
D	310	HIS	-	expression tag	UNP Q8L940
D	311	HIS	-	expression tag	UNP Q8L940
D	312	HIS	-	expression tag	UNP Q8L940

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	313	HIS	-	expression tag	UNP Q8L940
D	314	HIS	-	expression tag	UNP Q8L940
D	315	HIS	-	expression tag	UNP Q8L940

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Cl	0	0
			2	2		
4	D	3	Total	Cl	0	0
			3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	143	Total	O	0	0
			143	143		
5	B	125	Total	O	0	0
			125	125		
5	C	125	Total	O	0	0
			125	125		
5	D	108	Total	O	0	0
			108	108		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyridoxal 5'-phosphate synthase subunit PDX1.3




- Molecule 1: Pyridoxal 5'-phosphate synthase subunit PDX1.3




- Molecule 1: Pyridoxal 5'-phosphate synthase subunit PDX1.3



- Molecule 1: Pyridoxal 5'-phosphate synthase subunit PDX1.3





4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	178.22Å 178.22Å 116.43Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	92.95 – 1.90 92.95 – 1.90	Depositor EDS
% Data completeness (in resolution range)	98.8 (92.95-1.90) 98.8 (92.95-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 1.46Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.177 , 0.203 0.186 , 0.183	Depositor DCC
R_{free} test set	11527 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	18.7	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 35.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.023 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8956	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, EDO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.03	1/2147 (0.0%)	0.97	2/2895 (0.1%)
1	B	1.01	0/2121	0.98	2/2860 (0.1%)
1	C	1.03	1/2145 (0.0%)	0.99	3/2893 (0.1%)
1	D	1.03	0/2114	1.00	4/2852 (0.1%)
All	All	1.02	2/8527 (0.0%)	0.98	11/11500 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	139	ILE	CA-C	6.28	1.58	1.52
1	A	251	GLY	C-O	5.36	1.31	1.23

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	255	PHE	N-CA-C	9.87	123.06	111.71
1	B	255	PHE	N-CA-C	9.19	123.60	112.38
1	C	192	ASN	CB-CA-C	-6.80	99.07	110.56
1	D	192	ASN	CB-CA-C	-6.14	100.19	110.56
1	C	120	SER	N-CA-C	5.87	118.52	109.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	120	SER	N-CA-C	5.55	118.01	109.07
1	B	63	ARG	N-CA-C	5.54	117.45	108.26
1	D	63	ARG	N-CA-C	5.33	117.10	108.26
1	A	120	SER	N-CA-C	5.33	117.64	109.07
1	A	63	ARG	N-CA-C	5.28	118.03	108.69
1	C	63	ARG	N-CA-C	5.17	117.84	108.69

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	254	ILE	Peptide
1	D	254	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2111	0	2135	14	0
1	B	2088	0	2112	9	0
1	C	2115	0	2130	12	0
1	D	2084	0	2101	14	0
2	A	10	0	0	0	0
2	B	10	0	0	0	0
2	C	10	0	0	0	0
2	D	10	0	0	0	0
3	A	4	0	6	0	0
3	B	4	0	6	0	0
3	C	4	0	6	0	0
4	A	2	0	0	0	0
4	D	3	0	0	0	0
5	A	143	0	0	1	1
5	B	125	0	0	2	1
5	C	125	0	0	0	0
5	D	108	0	0	1	0
All	All	8956	0	8496	49	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265[B]:ARG:CZ	1:A:269[B]:GLN:HE21	1.71	1.01
1:D:191[B]:ARG:HD3	1:D:191[B]:ARG:C	2.01	0.86
1:A:265[B]:ARG:CZ	1:A:269[B]:GLN:NE2	2.39	0.84
1:C:59:MET:CE	1:C:95:MET:HE2	2.09	0.82
1:D:191[A]:ARG:HG2	1:D:191[A]:ARG:HH11	1.48	0.78
1:A:265[B]:ARG:NH2	1:A:269[B]:GLN:NE2	2.32	0.76
1:A:60:ALA:O	1:A:61[B]:LEU:HD12	1.86	0.76
1:C:59:MET:HE1	1:C:95:MET:CE	2.22	0.70
1:D:191[B]:ARG:C	1:D:191[B]:ARG:CD	2.63	0.69
1:C:191[B]:ARG:HG2	1:C:191[B]:ARG:HH11	1.57	0.69
1:C:59:MET:HE2	1:C:95:MET:HE2	1.75	0.68
1:D:191[B]:ARG:HD3	1:D:191[B]:ARG:O	1.93	0.68
1:C:59:MET:HE1	1:C:95:MET:HE2	1.80	0.63
1:A:259:ASP:OD2	1:A:262:ARG:HD2	2.00	0.61
1:A:61[B]:LEU:HD21	1:A:97:LYS:HD2	1.84	0.59
1:C:195:ASP:OD1	1:C:216:LYS:HE2	2.02	0.59
1:B:195:ASP:OD1	1:B:216:LYS:HE2	2.02	0.58
1:D:195:ASP:OD1	1:D:216:LYS:HE2	2.02	0.58
1:A:195:ASP:OD1	1:A:216:LYS:HE2	2.04	0.57
1:B:257:SER:HB2	5:B:559:HOH:O	2.05	0.56
1:B:150[B]:GLU:HG2	1:B:153:ARG:NH2	2.23	0.54
1:A:265[B]:ARG:NH2	1:A:269[B]:GLN:HE22	2.01	0.54
1:A:265[B]:ARG:NE	1:A:269[B]:GLN:HE21	2.04	0.52
1:D:191[A]:ARG:HG2	1:D:191[A]:ARG:NH1	2.17	0.52
1:A:61[B]:LEU:HG	5:A:520:HOH:O	2.11	0.50
1:C:87:LYS:HA	1:C:94:VAL:HG21	1.94	0.49
1:D:225:GLN:OE1	5:D:501:HOH:O	2.19	0.49
1:D:191[A]:ARG:NH1	1:D:191[A]:ARG:CG	2.76	0.48
1:C:100:ILE:HB	1:C:125[B]:LEU:HD23	1.95	0.48
1:D:87:LYS:HA	1:D:94:VAL:HG21	1.95	0.48
1:A:87:LYS:HA	1:A:94:VAL:HG21	1.96	0.47
1:C:191[B]:ARG:HG2	1:C:191[B]:ARG:NH1	2.24	0.47
1:C:59:MET:CE	1:C:95:MET:CE	2.81	0.47
1:D:256:LYS:HD3	1:D:256:LYS:H	1.80	0.47
1:A:61[B]:LEU:HD11	1:A:97:LYS:HG3	1.97	0.46
1:B:31:GLN:HA	1:B:224:VAL:HG21	1.98	0.46
1:A:60:ALA:C	1:A:61[B]:LEU:HD12	2.41	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:LYS:HA	1:B:94:VAL:HG21	1.98	0.45
1:A:225:GLN:O	1:A:225:GLN:CG	2.67	0.43
1:B:225:GLN:OE1	5:B:501:HOH:O	2.21	0.43
1:D:191[B]:ARG:HH11	1:D:191[B]:ARG:HG3	1.84	0.42
1:D:61:LEU:HD13	1:D:97:LYS:HE2	2.00	0.42
1:B:225:GLN:O	1:B:225:GLN:CG	2.67	0.42
1:C:61:LEU:HD13	1:C:97:LYS:HE2	2.01	0.41
1:C:31:GLN:HA	1:C:224:VAL:HG21	2.02	0.41
1:D:225:GLN:O	1:D:225:GLN:CG	2.67	0.41
1:B:156:ARG:HA	1:B:156:ARG:HD2	1.93	0.41
1:D:191[B]:ARG:HG3	1:D:191[B]:ARG:NH1	2.36	0.41
1:B:177:VAL:HG22	1:B:240:MET:HE1	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:575:HOH:O	5:B:529:HOH:O[5_455]	1.07	1.13

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	281/315 (89%)	276 (98%)	5 (2%)	0	100	100
1	B	278/315 (88%)	271 (98%)	7 (2%)	0	100	100
1	C	281/315 (89%)	275 (98%)	6 (2%)	0	100	100
1	D	278/315 (88%)	271 (98%)	7 (2%)	0	100	100
All	All	1118/1260 (89%)	1093 (98%)	25 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	216/245 (88%)	214 (99%)	2 (1%)	70	73
1	B	213/245 (87%)	210 (99%)	3 (1%)	59	59
1	C	216/245 (88%)	212 (98%)	4 (2%)	50	47
1	D	212/245 (86%)	208 (98%)	4 (2%)	50	47
All	All	857/980 (87%)	844 (98%)	13 (2%)	65	56

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61[A]	LEU
1	A	61[B]	LEU
1	B	61	LEU
1	B	250[A]	VAL
1	B	250[B]	VAL
1	C	61	LEU
1	C	95	MET
1	C	191[A]	ARG
1	C	191[B]	ARG
1	D	61	LEU
1	D	191[A]	ARG
1	D	191[B]	ARG
1	D	256	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	GLN
1	B	31	GLN
1	B	71	GLN
1	C	71	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 5 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	D	401	-	4,4,4	0.27	0	6,6,6	0.69	0
2	SO4	D	402	-	4,4,4	0.44	0	6,6,6	0.76	0
2	SO4	B	401	-	4,4,4	0.41	0	6,6,6	0.85	0
2	SO4	B	402	-	4,4,4	0.56	0	6,6,6	0.55	0
2	SO4	A	401	-	4,4,4	0.30	0	6,6,6	0.69	0
2	SO4	C	402	-	4,4,4	0.49	0	6,6,6	0.59	0
2	SO4	C	401	-	4,4,4	0.25	0	6,6,6	0.68	0
3	EDO	B	403	-	3,3,3	0.32	0	2,2,2	0.50	0
2	SO4	A	402	-	4,4,4	0.45	0	6,6,6	0.61	0
3	EDO	C	403	-	3,3,3	0.35	0	2,2,2	0.29	0
3	EDO	A	403	-	3,3,3	0.49	0	2,2,2	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	C	403	-	-	0/1/1/1	-
3	EDO	A	403	-	-	1/1/1/1	-
3	EDO	B	403	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	403	EDO	O1-C1-C2-O2
3	A	403	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/315 (87%)	0.31	22 (7%) 18 19	10, 25, 49, 61	7 (2%)
1	B	274/315 (86%)	0.56	36 (13%) 7 7	10, 27, 61, 104	6 (2%)
1	C	277/315 (87%)	0.55	35 (12%) 8 8	11, 27, 58, 72	5 (1%)
1	D	277/315 (87%)	0.65	35 (12%) 8 8	11, 28, 61, 91	3 (1%)
All	All	1104/1260 (87%)	0.52	128 (11%) 9 10	10, 27, 58, 104	21 (1%)

All (128) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	260	PRO	8.0
1	D	294	ILE	7.3
1	B	292	VAL	7.0
1	A	292	VAL	6.3
1	B	294	ILE	6.2
1	B	66	ALA	6.1
1	C	294	ILE	6.0
1	D	260	PRO	6.0
1	D	292	VAL	5.7
1	D	256	LYS	5.6
1	C	292	VAL	5.5
1	C	66	ALA	5.5
1	B	64	VAL	5.3
1	D	255	PHE	5.3
1	B	255	PHE	5.2
1	C	255	PHE	5.0
1	A	296	LEU	4.8
1	D	64	VAL	4.8
1	C	191[A]	ARG	4.7
1	D	293	GLY	4.5
1	B	254	ILE	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	256	LYS	4.4
1	C	290	ALA	4.4
1	B	261	ALA	4.3
1	A	251	GLY	4.3
1	C	64	VAL	4.2
1	D	66	ALA	4.2
1	D	296	LEU	4.2
1	B	70	ALA	4.0
1	C	260	PRO	4.0
1	B	253	GLY	4.0
1	D	251	GLY	4.0
1	B	258	GLY	3.9
1	D	252	SER	3.8
1	A	29	LEU	3.8
1	B	293	GLY	3.8
1	D	290	ALA	3.8
1	C	252	SER	3.8
1	B	72	GLY	3.8
1	B	251	GLY	3.8
1	C	253	GLY	3.7
1	D	254	ILE	3.7
1	C	251	GLY	3.7
1	B	290	ALA	3.7
1	C	70	ALA	3.6
1	D	261	ALA	3.6
1	A	255	PHE	3.6
1	B	291	MET	3.6
1	C	296	LEU	3.6
1	C	261	ALA	3.5
1	A	294	ILE	3.4
1	D	257	SER	3.4
1	C	254	ILE	3.4
1	C	258	GLY	3.3
1	C	256	LYS	3.3
1	D	291	MET	3.2
1	D	67	ASP	3.2
1	C	257	SER	3.2
1	A	260	PRO	3.2
1	D	68	ILE	3.1
1	C	259	ASP	3.1
1	D	20	LYS	3.1
1	C	68	ILE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	191[A]	ARG	3.0
1	D	259	ASP	3.0
1	D	253	GLY	3.0
1	C	262	ARG	2.9
1	A	66	ALA	2.9
1	B	88	GLN	2.9
1	A	64	VAL	2.8
1	B	252	SER	2.8
1	C	287	LEU	2.8
1	D	70	ALA	2.8
1	B	67	ASP	2.8
1	C	72	GLY	2.8
1	B	257	SER	2.7
1	C	295	ASN	2.7
1	A	252	SER	2.7
1	D	289	GLU	2.7
1	A	259	ASP	2.6
1	B	289	GLU	2.6
1	D	65	PRO	2.6
1	B	63	ARG	2.6
1	B	259	ASP	2.6
1	B	286	GLY	2.6
1	D	72	GLY	2.6
1	C	20	LYS	2.6
1	A	70	ALA	2.6
1	D	63	ARG	2.5
1	A	191[A]	ARG	2.5
1	A	265[A]	ARG	2.5
1	D	88	GLN	2.5
1	B	65	PRO	2.5
1	C	291	MET	2.4
1	B	48	ARG	2.4
1	B	295	ASN	2.4
1	A	256	LYS	2.4
1	D	217	GLN	2.4
1	D	295	ASN	2.3
1	C	63	ARG	2.3
1	D	62	GLU	2.3
1	B	69	ARG	2.3
1	C	61	LEU	2.3
1	D	61	LEU	2.3
1	C	286	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	293	GLY	2.3
1	D	49	ILE	2.3
1	A	67	ASP	2.3
1	A	61[A]	LEU	2.3
1	A	72	GLY	2.2
1	A	257	SER	2.2
1	B	191[A]	ARG	2.2
1	D	258	GLY	2.2
1	B	61	LEU	2.2
1	C	217	GLN	2.2
1	C	84	LYS	2.2
1	C	279	MET	2.1
1	C	45	GLU	2.1
1	D	32	MET	2.1
1	A	295	ASN	2.1
1	B	90	VAL	2.1
1	A	254	ILE	2.0
1	B	68	ILE	2.0
1	C	32	MET	2.0
1	B	53	ALA	2.0
1	A	45	GLU	2.0
1	B	91	THR	2.0
1	B	265	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	B	403	4/4	0.84	0.18	50,50,51,53	0
3	EDO	C	403	4/4	0.87	0.17	45,45,48,54	0
2	SO4	D	401	5/5	0.89	0.15	49,49,59,61	0
4	CL	D	403	1/1	0.92	0.13	63,63,63,63	0
4	CL	D	404	1/1	0.92	0.17	52,52,52,52	0
4	CL	D	405	1/1	0.92	0.13	52,52,52,52	0
3	EDO	A	403	4/4	0.93	0.09	33,35,37,41	0
2	SO4	C	401	5/5	0.93	0.12	45,47,57,58	0
4	CL	A	405	1/1	0.95	0.16	55,55,55,55	0
2	SO4	A	401	5/5	0.96	0.09	40,42,46,50	0
4	CL	A	404	1/1	0.96	0.14	47,47,47,47	0
2	SO4	B	401	5/5	0.96	0.09	47,56,61,62	0
2	SO4	B	402	5/5	0.97	0.07	28,31,32,34	0
2	SO4	D	402	5/5	0.98	0.07	29,30,33,35	0
2	SO4	C	402	5/5	0.98	0.08	29,33,35,36	0
2	SO4	A	402	5/5	0.98	0.06	28,30,32,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.