



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:13 AM UTC

PDB ID : 1K4T / pdb_00001k4t
Title : HUMAN DNA TOPOISOMERASE I (70 KDA) IN COMPLEX WITH THE
POISON TOPOTECAN AND COVALENT COMPLEX WITH A 22 BASE
PAIR DNA DUPLEX
Authors : Staker, B.L.; Hjerrild, K.; Feese, M.D.; Behnke, C.A.; Burgin Jr., A.B.; Stewart, L.J.
Deposited on : 2001-10-08
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	10	10% 40% 60%
2	C	12	17% 50% 50%
3	D	22	5% 41% 55% 5%
4	A	592	7% 75% 18% 5%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 5883 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*AP*AP*AP*AP*AP*GP*AP*CP*TP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	10	Total	C	N	O	P	0	0	0
			203	99	42	53	9			

- Molecule 2 is a DNA chain called 5'-D(*(TGP)P*GP*AP*AP*AP*AP*AP*TP*TP*TP*TP*T)-3'.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	12	Total	C	N	O	P	S	0	0	0
			246	120	45	69	11	1			

- Molecule 3 is a DNA chain called 5'-D(*AP*AP*AP*AP*AP*TP*TP*TP*TP*TP*CP*CP*AP*AP*GP*TP*CP*TP*TP*TP*TP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	22	Total	C	N	O	P	0	0	0
			443	217	71	134	21			


- Molecule 4 is a protein called DNA topoisomerase I.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	A	565	Total	C	N	O	P	S	0	0	0
			4687	2980	823	857	1	26			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	723	PTR	TYR	modified residue	UNP P11387

- Molecule 5 is 2-(1-DIMETHYLAMINOMETHYL-2-HYDROXY-8-HYDROXYMETHYL-9-OXO-9,11-DIHYDRO-INDOLIZINO[1,2-B]QUINOLIN-7-YL)-2-HYDROXY-BUTYRIC ACID (CCD ID: TTG) (formula: C₂₃H₂₅N₃O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total	C	N	O	0	1
			32	23	3	6		

- Molecule 6 is (S)-10-[(DIMETHYLAMINO)METHYL]-4-ETHYL-4,9-DIHYDROXY-1H-PYRANO[3',4':6,7]INOLIZINO[1,2-B]-QUINOLINE-3,14(4H,12H)-DIONE (CCD ID: TTC) (formula: C₂₃H₂₃N₃O₅).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	D	1	Total	C	N	O	0	1
			31	23	3	5		

- Molecule 7 is MERCURY (II) ION (CCD ID: HG) (formula: Hg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Hg 1 1	0	0

- Molecule 8 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 13 8 5	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	18	Total O 18 18	0	0
9	C	8	Total O 8 8	0	0
9	D	26	Total O 26 26	0	0
9	A	175	Total O 175 175	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-D(*AP*AP*AP*AP*AP*GP*AP*CP*TP*T)-3'





- Molecule 2: 5'-D(*(TGP)P*GP*AP*AP*AP*AP*AP*TP*TP*TP*TP*T)-3'




- Molecule 3: 5'-D(*AP*AP*AP*AP*AP*TP*TP*TP*TP*TP*CP*CP*AP*AP*GP*TP*CP*TP*TP*TP*TP*T)-3'



- Molecule 4: DNA topoisomerase I





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.09Å 116.26Å 75.22Å 90.00° 94.16° 90.00°	Depositor
Resolution (Å)	19.89 – 2.10 19.89 – 2.10	Depositor EDS
% Data completeness (in resolution range)	80.2 (19.89-2.10) 74.0 (19.89-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 1.99Å)	Xtriage
Refinement program	CNX	Depositor
R, R_{free}	0.229 , 0.269 (Not available) , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	29.7	Xtriage
Anisotropy	0.317	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5883	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TTG, PG4, TTC, HG, TGP, PTR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.29	0/229	0.68	0/351
2	C	0.27	0/254	0.68	0/390
3	D	0.31	0/494	0.78	0/760
4	A	0.43	0/4770	0.91	12/6401 (0.2%)
All	All	0.41	0/5747	0.88	12/7902 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	D	0	1

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	541	VAL	N-CA-C	8.23	117.40	107.61
4	A	382	ILE	N-CA-C	7.25	119.03	108.58
4	A	419	ASN	N-CA-C	7.16	121.28	112.54
4	A	636	PRO	CA-C-N	6.49	127.95	119.84
4	A	636	PRO	C-N-CA	6.49	127.95	119.84
4	A	367	HIS	CA-C-N	6.19	125.87	119.56
4	A	367	HIS	C-N-CA	6.19	125.87	119.56
4	A	643	SER	N-CA-C	-5.67	106.45	113.19
4	A	566	ASP	N-CA-C	-5.36	103.46	110.53
4	A	287	THR	N-CA-C	-5.19	103.83	110.53
4	A	211	TYR	CA-C-N	5.10	126.22	119.84
4	A	211	TYR	C-N-CA	5.10	126.22	119.84

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	D	112	DC	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	203	0	112	9	0
2	C	246	0	138	12	0
3	D	443	0	255	21	0
4	A	4687	0	4720	70	0
5	C	32	0	17	4	0
6	D	31	0	19	0	0
7	A	1	0	0	0	0
8	A	13	0	18	0	0
9	A	175	0	0	4	0
9	B	18	0	0	0	0
9	C	8	0	0	3	0
9	D	26	0	0	1	0
All	All	5883	0	5279	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:DA:H2'	1:B:2:DA:C8	1.93	1.04
2:C:17:DA:H2''	2:C:18:DT:H5''	1.45	0.98
3:D:110:DT:H2''	3:D:111:DC:H5''	1.44	0.97
4:A:599:GLN:HE22	4:A:765:PHE:H	1.03	0.97
4:A:367:HIS:HD2	4:A:369:LYS:H	1.19	0.89
2:C:17:DA:H2''	2:C:18:DT:C5'	2.07	0.85
1:B:10:DT:H2''	5:C:991[B]:TTG:O19	1.77	0.84
2:C:17:DA:C2'	2:C:18:DT:H5''	2.09	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:110:DT:H2''	3:D:111:DC:C5'	2.09	0.82
3:D:110:DT:C2'	3:D:111:DC:H5''	2.12	0.79
4:A:419:ASN:HD22	4:A:419:ASN:H	1.33	0.76
4:A:569:ASN:ND2	4:A:572:ILE:H	1.84	0.75
3:D:121:DT:H2'	3:D:122:DT:H71	1.67	0.75
1:B:10:DT:C2'	5:C:991[B]:TTG:O19	2.37	0.71
3:D:115:DG:H2'	3:D:116:DT:H72	1.73	0.70
4:A:601:GLN:HE21	4:A:601:GLN:HA	1.56	0.69
3:D:119:DT:H2''	3:D:120:DT:H5''	1.75	0.69
4:A:479:LEU:HD21	4:A:577:LEU:HD21	1.77	0.67
4:A:599:GLN:HE22	4:A:765:PHE:N	1.86	0.66
4:A:341:CYS:SG	4:A:429:LEU:HD21	2.37	0.65
4:A:419:ASN:HD22	4:A:419:ASN:N	1.95	0.64
4:A:492:GLU:H	4:A:492:GLU:CD	2.03	0.64
4:A:599:GLN:NE2	4:A:765:PHE:H	1.85	0.63
5:C:991[B]:TTG:O22	9:C:133:HOH:O	2.15	0.63
4:A:241:TYR:HB2	4:A:301:ASP:HB3	1.81	0.63
1:B:1:DA:H2'	1:B:2:DA:H8	1.61	0.62
4:A:326:LYS:O	4:A:330:GLU:HG2	2.00	0.62
4:A:332:GLU:O	4:A:336:LYS:HG2	2.01	0.61
4:A:569:ASN:C	4:A:569:ASN:HD22	2.09	0.60
4:A:652:ASP:O	4:A:656:GLU:HG2	2.01	0.60
1:B:4:DA:H2''	1:B:5:DA:H5'	1.84	0.59
3:D:115:DG:H2'	3:D:116:DT:C7	2.32	0.59
3:D:112:DC:H5'	9:A:1025:HOH:O	2.02	0.58
4:A:745:ASN:H	4:A:748:GLN:NE2	2.01	0.58
2:C:20:DT:C2'	2:C:21:DT:H72	2.34	0.58
3:D:119:DT:C2'	3:D:120:DT:H5''	2.34	0.58
1:B:4:DA:H1'	1:B:5:DA:H5''	1.86	0.57
3:D:120:DT:H2'	3:D:121:DT:H72	1.86	0.56
2:C:20:DT:H2'	2:C:21:DT:H72	1.87	0.56
3:D:105:DA:H1'	3:D:106:DT:H5''	1.87	0.56
4:A:611:ASN:ND2	4:A:611:ASN:H	2.04	0.55
2:C:20:DT:H2''	2:C:21:DT:C7	2.38	0.54
4:A:683:VAL:O	4:A:687:LYS:HG2	2.07	0.54
4:A:581:MET:HE2	4:A:584:LEU:HB2	1.90	0.54
2:C:13:DA:OP1	4:A:634:ARG:HG3	2.08	0.53
4:A:512:ILE:HD11	4:A:555:MET:SD	2.49	0.53
4:A:474:GLN:OE1	4:A:566:ASP:O	2.27	0.53
4:A:481:PHE:HB3	4:A:487:LEU:HD12	1.91	0.53
4:A:569:ASN:HD21	4:A:572:ILE:HG13	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:624:ARG:HD2	9:A:997:HOH:O	2.09	0.52
2:C:20:DT:C2'	2:C:21:DT:C7	2.87	0.52
3:D:106:DT:H2'	3:D:107:DT:H72	1.90	0.52
4:A:638:LYS:C	4:A:640:PHE:H	2.18	0.51
1:B:9:DT:OP2	4:A:439:LYS:HG2	2.10	0.51
4:A:348:GLU:OE1	4:A:433:SER:HB2	2.11	0.51
3:D:105:DA:H2''	3:D:106:DT:H5''	1.92	0.50
4:A:449:ARG:O	4:A:452:LYS:HG2	2.11	0.50
2:C:11:TGP:H5'	9:C:28:HOH:O	2.11	0.50
4:A:482:ILE:O	4:A:486:ALA:HA	2.12	0.49
2:C:20:DT:H3'	9:C:202:HOH:O	2.12	0.49
3:D:106:DT:H5'	3:D:106:DT:H6	1.78	0.49
3:D:105:DA:C2'	3:D:106:DT:H5''	2.43	0.49
4:A:259:PHE:HB3	4:A:360:LEU:HG	1.95	0.48
4:A:235:PRO:HG2	4:A:238:VAL:HG23	1.95	0.48
1:B:4:DA:H2''	1:B:5:DA:C5'	2.43	0.48
4:A:522:GLU:H	4:A:522:GLU:CD	2.22	0.47
1:B:1:DA:C2'	1:B:2:DA:C8	2.83	0.47
3:D:121:DT:H2''	3:D:122:DT:C6	2.49	0.47
4:A:346:HIS:HD2	9:A:1047:HOH:O	1.96	0.47
4:A:662:ARG:HH11	4:A:662:ARG:HG3	1.80	0.47
4:A:569:ASN:ND2	4:A:572:ILE:HG13	2.30	0.47
4:A:489:ALA:HB2	4:A:586:ALA:CB	2.46	0.46
4:A:419:ASN:H	4:A:419:ASN:ND2	2.06	0.46
4:A:610:GLU:HB3	4:A:614:ALA:HB3	1.97	0.46
3:D:105:DA:H2''	3:D:106:DT:C5'	2.46	0.46
4:A:691:VAL:O	4:A:695:GLU:HG3	2.15	0.46
4:A:367:HIS:HA	4:A:368:PRO:HD3	1.80	0.45
4:A:382:ILE:HG23	4:A:414:VAL:HG13	1.99	0.45
4:A:569:ASN:HD21	4:A:572:ILE:H	1.62	0.45
5:C:991[B]:TTG:O23	4:A:532:LYS:NZ	2.43	0.45
4:A:344:ASP:O	9:A:1047:HOH:O	2.20	0.45
4:A:566:ASP:O	4:A:567:ARG:HB2	2.16	0.45
4:A:367:HIS:CD2	4:A:369:LYS:H	2.11	0.45
4:A:451:LYS:HB3	4:A:451:LYS:NZ	2.32	0.45
3:D:119:DT:H2''	3:D:120:DT:C5'	2.44	0.45
4:A:569:ASN:HD22	4:A:572:ILE:H	1.60	0.44
4:A:248:LYS:O	4:A:248:LYS:HD3	2.17	0.44
4:A:485:LEU:HD11	4:A:541:VAL:HG11	1.99	0.44
2:C:17:DA:H2''	2:C:18:DT:H5'	1.96	0.44
4:A:241:TYR:CE2	4:A:246:VAL:HG22	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:254:GLU:O	4:A:258:THR:HG23	2.18	0.43
4:A:758:MET:SD	4:A:758:MET:O	2.76	0.43
4:A:642:LYS:C	4:A:644:MET:H	2.26	0.43
4:A:761:GLU:H	4:A:761:GLU:CD	2.27	0.43
2:C:20:DT:H2''	2:C:21:DT:C6	2.55	0.42
3:D:120:DT:H5'	3:D:120:DT:H6	1.84	0.42
4:A:367:HIS:CD2	4:A:368:PRO:HD2	2.55	0.42
3:D:104:DA:H1'	9:D:1010:HOH:O	2.18	0.42
4:A:514:LEU:HD13	4:A:552:GLN:HG2	2.02	0.41
4:A:647:LEU:HD11	4:A:708:ARG:HD2	2.02	0.41
3:D:111:DC:H5'	3:D:111:DC:H6	1.84	0.41
4:A:470:MET:HE2	4:A:554:PHE:HE1	1.85	0.41
4:A:459:ASN:O	4:A:463:GLU:HG3	2.20	0.41
4:A:611:ASN:H	4:A:611:ASN:HD22	1.68	0.41
4:A:211:TYR:HA	4:A:212:PRO:HD3	1.91	0.41
4:A:234:LEU:HD11	4:A:305:MET:HE3	2.03	0.41
4:A:242:TYR:CE1	4:A:299:LYS:HB3	2.56	0.41
4:A:252:LYS:HG2	4:A:285:GLU:HG3	2.02	0.41
4:A:482:ILE:HD12	4:A:573:LEU:HD21	2.03	0.40
4:A:682:LYS:HD3	4:A:682:LYS:HA	1.84	0.40
4:A:719:SER:HA	4:A:723:PTR:HD1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
4	A	562/592 (95%)	542 (96%)	12 (2%)	8 (1%)	9 5

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	A	638	LYS
4	A	490	GLY
4	A	344	ASP
4	A	637	PRO
4	A	202	LYS
4	A	759	ALA
4	A	639	THR
4	A	212	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	504/535 (94%)	475 (94%)	29 (6%)	18	16

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	A	210	ARG
4	A	232	GLU
4	A	236	GLU
4	A	248	LYS
4	A	264	LEU
4	A	272	GLU
4	A	337	GLU
4	A	356	GLU
4	A	418	GLU
4	A	419	ASN
4	A	430	ASN
4	A	434	ARG
4	A	439	LYS
4	A	470	MET
4	A	492	GLU
4	A	493	LYS
4	A	518	LEU
4	A	522	GLU
4	A	561	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	A	569	ASN
4	A	600	GLN
4	A	601	GLN
4	A	611	ASN
4	A	617	LEU
4	A	628	ILE
4	A	641	GLU
4	A	699	MET
4	A	721	LEU
4	A	747	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
4	A	266	HIS
4	A	277	ASN
4	A	331	ASN
4	A	346	HIS
4	A	367	HIS
4	A	399	HIS
4	A	419	ASN
4	A	421	GLN
4	A	430	ASN
4	A	442	GLN
4	A	459	ASN
4	A	474	GLN
4	A	513	ASN
4	A	569	ASN
4	A	578	GLN
4	A	593	ASN
4	A	599	GLN
4	A	601	GLN
4	A	620	ASN
4	A	623	ASN
4	A	631	ASN
4	A	633	GLN
4	A	646	ASN
4	A	657	GLN
4	A	697	GLN
4	A	713	GLN
4	A	748	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TGP	C	11	2,3	21,21,25	0.41	0	30,31,38	0.24	0
4	PTR	A	723	1,4	15,16,17	0.89	0	17,22,24	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TGP	C	11	2,3	-	1/6/18/22	0/3/3/3
4	PTR	A	723	1,4	-	0/10/11/13	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	11	TGP	O4'-C4'-C5'-S5'

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	11	TGP	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	723	PTR	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	PG4	A	901	-	12,12,12	0.46	0	11,11,11	0.28	0
6	TTC	D	990[A]	-	31,35,35	2.63	11 (35%)	35,55,55	2.61	12 (34%)
5	TTG	C	991[B]	-	33,35,35	3.18	11 (33%)	39,54,54	2.56	9 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	PG4	A	901	-	-	8/10/10/10	-
6	TTC	D	990[A]	-	-	2/7/32/32	0/5/5/5
5	TTG	C	991[B]	-	-	4/15/29/29	0/4/4/4

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	991[B]	TTG	C21-C16	9.75	1.59	1.51
5	C	991[B]	TTG	C9-N10	9.22	1.45	1.32
6	D	990[A]	TTC	O24-C21	-5.92	1.32	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	991[B]	TTG	C14-C15	5.71	1.58	1.44
6	D	990[A]	TTC	C9-C13	-5.31	1.40	1.46
5	C	991[B]	TTG	C27-C1	5.14	1.56	1.51
6	D	990[A]	TTC	O23-C20	5.14	1.32	1.20
6	D	990[A]	TTC	O18-C14	4.82	1.32	1.23
6	D	990[A]	TTC	C15-C16	4.39	1.43	1.36
5	C	991[B]	TTG	C21-C20	4.01	1.61	1.53
6	D	990[A]	TTC	C13-N12	-3.97	1.31	1.40
6	D	990[A]	TTC	O22-C20	3.52	1.38	1.34
5	C	991[B]	TTG	C5-N10	-3.44	1.32	1.37
5	C	991[B]	TTG	C9-C13	3.31	1.50	1.46
6	D	990[A]	TTC	C4-C5	-3.20	1.36	1.41
5	C	991[B]	TTG	C13-N12	2.77	1.45	1.40
5	C	991[B]	TTG	C2-C1	2.61	1.41	1.38
5	C	991[B]	TTG	C14-N12	-2.52	1.35	1.40
6	D	990[A]	TTC	C27-C1	2.48	1.53	1.51
5	C	991[B]	TTG	C6-C5	2.18	1.45	1.42
6	D	990[A]	TTC	C17-C13	2.08	1.41	1.37
6	D	990[A]	TTC	C4-C3	2.05	1.41	1.36

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	991[B]	TTG	C8-C9-N10	-8.69	120.70	125.61
6	D	990[A]	TTC	C17-C16-C15	-7.91	111.81	120.25
5	C	991[B]	TTG	C13-C9-N10	7.48	130.00	125.32
6	D	990[A]	TTC	C13-N12-C14	-5.81	119.14	124.57
5	C	991[B]	TTG	C27-C1-C2	-5.21	115.49	119.85
6	D	990[A]	TTC	C9-C13-N12	4.90	109.84	107.06
6	D	990[A]	TTC	C11-C8-C9	-4.49	106.23	109.56
6	D	990[A]	TTC	C27-C1-C2	-4.34	116.21	119.85
5	C	991[B]	TTG	C27-C1-C6	3.87	125.66	120.96
5	C	991[B]	TTG	C20-C21-C16	3.83	118.49	111.87
5	C	991[B]	TTG	C9-C13-N12	-3.76	104.92	107.06
5	C	991[B]	TTG	C17-C16-C15	-3.56	116.45	120.25
6	D	990[A]	TTC	C11-C8-C7	3.44	135.94	130.34
5	C	991[B]	TTG	C13-C17-C16	3.33	125.27	119.09
6	D	990[A]	TTC	C4-C5-C6	3.20	122.58	119.13
6	D	990[A]	TTC	C27-C1-C6	3.05	124.67	120.96
6	D	990[A]	TTC	C4-C5-N10	-2.93	114.42	118.69
6	D	990[A]	TTC	C15-C14-N12	2.52	119.54	115.16
6	D	990[A]	TTC	C13-C17-C16	2.41	123.56	119.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	991[B]	TTG	C13-N12-C14	-2.24	122.48	124.57
6	D	990[A]	TTC	C11-N12-C13	2.03	114.04	113.10

There are no chirality outliers.

All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	C	991[B]	TTG	O22-C20-C21-O24
6	D	990[A]	TTC	C1-C27-N28-C30
8	A	901	PG4	O2-C3-C4-O3
6	D	990[A]	TTC	C1-C27-N28-C29
8	A	901	PG4	O3-C5-C6-O4
8	A	901	PG4	O1-C1-C2-O2
8	A	901	PG4	C1-C2-O2-C3
8	A	901	PG4	C6-C5-O3-C4
5	C	991[B]	TTG	O22-C20-C21-C25
8	A	901	PG4	C3-C4-O3-C5
5	C	991[B]	TTG	O23-C20-C21-C25
8	A	901	PG4	C5-C6-O4-C7
8	A	901	PG4	O4-C7-C8-O5
5	C	991[B]	TTG	O23-C20-C21-O24

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	991[B]	TTG	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	10/10 (100%)	0.30	1 (10%) 12 13	17, 24, 60, 68	0
2	C	11/12 (91%)	1.16	2 (18%) 3 3	32, 46, 70, 76	0
3	D	22/22 (100%)	0.63	1 (4%) 38 40	15, 42, 61, 70	0
4	A	564/592 (95%)	0.57	42 (7%) 20 22	12, 36, 75, 103	0
All	All	607/636 (95%)	0.58	46 (7%) 20 21	12, 36, 75, 103	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	A	639	THR	4.4
4	A	672	ALA	4.3
4	A	640	PHE	4.0
4	A	489	ALA	3.9
4	A	680	THR	3.9
4	A	675	MET	3.9
4	A	674	VAL	3.8
4	A	638	LYS	3.4
4	A	646	ASN	3.2
4	A	693	ARG	3.2
4	A	610	GLU	3.1
4	A	664	ASP	3.1
4	A	683	VAL	3.1
4	A	676	LYS	3.1
3	D	101	DA	2.9
2	C	22	DT	2.9
4	A	656	GLU	2.9
4	A	645	MET	2.8
4	A	644	MET	2.8
1	B	1	DA	2.8
4	A	324	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	A	679	LYS	2.7
4	A	518	LEU	2.6
4	A	758	MET	2.6
4	A	671	ASP	2.6
4	A	455	ASP	2.5
4	A	325	LEU	2.4
4	A	642	LYS	2.3
4	A	668	ALA	2.3
4	A	317	LYS	2.3
4	A	327	ILE	2.3
4	A	635	ALA	2.3
4	A	463	GLU	2.2
4	A	641	GLU	2.2
4	A	643	SER	2.2
4	A	520	GLY	2.1
4	A	647	LEU	2.1
4	A	213	GLU	2.1
4	A	517	GLU	2.1
4	A	533	ASP	2.1
4	A	579	ASP	2.1
2	C	21	DT	2.1
4	A	337	GLU	2.1
4	A	418	GLU	2.0
4	A	492	GLU	2.0
4	A	678	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	TGP	C	11	19/23	0.93	0.08	16,24,48,58	0
4	PTR	A	723	16/17	0.97	0.06	21,24,28,36	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	PG4	A	901	13/13	0.80	0.15	48,56,63,63	0
5	TTG	C	991[B]	32/32	0.87	0.12	13,23,33,37	32
6	TTC	D	990[A]	31/31	0.90	0.10	13,22,33,37	31
7	HG	A	900	1/1	0.92	0.14	75,75,75,75	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around TTG C 991 (B):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TTC D 990 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.