



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:49 AM UTC

PDB ID : 5K5T / pdb_00005k5t
Title : Crystal structure of the inactive form of human calcium-sensing receptor extracellular domain
Authors : Geng, Y.; Mosyak, L.; Kurinov, I.; Zuo, H.; Sturchler, E.; Cheng, T.C.; Subramanyam, P.; Brown, A.P.; Brennan, S.C.; Mun, H.-C.; Bush, M.; Chen, Y.; Nguyen, T.; Cao, B.; Chang, D.; Quick, M.; Conigrave, A.; Colecraft, H.M.; McDonald, P.; Fan, Q.R.
Deposited on : 2016-05-23
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	615	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4721 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Extracellular calcium-sensing receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	578	Total	C	N	O	S	0	0	0
			4564	2896	771	875	22			

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP P41180
A	2	ALA	-	expression tag	UNP P41180
A	3	PHE	-	expression tag	UNP P41180
A	4	TYR	-	expression tag	UNP P41180
A	5	SER	-	expression tag	UNP P41180
A	6	CYS	-	expression tag	UNP P41180
A	7	CYS	-	expression tag	UNP P41180
A	8	TRP	-	expression tag	UNP P41180
A	9	VAL	-	expression tag	UNP P41180
A	10	LEU	-	expression tag	UNP P41180
A	11	LEU	-	expression tag	UNP P41180
A	12	ALA	-	expression tag	UNP P41180
A	13	LEU	-	expression tag	UNP P41180
A	14	THR	-	expression tag	UNP P41180
A	15	TRP	-	expression tag	UNP P41180
A	16	HIS	-	expression tag	UNP P41180
A	17	THR	-	expression tag	UNP P41180
A	18	SER	-	expression tag	UNP P41180
A	19	ALA	-	expression tag	UNP P41180
A	386	GLN	ASN	engineered mutation	UNP P41180
A	402	ASN	SER	engineered mutation	UNP P41180
A	608	ASP	-	expression tag	UNP P41180
A	609	TYR	-	expression tag	UNP P41180
A	610	LYS	-	expression tag	UNP P41180
A	611	ASP	-	expression tag	UNP P41180
A	612	ASP	-	expression tag	UNP P41180
A	613	ASP	-	expression tag	UNP P41180

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	614	ASP	-	expression tag	UNP P41180
A	615	LYS	-	expression tag	UNP P41180

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	43	Total	O	0	0
			43	43		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Extracellular calcium-sensing receptor



4 Data and refinement statistics

Property	Value	Source
Space group	F 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	126.33Å 150.15Å 214.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	107.21 – 3.10 107.21 – 3.10	Depositor EDS
% Data completeness (in resolution range)	89.5 (107.21-3.10) 89.5 (107.21-3.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 3.13Å)	Xtriage
Refinement program	BUSTER 2.10.1	Depositor
R, R_{free}	0.222 , 0.239 0.241 , 0.262	Depositor DCC
R_{free} test set	845 reflections (4.52%)	wwPDB-VP
Wilson B-factor (Å ²)	103.7	Xtriage
Anisotropy	0.011	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 97.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4721	wwPDB-VP
Average B, all atoms (Å ²)	110.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CA, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/4673	1.40	28/6334 (0.4%)

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	522	PHE	CA-CB-CG	8.37	122.17	113.80
1	A	287	ASN	OD1-CG-ND2	-7.78	114.82	122.60
1	A	383	ARG	N-CA-C	7.34	120.00	110.53
1	A	287	ASN	CB-CG-ND2	7.10	127.05	116.40
1	A	384	PHE	CA-CB-CG	-6.73	107.07	113.80
1	A	594	ASN	CA-CB-CG	6.59	119.19	112.60
1	A	261	ASN	OD1-CG-ND2	6.38	128.97	122.60
1	A	364	ALA	N-CA-C	6.35	118.61	109.14
1	A	391	PHE	CA-CB-CG	6.09	119.89	113.80
1	A	373	PHE	CA-C-N	5.88	128.44	120.38
1	A	373	PHE	C-N-CA	5.88	128.44	120.38
1	A	468	ASN	CA-CB-CG	5.65	118.25	112.60
1	A	114	PHE	CA-C-N	5.59	128.35	120.42
1	A	114	PHE	C-N-CA	5.59	128.35	120.42
1	A	434	ILE	CA-C-N	5.50	127.64	120.28
1	A	434	ILE	C-N-CA	5.50	127.64	120.28
1	A	189	ASN	CA-CB-CG	5.41	118.01	112.60
1	A	480	ASP	CA-CB-CG	5.35	117.95	112.60
1	A	207	ASN	CA-CB-CG	5.34	117.94	112.60
1	A	249	GLU	CA-C-N	5.31	127.66	120.44
1	A	249	GLU	C-N-CA	5.31	127.66	120.44
1	A	403	SER	CA-C-N	5.14	127.39	120.50
1	A	403	SER	C-N-CA	5.14	127.39	120.50
1	A	248	ASP	CA-CB-CG	5.12	117.72	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	499	GLU	CA-C-N	5.03	127.28	120.44
1	A	499	GLU	C-N-CA	5.03	127.28	120.44
1	A	361	GLN	CA-C-N	5.01	127.31	120.54
1	A	361	GLN	C-N-CA	5.01	127.31	120.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4564	0	4377	63	0
2	A	1	0	0	0	0
3	A	15	0	0	0	0
4	A	98	0	91	2	0
5	A	43	0	0	1	0
All	All	4721	0	4468	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:365:LYS:HG2	1:A:366:GLY:HA2	1.38	1.06
1:A:116:ALA:HA	1:A:120:ILE:HD12	1.48	0.94
1:A:365:LYS:CG	1:A:366:GLY:HA2	2.01	0.92
1:A:119:LYS:HB2	1:A:160:PHE:CD1	2.20	0.77
1:A:371:ASP:CB	1:A:375:ARG:HG3	2.14	0.77
1:A:213:ALA:HB2	1:A:223:ILE:HG13	1.66	0.77
1:A:365:LYS:HG2	1:A:366:GLY:CA	2.15	0.73
1:A:115:VAL:HG12	1:A:120:ILE:HD11	1.73	0.71
1:A:118:ASN:OD1	1:A:119:LYS:HG2	1.90	0.71
1:A:371:ASP:HB3	1:A:375:ARG:HG3	1.73	0.69
1:A:207:ASN:HB2	5:A:815:HOH:O	1.93	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:LYS:HB2	1:A:160:PHE:HD1	1.58	0.67
1:A:373:PHE:HE2	1:A:394:LEU:HD13	1.60	0.67
1:A:371:ASP:HB2	1:A:375:ARG:HG3	1.78	0.65
1:A:365:LYS:HE3	1:A:398:ASP:OD1	2.03	0.59
1:A:129:CYS:SG	1:A:130:ASN:N	2.75	0.58
1:A:213:ALA:HB2	1:A:223:ILE:CG1	2.35	0.57
1:A:338:HIS:HB3	1:A:341:LYS:HB2	1.86	0.57
1:A:589:PHE:CD1	1:A:600:ALA:HA	2.42	0.55
1:A:471:ASN:HB2	1:A:475:GLU:O	2.06	0.54
1:A:547:LEU:HA	1:A:577:THR:HG22	1.90	0.53
1:A:269:VAL:O	1:A:296:SER:HB2	2.10	0.52
1:A:431:LEU:HA	1:A:434:ILE:HD12	1.91	0.52
1:A:193:GLN:HG3	1:A:489:TYR:CZ	2.45	0.52
1:A:116:ALA:HA	1:A:120:ILE:CD1	2.31	0.52
1:A:422:LEU:HD11	1:A:477:VAL:HG21	1.93	0.51
1:A:368:LEU:H	1:A:396:THR:HG21	1.75	0.50
1:A:211:THR:HB	1:A:223:ILE:HD12	1.94	0.50
1:A:266:VAL:HG13	1:A:294:LEU:HD13	1.94	0.50
1:A:487:GLY:CA	4:A:709:NAG:H83	2.43	0.49
1:A:197:MET:O	1:A:201:ILE:HG12	2.13	0.48
1:A:267:ILE:HD11	1:A:291:LYS:HD2	1.96	0.48
1:A:487:GLY:HA2	4:A:709:NAG:H83	1.94	0.48
1:A:552:LYS:HD2	1:A:578:ASP:OD1	2.14	0.48
1:A:243:ILE:HG21	1:A:279:LEU:HD22	1.95	0.47
1:A:471:ASN:HB3	1:A:475:GLU:H	1.78	0.47
1:A:335:LYS:HA	1:A:401:ILE:HD11	1.97	0.47
1:A:383:ARG:HB2	1:A:386:GLN:H	1.79	0.47
1:A:568:CYS:HB2	1:A:595:HIS:ND1	2.30	0.47
1:A:568:CYS:O	1:A:595:HIS:CE1	2.69	0.46
1:A:493:ASN:HD21	1:A:529:LEU:H	1.64	0.46
1:A:510:TYR:HB2	1:A:522:PHE:CE1	2.51	0.46
1:A:367:PRO:HA	1:A:396:THR:HG21	1.98	0.45
1:A:115:VAL:HG21	1:A:156:LEU:HG	1.99	0.45
1:A:243:ILE:HD12	1:A:276:LEU:HA	1.98	0.45
1:A:530:TRP:C	1:A:532:GLY:H	2.25	0.45
1:A:332:GLU:HG3	1:A:336:LYS:HE3	1.99	0.44
1:A:325:GLY:HA3	1:A:418:TYR:CG	2.52	0.44
1:A:162:ILE:HA	1:A:457:ALA:HB1	2.00	0.44
1:A:26:ALA:HB3	1:A:97:ILE:HB	2.01	0.43
1:A:497:SER:OG	1:A:500:ASP:HB3	2.18	0.43
1:A:184:LEU:HD23	1:A:483:GLY:CA	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:253:GLN:HE22	1:A:286:ARG:HH21	1.66	0.43
1:A:521:LEU:HD11	1:A:523:ILE:HD11	2.00	0.43
1:A:121:ASP:O	1:A:124:ASN:O	2.37	0.43
1:A:139:ILE:O	1:A:163:PRO:HD2	2.19	0.42
1:A:27:GLN:HG3	1:A:96:ARG:HG3	2.02	0.42
1:A:382:ASP:CG	1:A:383:ARG:H	2.29	0.41
1:A:212:ILE:HD12	1:A:267:ILE:HG21	2.01	0.41
1:A:367:PRO:O	1:A:368:LEU:HD12	2.21	0.41
1:A:339:PRO:HD3	1:A:352:TRP:CD2	2.56	0.41
1:A:323:LYS:HE3	1:A:418:TYR:HE2	1.86	0.41
1:A:185:ARG:HB2	1:A:187:ILE:HG22	2.02	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	574/615 (93%)	533 (93%)	39 (7%)	2 (0%)	36 67

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	372	THR
1	A	439	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	497/531 (94%)	493 (99%)	4 (1%)	73 81

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	129	CYS
1	A	236	CYS
1	A	371	ASP
1	A	598	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	164	GLN
1	A	345	ASN
1	A	402	ASN
1	A	493	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	706	1	14,14,15	0.41	0	17,19,21	1.26	1 (5%)
4	NAG	A	708	1	14,14,15	0.33	0	17,19,21	1.09	2 (11%)
3	SO4	A	703	-	4,4,4	0.25	0	6,6,6	0.14	0
4	NAG	A	710	1	14,14,15	0.29	0	17,19,21	0.88	2 (11%)
4	NAG	A	711	1	14,14,15	0.53	0	17,19,21	1.74	4 (23%)
4	NAG	A	705	1	14,14,15	0.44	0	17,19,21	1.63	4 (23%)
3	SO4	A	704	-	4,4,4	0.30	0	6,6,6	0.18	0
4	NAG	A	707	1	14,14,15	0.26	0	17,19,21	0.46	0
4	NAG	A	709	1	14,14,15	0.27	0	17,19,21	0.47	0
3	SO4	A	702	-	4,4,4	0.24	0	6,6,6	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	706	1	-	2/6/23/26	0/1/1/1
4	NAG	A	708	1	-	1/6/23/26	0/1/1/1
4	NAG	A	710	1	-	2/6/23/26	0/1/1/1
4	NAG	A	711	1	-	1/6/23/26	0/1/1/1
4	NAG	A	705	1	-	3/6/23/26	0/1/1/1
4	NAG	A	709	1	-	2/6/23/26	0/1/1/1
4	NAG	A	707	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	706	NAG	C1-O5-C5	4.77	118.58	112.19
4	A	711	NAG	O5-C1-C2	-4.41	104.47	111.29
4	A	711	NAG	C1-O5-C5	4.23	117.86	112.19
4	A	705	NAG	C1-O5-C5	4.23	117.86	112.19
4	A	705	NAG	C1-C2-N2	3.76	116.36	110.43
4	A	708	NAG	C1-C2-N2	3.52	115.98	110.43
4	A	711	NAG	C2-N2-C7	2.67	126.47	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	705	NAG	O5-C1-C2	-2.51	107.40	111.29
4	A	708	NAG	C2-N2-C7	2.26	125.93	122.90
4	A	710	NAG	O5-C1-C2	-2.25	107.81	111.29
4	A	705	NAG	C2-N2-C7	2.18	125.82	122.90
4	A	710	NAG	C1-C2-N2	2.13	113.78	110.43
4	A	711	NAG	C1-C2-N2	2.04	113.65	110.43

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	710	NAG	O5-C5-C6-O6
4	A	709	NAG	C8-C7-N2-C2
4	A	705	NAG	O5-C5-C6-O6
4	A	706	NAG	O5-C5-C6-O6
4	A	705	NAG	C3-C2-N2-C7
4	A	708	NAG	C3-C2-N2-C7
4	A	709	NAG	O7-C7-N2-C2
4	A	711	NAG	C3-C2-N2-C7
4	A	705	NAG	C4-C5-C6-O6
4	A	710	NAG	C4-C5-C6-O6
4	A	706	NAG	C8-C7-N2-C2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	709	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	578/615 (93%)	0.23	16 (2%) 55 34	69, 108, 150, 184	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	126	ASP	4.4
1	A	123	LEU	4.0
1	A	603	ILE	3.1
1	A	128	PHE	2.8
1	A	438	LEU	2.8
1	A	117	GLN	2.5
1	A	513	VAL	2.4
1	A	120	ILE	2.4
1	A	119	LYS	2.4
1	A	129	CYS	2.4
1	A	125	LEU	2.3
1	A	486	VAL	2.3
1	A	436	THR	2.1
1	A	121	ASP	2.1
1	A	385	SER	2.0
1	A	410	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	706	14/15	0.26	0.14	151,152,154,155	0
4	NAG	A	707	14/15	0.33	0.13	162,163,164,164	0
4	NAG	A	708	14/15	0.55	0.15	147,148,152,152	0
4	NAG	A	709	14/15	0.64	0.18	155,157,160,160	0
4	NAG	A	705	14/15	0.69	0.11	159,161,163,163	0
4	NAG	A	711	14/15	0.69	0.11	154,156,157,157	0
3	SO4	A	704	5/5	0.87	0.11	128,129,129,129	0
4	NAG	A	710	14/15	0.90	0.08	124,126,131,132	0
2	CA	A	701	1/1	0.96	0.16	105,105,105,105	0
3	SO4	A	702	5/5	0.97	0.06	81,81,83,84	0
3	SO4	A	703	5/5	0.98	0.04	93,93,94,95	0

6.5 Other polymers [i](#)

There are no such residues in this entry.