



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:09 AM UTC

PDB ID : 6K5L / pdb_00006k5l
Title : The crystal structure of isocitrate dehydrogenase kinase/phosphatase with two Mn²⁺ from E. coli
Authors : Zhang, X.; Lei, Z.; Zheng, J.; Jia, Z.
Deposited on : 2019-05-29
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	578	9% 82% 16% .
1	B	578	10% 77% 18% .

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 18648 atoms, of which 9121 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase kinase/phosphatase.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	565	Total	C	H	N	O	S	0	0	0
			9216	2990	4562	820	823	21			
1	B	555	Total	C	H	N	O	S	0	0	0
			9112	2959	4515	808	809	21			

- Molecule 2 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	0	0
			34	10	11	5	7	1		
2	B	1	Total	C	H	N	O	P	0	0
			34	10	11	5	7	1		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			38	10	11	5	10	2		
3	B	1	Total	C	H	N	O	P	0	0
			38	10	11	5	10	2		

- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mn	0	0
			2	2		
4	B	2	Total	Mn	0	0
			2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	100	Total	O	0	0
			100	100		
5	B	72	Total	O	0	0
			72	72		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Isocitrate dehydrogenase kinase/phosphatase



- Molecule 1: Isocitrate dehydrogenase kinase/phosphatase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	124.48Å 124.48Å 266.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.48 – 2.55 29.48 – 2.55	Depositor EDS
% Data completeness (in resolution range)	77.0 (29.48-2.55) 89.0 (29.48-2.55)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.54Å)	Xtriage
Refinement program	PHENIX (1.14_3260: ???)	Depositor
R, R_{free}	0.192 , 0.221 0.193 , 0.221	Depositor DCC
R_{free} test set	2000 reflections (1.93%)	wwPDB-VP
Wilson B-factor (Å ²)	34.3	Xtriage
Anisotropy	0.061	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	18648	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, ADP, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/4780	0.55	0/6478
1	B	0.34	1/4721 (0.0%)	0.59	8/6394 (0.1%)
All	All	0.32	1/9501 (0.0%)	0.57	8/12872 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	347	GLU	CA-CB	-5.79	1.44	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	339	LYS	CD-CE-NZ	-7.32	88.47	111.90
1	B	274	ILE	CA-C-N	-6.69	116.67	123.10
1	B	274	ILE	C-N-CA	-6.69	116.67	123.10
1	B	348	MET	N-CA-C	6.26	118.37	108.79
1	B	347	GLU	CA-CB-CG	5.76	125.62	114.10
1	B	339	LYS	CG-CD-CE	-5.65	98.31	111.30
1	B	154	MET	CG-SD-CE	-5.09	89.69	100.90
1	B	190	SER	CA-CB-OG	-5.01	101.08	111.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	507	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4654	4562	4561	70	0
1	B	4597	4515	4515	81	0
2	A	23	11	12	0	0
2	B	23	11	12	0	0
3	A	27	11	12	1	0
3	B	27	11	12	1	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
5	A	100	0	0	11	1
5	B	72	0	0	11	1
All	All	9527	9121	9124	149	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:TYR:OH	1:B:120:ARG:NH1	1.93	1.01
1:B:429:VAL:HG22	1:B:433:GLN:HB3	1.47	0.95
1:A:154:MET:O	1:A:158:SER:OG	1.86	0.94
1:B:564:ARG:NH1	5:B:1101:HOH:O	2.01	0.92
1:A:205:LYS:NZ	1:A:557:VAL:O	2.05	0.89
1:A:300:GLU:O	5:A:1101:HOH:O	1.92	0.87
1:A:18:ASP:OD1	1:A:93:TYR:OH	1.94	0.85
1:B:50:ARG:NH2	5:B:1103:HOH:O	2.12	0.82
1:A:219:THR:HG21	1:A:273:GLU:OE2	1.83	0.79
1:B:508:VAL:HG13	1:B:512:ASP:HB2	1.66	0.78
1:B:157:ILE:CG2	1:B:169:LYS:HD3	2.15	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:GLU:OE1	5:A:1102:HOH:O	2.03	0.77
1:B:157:ILE:HG22	1:B:169:LYS:HD3	1.66	0.76
1:B:429:VAL:CG2	1:B:433:GLN:HB3	2.16	0.76
1:B:459:LEU:HD21	1:B:521:TRP:HB3	1.69	0.74
1:B:321:MET:SD	5:B:1165:HOH:O	2.45	0.73
1:B:184:LEU:O	5:B:1102:HOH:O	2.08	0.70
1:A:519:ARG:NH1	1:A:533:GLU:OE2	2.24	0.68
1:B:439:GLU:HB2	1:B:535:MET:HE1	1.76	0.68
1:A:566:ARG:HD2	1:A:566:ARG:H	1.59	0.68
1:A:9:ILE:HD12	1:A:65:LEU:HD22	1.75	0.67
1:A:366:VAL:HG23	1:A:560:VAL:HG21	1.77	0.67
1:A:50:ARG:NH2	5:A:1104:HOH:O	2.28	0.66
1:A:50:ARG:HD2	1:A:258:MET:HE2	1.78	0.65
1:A:130:ARG:N	5:A:1105:HOH:O	2.29	0.65
1:A:192:SER:HB3	1:A:215:THR:HA	1.78	0.65
1:A:491:PRO:HB3	1:A:517:GLU:HG3	1.79	0.64
1:B:97:GLU:OE1	5:B:1104:HOH:O	2.15	0.64
1:A:366:VAL:CG2	1:A:560:VAL:HG21	2.28	0.64
1:A:74:THR:HG21	1:B:493:PRO:C	2.23	0.63
1:B:366:VAL:CG2	1:B:560:VAL:HG21	2.28	0.63
1:B:321:MET:HE2	1:B:343:ALA:HB2	1.81	0.63
1:B:285:MET:HE1	1:B:373:GLN:OE1	1.98	0.63
1:B:390:MET:HE2	1:B:394:LEU:HD11	1.82	0.61
1:B:467:ARG:NH2	5:B:1106:HOH:O	2.29	0.61
1:B:23:ARG:NH1	5:B:1108:HOH:O	2.34	0.61
1:A:566:ARG:H	1:A:566:ARG:CD	2.14	0.60
1:B:328:LEU:HB2	1:B:331:PHE:HB2	1.83	0.60
1:B:50:ARG:HD2	1:B:258:MET:HE2	1.82	0.60
1:B:109:ARG:NH2	5:B:1109:HOH:O	2.35	0.59
1:A:272:ARG:NH1	5:A:1106:HOH:O	2.36	0.58
1:A:365:ARG:O	1:A:366:VAL:HG12	2.04	0.58
1:B:413:LEU:C	1:B:413:LEU:HD12	2.28	0.58
1:B:79:LEU:HD23	1:B:82:VAL:HB	1.86	0.57
1:B:169:LYS:O	1:B:173:ILE:HG13	2.05	0.57
1:B:337:VAL:HG23	1:B:412:HIS:O	2.04	0.57
1:B:490:ILE:HD11	1:B:517:GLU:HG3	1.87	0.57
1:A:76:ALA:HB1	1:A:120:ARG:HH21	1.71	0.56
1:A:152:LEU:C	1:A:152:LEU:HD23	2.31	0.56
1:B:131:ARG:NH1	1:B:265:ALA:O	2.37	0.56
1:B:271:LEU:O	1:B:274:ILE:O	2.22	0.56
1:A:129:GLU:C	5:A:1105:HOH:O	2.47	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:GLU:HA	5:A:1105:HOH:O	2.05	0.56
1:A:54:TYR:CD1	1:A:291:LYS:HG3	2.39	0.56
1:B:318:ILE:O	3:B:1002:ADP:O3'	2.20	0.55
1:B:54:TYR:CD1	1:B:291:LYS:HG3	2.42	0.55
1:B:272:ARG:NH1	1:B:280:THR:OG1	2.39	0.54
1:A:137:ARG:HG3	1:A:137:ARG:HH11	1.74	0.53
1:B:359:LEU:C	1:B:359:LEU:HD23	2.34	0.53
1:B:9:ILE:HD12	1:B:65:LEU:HD22	1.89	0.53
1:A:445:ILE:HD12	1:A:458:MET:HG2	1.91	0.52
1:B:430:GLU:OE2	1:B:430:GLU:HA	2.10	0.52
1:B:131:ARG:HH12	1:B:265:ALA:C	2.17	0.52
1:B:80:LEU:HD11	1:B:119:GLU:O	2.09	0.52
1:A:209:LEU:C	1:A:209:LEU:HD23	2.34	0.52
1:A:566:ARG:HD2	1:A:566:ARG:N	2.25	0.51
1:B:137:ARG:NE	5:B:1113:HOH:O	2.43	0.51
1:A:413:LEU:C	1:A:413:LEU:HD12	2.35	0.51
1:B:152:LEU:C	1:B:152:LEU:HD23	2.35	0.51
1:A:48:LYS:HG2	1:A:362:GLU:HB2	1.93	0.51
1:B:324:LEU:C	1:B:324:LEU:HD23	2.36	0.50
1:B:157:ILE:HG21	1:B:169:LYS:HD3	1.92	0.50
1:A:90:LEU:N	1:A:91:PRO:CD	2.75	0.50
1:B:438:ILE:CD1	1:B:528:ILE:HG23	2.41	0.50
1:A:359:LEU:C	1:A:359:LEU:HD23	2.37	0.49
1:A:507:SER:HB2	1:B:56:HIS:ND1	2.27	0.49
1:A:324:LEU:HD23	1:A:324:LEU:C	2.38	0.49
1:A:312:PHE:O	1:A:386:SER:HB3	2.13	0.49
1:B:90:LEU:N	1:B:91:PRO:CD	2.76	0.48
1:A:40:TRP:CZ3	1:A:205:LYS:HA	2.48	0.48
1:B:366:VAL:HG13	1:B:366:VAL:O	2.13	0.48
1:A:33:GLN:O	1:A:37:GLN:HG2	2.14	0.48
1:B:153:LEU:HB2	1:B:173:ILE:HG23	1.96	0.48
1:A:114:ARG:HD3	5:A:1181:HOH:O	2.15	0.47
1:A:154:MET:SD	1:A:169:LYS:HD2	2.54	0.47
1:A:1:MET:CB	1:A:4:GLY:H	2.26	0.47
1:A:318:ILE:O	3:A:1002:ADP:O3'	2.25	0.47
1:A:358:GLN:O	1:A:362:GLU:HG2	2.15	0.47
1:B:238:THR:OG1	1:B:239:CYS:N	2.47	0.47
1:B:538:ASP:CG	5:B:1115:HOH:O	2.57	0.47
1:B:379:VAL:HG22	1:B:409:VAL:HG22	1.95	0.47
1:B:381:GLU:HB2	1:B:384:HIS:ND1	2.30	0.46
1:B:382:LYS:NZ	1:B:405:GLY:O	2.41	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:LEU:HB2	1:A:331:PHE:HB2	1.98	0.46
1:B:149:TRP:CE2	1:B:189:LEU:HD11	2.51	0.46
1:B:365:ARG:O	1:B:366:VAL:HG12	2.16	0.45
1:A:366:VAL:O	1:A:366:VAL:HG13	2.17	0.45
1:B:130:ARG:HD3	1:B:133:ARG:CZ	2.47	0.45
1:B:438:ILE:HD12	1:B:528:ILE:HG23	1.99	0.44
1:B:97:GLU:HG2	1:B:98:ILE:N	2.31	0.44
1:B:518:PHE:HB2	1:B:540:PHE:CD1	2.51	0.44
1:A:196:VAL:HA	1:A:211:GLY:HA2	2.00	0.44
1:B:131:ARG:NH1	1:B:265:ALA:HB1	2.33	0.44
1:B:50:ARG:CD	1:B:258:MET:HE2	2.48	0.44
1:B:188:ASN:ND2	5:B:1102:HOH:O	2.36	0.44
1:A:446:ARG:NH2	1:A:536:HIS:HA	2.33	0.43
1:A:117:THR:OG1	1:A:120:ARG:HG3	2.18	0.43
1:A:103:PHE:C	1:A:103:PHE:CD1	2.96	0.43
1:A:129:GLU:CA	5:A:1105:HOH:O	2.65	0.43
1:B:339:LYS:HE3	1:B:339:LYS:HB3	1.76	0.43
1:B:92:ASP:O	1:B:92:ASP:OD1	2.36	0.43
1:A:369:MET:HG3	1:A:448:LEU:HD21	2.00	0.43
1:B:443:ASN:O	1:B:447:GLN:HG3	2.18	0.43
1:A:93:TYR:HA	1:A:94:PRO:HD3	1.89	0.43
1:A:443:ASN:O	1:A:447:GLN:HG3	2.19	0.43
1:B:439:GLU:HG3	1:B:535:MET:HE2	2.00	0.43
1:B:332:ASP:OD1	1:B:333:ARG:HD3	2.19	0.42
1:B:506:TYR:CD1	1:B:506:TYR:O	2.72	0.42
1:B:566:ARG:O	1:B:572:ARG:HB3	2.19	0.42
1:B:166:TRP:CD1	1:B:169:LYS:HE2	2.54	0.42
1:A:73:SER:O	1:A:79:LEU:HD11	2.20	0.42
1:B:229:THR:OG1	1:B:232:GLY:N	2.44	0.42
1:B:312:PHE:O	1:B:386:SER:HB3	2.19	0.42
1:A:345:GLN:HG2	1:A:346:LYS:N	2.35	0.42
1:B:506:TYR:CD1	1:B:506:TYR:C	2.98	0.42
1:B:544:TYR:CE2	1:B:548:LEU:HD11	2.54	0.42
1:A:77:GLU:HG3	1:A:81:ARG:NH2	2.35	0.42
1:A:131:ARG:N	5:A:1105:HOH:O	2.30	0.42
1:A:50:ARG:HD3	5:A:1147:HOH:O	2.20	0.41
1:A:465:VAL:HA	1:A:470:ARG:O	2.19	0.41
1:B:401:ILE:CD1	1:B:408:ILE:HD12	2.49	0.41
1:B:80:LEU:HD12	1:B:80:LEU:HA	1.83	0.41
1:B:80:LEU:CD1	1:B:119:GLU:O	2.68	0.41
1:B:366:VAL:HG22	1:B:560:VAL:HG21	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:LEU:O	1:B:192:SER:OG	2.24	0.41
1:B:189:LEU:O	1:B:189:LEU:HD12	2.20	0.41
1:A:525:ASP:OD1	1:A:525:ASP:C	2.64	0.41
1:A:377:ASN:HA	1:A:410:ILE:O	2.21	0.41
1:A:154:MET:HE1	1:A:169:LYS:HD2	2.02	0.41
1:A:449:ALA:O	1:A:482:MET:HG3	2.21	0.41
1:A:375:PHE:CE1	1:A:415:ILE:HD12	2.56	0.41
1:A:381:GLU:OE2	1:A:407:GLN:HG2	2.21	0.41
1:B:345:GLN:HG3	1:B:346:LYS:N	2.36	0.41
1:B:294:LYS:HG3	1:B:373:GLN:HG2	2.02	0.41
1:A:107:TYR:OH	1:A:120:ARG:HD3	2.21	0.40
1:A:328:LEU:O	1:A:329:PRO:C	2.64	0.40
1:A:137:ARG:HG3	1:A:137:ARG:NH1	2.36	0.40
1:A:441:TYR:HA	1:A:471:VAL:HG11	2.04	0.40
1:A:572:ARG:O	1:A:573:TYR:CD1	2.75	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1107:HOH:O	5:B:1113:HOH:O[4_554]	1.84	0.36

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	561/578 (97%)	536 (96%)	25 (4%)	0	100	100
1	B	549/578 (95%)	528 (96%)	21 (4%)	0	100	100
All	All	1110/1156 (96%)	1064 (96%)	46 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	492/508 (97%)	492 (100%)	0	100	100
1	B	487/508 (96%)	487 (100%)	0	100	100
All	All	979/1016 (96%)	979 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	290	GLN
1	A	384	HIS
1	B	11	GLN
1	B	52	HIS
1	B	57	HIS
1	B	144	HIS
1	B	193	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ADP	B	1002	4	28,29,29	1.31	5 (17%)	43,45,45	2.03	13 (30%)
2	AMP	B	1001	-	25,25,25	1.39	4 (16%)	37,38,38	1.89	7 (18%)
2	AMP	A	1001	-	25,25,25	1.42	4 (16%)	37,38,38	1.95	10 (27%)
3	ADP	A	1002	4	28,29,29	1.37	5 (17%)	43,45,45	2.13	13 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	B	1002	4	-	3/16/32/32	0/3/3/3
2	AMP	B	1001	-	-	0/10/26/26	0/3/3/3
2	AMP	A	1001	-	-	0/10/26/26	0/3/3/3
3	ADP	A	1002	4	-	3/16/32/32	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	AMP	C5-C4	4.72	1.47	1.39
2	B	1001	AMP	C5-C4	4.55	1.47	1.39
3	A	1002	ADP	C5-C4	4.10	1.46	1.39
3	B	1002	ADP	C5-C4	3.79	1.45	1.39
2	B	1001	AMP	C8-N7	2.76	1.37	1.31
2	A	1001	AMP	C8-N7	2.62	1.36	1.31
2	A	1001	AMP	C5-C6	2.55	1.48	1.41
3	A	1002	ADP	C5-C6	2.53	1.48	1.41
3	B	1002	ADP	C8-N7	2.49	1.36	1.31
3	B	1002	ADP	PA-O3A	2.48	1.62	1.59
3	B	1002	ADP	C5-C6	2.41	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	AMP	C5-C6	2.38	1.47	1.41
3	A	1002	ADP	PA-O3A	2.30	1.62	1.59
3	A	1002	ADP	C4-N9	-2.22	1.33	1.37
3	B	1002	ADP	C4-N9	-2.21	1.33	1.37
3	A	1002	ADP	C8-N7	2.16	1.35	1.31
2	B	1001	AMP	C5-N7	-2.14	1.35	1.39
2	A	1001	AMP	C5-N7	-2.06	1.35	1.39

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	AMP	C5-C4-N3	-5.36	119.33	126.72
2	A	1001	AMP	C5-C4-N3	-5.30	119.42	126.72
3	B	1002	ADP	C5-C4-N3	-4.85	120.04	126.72
3	A	1002	ADP	C5-C4-N3	-4.80	120.11	126.72
3	A	1002	ADP	C4-N9-C8	4.62	110.59	105.74
2	A	1001	AMP	N3-C2-N1	-4.57	121.67	128.58
2	B	1001	AMP	N3-C2-N1	-4.52	121.75	128.58
2	A	1001	AMP	N3-C4-N9	4.46	134.75	127.17
2	B	1001	AMP	N3-C4-N9	4.41	134.66	127.17
3	A	1002	ADP	N3-C4-N9	4.29	134.47	127.17
3	B	1002	ADP	C4-N9-C8	4.02	109.96	105.74
3	A	1002	ADP	N3-C2-N1	-4.00	122.52	128.58
2	B	1001	AMP	C2-N3-C4	3.97	121.52	111.83
2	A	1001	AMP	C2-N3-C4	3.96	121.50	111.83
3	B	1002	ADP	N3-C2-N1	-3.94	122.62	128.58
3	B	1002	ADP	C4-C5-N7	-3.91	106.11	110.58
3	B	1002	ADP	C2-N3-C4	3.74	120.96	111.83
3	B	1002	ADP	N3-C4-N9	3.73	133.51	127.17
3	A	1002	ADP	C3'-C2'-C1'	3.71	108.48	101.46
3	A	1002	ADP	C2-N3-C4	3.67	120.79	111.83
3	B	1002	ADP	N9-C8-N7	-3.66	108.74	113.94
3	A	1002	ADP	C4-C5-N7	-3.46	106.62	110.58
3	A	1002	ADP	N9-C8-N7	-3.44	109.06	113.94
3	B	1002	ADP	C5-N7-C8	3.35	108.71	103.45
2	A	1001	AMP	C4-N9-C8	3.09	108.98	105.74
3	A	1002	ADP	C5-N7-C8	3.09	108.30	103.45
2	A	1001	AMP	C2-N1-C6	2.85	123.41	118.73
3	B	1002	ADP	C6-C5-N7	2.77	137.44	132.09
2	A	1001	AMP	C4-C5-N7	-2.76	107.43	110.58
2	B	1001	AMP	C4-N9-C8	2.71	108.59	105.74
3	B	1002	ADP	C3'-C2'-C1'	2.67	106.52	101.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	AMP	C2-N1-C6	2.66	123.10	118.73
3	A	1002	ADP	O2'-C2'-C1'	-2.58	101.21	110.10
2	B	1001	AMP	C4-C5-N7	-2.51	107.71	110.58
3	A	1002	ADP	C6-C5-N7	2.36	136.64	132.09
3	A	1002	ADP	C2-N1-C6	2.34	122.58	118.73
3	B	1002	ADP	C2-N1-C6	2.29	122.49	118.73
2	A	1001	AMP	C5-N7-C8	2.21	106.93	103.45
2	A	1001	AMP	N9-C8-N7	-2.20	110.82	113.94
3	B	1002	ADP	C4-N9-C1'	-2.08	121.76	126.63
3	A	1002	ADP	O2A-PA-O3A	2.05	112.81	107.27
2	A	1001	AMP	C6-C5-N7	2.03	136.00	132.09
3	B	1002	ADP	C2'-C1'-N9	2.01	118.31	113.30

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	1002	ADP	C5'-O5'-PA-O1A
3	A	1002	ADP	C5'-O5'-PA-O3A
3	B	1002	ADP	C5'-O5'-PA-O3A
3	A	1002	ADP	PB-O3A-PA-O2A
3	B	1002	ADP	PB-O3A-PA-O2A
3	A	1002	ADP	PB-O3A-PA-O1A


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1002	ADP	1	0
3	A	1002	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	565/578 (97%)	0.21	52 (9%) 14 14	21, 46, 96, 134	0
1	B	555/578 (96%)	0.47	57 (10%) 12 11	26, 52, 104, 140	0
All	All	1120/1156 (96%)	0.34	109 (9%) 13 12	21, 48, 101, 140	0

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	132	PHE	10.8
1	B	69	THR	9.1
1	B	505	TRP	7.5
1	A	574	GLY	7.4
1	B	190	SER	6.5
1	B	493	PRO	6.2
1	A	504	PRO	5.8
1	B	79	LEU	5.5
1	A	130	ARG	5.4
1	B	41	HIS	5.4
1	A	521	TRP	5.2
1	B	165	HIS	5.1
1	A	133	ARG	4.9
1	B	76	ALA	4.6
1	B	4	GLY	4.6
1	A	147	HIS	4.6
1	A	132	PHE	4.5
1	B	147	HIS	4.5
1	A	92	ASP	4.5
1	B	187	GLU	4.4
1	B	574	GLY	4.3
1	B	92	ASP	4.3
1	A	129	GLU	4.3
1	A	2	PRO	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	191	LYS	4.2
1	B	131	ARG	4.1
1	B	344	PRO	4.0
1	A	1	MET	4.0
1	A	93	TYR	4.0
1	B	521	TRP	3.9
1	A	191	LYS	3.9
1	B	345	GLN	3.9
1	A	131	ARG	3.9
1	B	309	ASN	3.7
1	B	492	PRO	3.7
1	A	192	SER	3.6
1	A	309	ASN	3.5
1	B	346	LYS	3.5
1	A	507	SER	3.4
1	B	566	ARG	3.3
1	B	80	LEU	3.2
1	B	150	GLU	3.2
1	B	217	SER	3.2
1	B	186	PRO	3.2
1	B	198	ASN	3.2
1	A	165	HIS	3.1
1	B	77	GLU	3.1
1	A	494	ARG	3.1
1	A	187	GLU	3.1
1	B	75	ASP	3.1
1	A	344	PRO	3.0
1	B	148	GLY	3.0
1	A	196	VAL	2.9
1	A	134	THR	2.9
1	A	143	PHE	2.9
1	A	285	MET	2.9
1	A	74	THR	2.9
1	A	151	SER	2.8
1	A	190	SER	2.8
1	A	139	LEU	2.8
1	B	151	SER	2.8
1	A	345	GLN	2.8
1	B	78	PHE	2.8
1	A	186	PRO	2.7
1	A	188	ASN	2.7
1	B	556	HIS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	192	SER	2.7
1	B	321	MET	2.7
1	B	174	HIS	2.7
1	B	507	SER	2.6
1	A	114	ARG	2.6
1	A	347	GLU	2.6
1	A	146	ASP	2.6
1	A	70	ASN	2.6
1	A	174	HIS	2.6
1	A	77	GLU	2.5
1	B	506	TYR	2.5
1	A	216	PRO	2.5
1	B	135	ILE	2.5
1	B	149	TRP	2.5
1	A	148	GLY	2.4
1	B	347	GLU	2.4
1	A	321	MET	2.4
1	B	129	GLU	2.4
1	B	216	PRO	2.4
1	A	170	SER	2.4
1	A	520	HIS	2.4
1	A	141	LYS	2.4
1	B	540	PHE	2.3
1	A	310	GLU	2.3
1	A	145	PRO	2.3
1	B	520	HIS	2.3
1	A	566	ARG	2.3
1	B	170	SER	2.2
1	B	44	GLN	2.2
1	B	188	ASN	2.2
1	A	219	THR	2.1
1	B	215	THR	2.1
1	A	166	TRP	2.1
1	B	189	LEU	2.1
1	A	84	GLU	2.1
1	B	554	GLU	2.1
1	A	184	LEU	2.1
1	B	306	GLN	2.0
1	B	557	VAL	2.0
1	B	153	LEU	2.0
1	B	570	SER	2.0
1	A	467	ARG	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	565	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	AMP	B	1001	23/23	0.97	0.07	18,29,37,38	0
4	MN	B	1004	1/1	0.97	0.06	47,47,47,47	0
3	ADP	B	1002	27/27	0.98	0.06	17,26,37,47	0
4	MN	A	1004	1/1	0.98	0.04	38,38,38,38	0
4	MN	B	1003	1/1	0.98	0.03	33,33,33,33	0
3	ADP	A	1002	27/27	0.98	0.05	17,25,34,34	0
4	MN	A	1003	1/1	0.99	0.04	34,34,34,34	0
2	AMP	A	1001	23/23	0.99	0.05	17,22,29,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AMP B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 1002:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AMP A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.