



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 10:05 AM UTC

PDB ID : 7K7Z / pdb_00007k7z
Title : Structure of a hit for G Protein Coupled Receptor Kinase 2 (GRK2) Inhibitor
for the Potential Treatment of Heart Failure
Authors : Spurlino, J.C.; Milligan, C.
Deposited on : 2020-09-24
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	640	
2	B	339	
3	G	59	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8218 atoms, of which 14 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-adrenergic receptor kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	625	Total	C	N	O	S	0	1	0
			5120	3260	898	927	35			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	669	ALA	-	expression tag	UNP P25098


- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	339	Total	C	N	O	S	0	2	0
			2619	1613	470	513	23			

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	57	Total	C	N	O	S	0	0	0
			442	277	78	84	3			

- Molecule 4 is 3-benzyl-7-(1H-pyrazol-4-yl)quinazolin-4(3H)-one (CCD ID: W4G) (formula: C₁₈H₁₄N₄O).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
4	A	1	37	18	14	4	1	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Beta-adrenergic receptor kinase 1




• Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1





● Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	194.68Å 70.69Å 111.50Å 90.00° 110.46° 90.00°	Depositor
Resolution (Å)	37.15 – 2.61 37.15 – 2.61	Depositor EDS
% Data completeness (in resolution range)	98.6 (37.15-2.61) 89.6 (37.15-2.61)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.205 , 0.262 (Not available) , 0.244	Depositor DCC
R_{free} test set	2000 reflections (4.63%)	wwPDB-VP
Wilson B-factor (Å ²)	46.1	Xtriage
Anisotropy	0.633	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 44.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8218	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: W4G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.11	0/5235	0.33	0/7034
2	B	0.12	0/2666	0.33	0/3613
3	G	0.10	0/448	0.26	0/603
All	All	0.12	0/8349	0.32	0/11250

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	346	LYS	Peptide
1	A	347	PRO	Peptide
1	A	498	LEU	Peptide
1	A	499	LEU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5120	0	5107	224	0
2	B	2619	0	2518	74	0
3	G	442	0	455	15	0
4	A	23	14	0	1	0
All	All	8204	14	8080	303	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (303) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:570:ASN:HD22	1:A:628:LYS:HB3	1.30	0.95
1:A:565:MET:HE2	1:A:632:LEU:HB3	1.58	0.86
1:A:408:THR:O	1:A:431:ARG:NH1	2.10	0.84
1:A:263:THR:HB	1:A:264:PRO:HD2	1.59	0.81
1:A:107:GLU:O	1:A:111:SER:OG	1.97	0.80
1:A:243:LEU:HD23	1:A:336:LEU:HD12	1.62	0.79
2:B:163:ASP:O	2:B:164:THR:HB	1.83	0.79
1:A:570:ASN:ND2	1:A:628:LYS:HB3	1.99	0.77
1:A:228[A]:LYS:HD2	1:A:502:ASP:OD2	1.83	0.77
1:A:323:ILE:HG13	1:A:380:MET:CE	2.15	0.76
2:B:262:MET:SD	2:B:302:ALA:HB2	2.24	0.76
1:A:80:ARG:NH2	1:A:116:GLU:OE2	2.19	0.75
1:A:565:MET:HE3	1:A:634:CYS:SG	2.27	0.74
1:A:227:ILE:HG22	1:A:233:GLU:HG3	1.71	0.73
1:A:601:LEU:HD11	1:A:624:ILE:HD12	1.70	0.73
1:A:138:LYS:HE2	1:A:140:GLN:OE1	1.90	0.71
1:A:363:GLN:O	1:A:366:VAL:HG22	1.92	0.70
1:A:314:VAL:HG23	1:A:342:PHE:CD2	2.26	0.70
2:B:128:THR:OG1	2:B:132:ASN:O	2.03	0.69
1:A:347:PRO:HD2	1:A:368:TYR:O	1.91	0.69
2:B:333:ASP:O	2:B:334:SER:HB2	1.92	0.69
1:A:315:TYR:OH	1:A:334:SER:O	2.11	0.69
1:A:240:ARG:NH1	1:A:508:ASN:O	2.25	0.69
1:A:242:MET:HE3	1:A:340:CYS:HA	1.76	0.69
1:A:246:VAL:HG21	1:A:336:LEU:HD11	1.74	0.69
1:A:291:GLU:HG2	1:A:421:LEU:HD22	1.75	0.68
1:A:323:ILE:HG13	1:A:380:MET:HE2	1.75	0.66
2:B:180:PHE:CE1	2:B:216:GLY:HA2	2.31	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:13:ARG:O	3:G:17:GLU:HG2	1.96	0.66
1:A:617:ARG:HG2	1:A:633:GLN:OE1	1.97	0.65
2:B:16:ASN:HA	2:B:19:ARG:NH1	2.11	0.65
2:B:16:ASN:HA	2:B:19:ARG:HH12	1.62	0.64
1:A:164:LYS:HB3	1:A:164:LYS:HZ2	1.62	0.64
1:A:97:THR:HG22	1:A:100:GLU:H	1.64	0.63
1:A:195:ARG:HH11	1:A:275:ASN:HB2	1.64	0.63
1:A:402:ILE:O	1:A:406:THR:HG22	1.98	0.63
1:A:427:GLY:O	1:A:436:ARG:HG3	1.98	0.63
1:A:85:PHE:CE2	1:A:89:ILE:HD11	2.33	0.63
2:B:3:GLU:OE1	3:G:9:ILE:HD13	1.98	0.62
1:A:603:MET:HE2	1:A:606:ILE:HD12	1.80	0.62
2:B:112:VAL:HG13	2:B:126:LEU:HD11	1.80	0.62
1:A:609:VAL:HG22	1:A:622:LEU:CD2	2.29	0.62
2:B:230:ASN:ND2	2:B:246:ASP:OD1	2.21	0.62
1:A:323:ILE:HG13	1:A:380:MET:HE1	1.82	0.62
1:A:565:MET:CE	1:A:632:LEU:HB3	2.28	0.61
1:A:200:GLY:HA3	4:A:701:W4G:C18	2.31	0.61
1:A:114:MET:HE3	1:A:118:LEU:HD11	1.82	0.61
1:A:350:SER:HA	1:A:361:VAL:O	2.00	0.61
1:A:283:LEU:HD13	1:A:384:LEU:HD23	1.81	0.61
1:A:210:LYS:NZ	1:A:212:ASP:HB2	2.16	0.60
1:A:438:GLY:HA2	1:A:443:GLY:O	2.01	0.60
2:B:11:ALA:HB2	3:G:16:VAL:HG12	1.83	0.60
3:G:21:MET:HE2	3:G:21:MET:HA	1.85	0.59
1:A:499:LEU:HD12	1:A:500:ASP:HA	1.84	0.59
1:A:499:LEU:HD12	1:A:500:ASP:N	2.18	0.59
1:A:413:LEU:O	1:A:413:LEU:HD12	2.03	0.58
1:A:363:GLN:HE22	1:A:407:LEU:HD21	1.68	0.58
2:B:81:ILE:HD11	2:B:112:VAL:HG11	1.84	0.58
1:A:324:LEU:O	1:A:331:VAL:HA	2.04	0.58
1:A:550:GLU:HG2	1:A:551:GLU:N	2.20	0.57
1:A:263:THR:HB	1:A:264:PRO:CD	2.33	0.57
1:A:103:ALA:O	1:A:107:GLU:HG3	2.05	0.57
1:A:39:ILE:HG13	1:A:43:MET:HG2	1.86	0.57
1:A:71:PHE:HB2	1:A:170:LYS:HG3	1.86	0.57
2:B:271[A]:CYS:HB2	2:B:290:ASP:HB3	1.86	0.57
1:A:181:GLU:HB2	1:A:517:TRP:CZ3	2.39	0.56
2:B:294:CYS:HB3	2:B:308:LEU:HB2	1.87	0.56
1:A:428:LEU:HD23	1:A:437:LEU:HB2	1.86	0.56
2:B:4:LEU:O	2:B:8:ARG:HG3	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:MET:SD	1:A:381:LEU:HD22	2.46	0.56
1:A:391:PHE:CE1	1:A:406:THR:HA	2.41	0.56
1:A:228[B]:LYS:HE3	1:A:502:ASP:HB3	1.88	0.55
1:A:288:VAL:HG11	1:A:385:LEU:O	2.06	0.55
1:A:413:LEU:HD23	1:A:422:ARG:HG3	1.88	0.55
2:B:73:ALA:HB2	2:B:79:LEU:CD2	2.36	0.55
2:B:211:TRP:CZ3	2:B:218:CYS:HB2	2.41	0.55
1:A:404:ARG:O	1:A:408:THR:HG23	2.07	0.55
2:B:129:ARG:HG3	2:B:130:GLU:H	1.71	0.55
1:A:169:ASP:OD1	1:A:169:ASP:N	2.33	0.55
2:B:34:THR:O	2:B:37:ILE:HG12	2.06	0.55
1:A:418:SER:HB2	1:A:419:PRO:HD2	1.89	0.55
1:A:72:CYS:CB	1:A:83:VAL:HG21	2.36	0.55
2:B:212:ASP:HB2	2:B:219:ARG:HD2	1.87	0.55
1:A:557:LYS:HA	2:B:96:ARG:HA	1.89	0.54
2:B:63:TRP:CD2	2:B:321:THR:HG22	2.42	0.54
1:A:112:TYR:O	1:A:116:GLU:HB2	2.08	0.54
1:A:621:LEU:HD13	1:A:631:ILE:HD11	1.90	0.54
1:A:385:LEU:HD13	1:A:421:LEU:HD21	1.90	0.54
1:A:354:HIS:CE1	1:A:399:LYS:HD2	2.43	0.53
2:B:233[B]:CYS:SG	2:B:276:VAL:HG23	2.48	0.53
1:A:228[B]:LYS:HE3	1:A:502:ASP:CG	2.33	0.53
2:B:25:CYS:HB2	3:G:29:LYS:HA	1.90	0.53
1:A:149:TYR:O	1:A:153:ILE:HG13	2.08	0.53
1:A:312:PHE:HA	1:A:342:PHE:CZ	2.44	0.53
3:G:47:GLU:O	3:G:49:PRO:HD3	2.08	0.53
1:A:209:ARG:HG3	1:A:214:GLY:O	2.09	0.53
1:A:228[B]:LYS:HE2	1:A:233:GLU:HG2	1.88	0.53
1:A:245:LEU:O	1:A:311:ARG:HD3	2.08	0.53
1:A:440:LEU:HB2	1:A:446:GLU:OE1	2.09	0.52
1:A:361:VAL:HG21	1:A:372:ALA:HB1	1.92	0.52
1:A:89:ILE:O	1:A:93:GLU:HG3	2.08	0.52
1:A:478:ASN:O	1:A:479:ALA:HB3	2.08	0.52
1:A:402:ILE:HD12	1:A:402:ILE:H	1.75	0.52
2:B:79:LEU:HD11	2:B:114:CYS:SG	2.50	0.52
2:B:286:LEU:CD2	2:B:327:VAL:HG21	2.39	0.52
1:A:363:GLN:HB2	1:A:366:VAL:CG2	2.39	0.52
1:A:238:ASN:O	1:A:242:MET:HG2	2.10	0.52
1:A:408:THR:OG1	1:A:409:MET:N	2.42	0.52
1:A:251:CYS:HB2	1:A:307:HIS:CD2	2.45	0.51
1:A:274:MET:SD	1:A:332:ARG:HD2	2.49	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:LEU:HD13	1:A:384:LEU:CD2	2.39	0.51
1:A:320:PRO:HA	1:A:380:MET:HE1	1.93	0.51
1:A:562:HIS:ND1	1:A:580:TYR:OH	2.29	0.51
1:A:500:ASP:O	1:A:502:ASP:N	2.44	0.51
2:B:70:LEU:HD12	2:B:70:LEU:O	2.10	0.51
1:A:164:LYS:HB3	1:A:164:LYS:NZ	2.24	0.51
1:A:300:GLU:OE1	1:A:331:VAL:HG22	2.10	0.51
1:A:562:HIS:HD1	1:A:580:TYR:HH	1.44	0.51
1:A:621:LEU:CD1	1:A:631:ILE:HD11	2.40	0.51
1:A:413:LEU:HD12	1:A:413:LEU:C	2.35	0.51
1:A:242:MET:HG3	1:A:339:ALA:HB3	1.93	0.51
1:A:426:GLU:O	1:A:430:GLN:HG2	2.11	0.51
1:A:499:LEU:HD12	1:A:500:ASP:CA	2.41	0.51
1:A:353:THR:O	1:A:357:MET:HG3	2.10	0.51
1:A:360:GLU:H	1:A:360:GLU:CD	2.19	0.51
1:A:603:MET:HB3	1:A:651:TYR:HA	1.92	0.51
1:A:663:LYS:HB3	2:B:101:MET:HE3	1.93	0.51
1:A:350:SER:OG	1:A:357:MET:HE1	2.11	0.50
2:B:30:LEU:HD23	2:B:262:MET:HE3	1.93	0.50
1:A:576:TRP:HH2	1:A:631:ILE:HG22	1.76	0.50
1:A:324:LEU:C	1:A:325:LEU:HD12	2.37	0.50
1:A:242:MET:CE	1:A:340:CYS:HA	2.41	0.50
2:B:331:SER:HB3	2:B:333:ASP:OD1	2.12	0.50
1:A:133:GLN:HA	1:A:136:LEU:HB2	1.93	0.50
2:B:129:ARG:HG3	2:B:130:GLU:N	2.27	0.50
2:B:249:THR:HG22	2:B:265:SER:HB3	1.93	0.50
1:A:102:VAL:HA	1:A:141:VAL:HG11	1.93	0.50
1:A:221:CYS:HB3	1:A:266:LYS:CE	2.41	0.50
1:A:620:LEU:HD21	1:A:644:LYS:HB2	1.94	0.50
1:A:340:CYS:SG	1:A:347:PRO:HB3	2.51	0.50
2:B:333:ASP:O	2:B:334:SER:CB	2.59	0.49
3:G:63:GLU:O	3:G:63:GLU:HG3	2.12	0.49
1:A:571:PRO:HD2	1:A:573:LEU:CB	2.42	0.49
1:A:548:GLY:O	1:A:549:HIS:HB2	2.12	0.49
2:B:93:ILE:CD1	2:B:133:VAL:HG11	2.42	0.49
1:A:210:LYS:HD3	1:A:520:GLU:OE2	2.12	0.49
1:A:56:GLU:OE2	1:A:158:ARG:NH1	2.46	0.49
1:A:294:MET:CE	1:A:385:LEU:HD11	2.42	0.49
2:B:271[B]:CYS:HB3	2:B:290:ASP:HB3	1.93	0.49
2:B:318:LEU:C	2:B:318:LEU:HD12	2.37	0.49
1:A:76:LEU:HG	1:A:78:GLU:HG3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:LYS:HD3	1:A:93:GLU:OE1	2.12	0.49
1:A:363:GLN:NE2	1:A:407:LEU:HD11	2.28	0.49
1:A:615:LYS:O	1:A:615:LYS:HG2	2.12	0.49
1:A:210:LYS:HZ2	1:A:212:ASP:HB2	1.76	0.49
1:A:375:PHE:HA	1:A:428:LEU:O	2.12	0.49
1:A:611:GLU:OE2	1:A:618:LYS:HE3	2.12	0.49
1:A:345:LYS:CD	1:A:347:PRO:HB3	2.43	0.49
1:A:316:ARG:CZ	1:A:351:VAL:HG11	2.43	0.49
1:A:40:ARG:NH2	1:A:166:ILE:O	2.42	0.48
1:A:358:ALA:HB2	1:A:375:PHE:HB3	1.95	0.48
1:A:602:THR:OG1	1:A:605:GLU:HG2	2.13	0.48
1:A:646:GLU:OE1	1:A:646:GLU:HA	2.13	0.48
2:B:320:VAL:HG22	2:B:327:VAL:HG22	1.95	0.48
1:A:97:THR:CG2	1:A:99:GLU:HB2	2.43	0.48
2:B:271[A]:CYS:SG	2:B:291:ASP:HB3	2.54	0.48
1:A:623:LYS:HD2	1:A:629:GLN:HG2	1.96	0.48
1:A:314:VAL:HG12	1:A:316:ARG:HG3	1.96	0.48
2:B:192:LEU:HD23	2:B:199:PHE:HB3	1.95	0.48
3:G:48:ASP:HB3	3:G:51:LEU:HB2	1.96	0.48
1:A:551:GLU:HB3	1:A:552:ASP:HA	1.96	0.48
1:A:193:VAL:HG13	1:A:206:TYR:HB3	1.94	0.47
1:A:243:LEU:CD2	1:A:336:LEU:HD12	2.40	0.47
1:A:405:MET:HA	1:A:409:MET:HE3	1.96	0.47
1:A:433:VAL:HG22	1:A:436:ARG:NH2	2.29	0.47
1:A:575:GLN:O	1:A:577:GLN:HG3	2.14	0.47
1:A:316:ARG:NH2	1:A:340:CYS:HB2	2.30	0.47
1:A:80:ARG:N	1:A:81:PRO:HD2	2.29	0.47
1:A:363:GLN:HB2	1:A:366:VAL:HG22	1.97	0.47
2:B:225:HIS:NE2	2:B:243:THR:OG1	2.43	0.47
2:B:197:ARG:O	2:B:197:ARG:HG2	2.15	0.47
1:A:402:ILE:HD12	1:A:402:ILE:N	2.30	0.46
2:B:286:LEU:HD22	2:B:327:VAL:HG21	1.97	0.46
1:A:430:GLN:HG3	1:A:435:ARG:O	2.14	0.46
1:A:118:LEU:HD23	1:A:123:PRO:HA	1.97	0.46
1:A:154:CYS:O	1:A:158:ARG:HG3	2.15	0.46
1:A:263:THR:OG1	1:A:266:LYS:HG2	2.15	0.46
1:A:496:ILE:O	1:A:497:LYS:HB2	2.15	0.46
1:A:413:LEU:HD21	1:A:422:ARG:HD2	1.97	0.46
1:A:85:PHE:HD2	1:A:153:ILE:HD11	1.81	0.46
1:A:382:PHE:CZ	1:A:386:ARG:HG3	2.50	0.46
1:A:361:VAL:O	1:A:361:VAL:HG12	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:576:TRP:CH2	1:A:631:ILE:HG22	2.50	0.46
1:A:577:GLN:HB3	1:A:579:ARG:NH1	2.30	0.46
2:B:43:ILE:HG12	2:B:305:ALA:HB1	1.98	0.46
3:G:21:MET:HE2	3:G:21:MET:CA	2.46	0.46
1:A:393:GLN:C	1:A:395:LYS:H	2.22	0.45
1:A:210:LYS:O	1:A:214:GLY:N	2.45	0.45
1:A:413:LEU:CD2	1:A:422:ARG:HG3	2.46	0.45
1:A:600:LEU:HD12	1:A:600:LEU:C	2.42	0.45
1:A:622:LEU:HB2	1:A:630:PHE:HB3	1.98	0.45
1:A:630:PHE:C	1:A:631:ILE:HD12	2.40	0.45
2:B:339:TRP:O	2:B:340:ASN:HB3	2.16	0.45
1:A:228[B]:LYS:HA	1:A:233:GLU:OE2	2.17	0.45
1:A:204:GLU:HB2	1:A:206:TYR:CE2	2.52	0.45
2:B:118:ASP:O	2:B:120:ILE:HG13	2.15	0.45
1:A:240:ARG:NH1	1:A:509:PHE:HA	2.31	0.45
1:A:309:HIS:CE1	1:A:370:SER:HB2	2.52	0.45
1:A:363:GLN:C	1:A:365:GLY:H	2.24	0.45
1:A:517:TRP:O	1:A:521:VAL:HG23	2.16	0.45
1:A:664:MET:HE3	2:B:101:MET:CG	2.47	0.45
1:A:324:LEU:HD13	1:A:334:SER:HB3	1.99	0.45
1:A:356:TYR:OH	1:A:383:LYS:HD3	2.17	0.45
1:A:81:PRO:HB2	1:A:117:LEU:HD23	1.98	0.45
1:A:228[B]:LYS:HE3	1:A:502:ASP:CB	2.47	0.45
1:A:345:LYS:HD2	1:A:347:PRO:HB3	1.99	0.45
1:A:552:ASP:HB3	1:A:555:LEU:HD22	1.99	0.45
2:B:243:THR:O	2:B:250:CYS:HA	2.16	0.45
1:A:227:ILE:CG2	1:A:233:GLU:HG3	2.44	0.44
2:B:96:ARG:NH2	2:B:135:VAL:HG11	2.33	0.44
1:A:341:ASP:OD1	1:A:342:PHE:N	2.50	0.44
1:A:257:MET:O	1:A:516:ARG:HD2	2.16	0.44
1:A:360:GLU:HA	1:A:366:VAL:HG21	1.98	0.44
1:A:533:THR:O	1:A:537:GLU:HG3	2.18	0.44
2:B:113:ALA:HA	2:B:122:SER:O	2.17	0.44
2:B:292:PHE:N	2:B:292:PHE:CD1	2.85	0.44
1:A:69:ARG:HD2	1:A:87:GLU:OE2	2.17	0.44
1:A:584:PHE:HB3	1:A:585:PRO:CD	2.48	0.44
2:B:149:CYS:HA	2:B:158:VAL:O	2.18	0.44
2:B:292:PHE:CE1	2:B:313:ASN:HA	2.53	0.44
1:A:280:HIS:HB2	1:A:321:ALA:CA	2.48	0.44
2:B:277:SER:OG	2:B:320:VAL:HG23	2.17	0.44
1:A:619:CYS:HB3	1:A:632:LEU:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:TYR:O	1:A:301:ILE:HG13	2.17	0.44
2:B:242:ALA:HA	2:B:251:ARG:O	2.17	0.44
1:A:97:THR:HG22	1:A:99:GLU:N	2.33	0.43
1:A:262:HIS:CD2	1:A:510:PRO:HD3	2.54	0.43
2:B:286:LEU:N	2:B:286:LEU:HD12	2.33	0.43
2:B:25:CYS:HA	3:G:29:LYS:NZ	2.33	0.43
1:A:395:LYS:HG3	1:A:395:LYS:O	2.18	0.43
1:A:213:THR:OG1	1:A:520:GLU:OE2	2.28	0.43
1:A:82:LEU:HD12	1:A:82:LEU:H	1.83	0.43
1:A:113:ILE:O	1:A:117:LEU:HG	2.18	0.43
1:A:403:ASP:HA	1:A:406:THR:CG2	2.48	0.43
3:G:38:MET:O	3:G:42:GLU:HG2	2.19	0.43
1:A:357:MET:HE2	1:A:361:VAL:O	2.18	0.43
2:B:70:LEU:HD12	2:B:70:LEU:C	2.44	0.43
1:A:542:ALA:O	1:A:545:LYS:HB2	2.18	0.43
1:A:548:GLY:HA2	1:A:550:GLU:OE1	2.18	0.43
2:B:231:ALA:CB	2:B:275:SER:HA	2.49	0.43
3:G:51:LEU:HD12	3:G:51:LEU:HA	1.86	0.43
1:A:308:MET:CE	1:A:336:LEU:HD21	2.48	0.42
1:A:102:VAL:HG13	1:A:141:VAL:HG21	2.00	0.42
1:A:314:VAL:HG23	1:A:342:PHE:CE2	2.54	0.42
1:A:192:SER:O	1:A:208:CYS:HA	2.19	0.42
2:B:318:LEU:HA	2:B:328:ALA:O	2.20	0.42
1:A:308:MET:HE2	1:A:336:LEU:HD21	2.01	0.42
1:A:327:GLU:H	1:A:327:GLU:CD	2.27	0.42
1:A:338:LEU:N	1:A:338:LEU:HD12	2.34	0.42
1:A:436:ARG:O	1:A:440:LEU:HD13	2.20	0.42
1:A:551:GLU:HB3	1:A:552:ASP:CA	2.49	0.42
2:B:136:SER:O	2:B:137:ARG:HB2	2.18	0.42
1:A:662:PRO:HB2	2:B:188:MET:HE1	2.02	0.42
1:A:90:LYS:HD3	1:A:90:LYS:HA	1.92	0.42
1:A:477:VAL:HG12	1:A:477:VAL:O	2.19	0.42
2:B:269:ILE:HG21	2:B:289:TYR:CE2	2.55	0.42
1:A:72:CYS:HB2	1:A:83:VAL:HG21	2.01	0.42
1:A:587:ARG:HD2	1:A:600:LEU:HD22	2.01	0.42
2:B:61:MET:HE3	2:B:70:LEU:HD22	2.02	0.42
2:B:144:GLY:N	2:B:163:ASP:HB3	2.34	0.42
1:A:315:TYR:HE2	1:A:317:ASP:O	2.03	0.42
2:B:201:SER:O	2:B:208:ALA:HA	2.19	0.42
2:B:262:MET:HE1	2:B:300:LEU:O	2.19	0.42
1:A:53:VAL:HG12	1:A:53:VAL:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:210:LYS:HZ3	1:A:212:ASP:HB2	1.85	0.42
1:A:601:LEU:HD12	1:A:605:GLU:CD	2.45	0.42
1:A:223:ASP:O	1:A:227:ILE:HG13	2.20	0.41
2:B:86:THR:C	2:B:87:THR:HG23	2.45	0.41
1:A:391:PHE:CD2	1:A:406:THR:HB	2.55	0.41
1:A:603:MET:CE	1:A:606:ILE:HD12	2.49	0.41
1:A:640:LEU:C	1:A:640:LEU:HD23	2.45	0.41
1:A:567:LYS:HE3	1:A:577:GLN:OE1	2.21	0.41
2:B:327:VAL:HG23	3:G:50:LEU:HD11	2.01	0.41
1:A:228[B]:LYS:CE	1:A:233:GLU:HG2	2.51	0.41
1:A:313:VAL:HA	1:A:340:CYS:O	2.20	0.41
1:A:437:LEU:HB3	1:A:447:VAL:HG22	2.01	0.41
1:A:551:GLU:CB	1:A:552:ASP:HA	2.49	0.41
1:A:571:PRO:HB2	1:A:572:PHE:H	1.67	0.41
2:B:18:ILE:HG12	3:G:23:ALA:HA	2.02	0.41
3:G:28:ILE:HD11	3:G:33:ALA:HB2	2.01	0.41
2:B:79:LEU:HG	2:B:95:LEU:HD21	2.01	0.41
1:A:222:LEU:O	1:A:266:LYS:HB2	2.21	0.41
1:A:246:VAL:HG21	1:A:336:LEU:CD1	2.46	0.41
1:A:277:GLY:HA3	1:A:478:ASN:OD1	2.21	0.41
1:A:618:LYS:HG3	1:A:640:LEU:HD13	2.03	0.41
2:B:152:LEU:HD23	2:B:192:LEU:CD1	2.50	0.41
1:A:544:ASN:O	1:A:548:GLY:N	2.54	0.41
2:B:146:LEU:HD11	2:B:159:THR:HB	2.03	0.40
2:B:275:SER:O	2:B:287:ALA:HA	2.21	0.40
1:A:294:MET:HE2	1:A:385:LEU:HD11	2.03	0.40
1:A:478:ASN:O	1:A:479:ALA:CB	2.70	0.40
1:A:622:LEU:HD12	1:A:630:PHE:HD2	1.86	0.40
2:B:96:ARG:CZ	2:B:135:VAL:HG11	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	622/640 (97%)	561 (90%)	55 (9%)	6 (1%)	12	28
2	B	339/339 (100%)	317 (94%)	22 (6%)	0	100	100
3	G	55/59 (93%)	53 (96%)	2 (4%)	0	100	100
All	All	1016/1038 (98%)	931 (92%)	79 (8%)	6 (1%)	21	42

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	120	CYS
1	A	500	ASP
1	A	571	PRO
1	A	573	LEU
1	A	497	LYS
1	A	132	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	558/570 (98%)	545 (98%)	13 (2%)	44	71
2	B	284/282 (101%)	281 (99%)	3 (1%)	65	84
3	G	47/48 (98%)	45 (96%)	2 (4%)	26	51
All	All	889/900 (99%)	871 (98%)	18 (2%)	48	74

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	LYS
1	A	78	GLU
1	A	97	THR
1	A	156	ASN
1	A	164	LYS
1	A	169	ASP
1	A	351	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	360	GLU
1	A	478	ASN
1	A	499	LEU
1	A	500	ASP
1	A	550	GLU
1	A	623	LYS
2	B	164	THR
2	B	213	VAL
2	B	275	SER
3	G	14	LYS
3	G	16	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	307	HIS
1	A	328	HIS
1	A	570	ASN
2	B	44	GLN
2	B	156	GLN
3	G	24	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	W4G	A	701	-	26,26,26	1.04	1 (3%)	36,36,36	1.27	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	W4G	A	701	-	-	0/8/8/8	0/4/4/4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	W4G	C06-C19	-2.39	1.43	1.48

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701	W4G	O01-C02-N11	4.44	126.07	120.77
4	A	701	W4G	C13-C12-N11	-3.87	106.85	112.84

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	701	W4G	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	625/640 (97%)	0.61	48 (7%) 19 15	31, 76, 137, 190	1 (0%)
2	B	339/339 (100%)	-0.04	0 100 100	22, 48, 89, 139	2 (0%)
3	G	57/59 (96%)	0.19	1 (1%) 67 63	45, 63, 104, 118	0
All	All	1021/1038 (98%)	0.37	49 (4%) 35 30	22, 65, 129, 190	3 (0%)

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	112	TYR	5.2
1	A	113	ILE	5.2
1	A	479	ALA	3.7
1	A	496	ILE	3.6
1	A	572	PHE	3.5
1	A	114	MET	3.4
1	A	349	ALA	3.3
1	A	477	VAL	3.2
1	A	118	LEU	3.1
1	A	130	GLU	3.1
1	A	122	HIS	3.1
1	A	355	GLY	3.1
1	A	202	PHE	3.0
1	A	570	ASN	3.0
1	A	361	VAL	3.0
1	A	230	LYS	3.0
1	A	499	LEU	2.9
1	A	407	LEU	2.9
1	A	53	VAL	2.7
1	A	359	PRO	2.6
1	A	412	GLU	2.6
1	A	264	PRO	2.5
1	A	117	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	318	LEU	2.5
1	A	498	LEU	2.4
1	A	573	LEU	2.4
1	A	549	HIS	2.4
1	A	569	GLY	2.4
1	A	222	LEU	2.4
1	A	413	LEU	2.3
1	A	400	HIS	2.3
1	A	268	SER	2.3
1	A	348	HIS	2.2
1	A	575	GLN	2.2
1	A	232	GLY	2.2
1	A	380	MET	2.2
1	A	410	ALA	2.2
1	A	574	THR	2.2
1	A	365	GLY	2.1
3	G	8	SER	2.1
1	A	115	LYS	2.1
1	A	571	PRO	2.1
1	A	474	ARG	2.1
1	A	428	LEU	2.1
1	A	475	GLY	2.1
1	A	550	GLU	2.0
1	A	121	SER	2.0
1	A	495	GLY	2.0
1	A	435	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	W4G	A	701	23/23	0.81	0.18	86,132,175,175	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.