



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:26 PM UTC

PDB ID : 1K9O / pdb_00001k9o
Title : CRYSTAL STRUCTURE OF MICHAELIS SERPIN-TRYPSIN COMPLEX
Authors : Ye, S.; Cech, A.L.; Belmares, R.; Bergstrom, R.C.; Tong, Y.; Corey, D.R.;
Kanost, M.R.; Goldsmith, E.J.
Deposited on : 2001-10-29
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	I	378	
2	E	223	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4786 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALASERPIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	I	376	Total	C	N	O	S	0	0	0
			2939	1867	492	571	9			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	280	THR	TYR	SEE REMARK 999	UNP P14754
I	323	THR	TYR	SEE REMARK 999	UNP P14754
I	353	LYS	ALA	engineered mutation	UNP P14754

- Molecule 2 is a protein called TRYPSIN II ANIONIC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	223	Total	C	N	O	S	0	0	0
			1665	1041	285	325	14			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	195	ALA	SER	engineered mutation	UNP P00763


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	I	99	Total	O	0	0
			99	99		
3	E	83	Total	O	0	0
			83	83		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALASERPIN



• Molecule 2: TRYPSIN II ANIONIC



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	112.57Å 112.57Å 95.95Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.30 20.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	84.0 (20.00-2.30) 96.3 (20.00-2.30)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 2.30Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.158 , 0.231 0.173 , 0.237	Depositor DCC
R_{free} test set	2929 reflections (9.45%)	wwPDB-VP
Wilson B-factor (Å ²)	26.5	Xtriage
Anisotropy	0.383	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 21.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.20$	Xtriage
Estimated twinning fraction	0.457 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4786	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	I	0.58	1/2985 (0.0%)	1.18	26/4035 (0.6%)
2	E	0.53	0/1700	1.09	13/2317 (0.6%)
All	All	0.56	1/4685 (0.0%)	1.15	39/6352 (0.6%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	351	VAL	CA-CB	6.46	1.62	1.54

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	169	THR	N-CA-C	-15.80	93.65	113.55
1	I	350	ILE	N-CA-C	-11.98	91.39	108.17
2	E	197	GLY	CA-C-N	10.09	130.04	119.85
2	E	197	GLY	C-N-CA	10.09	130.04	119.85
1	I	346	ASN	N-CA-C	9.71	131.49	110.80
1	I	119	ALA	N-CA-C	-9.68	101.40	113.02
1	I	96	LYS	N-CA-C	7.99	122.82	110.20
1	I	18	ILE	N-CA-C	-7.73	105.23	112.96
2	E	116	ALA	N-CA-C	-7.41	103.84	113.17
1	I	343	ALA	N-CA-C	7.35	126.47	110.80
1	I	364	ASP	N-CA-C	7.31	120.72	112.97
1	I	121	VAL	N-CA-C	-7.25	103.92	112.98
1	I	79	ASN	N-CA-C	-7.02	101.94	112.04
1	I	98	VAL	N-CA-C	6.69	118.56	108.80
1	I	187	LYS	N-CA-C	6.67	119.13	110.53
1	I	122	SER	N-CA-C	-6.60	105.36	113.41
2	E	89	ILE	N-CA-C	6.49	116.06	106.85
1	I	306	THR	CA-C-N	6.40	126.75	119.83
1	I	306	THR	C-N-CA	6.40	126.75	119.83
1	I	197	ASP	N-CA-C	6.35	119.19	110.24
1	I	60	ALA	N-CA-C	-6.18	104.96	113.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	252	ILE	N-CA-C	6.18	116.34	110.53
2	E	151	GLU	CA-C-N	6.16	125.92	119.76
2	E	151	GLU	C-N-CA	6.16	125.92	119.76
2	E	215	TRP	N-CA-C	5.85	115.97	108.24
1	I	344	ALA	N-CA-C	5.65	122.84	110.80
2	E	231	VAL	N-CA-C	5.50	117.92	111.05
2	E	125	SER	N-CA-C	-5.47	106.61	113.72
2	E	160	ALA	CA-C-N	5.35	125.55	120.31
2	E	160	ALA	C-N-CA	5.35	125.55	120.31
2	E	140	GLY	N-CA-C	5.34	118.38	110.63
1	I	345	ALA	CA-C-N	5.31	131.67	121.54
1	I	345	ALA	C-N-CA	5.31	131.67	121.54
2	E	38	GLY	N-CA-C	-5.27	108.05	115.32
1	I	315	LEU	N-CA-C	-5.27	105.62	111.36
1	I	86	ALA	N-CA-C	-5.26	106.36	112.89
1	I	91	GLY	N-CA-C	-5.13	101.03	113.18
1	I	38	ASN	CA-C-N	5.12	125.04	119.76
1	I	38	ASN	C-N-CA	5.12	125.04	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	2939	0	2986	136	0
2	E	1665	0	1603	47	0
3	E	83	0	0	0	0
3	I	99	0	0	1	0
All	All	4786	0	4589	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:136:VAL:HG22	1:I:168:GLU:HG3	1.38	1.01
1:I:102:MET:HE1	1:I:378:MET:HG2	1.45	0.98
1:I:347:ALA:HB3	1:I:351:VAL:HG13	1.46	0.97
1:I:34:VAL:HG21	1:I:45:LEU:HD22	1.50	0.94
2:E:115:ASN:H	2:E:115:ASN:HD22	1.18	0.87
2:E:115:ASN:HD22	2:E:115:ASN:N	1.73	0.87
2:E:29:TYR:HB2	2:E:121:VAL:HG22	1.57	0.86
1:I:202:LYS:HD3	1:I:202:LYS:H	1.40	0.85
1:I:60:ALA:HA	1:I:314:ASN:HB2	1.64	0.80
2:E:30:GLN:HE22	2:E:198:PRO:HD2	1.46	0.78
2:E:34:ASN:ND2	2:E:38:GLY:H	1.82	0.78
1:I:346:ASN:H	1:I:346:ASN:HD22	1.32	0.78
2:E:158:LEU:HD11	2:E:1188:LYS:HB3	1.67	0.77
1:I:323:THR:HG23	3:I:478:HOH:O	1.84	0.77
1:I:187:LYS:NZ	1:I:343:ALA:HA	2.00	0.76
1:I:372:LYS:HE2	1:I:377:PRO:HD3	1.68	0.75
2:E:45:SER:OG	2:E:198:PRO:HG3	1.87	0.74
1:I:120:ALA:HA	1:I:123:ARG:HG2	1.67	0.73
1:I:344:ALA:HB1	2:E:147:SER:HA	1.71	0.72
2:E:29:TYR:CB	2:E:121:VAL:HG22	2.19	0.72
1:I:307:PRO:HA	1:I:323:THR:HG21	1.71	0.71
1:I:220:ALA:HB2	1:I:272:LEU:HA	1.71	0.71
1:I:277:VAL:HG13	1:I:359:PRO:O	1.93	0.69
1:I:346:ASN:HD22	1:I:346:ASN:N	1.89	0.68
1:I:30:MET:HE3	1:I:47:ALA:HA	1.76	0.67
2:E:32:SER:OG	2:E:40:HIS:HD2	1.78	0.67
1:I:108:VAL:O	1:I:132:ASN:HA	1.95	0.67
2:E:28:PRO:HB2	2:E:119:ALA:HB3	1.77	0.65
1:I:25:GLN:NE2	1:I:262:PRO:HG2	2.11	0.65
1:I:136:VAL:HG22	1:I:168:GLU:CG	2.21	0.65
1:I:353:LYS:C	2:E:195:ALA:HB2	2.22	0.64
1:I:320:GLU:HG2	1:I:321:SER:H	1.62	0.64
1:I:232:MET:HE1	1:I:243:ILE:HD12	1.79	0.63
1:I:134:ASP:O	1:I:141:ALA:HB2	1.99	0.63
1:I:105:LYS:HD2	1:I:129:GLU:O	1.99	0.62
1:I:373:ILE:O	1:I:373:ILE:HG22	1.99	0.62
1:I:86:ALA:O	1:I:90:ARG:HG2	1.99	0.62
1:I:255:LEU:HG	1:I:259:LEU:HD22	1.82	0.61
1:I:187:LYS:HZ1	1:I:343:ALA:HA	1.63	0.61
1:I:202:LYS:H	1:I:202:LYS:CD	2.12	0.61
1:I:89:ASN:HB3	1:I:90:ARG:NH1	2.15	0.61
1:I:55:GLY:O	1:I:59:LEU:HD13	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:114:LEU:HA	1:I:316:LEU:HA	1.83	0.59
2:E:83:VAL:HG11	2:E:108:LEU:HB3	1.83	0.59
2:E:25:ASN:OD1	2:E:117:ARG:HG2	2.01	0.59
2:E:30:GLN:NE2	2:E:198:PRO:HD2	2.17	0.59
1:I:59:LEU:HD21	1:I:82:LYS:HG3	1.84	0.59
1:I:320:GLU:HG2	1:I:321:SER:N	2.18	0.59
2:E:101:ASN:HA	2:E:234:TYR:OH	2.02	0.59
1:I:370:GLU:HB2	1:I:380:ASN:HB3	1.85	0.59
1:I:146:ASN:O	1:I:150:GLU:HB2	2.03	0.59
2:E:115:ASN:HB2	2:E:117:ARG:H	1.69	0.57
1:I:85:PHE:O	1:I:89:ASN:HB2	2.06	0.56
1:I:30:MET:O	1:I:34:VAL:HG13	2.05	0.56
1:I:150:GLU:HG2	1:I:155:ASN:HA	1.88	0.55
1:I:95:VAL:HG22	1:I:96:LYS:H	1.71	0.55
1:I:176:ASN:ND2	1:I:329:GLN:HE21	2.04	0.55
1:I:202:LYS:HD3	1:I:202:LYS:N	2.17	0.55
1:I:218:ARG:HB3	1:I:272:LEU:HG	1.88	0.55
1:I:66:HIS:CD2	1:I:70:LEU:HD22	2.41	0.55
2:E:115:ASN:N	2:E:115:ASN:ND2	2.43	0.55
1:I:34:VAL:HG21	1:I:45:LEU:CD2	2.32	0.54
1:I:83:ASP:O	1:I:87:ASP:HB2	2.07	0.54
1:I:307:PRO:CA	1:I:323:THR:HG21	2.38	0.54
2:E:72:ASN:HD22	2:E:72:ASN:C	2.16	0.54
1:I:114:LEU:HD13	1:I:315:LEU:HD22	1.89	0.53
2:E:57:HIS:HB2	2:E:96:ARG:NH2	2.24	0.53
1:I:242:ILE:O	1:I:369:PHE:HA	2.08	0.53
1:I:26:PHE:CD2	1:I:51:LEU:HD21	2.44	0.53
1:I:94:ALA:O	1:I:95:VAL:HG12	2.09	0.53
2:E:17:VAL:O	2:E:1188:LYS:HA	2.09	0.53
1:I:307:PRO:HA	1:I:323:THR:CG2	2.39	0.52
1:I:285:LYS:HG2	1:I:334:GLU:HG3	1.91	0.52
2:E:165:GLN:O	2:E:169:GLU:HG3	2.09	0.52
2:E:230:LYS:HE3	2:E:232:CYS:SG	2.48	0.52
1:I:350:ILE:O	1:I:352:PRO:HD3	2.09	0.52
1:I:19:LEU:HD21	1:I:88:LEU:HD13	1.91	0.52
2:E:146:SER:HB3	2:E:221:ALA:HB3	1.91	0.52
1:I:48:PHE:CD2	1:I:378:MET:HG3	2.45	0.51
1:I:170:THR:HG23	1:I:325:ASP:HB2	1.93	0.51
1:I:176:ASN:HD21	1:I:329:GLN:HE21	1.57	0.51
1:I:101:LYS:HB2	1:I:179:TYR:HB3	1.93	0.51
1:I:37:ALA:C	1:I:39:PRO:HD3	2.36	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:110:LYS:HA	1:I:132:ASN:HB3	1.93	0.50
1:I:154:ASN:N	1:I:154:ASN:HD22	2.09	0.50
1:I:346:ASN:H	1:I:346:ASN:ND2	2.04	0.50
1:I:102:MET:HE1	1:I:378:MET:CG	2.32	0.50
1:I:46:SER:HB3	1:I:178:ILE:HG21	1.93	0.50
1:I:118:PHE:C	1:I:120:ALA:H	2.20	0.49
1:I:210:THR:CG2	1:I:280:THR:HG22	2.42	0.49
1:I:153:THR:O	1:I:156:ARG:HB2	2.13	0.49
1:I:108:VAL:HG21	1:I:114:LEU:HD11	1.94	0.49
2:E:17:VAL:HG23	2:E:191:CYS:HB2	1.95	0.49
1:I:66:HIS:NE2	1:I:70:LEU:HD22	2.28	0.49
1:I:92:VAL:HG13	1:I:92:VAL:O	2.12	0.49
1:I:265:LEU:HD21	1:I:370:GLU:OE2	2.13	0.49
1:I:121:VAL:O	1:I:125:VAL:HB	2.13	0.48
2:E:24:GLU:O	2:E:25:ASN:HB2	2.12	0.48
1:I:50:VAL:HG22	1:I:176:ASN:ND2	2.29	0.48
1:I:134:ASP:OD1	1:I:136:VAL:HG23	2.13	0.48
1:I:136:VAL:CG2	1:I:168:GLU:HG3	2.27	0.48
1:I:353:LYS:HD2	2:E:215:TRP:HA	1.95	0.48
1:I:30:MET:CE	1:I:47:ALA:HA	2.42	0.48
1:I:299:MET:O	1:I:300:ASN:HB2	2.14	0.48
2:E:34:ASN:HD21	2:E:38:GLY:H	1.62	0.48
1:I:31:PHE:HD1	1:I:380:ASN:ND2	2.12	0.47
1:I:113:GLU:OE2	1:I:318:THR:HG21	2.15	0.47
1:I:187:LYS:HZ1	1:I:343:ALA:C	2.23	0.47
1:I:286:ILE:HD11	1:I:383:VAL:HG22	1.97	0.47
1:I:246:PRO:O	1:I:365:ARG:HD2	2.15	0.46
2:E:86:ALA:HB2	2:E:109:SER:HA	1.98	0.46
2:E:199:VAL:HG21	2:E:228:TYR:CD2	2.50	0.46
2:E:213:VAL:HA	2:E:228:TYR:CD2	2.51	0.46
1:I:54:LEU:HB2	1:I:73:LEU:HD21	1.98	0.46
1:I:366:PRO:HA	1:I:383:VAL:O	2.16	0.46
1:I:107:TYR:HA	1:I:131:GLN:O	2.16	0.45
1:I:117:ASP:O	1:I:120:ALA:HB3	2.16	0.45
1:I:371:LEU:HD22	1:I:379:PHE:CZ	2.51	0.45
1:I:101:LYS:O	1:I:178:ILE:HA	2.16	0.45
1:I:95:VAL:HG13	1:I:96:LYS:N	2.31	0.45
2:E:213:VAL:HG22	2:E:228:TYR:HE2	1.82	0.45
1:I:52:PRO:HB2	1:I:53:PRO:HD3	1.99	0.45
1:I:50:VAL:C	1:I:53:PRO:HD2	2.42	0.45
1:I:136:VAL:HA	1:I:168:GLU:HB2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:316:LEU:CD1	1:I:320:GLU:HB3	2.47	0.45
1:I:41:GLN:HG2	1:I:42:ASN:N	2.32	0.44
1:I:155:ASN:HB3	1:I:158:LYS:NZ	2.31	0.44
1:I:130:VAL:HG11	1:I:315:LEU:HD21	1.98	0.44
1:I:218:ARG:CZ	1:I:272:LEU:HD23	2.47	0.44
2:E:26:SER:C	2:E:28:PRO:HD3	2.43	0.44
1:I:187:LYS:HB3	1:I:339:GLY:HA3	1.98	0.44
1:I:145:ILE:CG2	1:I:175:VAL:HG11	2.47	0.44
1:I:187:LYS:HZ2	1:I:343:ALA:HA	1.77	0.44
1:I:346:ASN:N	1:I:346:ASN:ND2	2.55	0.44
1:I:214:LYS:N	1:I:214:LYS:HD3	2.32	0.44
2:E:72:ASN:HA	2:E:153:ASP:O	2.18	0.44
1:I:26:PHE:CG	1:I:51:LEU:HD21	2.53	0.44
2:E:51:TRP:CD2	2:E:242:ILE:HG12	2.53	0.43
1:I:180:PHE:CZ	1:I:371:LEU:HD13	2.54	0.43
1:I:137:LYS:HB3	1:I:140:GLU:HB3	2.00	0.43
1:I:373:ILE:O	1:I:373:ILE:CG2	2.65	0.43
1:I:371:LEU:HD22	1:I:379:PHE:CE2	2.53	0.43
1:I:68:GLU:HG2	1:I:300:ASN:O	2.18	0.43
1:I:194:MET:HE2	1:I:196:ARG:HG2	2.01	0.43
1:I:89:ASN:HB3	1:I:90:ARG:HH11	1.84	0.42
1:I:172:SER:OG	1:I:324:VAL:HA	2.19	0.42
2:E:160:ALA:HA	2:E:161:PRO:HD3	1.74	0.42
1:I:31:PHE:O	1:I:34:VAL:HG22	2.20	0.42
1:I:181:LYS:HG3	1:I:334:GLU:HB3	2.02	0.42
2:E:168:CYS:SG	2:E:176:ILE:HD12	2.60	0.42
1:I:57:LEU:HG	1:I:304:LEU:HD11	2.01	0.41
1:I:170:THR:HA	1:I:325:ASP:OD1	2.19	0.41
1:I:105:LYS:HG3	1:I:106:ILE:N	2.34	0.41
1:I:145:ILE:HG21	1:I:175:VAL:HG11	2.02	0.41
1:I:210:THR:HG21	1:I:280:THR:HG22	2.01	0.41
1:I:356:ILE:N	1:I:356:ILE:HD12	2.35	0.41
2:E:95:ASP:HB3	2:E:98:THR:OG1	2.20	0.41
1:I:173:VAL:HG22	1:I:326:ALA:HB3	2.02	0.41
1:I:201:SER:OG	1:I:204:LYS:HB2	2.20	0.41
2:E:27:VAL:HG13	2:E:29:TYR:CZ	2.56	0.41
2:E:37:SER:HA	2:E:62:ARG:NH1	2.35	0.41
1:I:59:LEU:HD21	1:I:82:LYS:CG	2.49	0.41
2:E:20:TYR:CE2	2:E:157:CYS:HB2	2.56	0.41
1:I:167:ASP:C	1:I:169:THR:H	2.28	0.41
2:E:146:SER:HB2	2:E:220:CYS:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:154:ASN:N	1:I:154:ASN:ND2	2.69	0.41
2:E:83:VAL:HG21	2:E:112:VAL:HG12	2.02	0.41
1:I:120:ALA:C	1:I:122:SER:H	2.28	0.41
1:I:38:ASN:N	1:I:39:PRO:HD3	2.36	0.41
2:E:234:TYR:O	2:E:238:ILE:HG13	2.21	0.41
1:I:45:LEU:O	1:I:379:PHE:HB2	2.21	0.41
1:I:373:ILE:HB	1:I:378:MET:SD	2.61	0.41
2:E:40:HIS:CE1	2:E:141:TRP:HB2	2.56	0.40
2:E:97:LYS:HA	2:E:97:LYS:HD3	1.80	0.40
1:I:29:GLN:OE1	1:I:299:MET:HE3	2.20	0.40
1:I:303:LYS:HG2	1:I:309:ALA:HB1	2.03	0.40
1:I:107:TYR:O	1:I:172:SER:HA	2.22	0.40
1:I:287:GLU:HB3	1:I:332:PHE:HD1	1.87	0.40
1:I:114:LEU:HD22	1:I:316:LEU:HD23	2.04	0.40
2:E:211:GLY:HA2	2:E:229:THR:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	374/378 (99%)	338 (90%)	29 (8%)	7 (2%)	6	5
2	E	221/223 (99%)	207 (94%)	13 (6%)	1 (0%)	24	31
All	All	595/601 (99%)	545 (92%)	42 (7%)	8 (1%)	9	10

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	I	95	VAL
1	I	346	ASN
1	I	347	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	49	ASP
1	I	91	GLY
1	I	300	ASN
1	I	125	VAL
1	I	301	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	323/324 (100%)	285 (88%)	38 (12%)	5	6
2	E	184/184 (100%)	175 (95%)	9 (5%)	22	34
All	All	507/508 (100%)	460 (91%)	47 (9%)	8	11

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	20	ARG
1	I	45	LEU
1	I	57	LEU
1	I	66	HIS
1	I	70	LEU
1	I	87	ASP
1	I	89	ASN
1	I	92	VAL
1	I	95	VAL
1	I	100	LEU
1	I	105	LYS
1	I	113	GLU
1	I	130	VAL
1	I	136	VAL
1	I	140	GLU
1	I	147	LYS
1	I	168	GLU
1	I	178	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	202	LYS
1	I	203	ASP
1	I	230	ILE
1	I	259	LEU
1	I	279	ILE
1	I	280	THR
1	I	312	LEU
1	I	315	LEU
1	I	317	LYS
1	I	323	THR
1	I	341	GLU
1	I	346	ASN
1	I	350	ILE
1	I	355	LEU
1	I	370	GLU
1	I	373	ILE
1	I	374	ASP
1	I	376	ILE
1	I	378	MET
1	I	380	ASN
2	E	23	GLN
2	E	53	VAL
2	E	62	ARG
2	E	72	ASN
2	E	79	ASN
2	E	96	ARG
2	E	115	ASN
2	E	121	VAL
2	E	151	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	I	16	GLN
1	I	23	ASN
1	I	25	GLN
1	I	41	GLN
1	I	56	GLN
1	I	115	ASN
1	I	155	ASN
1	I	176	ASN
1	I	199	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	257	GLN
1	I	329	GLN
1	I	346	ASN
2	E	23	GLN
2	E	30	GLN
2	E	34	ASN
2	E	40	HIS
2	E	50	GLN
2	E	72	ASN
2	E	115	ASN
2	E	150	ASN
2	E	165	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	I	376/378 (99%)	-1.52	0 100 100	7, 30, 60, 72	0
2	E	223/223 (100%)	-1.69	0 100 100	3, 15, 27, 31	0
All	All	599/601 (99%)	-1.58	0 100 100	3, 22, 57, 72	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.