



Full wwPDB NMR Structure Validation Report ⓘ

Mar 6, 2026 – 07:48 PM UTC

PDB ID : 2KAX / pdb_00002kax
BMRB ID : 16033
Title : Solution structure and dynamics of S100A5 in the apo and Ca²⁺-bound states
Authors : Bertini, I.; Das Gupta, S.; Hu, X.; Karavelas, T.; Luchinat, C.; Parigi, G.; Yuan, J.; Structural Proteomics in Europe (SPINE); Structural Proteomics in Europe 2 (SPINE-2)
Deposited on : 2008-11-17

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 91%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	92	
1	B	92	

2 Ensemble composition and analysis

This entry contains 31 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2-A:43, A:48-A:88, B:2-B:85 (167)	1.18	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 3, 4, 5, 6, 7, 10, 11, 12, 13, 14, 15, 17, 18, 21, 22, 24, 26, 27, 29, 30, 31
2	2, 28
3	8, 25
4	9, 23
5	16, 20
Single-model clusters	19

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 2998 atoms, of which 1502 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Protein S100-A5.


Mol	Chain	Residues	Atoms						Trace
1	A	92	Total	C	H	N	O	S	0
			1499	473	751	116	151	8	
1	B	92	Total	C	H	N	O	S	0
			1499	473	751	116	151	8	

4 Residue-property plots [i](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Protein S100-A5



- Molecule 1: Protein S100-A5




4.2 Scores per residue for each member of the ensemble


Colouring as in section [4.1](#) above.

4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.2 Score per residue for model 2

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.3 Score per residue for model 3

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.4 Score per residue for model 4

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.5 Score per residue for model 5

• Molecule 1: Protein S100-A5




• Molecule 1: Protein S100-A5




4.2.6 Score per residue for model 6

• Molecule 1: Protein S100-A5




• Molecule 1: Protein S100-A5




4.2.7 Score per residue for model 7

• Molecule 1: Protein S100-A5




• Molecule 1: Protein S100-A5




4.2.8 Score per residue for model 8

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.9 Score per residue for model 9

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.10 Score per residue for model 10

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.11 Score per residue for model 11

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.12 Score per residue for model 12

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.13 Score per residue for model 13

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5



4.2.14 Score per residue for model 14

- Molecule 1: Protein S100-A5

Chain A:  72% 16% 10%



- Molecule 1: Protein S100-A5

Chain B:  73% 15% 9%



4.2.15 Score per residue for model 15


- Molecule 1: Protein S100-A5

Chain A:  73% 15% 10%



- Molecule 1: Protein S100-A5


Chain B:  74% 17% 9%



4.2.16 Score per residue for model 16


- Molecule 1: Protein S100-A5

Chain A:  80% 9% 10%




- Molecule 1: Protein S100-A5

Chain B:  74% 12% 5% 9%




4.2.17 Score per residue for model 17

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.18 Score per residue for model 18

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.19 Score per residue for model 19

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.20 Score per residue for model 20

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.21 Score per residue for model 21

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.22 Score per residue for model 22

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.23 Score per residue for model 23

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.24 Score per residue for model 24

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.25 Score per residue for model 25

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.26 Score per residue for model 26

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.27 Score per residue for model 27

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5




4.2.28 Score per residue for model 28

- Molecule 1: Protein S100-A5




- Molecule 1: Protein S100-A5



4.2.29 Score per residue for model 29


- Molecule 1: Protein S100-A5

Chain A:  68% 20% 10%



- Molecule 1: Protein S100-A5

Chain B:  73% 17% 9%



4.2.30 Score per residue for model 30


- Molecule 1: Protein S100-A5

Chain A:  71% 20% 10%



- Molecule 1: Protein S100-A5


Chain B:  70% 21% 9%



4.2.31 Score per residue for model 31

- Molecule 1: Protein S100-A5

Chain A:  77% 12% 10%



- Molecule 1: Protein S100-A5

Chain B:  71% 20% 9%



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 350 calculated structures, 31 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	
Amber	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	2320
Number of shifts mapped to atoms	2314
Number of unparsed shifts	0
Number of shifts with mapping errors	6
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	91%

6 Model quality (i)

6.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.80±0.02	0±0/686 (0.0± 0.0%)	1.50±0.05	2±2/917 (0.3± 0.2%)
1	B	0.79±0.02	0±0/683 (0.0± 0.0%)	1.51±0.05	3±3/912 (0.3± 0.3%)
All	All	0.79	0/42439 (0.0%)	1.50	169/56699 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	1.7±1.2
1	B	0.0±0.0	1.8±1.2
All	All	0	108

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	62	ASN	CA-C-N	8.45	132.72	120.38	22	2
1	A	62	ASN	C-N-CA	8.45	132.72	120.38	22	2
1	A	20	SER	CA-C-N	8.08	134.08	121.32	8	1
1	A	20	SER	C-N-CA	8.08	134.08	121.32	8	1
1	B	68	ASP	CA-CB-CG	7.65	120.25	112.60	23	1
1	B	21	GLY	CA-C-N	7.58	136.02	121.54	19	1
1	B	21	GLY	C-N-CA	7.58	136.02	121.54	19	1
1	B	62	ASN	CA-C-N	7.50	131.34	120.38	5	3
1	B	62	ASN	C-N-CA	7.50	131.34	120.38	5	3
1	B	66	GLU	CA-C-N	7.25	133.31	122.58	1	3
1	B	66	GLU	C-N-CA	7.25	133.31	122.58	1	3
1	A	68	ASP	CA-CB-CG	7.19	119.79	112.60	4	2
1	A	22	ARG	CD-NE-CZ	6.92	134.09	124.40	21	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	B	22	ARG	CD-NE-CZ	6.78	133.89	124.40	8	2
1	B	26	LYS	CA-C-N	6.74	129.32	120.28	20	1
1	B	26	LYS	C-N-CA	6.74	129.32	120.28	20	1
1	A	43	CYS	CA-C-N	6.70	134.33	121.54	15	1
1	A	43	CYS	C-N-CA	6.70	134.33	121.54	15	1
1	B	47	MET	CA-C-N	6.65	132.08	122.44	20	1
1	B	47	MET	C-N-CA	6.65	132.08	122.44	20	1
1	A	16	PHE	CA-CB-CG	6.60	120.40	113.80	20	4
1	A	75	PHE	CA-CB-CG	6.56	120.36	113.80	1	1
1	A	60	ASP	CA-CB-CG	6.54	119.14	112.60	4	2
1	B	60	ASP	CA-C-N	6.53	129.91	120.38	4	3
1	B	60	ASP	C-N-CA	6.53	129.91	120.38	4	3
1	B	64	ASP	CA-C-N	6.37	132.55	122.36	4	2
1	B	64	ASP	C-N-CA	6.37	132.55	122.36	4	2
1	A	31	ARG	N-CA-CB	-6.31	99.91	110.39	17	1
1	A	88	LEU	CA-C-N	6.23	133.45	121.54	29	1
1	A	88	LEU	C-N-CA	6.23	133.45	121.54	29	1
1	B	48	LYS	CA-C-N	6.21	133.40	121.54	9	3
1	B	48	LYS	C-N-CA	6.21	133.40	121.54	9	3
1	A	60	ASP	CA-C-N	6.16	129.15	120.28	28	3
1	A	60	ASP	C-N-CA	6.16	129.15	120.28	28	3
1	B	45	GLY	CA-C-N	6.15	133.28	121.54	22	3
1	B	45	GLY	C-N-CA	6.15	133.28	121.54	22	3
1	B	84	ASN	CA-C-N	6.02	131.98	122.11	24	1
1	B	84	ASN	C-N-CA	6.02	131.98	122.11	24	1
1	A	17	HIS	CA-CB-CG	6.02	119.82	113.80	19	1
1	B	63	SER	CA-C-N	6.02	129.15	120.79	16	1
1	B	63	SER	C-N-CA	6.02	129.15	120.79	16	1
1	B	26	LYS	N-CA-C	6.01	120.09	112.87	29	1
1	A	69	PHE	CA-CB-CG	5.91	119.71	113.80	27	2
1	B	31	ARG	CA-C-N	5.89	128.46	120.44	26	1
1	B	31	ARG	C-N-CA	5.89	128.46	120.44	26	1
1	A	21	GLY	CA-C-N	5.84	128.11	120.28	10	1
1	A	21	GLY	C-N-CA	5.84	128.11	120.28	10	1
1	A	48	LYS	CA-C-N	5.81	129.78	121.71	15	1
1	A	48	LYS	C-N-CA	5.81	129.78	121.71	15	1
1	B	16	PHE	CA-CB-CG	5.79	119.59	113.80	23	1
1	A	26	LYS	N-CA-C	5.78	119.86	112.34	26	1
1	A	19	TYR	CA-C-N	5.78	132.57	121.54	29	1
1	A	19	TYR	C-N-CA	5.78	132.57	121.54	29	1
1	A	84	ASN	CA-C-N	5.76	128.80	120.38	17	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	84	ASN	C-N-CA	5.76	128.80	120.38	17	1
1	B	46	GLU	CA-C-N	5.76	132.54	121.54	4	1
1	B	46	GLU	C-N-CA	5.76	132.54	121.54	4	1
1	B	59	LEU	CA-C-N	5.71	128.20	120.38	4	2
1	B	59	LEU	C-N-CA	5.71	128.20	120.38	4	2
1	B	64	ASP	CB-CA-C	5.70	119.55	111.74	4	2
1	B	84	ASN	CA-CB-CG	5.69	118.29	112.60	3	1
1	A	48	LYS	N-CA-C	5.68	117.48	108.79	12	1
1	B	36	GLU	CA-C-N	5.65	128.11	120.65	2	4
1	B	36	GLU	C-N-CA	5.65	128.11	120.65	2	4
1	A	6	GLU	CA-CB-CG	5.65	125.40	114.10	20	2
1	B	53	ASP	CA-C-O	-5.64	113.98	120.24	1	2
1	B	51	SER	CA-C-N	5.62	128.46	121.71	29	1
1	B	51	SER	C-N-CA	5.62	128.46	121.71	29	1
1	A	87	PHE	CA-CB-CG	5.58	119.38	113.80	24	1
1	B	60	ASP	CA-CB-CG	5.57	118.17	112.60	3	3
1	A	49	GLU	CA-C-N	5.51	132.06	121.54	19	1
1	A	49	GLU	C-N-CA	5.51	132.06	121.54	19	1
1	B	63	SER	N-CA-C	5.50	119.49	112.34	1	4
1	A	59	LEU	CA-C-N	5.44	129.39	120.63	19	1
1	A	59	LEU	C-N-CA	5.44	129.39	120.63	19	1
1	A	48	LYS	N-CA-CB	-5.44	102.81	111.62	1	1
1	A	82	ALA	CA-C-N	5.41	133.98	121.87	17	1
1	A	82	ALA	C-N-CA	5.41	133.98	121.87	17	1
1	A	54	ASP	N-CA-CB	5.39	118.13	110.16	10	1
1	B	48	LYS	N-CA-CB	-5.39	101.38	111.13	21	1
1	B	42	LEU	CA-C-N	5.36	127.47	120.28	16	1
1	B	42	LEU	C-N-CA	5.36	127.47	120.28	16	1
1	A	22	ARG	CA-C-N	5.35	131.76	121.54	21	2
1	A	22	ARG	C-N-CA	5.35	131.76	121.54	21	2
1	A	57	LYS	CA-C-N	5.33	129.62	120.72	10	1
1	A	57	LYS	C-N-CA	5.33	129.62	120.72	10	1
1	B	56	MET	CA-C-N	5.31	127.84	120.29	1	1
1	B	56	MET	C-N-CA	5.31	127.84	120.29	1	1
1	A	76	LEU	CA-C-N	5.31	127.34	120.44	30	1
1	A	76	LEU	C-N-CA	5.31	127.34	120.44	30	1
1	A	3	THR	CA-CB-CG2	5.23	119.39	110.50	8	1
1	A	66	GLU	CA-C-N	5.21	130.29	122.58	1	2
1	A	66	GLU	C-N-CA	5.21	130.29	122.58	1	2
1	B	50	SER	CA-C-N	5.20	131.47	121.54	2	1
1	B	50	SER	C-N-CA	5.20	131.47	121.54	2	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	65	GLN	OE1-CD-NE2	-5.19	117.41	122.60	4	2
1	B	19	TYR	CA-C-N	5.17	131.42	121.54	24	1
1	B	19	TYR	C-N-CA	5.17	131.42	121.54	24	1
1	B	2	GLU	CA-C-N	5.17	130.54	122.26	4	1
1	B	2	GLU	C-N-CA	5.17	130.54	122.26	4	1
1	A	64	ASP	CA-C-N	5.16	130.58	122.21	13	1
1	A	64	ASP	C-N-CA	5.16	130.58	122.21	13	1
1	A	30	SER	CA-C-N	5.16	127.91	120.38	18	1
1	A	30	SER	C-N-CA	5.16	127.91	120.38	18	1
1	B	61	LYS	N-CA-CB	-5.11	101.86	110.49	29	2
1	B	67	ILE	CA-CB-CG2	5.10	119.17	110.50	26	1
1	A	39	LYS	CA-CB-CG	-5.10	103.91	114.10	10	1
1	A	31	ARG	CD-NE-CZ	5.09	131.52	124.40	14	1
1	A	42	LEU	CA-C-N	5.05	131.19	121.54	15	1
1	A	42	LEU	C-N-CA	5.05	131.19	121.54	15	1
1	A	54	ASP	CA-CB-CG	-5.04	107.56	112.60	10	1
1	A	63	SER	N-CA-C	5.03	118.19	111.75	22	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	72	TYR	Sidechain	14
1	B	62	ASN	Peptide	10
1	B	22	ARG	Sidechain,Peptide	8
1	A	22	ARG	Sidechain	7
1	B	72	TYR	Sidechain	7
1	A	31	ARG	Sidechain	5
1	A	62	ASN	Peptide	5
1	B	31	ARG	Sidechain	4
1	A	41	GLU	Peptide	4
1	B	84	ASN	Peptide	3
1	A	19	TYR	Sidechain	3
1	B	36	GLU	Sidechain	3
1	A	64	ASP	Peptide	3
1	B	64	ASP	Peptide	3
1	A	63	SER	Peptide	2
1	B	48	LYS	Peptide	2
1	B	23	GLU	Peptide	2
1	B	83	TYR	Sidechain	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	83	TYR	Sidechain	2
1	A	3	THR	Peptide	1
1	A	60	ASP	Peptide	1
1	B	44	LEU	Peptide	1
1	B	19	TYR	Sidechain	1
1	B	7	LYS	Peptide	1
1	B	39	LYS	Peptide	1
1	A	48	LYS	Peptide	1
1	B	60	ASP	Peptide	1
1	B	45	GLY	Peptide	1
1	B	53	ASP	Peptide	1
1	B	63	SER	Peptide	1
1	A	2	GLU	Peptide	1
1	A	49	GLU	Peptide	1
1	B	43	CYS	Peptide	1
1	A	23	GLU	Peptide	1
1	B	41	GLU	Peptide	1
1	A	25	SER	Peptide	1
1	B	25	SER	Peptide	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	676	686	687	1±2
1	B	675	685	687	2±1
All	All	41881	42501	42594	86

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:34:LEU:HD11	1:A:72:TYR:CD1	0.69	2.23	8	2
1:B:19:TYR:CE1	1:B:37:LEU:HD13	0.64	2.28	13	7
1:B:19:TYR:CD1	1:B:37:LEU:HD13	0.57	2.33	8	5

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:19:TYR:CD1	1:A:37:LEU:HD13	0.55	2.36	2	3
1:A:5:LEU:O	1:A:5:LEU:HD13	0.55	2.02	5	1
1:A:48:LYS:HE3	1:A:83:TYR:CD2	0.53	2.37	2	1
1:A:48:LYS:H	1:A:48:LYS:HD3	0.53	1.64	14	1
1:B:46:GLU:H	1:B:46:GLU:CD	0.52	2.12	16	2
1:A:19:TYR:CE1	1:A:37:LEU:HD13	0.52	2.38	19	4
1:B:22:ARG:HH21	1:B:33:GLU:CD	0.51	2.13	7	1
1:B:48:LYS:HE3	1:B:83:TYR:CD2	0.49	2.42	14	2
1:A:69:PHE:CD2	1:B:77:THR:HG23	0.48	2.44	23	2
1:A:61:LYS:HA	1:A:61:LYS:HE3	0.48	1.86	19	1
1:A:88:LEU:HD11	1:B:27:LEU:HD21	0.48	1.86	27	1
1:B:27:LEU:HD12	1:B:27:LEU:H	0.48	1.69	20	1
1:A:49:GLU:H	1:A:49:GLU:CD	0.47	2.18	5	2
1:B:19:TYR:CD2	1:B:37:LEU:HD13	0.47	2.44	29	1
1:A:34:LEU:HD12	1:A:37:LEU:HD23	0.47	1.87	8	1
1:B:44:LEU:HA	1:B:47:MET:HE2	0.46	1.87	14	1
1:A:48:LYS:HE2	1:A:86:PHE:CZ	0.46	2.46	22	1
1:B:67:ILE:HG23	1:B:71:GLU:HB2	0.46	1.86	26	1
1:A:70:LYS:HA	1:B:77:THR:HG21	0.45	1.88	26	1
1:B:19:TYR:CE2	1:B:37:LEU:HD13	0.45	2.46	24	2
1:B:38:ILE:HD13	1:B:75:PHE:CE1	0.45	2.46	21	2
1:B:2:GLU:N	1:B:2:GLU:CD	0.45	2.75	28	4
1:B:35:LYS:O	1:B:56:MET:HE1	0.44	2.13	3	1
1:A:2:GLU:N	1:A:2:GLU:CD	0.44	2.76	14	3
1:B:68:ASP:OD1	1:B:70:LYS:HE3	0.44	2.12	25	1
1:A:19:TYR:CE2	1:A:37:LEU:HD13	0.44	2.48	20	3
1:A:49:GLU:CD	1:A:50:SER:H	0.44	2.21	19	1
1:A:72:TYR:CE1	1:A:76:LEU:HD11	0.43	2.48	11	1
1:B:61:LYS:HA	1:B:61:LYS:HE3	0.43	1.91	14	1
1:B:27:LEU:H	1:B:27:LEU:HD23	0.43	1.73	30	1
1:A:9:LEU:HD21	1:B:12:MET:HE3	0.43	1.89	26	1
1:A:33:GLU:N	1:A:33:GLU:CD	0.43	2.77	9	2
1:B:65:GLN:CD	1:B:65:GLN:H	0.43	2.22	6	1
1:A:31:ARG:HH11	1:A:67:ILE:CG2	0.43	2.27	29	1
1:A:87:PHE:C	1:A:88:LEU:HD22	0.43	2.39	7	1
1:A:67:ILE:HG22	1:A:71:GLU:CB	0.42	2.44	16	1
1:A:5:LEU:HD23	1:B:41:GLU:CD	0.42	2.39	22	1
1:B:36:GLU:CD	1:B:40:LYS:HE2	0.42	2.39	25	1
1:B:2:GLU:CD	1:B:2:GLU:H	0.42	2.23	28	1
1:A:35:LYS:HA	1:A:56:MET:HE1	0.42	1.91	9	1
1:A:35:LYS:HE3	1:A:35:LYS:C	0.42	2.39	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:35:LYS:HE2	1:A:35:LYS:C	0.42	2.40	21	1
1:A:31:ARG:CZ	1:A:67:ILE:HG23	0.42	2.44	16	1
1:B:26:LYS:H	1:B:26:LYS:HE3	0.41	1.76	5	1
1:A:76:LEU:HD13	1:B:5:LEU:HD21	0.41	1.92	11	1
1:B:47:MET:O	1:B:48:LYS:HE2	0.41	2.15	22	1
1:A:16:PHE:CE2	1:A:29:LEU:HD22	0.41	2.51	11	1
1:B:48:LYS:HE3	1:B:83:TYR:CG	0.41	2.50	4	1
1:B:5:LEU:HD23	1:B:5:LEU:O	0.41	2.16	12	1
1:A:77:THR:HG21	1:B:70:LYS:HA	0.40	1.92	8	1
1:B:19:TYR:CE2	1:B:37:LEU:HD21	0.40	2.51	23	1
1:A:5:LEU:HD12	1:B:42:LEU:HD12	0.40	1.93	5	1
1:A:39:LYS:C	1:A:40:LYS:HE2	0.40	2.42	25	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	83/92 (90%)	71±2 (86±2%)	10±2 (12±2%)	2±1 (3±1%)	6	42
1	B	84/92 (91%)	71±3 (85±3%)	10±3 (12±3%)	3±1 (3±2%)	4	34
All	All	5177/5704 (91%)	4411 (85%)	610 (12%)	156 (3%)	5	38

All 46 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	B	50	SER	11
1	B	44	LEU	9
1	B	46	GLU	8
1	A	50	SER	7
1	A	63	SER	7
1	A	2	GLU	6
1	A	83	TYR	6
1	B	45	GLY	5
1	B	63	SER	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	B	47	MET	5
1	A	43	CYS	5
1	A	23	GLU	5
1	B	51	SER	4
1	A	61	LYS	4
1	B	2	GLU	4
1	B	49	GLU	4
1	B	43	CYS	4
1	B	26	LYS	3
1	A	69	PHE	3
1	B	22	ARG	3
1	A	84	ASN	3
1	B	4	PRO	3
1	B	24	GLY	3
1	B	83	TYR	3
1	B	85	ASP	3
1	A	49	GLU	3
1	B	69	PHE	3
1	A	22	ARG	2
1	B	25	SER	2
1	A	88	LEU	2
1	A	20	SER	2
1	A	24	GLY	2
1	A	51	SER	2
1	A	25	SER	2
1	B	20	SER	2
1	A	3	THR	1
1	A	21	GLY	1
1	A	62	ASN	1
1	B	21	GLY	1
1	B	61	LYS	1
1	B	82	ALA	1
1	B	3	THR	1
1	A	85	ASP	1
1	A	86	PHE	1
1	B	48	LYS	1
1	A	87	PHE	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR

entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	79/87 (91%)	68±3 (86±3%)	11±3 (14±3%)	5	43
1	B	79/87 (91%)	68±3 (86±4%)	11±3 (14±4%)	6	45
All	All	4898/5394 (91%)	4208 (86%)	690 (14%)	5	44

All 117 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	42	LEU	27
1	B	46	GLU	17
1	A	3	THR	16
1	B	42	LEU	16
1	A	49	GLU	15
1	B	57	LYS	15
1	A	67	ILE	14
1	B	67	ILE	14
1	A	48	LYS	14
1	A	60	ASP	13
1	B	68	ASP	13
1	A	79	LEU	13
1	A	35	LYS	12
1	A	65	GLN	12
1	B	31	ARG	12
1	B	79	LEU	12
1	A	61	LYS	12
1	B	3	THR	12
1	A	52	ILE	11
1	A	70	LYS	11
1	B	61	LYS	11
1	B	7	LYS	11
1	A	18	LYS	10
1	A	7	LYS	10
1	B	18	LYS	10
1	A	57	LYS	9
1	A	88	LEU	9
1	B	48	LYS	9
1	B	49	GLU	9
1	B	52	ILE	9
1	B	65	GLN	9
1	B	22	ARG	9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	63	SER	8
1	B	10	THR	8
1	B	35	LYS	8
1	B	39	LYS	8
1	B	32	LYS	8
1	A	39	LYS	7
1	A	71	GLU	7
1	A	32	LYS	7
1	A	26	LYS	7
1	B	26	LYS	7
1	B	6	GLU	7
1	B	41	GLU	7
1	A	37	LEU	6
1	A	2	GLU	6
1	B	60	ASP	6
1	A	53	ASP	6
1	B	44	LEU	6
1	B	70	LYS	6
1	A	6	GLU	6
1	B	40	LYS	6
1	B	29	LEU	5
1	A	22	ARG	5
1	B	63	SER	5
1	A	31	ARG	5
1	A	41	GLU	5
1	A	68	ASP	5
1	B	23	GLU	4
1	B	15	THR	4
1	B	30	SER	4
1	A	10	THR	4
1	A	50	SER	4
1	A	58	SER	4
1	A	85	ASP	4
1	A	62	ASN	4
1	A	81	MET	4
1	B	37	LEU	4
1	A	43	CYS	3
1	A	51	SER	3
1	B	85	ASP	3
1	B	56	MET	3
1	B	66	GLU	3
1	B	25	SER	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	B	33	GLU	3
1	B	53	ASP	3
1	A	30	SER	3
1	B	47	MET	3
1	A	40	LYS	3
1	A	29	LEU	3
1	B	27	LEU	2
1	B	62	ASN	2
1	A	9	LEU	2
1	B	64	ASP	2
1	A	5	LEU	2
1	B	58	SER	2
1	A	23	GLU	2
1	A	11	THR	2
1	B	69	PHE	2
1	A	25	SER	2
1	A	27	LEU	2
1	A	56	MET	2
1	B	2	GLU	2
1	B	36	GLU	2
1	A	64	ASP	1
1	B	14	THR	1
1	B	84	ASN	1
1	A	84	ASN	1
1	B	12	MET	1
1	A	66	GLU	1
1	B	17	HIS	1
1	A	69	PHE	1
1	A	33	GLU	1
1	B	20	SER	1
1	B	50	SER	1
1	B	71	GLU	1
1	A	17	HIS	1
1	A	80	CYS	1
1	B	5	LEU	1
1	A	34	LEU	1
1	B	43	CYS	1
1	A	36	GLU	1
1	A	87	PHE	1
1	B	51	SER	1
1	A	12	MET	1
1	A	83	TYR	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	B	28	THR	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 91% for the well-defined parts and 91% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2320
Number of shifts mapped to atoms	2314
Number of unparsed shifts	0
Number of shifts with mapping errors	6
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	4

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. All 6 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	21	GLY	HA3	3.571	0.01	2
1	A	24	GLY	HA3	3.567	0.01	2
1	A	45	GLY	HA3	3.789	0.01	2
1	B	21	GLY	HA3	3.571	0.01	2
1	B	24	GLY	HA3	3.567	0.01	2
1	B	45	GLY	HA3	3.789	0.01	2

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	184	-2.52 ± 0.26	Should be checked
$^{13}\text{C}_\beta$	178	-1.47 ± 0.10	Should be checked

Continued on next page...

Continued from previous page...

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}'$	174	1.33 ± 0.16	Should be applied
^{15}N	178	0.44 ± 0.24	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 91%, i.e. 2104 atoms were assigned a chemical shift out of a possible 2319. 0 out of 28 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	824/836 (99%)	335/337 (99%)	326/334 (98%)	163/165 (99%)
Sidechain	1224/1333 (92%)	831/861 (97%)	389/432 (90%)	4/40 (10%)
Aromatic	56/150 (37%)	56/72 (78%)	0/74 (0%)	0/4 (0%)
Overall	2104/2319 (91%)	1222/1270 (96%)	715/840 (85%)	167/209 (80%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 91%, i.e. 2314 atoms were assigned a chemical shift out of a possible 2556. 0 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	904/922 (98%)	368/372 (99%)	358/368 (97%)	178/182 (98%)
Sidechain	1346/1464 (92%)	914/944 (97%)	426/476 (89%)	6/44 (14%)
Aromatic	64/170 (38%)	64/82 (78%)	0/84 (0%)	0/4 (0%)
Overall	2314/2556 (91%)	1346/1398 (96%)	784/928 (84%)	184/230 (80%)

7.1.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	15	THR	HG1	5.06	0.08 – 2.19	18.6
1	B	15	THR	HG1	5.06	0.08 – 2.19	18.6
1	A	77	THR	HG1	4.90	0.08 – 2.19	17.8
1	B	77	THR	HG1	4.90	0.08 – 2.19	17.8

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:

