



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:20 PM UTC

PDB ID : 3KAS / pdb_00003kas
Title : Machupo virus GP1 bound to human transferrin receptor 1
Authors : Abraham, J.; Corbett, K.D.; Harrison, S.C.
Deposited on : 2009-10-19
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	640	3% 74% 23% ..
2	B	162	3% 73% 22% ..
3	C	3	33% 67%
4	D	7	29% 71%

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 6717 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transferrin receptor protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	633	Total	C	N	O	S	0	0	0
			5004	3210	843	937	14			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	142	SER	GLY	variant	UNP P02786

- Molecule 2 is a protein called Glycoprotein.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	156	Total	C	N	O	S	0	0	0
			1255	789	218	234	14			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		
6	A	1	Total	O	P	0	0
			5	4	1		
6	A	1	Total	O	P	0	0
			5	4	1		
6	A	1	Total	O	P	0	0
			5	4	1		
6	B	1	Total	O	P	0	0
			5	4	1		
6	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	K	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	200	Total	O	0	0
			200	200		
8	B	50	Total	O	0	0
			50	50		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Transferrin receptor protein 1



• Molecule 2: Glycoprotein



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)-[α -D-mannopyranose-(1-3)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain D:  29% 71%

MAG1
MAG2
EMA3
MAN4
MAN5
MAN6
MAN7

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	143.95Å 170.23Å 98.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.13 – 2.40 33.13 – 2.40	Depositor EDS
% Data completeness (in resolution range)	88.7 (33.13-2.40) 88.7 (33.13-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.4_162)	Depositor
R, R_{free}	0.189 , 0.238 0.185 , 0.180	Depositor DCC
R_{free} test set	2138 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	48.2	Xtriage
Anisotropy	0.008	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 49.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6717	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, K, FUC, BMA, NAG, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/5121	0.79	3/6942 (0.0%)
2	B	0.46	0/1287	0.82	1/1735 (0.1%)
All	All	0.44	0/6408	0.79	4/8677 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	171	GLU	N-CA-C	6.95	118.93	111.36
1	A	403	VAL	CB-CA-C	-6.10	103.34	110.91
1	A	515	HIS	CA-C-N	5.14	124.94	119.28
1	A	515	HIS	C-N-CA	5.14	124.94	119.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5004	0	4956	125	0
2	B	1255	0	1181	32	0
3	C	38	0	34	0	0
4	D	83	0	70	2	0
5	A	28	0	26	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	28	0	26	1	0
6	A	20	0	0	0	0
6	B	10	0	0	1	0
7	A	1	0	0	0	0
8	A	200	0	0	8	0
8	B	50	0	0	2	0
All	All	6717	0	6293	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:GLY:O	1:A:372:ASN:HB2	1.81	0.80
1:A:154:PRO:HD2	1:A:161:LYS:HD2	1.63	0.80
1:A:401:HIS:CE1	1:A:679:MET:HE1	2.18	0.79
1:A:518:THR:HG22	1:A:520:GLN:H	1.48	0.78
1:A:149:GLU:C	1:A:153:VAL:HG23	2.13	0.74
1:A:626:ASN:O	1:A:629:ARG:HG3	1.89	0.71
1:A:635:MET:HE3	1:A:728:GLU:HG3	1.74	0.69
1:A:664:GLU:H	1:A:664:GLU:CD	2.02	0.68
1:A:518:THR:CG2	1:A:520:GLN:H	2.06	0.68
1:A:153:VAL:HB	1:A:154:PRO:HD3	1.76	0.67
1:A:155:ARG:HD2	1:A:409:ARG:O	1.95	0.66
1:A:272:GLU:OE1	1:A:331:ASN:HB2	1.96	0.66
2:B:165:ARG:HD2	2:B:172:GLY:O	1.97	0.64
1:A:297:PHE:O	1:A:336:THR:HG21	1.97	0.64
1:A:149:GLU:O	1:A:153:VAL:HG23	1.98	0.64
1:A:721:GLN:NE2	1:A:725:ALA:HB3	2.14	0.62
1:A:346:PHE:HD1	1:A:362:THR:HG22	1.65	0.61
2:B:187:VAL:HG12	8:B:270:HOH:O	2.00	0.61
1:A:345:LEU:O	1:A:349:MET:HG3	2.00	0.61
1:A:230:GLY:C	1:A:372:ASN:HB2	2.26	0.60
1:A:190:ILE:HD13	1:A:384:ILE:HD13	1.84	0.60
1:A:134:LYS:NZ	1:A:435:ASP:HB3	2.17	0.60
1:A:209:LEU:HD21	2:B:97:SER:HB3	1.84	0.60
1:A:251:ASN:OD1	1:A:251:ASN:C	2.45	0.60
1:A:297:PHE:CE2	1:A:336:THR:OG1	2.56	0.59
1:A:635:MET:HE3	1:A:728:GLU:CG	2.33	0.59
2:B:97:SER:OG	5:B:1001:NAG:H82	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:LYS:HE2	1:A:217:GLY:O	2.03	0.59
1:A:387:LEU:O	1:A:409:ARG:NH2	2.36	0.59
1:A:296:SER:HB2	8:A:766:HOH:O	2.02	0.58
1:A:300:HIS:HD2	1:A:302:HIS:H	1.52	0.58
1:A:203:VAL:HG22	1:A:210:VAL:HG12	1.86	0.58
2:B:153:GLY:O	2:B:191:LYS:HE2	2.04	0.57
2:B:102:ARG:NH2	2:B:239:PHE:CD1	2.72	0.57
1:A:134:LYS:HZ1	1:A:435:ASP:HB3	1.70	0.57
1:A:290:ILE:O	1:A:339:ARG:NH2	2.37	0.57
1:A:506:ILE:O	1:A:510:MET:HG3	2.04	0.56
2:B:90:SER:HB2	2:B:240:ASP:O	2.05	0.56
1:A:540:ALA:O	1:A:543:PRO:HD2	2.06	0.56
1:A:365:MET:HE3	8:A:807:HOH:O	2.05	0.55
1:A:258:ARG:HD2	1:A:284:ASP:OD1	2.07	0.55
1:A:718:LEU:O	1:A:726:PHE:HB2	2.08	0.54
1:A:721:GLN:NE2	1:A:723:ASN:HB3	2.23	0.54
1:A:637:LEU:HD11	1:A:732:ARG:HG2	1.90	0.53
1:A:221:ALA:O	1:A:222:TYR:HB2	2.08	0.52
1:A:343:GLU:CD	1:A:362:THR:HG21	2.34	0.52
1:A:184:ASP:HB3	1:A:388:ASN:HB2	1.92	0.52
1:A:241:LYS:HE2	1:A:245:ASP:OD2	2.09	0.52
1:A:224:LYS:HD3	1:A:331:ASN:O	2.10	0.52
1:A:209:LEU:HD12	1:A:209:LEU:N	2.25	0.51
2:B:240:ASP:O	2:B:241:HIS:HB2	2.10	0.51
1:A:154:PRO:HD2	1:A:161:LYS:CD	2.36	0.51
1:A:243:PHE:HB3	1:A:274:LEU:HD11	1.91	0.51
1:A:153:VAL:CB	1:A:154:PRO:HD3	2.40	0.51
1:A:642:LEU:HA	1:A:739:THR:HG23	1.92	0.51
1:A:709:LEU:HB2	1:A:710:PRO:HD3	1.93	0.51
1:A:401:HIS:ND1	1:A:679:MET:HE1	2.24	0.51
5:A:1011:NAG:H3	8:A:802:HOH:O	2.09	0.51
1:A:162:ASP:OD2	1:A:409:ARG:NH1	2.44	0.50
1:A:251:ASN:OD1	1:A:251:ASN:O	2.28	0.50
1:A:470:TYR:HB2	1:A:474:LEU:HB2	1.93	0.50
2:B:116:SER:HB3	2:B:214:TYR:CE1	2.46	0.50
1:A:226:ALA:HB3	1:A:333:PRO:HG3	1.93	0.50
2:B:164:CYS:HA	2:B:174:ASN:O	2.12	0.50
2:B:171:GLU:O	2:B:223:PRO:HB2	2.11	0.50
1:A:343:GLU:CG	1:A:362:THR:HG21	2.42	0.49
1:A:304:GLY:O	1:A:537:LEU:HD21	2.12	0.49
1:A:493:ASN:O	1:A:557:PHE:HA	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:215:LEU:C	2:B:215:LEU:HD23	2.37	0.49
1:A:543:PRO:O	1:A:547:TYR:HB3	2.13	0.49
1:A:344:LYS:HD3	2:B:117:VAL:O	2.11	0.49
1:A:699:HIS:CE1	1:A:701:PHE:HB2	2.47	0.49
1:A:403:VAL:HG22	1:A:479:PHE:CE1	2.48	0.48
1:A:251:ASN:OD1	5:A:1001:NAG:N2	2.46	0.48
1:A:667:ASP:HB3	1:A:670:VAL:HG12	1.93	0.48
1:A:192:VAL:HG12	1:A:193:LYS:N	2.28	0.48
1:A:561:THR:HG22	1:A:562:ASP:O	2.14	0.48
2:B:153:GLY:O	2:B:191:LYS:CE	2.62	0.48
1:A:635:MET:CE	1:A:728:GLU:HG3	2.42	0.47
1:A:346:PHE:CD1	1:A:362:THR:HG22	2.46	0.47
1:A:283:MET:HE2	1:A:297:PHE:CD2	2.49	0.47
1:A:537:LEU:HD23	8:A:867:HOH:O	2.14	0.47
1:A:153:VAL:O	1:A:414:PRO:HA	2.14	0.47
1:A:310:THR:HG22	1:A:310:THR:O	2.14	0.47
1:A:619:LEU:HD21	1:A:623:ARG:HH21	1.80	0.47
1:A:146:LEU:O	1:A:146:LEU:HD23	2.15	0.47
1:A:542:PHE:HB3	1:A:543:PRO:HD3	1.96	0.47
2:B:165:ARG:NH1	2:B:171:GLU:HB3	2.30	0.46
1:A:146:LEU:HD23	1:A:146:LEU:C	2.41	0.46
1:A:147:LEU:CD2	1:A:165:LEU:HD11	2.45	0.46
1:A:559:GLU:C	1:A:561:THR:H	2.24	0.46
1:A:243:PHE:HB3	1:A:274:LEU:CD1	2.45	0.45
1:A:628:TYR:O	1:A:632:ILE:HG12	2.16	0.45
1:A:715:ASN:O	1:A:726:PHE:HD1	1.99	0.45
1:A:194:ASP:HB2	1:A:378:SER:O	2.15	0.45
1:A:258:ARG:HH11	1:A:284:ASP:CG	2.24	0.45
1:A:288:PHE:O	1:A:290:ILE:N	2.45	0.45
1:A:652:ALA:HB1	1:A:749:LEU:HB3	1.99	0.45
1:A:667:ASP:HB3	1:A:670:VAL:CG1	2.47	0.45
2:B:180:SER:C	2:B:182:ALA:H	2.25	0.45
1:A:346:PHE:HD2	1:A:349:MET:HE2	1.81	0.45
1:A:490:GLY:HA3	1:A:559:GLU:OE1	2.17	0.45
1:A:629:ARG:O	1:A:633:LYS:HG2	2.16	0.45
2:B:182:ALA:CB	4:D:2:NAG:H82	2.46	0.45
1:A:470:TYR:O	1:A:471:LEU:C	2.60	0.44
1:A:296:SER:HB3	8:A:763:HOH:O	2.17	0.44
1:A:518:THR:HG23	1:A:520:GLN:CG	2.47	0.44
2:B:184:ASP:HB2	8:B:275:HOH:O	2.18	0.44
1:A:632:ILE:HG22	1:A:637:LEU:O	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:633:LYS:C	1:A:635:MET:H	2.26	0.44
1:A:291:VAL:HG23	8:A:71:HOH:O	2.18	0.44
1:A:324:SER:HB3	1:A:327:SER:HB3	1.99	0.44
2:B:165:ARG:CD	2:B:171:GLU:HB2	2.48	0.44
1:A:135:LEU:HD21	1:A:432:MET:HE1	2.00	0.44
1:A:325:ARG:HB3	1:A:326:SER:H	1.47	0.44
1:A:403:VAL:HG22	1:A:479:PHE:CZ	2.53	0.44
1:A:251:ASN:OD1	5:A:1001:NAG:C7	2.66	0.43
1:A:645:ALA:HB2	1:A:743:GLN:HG2	2.00	0.43
1:A:621:PHE:CZ	1:A:709:LEU:HD22	2.53	0.43
1:A:721:GLN:O	1:A:721:GLN:HG3	2.16	0.43
1:A:304:GLY:HA2	1:A:537:LEU:HD11	2.01	0.43
1:A:166:ALA:HB2	1:A:409:ARG:NH1	2.33	0.43
2:B:193:ARG:NE	6:B:5:PO4:O3	2.38	0.43
1:A:192:VAL:HG12	1:A:193:LYS:H	1.84	0.42
2:B:159:ASP:HB3	2:B:160:PRO:HD2	2.00	0.42
1:A:210:VAL:HG22	2:B:228:TYR:OH	2.19	0.42
1:A:699:HIS:CE1	1:A:702:TRP:CD1	3.07	0.42
1:A:214:GLU:OE2	1:A:341:ALA:HB2	2.20	0.42
1:A:262:ILE:HB	1:A:266:GLU:OE1	2.19	0.42
2:B:138:LYS:HB3	2:B:140:ASP:OD1	2.19	0.42
2:B:190:LYS:HE3	2:B:190:LYS:HB3	1.83	0.42
2:B:105:VAL:HG22	2:B:105:VAL:O	2.19	0.42
2:B:107:THR:HG21	2:B:234:LEU:HD21	2.01	0.42
2:B:182:ALA:HB2	4:D:2:NAG:H82	2.00	0.42
1:A:755:ASP:O	1:A:756:ILE:HG13	2.20	0.42
1:A:215:ASN:O	2:B:170:LYS:HE3	2.20	0.42
1:A:263:THR:HB	8:A:767:HOH:O	2.18	0.41
1:A:515:HIS:HA	1:A:516:PRO:HD3	1.82	0.41
2:B:88:LEU:HB3	2:B:89:PRO:CD	2.51	0.41
1:A:664:GLU:CD	1:A:664:GLU:N	2.75	0.41
1:A:713:LEU:HD23	1:A:713:LEU:HA	1.76	0.41
1:A:433:PHE:O	1:A:437:VAL:HG23	2.19	0.41
2:B:118:LEU:HD11	2:B:174:ASN:HD22	1.85	0.41
1:A:433:PHE:HA	1:A:436:MET:HE3	2.02	0.41
1:A:599:ILE:O	1:A:600:LYS:C	2.64	0.41
2:B:167:LYS:O	2:B:167:LYS:HG2	2.20	0.41
1:A:297:PHE:CD2	1:A:336:THR:OG1	2.74	0.41
1:A:628:TYR:C	1:A:630:ALA:N	2.78	0.41
1:A:687:SER:HA	1:A:688:PRO:HD3	1.72	0.41
1:A:339:ARG:O	1:A:343:GLU:HG3	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:393:ILE:HG21	1:A:437:VAL:HG21	2.03	0.40
2:B:201:ARG:HE	2:B:201:ARG:HB2	1.74	0.40
1:A:362:THR:HG23	8:A:86:HOH:O	2.20	0.40
1:A:459:GLY:O	1:A:460:SER:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	629/640 (98%)	604 (96%)	22 (4%)	3 (0%)	24	37
2	B	154/162 (95%)	143 (93%)	11 (7%)	0	100	100
All	All	783/802 (98%)	747 (95%)	33 (4%)	3 (0%)	30	43

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	325	ARG
1	A	154	PRO
1	A	289	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	542/549 (99%)	524 (97%)	18 (3%)	33	55
2	B	141/147 (96%)	139 (99%)	2 (1%)	59	79
All	All	683/696 (98%)	663 (97%)	20 (3%)	37	60

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	181	VAL
1	A	250	VAL
1	A	251	ASN
1	A	325	ARG
1	A	367	THR
1	A	383	GLU
1	A	398	GLU
1	A	402	TYR
1	A	446	ARG
1	A	457	ASP
1	A	491	THR
1	A	518	THR
1	A	524	GLN
1	A	527	ASN
1	A	532	VAL
1	A	561	THR
1	A	593	VAL
1	A	664	GLU
2	B	164	CYS
2	B	174	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	148	ASN
1	A	171	ASN
1	A	215	ASN
1	A	285	GLN
1	A	300	HIS
1	A	596	GLN
1	A	608	ASN
1	A	626	ASN
1	A	715	ASN
1	A	721	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	733	ASN
2	B	106	ASN
2	B	174	ASN
2	B	241	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	C	1	2,3	14,14,15	0.58	0	17,19,21	0.70	1 (5%)
3	NAG	C	2	3	14,14,15	0.52	0	17,19,21	0.58	0
3	FUC	C	3	3	10,10,11	0.58	0	14,14,16	1.68	5 (35%)
4	NAG	D	1	4,2	14,14,15	0.49	0	17,19,21	0.78	0
4	NAG	D	2	4	14,14,15	0.54	0	17,19,21	0.84	0
4	BMA	D	3	4	11,11,12	0.67	0	15,15,17	1.44	2 (13%)
4	MAN	D	4	4	11,11,12	0.58	0	15,15,17	1.57	1 (6%)
4	MAN	D	5	4	11,11,12	0.60	0	15,15,17	1.42	2 (13%)
4	MAN	D	6	4	11,11,12	0.67	0	15,15,17	1.95	2 (13%)
4	MAN	D	7	4	11,11,12	0.65	0	15,15,17	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	2,3	-	2/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
3	FUC	C	3	3	-	-	0/1/1/1
4	NAG	D	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	BMA	D	3	4	-	0/2/19/22	0/1/1/1
4	MAN	D	4	4	-	0/2/19/22	0/1/1/1
4	MAN	D	5	4	-	1/2/19/22	1/1/1/1
4	MAN	D	6	4	-	2/2/19/22	0/1/1/1
4	MAN	D	7	4	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	6	MAN	C1-O5-C5	6.35	120.69	112.19
4	D	4	MAN	C1-O5-C5	4.55	118.28	112.19
4	D	5	MAN	C1-O5-C5	4.13	117.72	112.19
4	D	3	BMA	C1-O5-C5	-3.30	107.76	112.19
3	C	3	FUC	O4-C4-C3	-2.86	103.63	110.38
3	C	3	FUC	O2-C2-C3	-2.78	104.40	110.15
3	C	3	FUC	C6-C5-C4	-2.37	108.75	113.08
4	D	3	BMA	C3-C4-C5	-2.34	105.99	110.23
4	D	6	MAN	O2-C2-C1	2.28	114.44	109.22
4	D	5	MAN	C2-C3-C4	-2.27	106.86	110.86
3	C	3	FUC	O3-C3-C2	-2.24	105.48	110.05
3	C	1	NAG	C1-O5-C5	2.23	115.18	112.19
3	C	3	FUC	C1-C2-C3	2.06	112.64	109.64

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	6	MAN	O5-C5-C6-O6
4	D	7	MAN	O5-C5-C6-O6
4	D	6	MAN	C4-C5-C6-O6
3	C	1	NAG	C4-C5-C6-O6
4	D	2	NAG	C4-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	D	7	MAN	C4-C5-C6-O6
3	C	1	NAG	O5-C5-C6-O6
4	D	5	MAN	C4-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	5	MAN	C1-C2-C3-C4-C5-O5

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	2	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	B	1011	2	14,14,15	0.50	0	17,19,21	0.70	1 (5%)
5	NAG	A	1001	1	14,14,15	0.58	0	17,19,21	1.88	1 (5%)
6	PO4	A	6	-	4,4,4	0.89	0	6,6,6	0.51	0
6	PO4	B	1	-	4,4,4	0.91	0	6,6,6	0.44	0
6	PO4	B	5	-	4,4,4	1.04	0	6,6,6	0.41	0
6	PO4	A	2	-	4,4,4	0.97	0	6,6,6	0.50	0
6	PO4	A	3	-	4,4,4	0.94	0	6,6,6	0.48	0
5	NAG	A	1011	1	14,14,15	0.52	0	17,19,21	0.70	0
6	PO4	A	4	-	4,4,4	0.91	0	6,6,6	0.56	0
5	NAG	B	1001	2	14,14,15	0.47	0	17,19,21	1.28	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	1011	2	-	2/6/23/26	0/1/1/1
5	NAG	A	1011	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1001	1	-	1/6/23/26	0/1/1/1
5	NAG	B	1001	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1001	NAG	C1-O5-C5	7.21	121.85	112.19
5	B	1001	NAG	C1-O5-C5	3.36	116.69	112.19
5	B	1001	NAG	C6-C5-C4	-2.23	107.55	113.02
5	B	1011	NAG	C1-O5-C5	2.07	114.96	112.19

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	1011	NAG	O5-C5-C6-O6
5	B	1011	NAG	C4-C5-C6-O6
5	A	1011	NAG	C4-C5-C6-O6
5	A	1011	NAG	O5-C5-C6-O6
5	A	1001	NAG	C4-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1001	NAG	2	0
6	B	5	PO4	1	0
5	A	1011	NAG	1	0
5	B	1001	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	633/640 (98%)	-0.18	17 (2%) 56 52	27, 49, 84, 146	0
2	B	156/162 (96%)	-0.13	5 (3%) 50 46	24, 47, 75, 110	0
All	All	789/802 (98%)	-0.17	22 (2%) 55 51	24, 48, 84, 146	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	756	ILE	5.7
1	A	319	THR	4.6
1	A	153	VAL	4.3
1	A	321	PHE	4.3
2	B	241	HIS	4.2
1	A	310	THR	3.8
2	B	139	SER	3.6
2	B	86	ASN	3.5
1	A	322	PRO	3.5
2	B	143	TRP	3.5
1	A	326	SER	3.1
1	A	323	PRO	3.0
1	A	315	SER	2.7
1	A	694	GLU	2.4
1	A	729	THR	2.4
2	B	184	ASP	2.4
1	A	244	GLU	2.4
1	A	320	GLN	2.3
1	A	249	PRO	2.1
1	A	208	ARG	2.0
1	A	722	ASN	2.0
1	A	247	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MAN	D	6	11/12	0.31	0.19	130,141,145,148	0
3	FUC	C	3	10/11	0.53	0.21	114,117,122,125	0
3	NAG	C	2	14/15	0.57	0.17	109,117,125,128	0
4	MAN	D	7	11/12	0.65	0.16	120,124,127,130	0
4	MAN	D	5	11/12	0.74	0.18	125,127,128,129	0
3	NAG	C	1	14/15	0.80	0.13	72,88,108,111	0
4	MAN	D	4	11/12	0.83	0.15	113,119,125,131	0
4	BMA	D	3	11/12	0.84	0.13	98,104,107,114	0
4	NAG	D	2	14/15	0.89	0.11	50,71,79,88	0
4	NAG	D	1	14/15	0.93	0.09	52,58,67,70	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	B	1001	14/15	0.64	0.23	102,110,112,115	0
5	NAG	A	1001	14/15	0.70	0.13	68,86,91,91	0
5	NAG	B	1011	14/15	0.73	0.17	104,114,122,123	0
6	PO4	B	5	5/5	0.74	0.15	109,110,112,115	0
6	PO4	B	1	5/5	0.77	0.12	125,126,127,128	0
5	NAG	A	1011	14/15	0.77	0.14	82,94,101,102	0
6	PO4	A	6	5/5	0.83	0.13	103,106,106,108	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	PO4	A	3	5/5	0.87	0.10	103,107,108,109	0
6	PO4	A	4	5/5	0.92	0.13	102,103,108,108	0
6	PO4	A	2	5/5	0.95	0.14	61,66,70,72	0
7	K	A	1	1/1	0.99	0.05	54,54,54,54	0

6.5 Other polymers [i](#)

There are no such residues in this entry.