



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:50 PM UTC

PDB ID : 6KA0 / pdb_00006ka0
Title : Silver-bound E.coli Malate dehydrogenase
Authors : Wang, H.; Wang, M.; Sun, H.
Deposited on : 2019-06-19
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	312	8% 87% 13% .
1	B	312	4% 80% 16% .
1	C	312	6% 83% 13% .
1	D	312	7% 82% 14% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8782 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Malate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	311	Total	C	N	O	S	0	0	0
			2240	1421	379	434	6			
1	B	300	Total	C	N	O	S	0	0	0
			2170	1379	364	421	6			
1	C	300	Total	C	N	O	S	0	0	0
			2168	1375	365	422	6			
1	D	300	Total	C	N	O	S	0	0	0
			2166	1376	364	420	6			

- Molecule 2 is SILVER ION (CCD ID: AG) (formula: Ag) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ag	0	0
			2	2		
2	B	1	Total	Ag	0	0
			1	1		
2	C	1	Total	Ag	0	0
			1	1		
2	D	1	Total	Ag	0	0
			1	1		

- Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	B	1	Total	C	N	O	0	0
			8	4	1	3		
3	C	1	Total	C	N	O	0	0
			8	4	1	3		
3	D	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			1	1		

- Molecule 1: Malate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	50.86Å 152.83Å 78.50Å 90.00° 108.75° 90.00°	Depositor
Resolution (Å)	48.16 – 2.22 48.16 – 2.22	Depositor EDS
% Data completeness (in resolution range)	98.5 (48.16-2.22) 98.5 (48.16-2.22)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.90 (at 2.22Å)	Xtriage
Refinement program	PHENIX 1.14_3260:000	Depositor
R, R_{free}	0.220 , 0.272 0.224 , 0.279	Depositor DCC
R_{free} test set	2730 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	41.5	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.046 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8782	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRS, AG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/2268	0.36	0/3077
1	B	0.11	0/2196	0.30	0/2977
1	C	0.14	0/2193	0.32	0/2973
1	D	0.13	0/2192	0.33	0/2973
All	All	0.13	0/8849	0.33	0/12000

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2240	0	2305	25	0
1	B	2170	0	2246	30	0
1	C	2168	0	2245	27	0
1	D	2166	0	2237	29	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	8	0	10	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	8	0	11	1	0
3	C	8	0	11	1	0
3	D	8	0	11	1	0
4	A	1	0	0	0	0
All	All	8782	0	9076	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:71:ASP:HB3	3:B:402:TRS:H22	1.65	0.79
1:D:54:LYS:HD3	1:D:56:LYS:HE2	1.73	0.69
1:C:242:LEU:HD13	3:C:402:TRS:H21	1.75	0.68
1:B:124:THR:HA	1:B:127:ILE:HD12	1.74	0.67
1:B:304:ALA:O	1:B:308:GLU:HG2	1.94	0.66
1:A:71:ASP:HB3	3:A:403:TRS:H22	1.81	0.63
1:D:133:LYS:HZ1	1:D:262:ARG:HH22	1.45	0.63
1:B:301:LYS:HE3	1:B:305:LEU:HG	1.81	0.62
1:A:6:LEU:HD12	1:A:75:ILE:HG12	1.81	0.62
1:B:41:GLY:HA3	1:D:217:LYS:HG2	1.82	0.61
1:C:271:GLY:HA3	1:C:276:GLU:HG3	1.82	0.60
1:D:99:LYS:NZ	1:D:103:GLN:OE1	2.35	0.59
1:B:213:VAL:HG22	1:D:44:VAL:HG12	1.85	0.59
1:D:71:ASP:HB3	3:D:402:TRS:H22	1.85	0.59
1:D:133:LYS:HZ1	1:D:262:ARG:NH2	2.01	0.58
1:C:6:LEU:HD21	1:C:67:LEU:HD21	1.86	0.57
1:B:106:ALA:HB2	1:B:132:LEU:HD23	1.87	0.57
1:B:6:LEU:HD12	1:B:75:ILE:HG12	1.87	0.56
1:A:35:ILE:HD13	1:A:61:GLU:HG2	1.87	0.56
1:C:182:ILE:O	1:C:207:GLN:NE2	2.32	0.55
1:D:117:ILE:HG23	1:D:227:MET:HE2	1.89	0.54
1:B:130:GLU:O	1:B:134:LYS:HG3	2.09	0.53
1:D:130:GLU:HB3	1:D:310:VAL:HG21	1.90	0.53
1:C:161:LEU:HG	1:C:162:LYS:HE2	1.90	0.52
1:B:189:VAL:O	1:C:246:GLN:NE2	2.43	0.52
1:C:174:ILE:HG22	1:C:266:GLN:HA	1.92	0.52
1:A:130:GLU:HB3	1:A:310:VAL:HG21	1.91	0.51
1:B:130:GLU:HA	1:B:133:LYS:HD3	1.92	0.51
1:D:114:ILE:O	1:D:144:PHE:N	2.39	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:LEU:O	1:A:55:ILE:HA	2.11	0.50
1:C:162:LYS:HD2	1:C:192:VAL:HG23	1.93	0.50
1:C:182:ILE:HB	1:C:207:GLN:HG2	1.93	0.50
1:C:156:THR:O	1:C:160:GLU:HG2	2.11	0.49
1:D:59:SER:OG	1:D:60:GLY:N	2.45	0.49
1:D:284:LEU:HB3	1:D:288:GLU:HB2	1.94	0.49
1:D:292:LEU:HD12	1:D:296:LEU:HD21	1.94	0.49
1:C:281:ILE:HD12	1:C:284:LEU:HD21	1.95	0.49
1:B:252:ALA:HB3	1:B:268:LEU:HD12	1.95	0.48
1:D:181:THR:HA	1:D:295:MET:SD	2.53	0.48
1:C:67:LEU:HB3	1:C:109:CYS:SG	2.53	0.48
1:A:88:SER:O	1:A:92:ASN:ND2	2.46	0.48
1:A:291:ALA:O	1:A:295:MET:HG2	2.13	0.48
1:B:222:SER:OG	1:B:223:ALA:N	2.46	0.48
1:C:117:ILE:HG23	1:C:227:MET:HE2	1.94	0.48
1:B:29:GLU:OE2	1:B:56:LYS:NZ	2.40	0.48
1:B:30:LEU:O	1:B:55:ILE:HA	2.13	0.48
1:A:130:GLU:CB	1:A:310:VAL:HG21	2.43	0.48
1:C:130:GLU:HB3	1:C:310:VAL:HG11	1.96	0.48
1:A:30:LEU:HD23	1:A:55:ILE:HD12	1.95	0.48
1:A:82:LYS:CB	1:A:83:PRO:HD2	2.44	0.48
1:C:30:LEU:O	1:C:55:ILE:HA	2.14	0.48
1:B:297:ASP:HA	1:B:300:LYS:HB2	1.95	0.47
1:C:34:ASP:HB3	1:C:39:THR:OG1	2.13	0.47
1:C:284:LEU:HB3	1:C:288:GLU:HB2	1.96	0.47
1:C:211:THR:O	1:C:215:GLU:HG3	2.14	0.47
1:B:180:VAL:HA	1:B:207:GLN:NE2	2.29	0.47
1:B:260:TYR:CD1	1:B:292:LEU:HD11	2.50	0.47
1:A:21:LYS:NZ	1:A:53:VAL:O	2.47	0.47
1:C:285:SER:OG	1:C:286:ALA:N	2.48	0.47
1:A:44:VAL:HG12	1:C:213:VAL:HG22	1.98	0.46
1:C:260:TYR:CE1	1:C:292:LEU:HD21	2.51	0.46
1:D:178:SER:O	1:D:181:THR:OG1	2.27	0.46
1:B:59:SER:OG	1:B:60:GLY:N	2.49	0.46
1:B:296:LEU:HB3	1:B:300:LYS:NZ	2.30	0.46
1:D:254:VAL:HG22	1:D:255:GLU:N	2.30	0.45
1:D:30:LEU:O	1:D:55:ILE:HA	2.16	0.45
1:A:2:LYS:HA	1:A:29:GLU:HB3	1.98	0.45
1:D:284:LEU:HD23	1:D:288:GLU:HB3	1.97	0.45
1:A:150:ASP:OD2	1:A:177:HIS:ND1	2.49	0.45
1:A:130:GLU:OE1	1:A:134:LYS:NZ	2.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:LYS:HD2	1:B:278:ARG:NH2	2.32	0.45
1:B:34:ASP:OD1	1:B:35:ILE:N	2.50	0.44
1:C:293:GLU:HA	1:C:296:LEU:HD13	1.97	0.44
1:A:262:ARG:NH1	1:A:307:GLU:OE2	2.49	0.44
1:D:174:ILE:HG22	1:D:266:GLN:HA	1.98	0.44
1:A:268:LEU:O	1:A:270:LEU:HD13	2.17	0.44
1:B:204:LYS:HE2	1:B:204:LYS:HB3	1.81	0.44
1:B:174:ILE:HG12	1:B:185:LEU:HD21	2.00	0.44
1:D:162:LYS:HG3	1:D:192:VAL:HG21	1.99	0.44
1:A:32:LEU:HD11	1:A:55:ILE:HD11	1.99	0.44
1:C:30:LEU:HD23	1:C:55:ILE:HD12	2.00	0.44
1:A:304:ALA:O	1:A:308:GLU:HG2	2.18	0.44
1:D:255:GLU:HA	1:D:262:ARG:O	2.17	0.44
1:D:101:LEU:O	1:D:105:VAL:HG23	2.18	0.43
1:D:211:THR:O	1:D:215:GLU:HG2	2.18	0.43
1:A:34:ASP:HB3	1:A:39:THR:OG1	2.18	0.43
1:B:165:GLN:HB2	1:B:168:GLU:HG3	1.99	0.43
1:C:292:LEU:O	1:C:295:MET:HG3	2.18	0.43
1:B:226:SER:OG	1:D:45:ASP:OD1	2.30	0.43
1:A:216:ALA:C	1:A:218:ALA:H	2.27	0.42
1:A:54:LYS:HA	1:A:54:LYS:HD3	1.87	0.42
1:A:181:THR:HA	1:A:295:MET:SD	2.58	0.42
1:B:117:ILE:HG23	1:B:227:MET:HE2	2.00	0.42
1:D:272:LYS:HE2	1:D:272:LYS:HB3	1.82	0.42
1:B:211:THR:HA	1:B:214:VAL:HB	2.02	0.42
1:C:150:ASP:OD2	1:C:177:HIS:ND1	2.50	0.42
1:B:130:GLU:OE1	1:B:262:ARG:NH1	2.41	0.41
1:D:34:ASP:HB3	1:D:39:THR:OG1	2.20	0.41
1:C:138:TYR:OH	1:C:255:GLU:OE1	2.32	0.41
1:C:284:LEU:HD12	1:C:288:GLU:HB3	2.03	0.41
1:D:30:LEU:HD23	1:D:55:ILE:HD12	2.03	0.41
1:D:260:TYR:HB3	1:D:296:LEU:HD13	2.03	0.41
1:A:145:GLY:HA3	1:A:253:TYR:HB3	2.01	0.41
1:D:271:GLY:HA3	1:D:276:GLU:OE1	2.21	0.40
1:A:289:GLN:O	1:A:293:GLU:HG2	2.20	0.40
1:B:301:LYS:HA	1:B:301:LYS:HD2	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	309/312 (99%)	297 (96%)	9 (3%)	3 (1%)	12	11
1	B	296/312 (95%)	290 (98%)	6 (2%)	0	100	100
1	C	296/312 (95%)	288 (97%)	8 (3%)	0	100	100
1	D	296/312 (95%)	288 (97%)	8 (3%)	0	100	100
All	All	1197/1248 (96%)	1163 (97%)	31 (3%)	3 (0%)	36	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	87	ARG
1	A	83	PRO
1	A	82	LYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	234/241 (97%)	234 (100%)	0	100	100
1	B	229/241 (95%)	228 (100%)	1 (0%)	84	91
1	C	229/241 (95%)	229 (100%)	0	100	100
1	D	228/241 (95%)	228 (100%)	0	100	100
All	All	920/964 (95%)	919 (100%)	1 (0%)	88	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	103	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	ASN
1	A	208	ASN
1	D	92	ASN
1	D	207	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 5 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TRS	B	402	2	7,7,7	0.16	0	9,9,9	0.23	0
3	TRS	C	402	2	7,7,7	0.16	0	9,9,9	0.24	0
3	TRS	A	403	2	7,7,7	0.17	0	9,9,9	0.22	0
3	TRS	D	402	2	7,7,7	0.15	0	9,9,9	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRS	B	402	2	-	0/9/9/9	-
3	TRS	C	402	2	-	1/9/9/9	-
3	TRS	A	403	2	-	0/9/9/9	-
3	TRS	D	402	2	-	3/9/9/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	402	TRS	C3-C-C2-O2
3	D	402	TRS	N-C-C2-O2
3	D	402	TRS	C1-C-C2-O2
3	C	402	TRS	N-C-C2-O2

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	402	TRS	1	0
3	C	402	TRS	1	0
3	A	403	TRS	1	0
3	D	402	TRS	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	311/312 (99%)	0.49	24 (7%)	19 17	32, 53, 81, 134	0
1	B	300/312 (96%)	0.49	13 (4%)	40 37	30, 58, 87, 106	0
1	C	300/312 (96%)	0.57	18 (6%)	27 25	29, 56, 96, 119	0
1	D	300/312 (96%)	0.62	21 (7%)	22 19	33, 61, 91, 112	0
All	All	1211/1248 (97%)	0.54	76 (6%)	26 23	29, 57, 90, 134	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	80	ALA	5.1
1	A	83	PRO	4.8
1	A	311	ASN	4.5
1	C	287	PHE	4.3
1	C	200	ALA	4.2
1	B	79	VAL	3.8
1	C	286	ALA	3.7
1	A	86	ASP	3.7
1	A	84	GLY	3.6
1	C	311	ASN	3.5
1	D	218	ALA	3.3
1	D	1	MET	3.2
1	D	286	ALA	3.1
1	B	69	GLY	3.1
1	C	219	GLY	3.0
1	A	109	CYS	3.0
1	A	297	ASP	3.0
1	D	311	ASN	3.0
1	C	260	TYR	2.9
1	B	305	LEU	2.8
1	C	291	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	88	SER	2.8
1	C	290	ASN	2.8
1	B	219	GLY	2.7
1	D	256	GLY	2.7
1	D	137	VAL	2.6
1	A	81	ARG	2.6
1	A	1	MET	2.6
1	C	193	SER	2.6
1	C	284	LEU	2.6
1	A	89	ASP	2.6
1	C	296	LEU	2.6
1	B	107	LYS	2.6
1	D	133	LYS	2.5
1	A	85	MET	2.5
1	B	311	ASN	2.5
1	D	283	THR	2.5
1	C	251	CYS	2.5
1	D	308	GLU	2.4
1	A	192	VAL	2.4
1	A	283	THR	2.4
1	C	79	VAL	2.4
1	B	253	TYR	2.3
1	A	220	GLY	2.3
1	A	91	PHE	2.3
1	B	91	PHE	2.3
1	B	290	ASN	2.3
1	A	180	VAL	2.3
1	B	309	PHE	2.3
1	A	107	LYS	2.3
1	A	221	GLY	2.2
1	B	136	GLY	2.2
1	C	218	ALA	2.2
1	C	310	VAL	2.2
1	D	254	VAL	2.2
1	A	196	GLU	2.2
1	A	82	LYS	2.2
1	D	111	LYS	2.2
1	C	283	THR	2.2
1	B	180	VAL	2.2
1	B	213	VAL	2.2
1	D	219	GLY	2.1
1	D	70	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	280	SER	2.1
1	A	298	THR	2.1
1	D	284	LEU	2.1
1	A	87	ARG	2.1
1	C	111	LYS	2.1
1	D	296	LEU	2.1
1	C	201	ASP	2.1
1	D	258	GLY	2.1
1	D	92	ASN	2.0
1	D	141	ASN	2.0
1	D	292	LEU	2.0
1	D	220	GLY	2.0
1	A	168	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	TRS	A	403	8/8	0.84	0.13	30,47,48,51	0
3	TRS	D	402	8/8	0.84	0.15	50,64,77,80	0
3	TRS	B	402	8/8	0.86	0.14	48,58,62,66	0
2	AG	C	401	1/1	0.88	0.10	47,47,47,47	1
3	TRS	C	402	8/8	0.89	0.13	34,57,68,70	0
2	AG	A	402	1/1	0.90	0.10	63,63,63,63	1
2	AG	D	401	1/1	0.93	0.10	61,61,61,61	1
2	AG	A	401	1/1	0.97	0.06	52,52,52,52	0
2	AG	B	401	1/1	0.97	0.06	50,50,50,50	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AG C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around AG A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AG D 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AG A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.