



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 10:18 AM UTC

PDB ID : 7KAD / pdb_00007kad
Title : Co-crystal structure of alpha glucosidase with compound 6
Authors : Karade, S.S.; Mariuzza, R.A.
Deposited on : 2020-09-30
Resolution : 2.51 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	977	
1	C	977	
2	B	554	
2	D	554	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	SO4	A	1034	-	-	X	-
7	SO4	A	1037	-	-	X	X

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 15939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform 2 of Neutral alpha-glucosidase AB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	854	Total	C	N	O	S	0	7	0
			6903	4426	1189	1258	30			
1	C	857	Total	C	N	O	S	0	8	0
			6903	4425	1198	1250	30			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	MET	-	initiating methionine	UNP Q8BHN3-2
A	3	GLY	-	expression tag	UNP Q8BHN3-2
A	4	ILE	-	expression tag	UNP Q8BHN3-2
A	5	LEU	-	expression tag	UNP Q8BHN3-2
A	6	PRO	-	expression tag	UNP Q8BHN3-2
A	7	SER	-	expression tag	UNP Q8BHN3-2
A	8	PRO	-	expression tag	UNP Q8BHN3-2
A	9	GLY	-	expression tag	UNP Q8BHN3-2
A	10	MET	-	expression tag	UNP Q8BHN3-2
A	11	PRO	-	expression tag	UNP Q8BHN3-2
A	12	ALA	-	expression tag	UNP Q8BHN3-2
A	13	LEU	-	expression tag	UNP Q8BHN3-2
A	14	LEU	-	expression tag	UNP Q8BHN3-2
A	15	SER	-	expression tag	UNP Q8BHN3-2
A	16	LEU	-	expression tag	UNP Q8BHN3-2
A	17	VAL	-	expression tag	UNP Q8BHN3-2
A	18	SER	-	expression tag	UNP Q8BHN3-2
A	19	LEU	-	expression tag	UNP Q8BHN3-2
A	20	LEU	-	expression tag	UNP Q8BHN3-2
A	21	SER	-	expression tag	UNP Q8BHN3-2
A	22	VAL	-	expression tag	UNP Q8BHN3-2
A	23	LEU	-	expression tag	UNP Q8BHN3-2
A	24	LEU	-	expression tag	UNP Q8BHN3-2
A	25	MET	-	expression tag	UNP Q8BHN3-2
A	26	GLY	-	expression tag	UNP Q8BHN3-2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	CYS	-	expression tag	UNP Q8BHN3-2
A	28	VAL	-	expression tag	UNP Q8BHN3-2
A	29	ALA	-	expression tag	UNP Q8BHN3-2
A	30	GLU	-	expression tag	UNP Q8BHN3-2
A	31	THR	-	expression tag	UNP Q8BHN3-2
A	32	GLY	-	expression tag	UNP Q8BHN3-2
A	97	ASP	ASN	engineered mutation	UNP Q8BHN3-2
A	967	SER	-	expression tag	UNP Q8BHN3-2
A	968	ALA	-	expression tag	UNP Q8BHN3-2
A	969	TRP	-	expression tag	UNP Q8BHN3-2
A	970	SER	-	expression tag	UNP Q8BHN3-2
A	971	HIS	-	expression tag	UNP Q8BHN3-2
A	972	PRO	-	expression tag	UNP Q8BHN3-2
A	973	GLN	-	expression tag	UNP Q8BHN3-2
A	974	PHE	-	expression tag	UNP Q8BHN3-2
A	975	GLU	-	expression tag	UNP Q8BHN3-2
A	976	LYS	-	expression tag	UNP Q8BHN3-2
A	977	LEU	-	expression tag	UNP Q8BHN3-2
A	978	GLU	-	expression tag	UNP Q8BHN3-2
C	2	MET	-	initiating methionine	UNP Q8BHN3-2
C	3	GLY	-	expression tag	UNP Q8BHN3-2
C	4	ILE	-	expression tag	UNP Q8BHN3-2
C	5	LEU	-	expression tag	UNP Q8BHN3-2
C	6	PRO	-	expression tag	UNP Q8BHN3-2
C	7	SER	-	expression tag	UNP Q8BHN3-2
C	8	PRO	-	expression tag	UNP Q8BHN3-2
C	9	GLY	-	expression tag	UNP Q8BHN3-2
C	10	MET	-	expression tag	UNP Q8BHN3-2
C	11	PRO	-	expression tag	UNP Q8BHN3-2
C	12	ALA	-	expression tag	UNP Q8BHN3-2
C	13	LEU	-	expression tag	UNP Q8BHN3-2
C	14	LEU	-	expression tag	UNP Q8BHN3-2
C	15	SER	-	expression tag	UNP Q8BHN3-2
C	16	LEU	-	expression tag	UNP Q8BHN3-2
C	17	VAL	-	expression tag	UNP Q8BHN3-2
C	18	SER	-	expression tag	UNP Q8BHN3-2
C	19	LEU	-	expression tag	UNP Q8BHN3-2
C	20	LEU	-	expression tag	UNP Q8BHN3-2
C	21	SER	-	expression tag	UNP Q8BHN3-2
C	22	VAL	-	expression tag	UNP Q8BHN3-2
C	23	LEU	-	expression tag	UNP Q8BHN3-2
C	24	LEU	-	expression tag	UNP Q8BHN3-2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	25	MET	-	expression tag	UNP Q8BHN3-2
C	26	GLY	-	expression tag	UNP Q8BHN3-2
C	27	CYS	-	expression tag	UNP Q8BHN3-2
C	28	VAL	-	expression tag	UNP Q8BHN3-2
C	29	ALA	-	expression tag	UNP Q8BHN3-2
C	30	GLU	-	expression tag	UNP Q8BHN3-2
C	31	THR	-	expression tag	UNP Q8BHN3-2
C	32	GLY	-	expression tag	UNP Q8BHN3-2
C	97	ASP	ASN	engineered mutation	UNP Q8BHN3-2
C	967	SER	-	expression tag	UNP Q8BHN3-2
C	968	ALA	-	expression tag	UNP Q8BHN3-2
C	969	TRP	-	expression tag	UNP Q8BHN3-2
C	970	SER	-	expression tag	UNP Q8BHN3-2
C	971	HIS	-	expression tag	UNP Q8BHN3-2
C	972	PRO	-	expression tag	UNP Q8BHN3-2
C	973	GLN	-	expression tag	UNP Q8BHN3-2
C	974	PHE	-	expression tag	UNP Q8BHN3-2
C	975	GLU	-	expression tag	UNP Q8BHN3-2
C	976	LYS	-	expression tag	UNP Q8BHN3-2
C	977	LEU	-	expression tag	UNP Q8BHN3-2
C	978	GLU	-	expression tag	UNP Q8BHN3-2

- Molecule 2 is a protein called Glucosidase 2 subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	87	Total	C	N	O	S	0	0	0
			623	371	102	140	10			
2	D	87	Total	C	N	O	S	0	0	0
			624	374	103	137	10			

There are 102 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	MET	-	initiating methionine	UNP O08795
B	-15	GLY	-	expression tag	UNP O08795
B	-14	ILE	-	expression tag	UNP O08795
B	-13	LEU	-	expression tag	UNP O08795
B	-12	PRO	-	expression tag	UNP O08795
B	-11	SER	-	expression tag	UNP O08795
B	-10	PRO	-	expression tag	UNP O08795
B	-9	GLY	-	expression tag	UNP O08795
B	-8	MET	-	expression tag	UNP O08795

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-7	PRO	-	expression tag	UNP O08795
B	-6	ALA	-	expression tag	UNP O08795
B	-5	LEU	-	expression tag	UNP O08795
B	-4	LEU	-	expression tag	UNP O08795
B	-3	SER	-	expression tag	UNP O08795
B	-2	LEU	-	expression tag	UNP O08795
B	-1	VAL	-	expression tag	UNP O08795
B	0	SER	-	expression tag	UNP O08795
B	1	LEU	-	expression tag	UNP O08795
B	2	LEU	-	expression tag	UNP O08795
B	3	SER	-	expression tag	UNP O08795
B	4	VAL	-	expression tag	UNP O08795
B	5	LEU	-	expression tag	UNP O08795
B	6	LEU	-	expression tag	UNP O08795
B	7	MET	-	expression tag	UNP O08795
B	8	GLY	-	expression tag	UNP O08795
B	9	CYS	-	expression tag	UNP O08795
B	10	VAL	-	expression tag	UNP O08795
B	11	ALA	-	expression tag	UNP O08795
B	12	GLU	-	expression tag	UNP O08795
B	13	THR	-	expression tag	UNP O08795
B	14	GLY	-	expression tag	UNP O08795
B	518	SER	-	expression tag	UNP O08795
B	519	ALA	-	expression tag	UNP O08795
B	520	TRP	-	expression tag	UNP O08795
B	521	SER	-	expression tag	UNP O08795
B	522	HIS	-	expression tag	UNP O08795
B	523	PRO	-	expression tag	UNP O08795
B	524	GLN	-	expression tag	UNP O08795
B	525	PHE	-	expression tag	UNP O08795
B	526	GLU	-	expression tag	UNP O08795
B	527	LYS	-	expression tag	UNP O08795
B	528	LEU	-	expression tag	UNP O08795
B	529	GLU	-	expression tag	UNP O08795
B	530	THR	-	expression tag	UNP O08795
B	531	LYS	-	expression tag	UNP O08795
B	532	HIS	-	expression tag	UNP O08795
B	533	HIS	-	expression tag	UNP O08795
B	534	HIS	-	expression tag	UNP O08795
B	535	HIS	-	expression tag	UNP O08795
B	536	HIS	-	expression tag	UNP O08795
B	537	HIS	-	expression tag	UNP O08795

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	MET	-	initiating methionine	UNP O08795
D	-15	GLY	-	expression tag	UNP O08795
D	-14	ILE	-	expression tag	UNP O08795
D	-13	LEU	-	expression tag	UNP O08795
D	-12	PRO	-	expression tag	UNP O08795
D	-11	SER	-	expression tag	UNP O08795
D	-10	PRO	-	expression tag	UNP O08795
D	-9	GLY	-	expression tag	UNP O08795
D	-8	MET	-	expression tag	UNP O08795
D	-7	PRO	-	expression tag	UNP O08795
D	-6	ALA	-	expression tag	UNP O08795
D	-5	LEU	-	expression tag	UNP O08795
D	-4	LEU	-	expression tag	UNP O08795
D	-3	SER	-	expression tag	UNP O08795
D	-2	LEU	-	expression tag	UNP O08795
D	-1	VAL	-	expression tag	UNP O08795
D	0	SER	-	expression tag	UNP O08795
D	1	LEU	-	expression tag	UNP O08795
D	2	LEU	-	expression tag	UNP O08795
D	3	SER	-	expression tag	UNP O08795
D	4	VAL	-	expression tag	UNP O08795
D	5	LEU	-	expression tag	UNP O08795
D	6	LEU	-	expression tag	UNP O08795
D	7	MET	-	expression tag	UNP O08795
D	8	GLY	-	expression tag	UNP O08795
D	9	CYS	-	expression tag	UNP O08795
D	10	VAL	-	expression tag	UNP O08795
D	11	ALA	-	expression tag	UNP O08795
D	12	GLU	-	expression tag	UNP O08795
D	13	THR	-	expression tag	UNP O08795
D	14	GLY	-	expression tag	UNP O08795
D	518	SER	-	expression tag	UNP O08795
D	519	ALA	-	expression tag	UNP O08795
D	520	TRP	-	expression tag	UNP O08795
D	521	SER	-	expression tag	UNP O08795
D	522	HIS	-	expression tag	UNP O08795
D	523	PRO	-	expression tag	UNP O08795
D	524	GLN	-	expression tag	UNP O08795
D	525	PHE	-	expression tag	UNP O08795
D	526	GLU	-	expression tag	UNP O08795
D	527	LYS	-	expression tag	UNP O08795
D	528	LEU	-	expression tag	UNP O08795

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	529	GLU	-	expression tag	UNP O08795
D	530	THR	-	expression tag	UNP O08795
D	531	LYS	-	expression tag	UNP O08795
D	532	HIS	-	expression tag	UNP O08795
D	533	HIS	-	expression tag	UNP O08795
D	534	HIS	-	expression tag	UNP O08795
D	535	HIS	-	expression tag	UNP O08795
D	536	HIS	-	expression tag	UNP O08795
D	537	HIS	-	expression tag	UNP O08795

- Molecule 3 is (1S,2S,3R,4S,5S)-1-(hydroxymethyl)-5-[(6-{[2-nitro-4-(1H-1,2,3-triazol-1-yl)phenyl]amino}hexyl)amino]cyclohexane-1,2,3,4-tetrol (CCD ID: W9Y) (formula: C₂₁H₃₂N₆O₇) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			34	21	6	7		
3	C	1	Total	C	N	O	0	0
			34	21	6	7		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			10	6	4		
5	A	1	Total	C	O	0	0
			10	6	4		
5	A	1	Total	C	O	0	0
			10	6	4		
5	A	1	Total	C	O	0	0
			10	6	4		
5	C	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	C	1	Total	C	O	0	0
			7	4	3		
6	C	1	Total	C	O	0	0
			7	4	3		
6	C	1	Total	C	O	0	0
			7	4	3		
6	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	2	Total Ca 2 2	0	0
8	D	2	Total Ca 2 2	0	0

- Molecule 9 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	C	1	Total C O 13 8 5	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	228	Total O 228 228	0	0
10	B	15	Total O 15 15	0	0
10	C	195	Total O 195 195	0	0
10	D	15	Total O 15 15	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Isoform 2 of Neutral alpha-glucosidase AB




• Molecule 1: Isoform 2 of Neutral alpha-glucosidase AB



- Molecule 2: Glucosidase 2 subunit beta



- Molecule 2: Glucosidase 2 subunit beta



PHE	TRP	TYR	GLU	PRO	GLY	PRO	MET
	GLN	GLN	ASP	THR	THR	GLY	GLY
	GLY	GLN	GLU	ASP	ASP	THR	THR
	LEU	TYR	MET	ILE	ASP	VAL	VAL
	ASN	TYR	PRO	PRO	PRO	SER	SER
	ARG	GLU	PRO	VAL	VAL	ALA	ALA
	THR	LEU	TYR	THR	GLU	LEU	LEU
	SER	THR	THR	THR	GLU	GLN	GLN
	HIS	THR	ASN	GLU	THR	THR	THR
	HIS	VAL	ASN	GLU	GLU	LEU	LEU
HIS	ARG	TYR	THR	GLU	THR	GLN	GLN
	LEU	TYR	VAL	GLN	PRO	HIS	HIS
	LEU	VAL	VAL	ALA	LYS	PRO	PRO
	GLY	ARG	ILE	GLU	GLU	GLU	GLU
	LYS	LEU	ILE	GLY	LYS	ASP	ASP
	GLU	CYS	ASP	ALA	PRO	THR	THR
	THR	PRO	ALA	PRO	THR	LEU	LEU
	VAL	PHE	GLN	LYS	SER	GLY	GLY
	VAL	LYS	LEU	GLU	VAL	ASP	ASP
	THR	THR	VAL	ALA	PRO	GLY	GLY
CYS	THR	SER	ARG	THR	PRO	ALA	ALA
	THR	GLN	SER	SER	THR	LEU	LEU
	GLU	LYS	LYS	LYS	GLU	SER	SER
	PRO	PRO	PHE	GLU	GLU	GLU	GLU
	SER	LYS	GLY	GLU	GLU	GLU	GLU
	ARG	HIS	GLY	VAL	GLU	ALA	ALA
	CYS	GLY	GLU	VAL	GLU	GLY	GLY
	GLU	GLY	GLU	GLU	GLU	GLY	GLY
	THR	THR	MET	MET	GLU	ASP	ASP
	GLU	THR	THR	THR	GLU	THR	THR
GLY	PRO	TRP	GLU	GLU	GLU	THR	THR
	PRO	TRP	GLU	GLU	GLU	THR	THR
	ALA	GLY	SER	ILE	GLU	ASP	ASP
	ALA	SER	TRP	ARG	GLU	THR	THR
	PRO	ALA	ALA	SER	GLU	THR	THR
	GLU	PRO	GLY	LEU	GLU	SER	SER
	PRO	PRO	PRO	LEU	GLU	THR	THR
	ALA	ASP	ASP	ILE	ALA	ARG	ARG
	PRO	LYS	SER	SER	PRO	VAL	VAL
	SER	PHE	PHE	PHE	PRO	ALA	ALA
SER	ASP	SER	ASP	ASP	PRO	ALA	ALA
	GLY	ALA	ALA	PHE	PRO	ALA	ALA
	ASP	GLY	MET	GLY	GLN	ILE	ILE
	ASP	LYS	LYS	PRO	PRO	ARG	ARG
	SER	TYR	SER	SER	PRO	ASP	ASP
	ALA	GLU	GLY	GLY	GLN	LYS	LYS
	TRP	GLU	THR	PHE	PRO	TYR	TYR
	SER	GLY	THR	ALA	SER	ARG	ARG
	HIS	GLY	GLY	TYR	SER	GLY	GLY
	PRO	CYS	LEU	THR	PRO	VAL	VAL

4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	102.69Å 102.69Å 240.28Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	42.28 – 2.51 42.28 – 2.51	Depositor EDS
% Data completeness (in resolution range)	99.9 (42.28-2.51) 94.8 (42.28-2.51)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.93 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.14_3228	Depositor
R, R_{free}	0.172 , 0.203 (Not available) , 0.197	Depositor DCC
R_{free} test set	2037 reflections (2.09%)	wwPDB-VP
Wilson B-factor (Å ²)	41.8	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.013 for -h,-k,l 0.042 for h,-h-k,-l 0.026 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15939	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, CA, SO4, EDO, W9Y, PEG, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/7132	0.38	0/9711
1	C	0.14	0/7136	0.37	0/9718
2	B	0.14	0/635	0.39	0/870
2	D	0.15	0/636	0.36	0/868
All	All	0.15	0/15539	0.38	0/21167

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6903	0	6645	67	0
1	C	6903	0	6632	62	0
2	B	623	0	508	7	0
2	D	624	0	516	4	0
3	A	34	0	0	1	0
3	C	34	0	0	0	0
4	A	72	0	108	12	0
4	B	12	0	18	2	0
4	C	48	0	70	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	50	0	68	4	0
5	C	10	0	14	1	0
6	A	56	0	80	4	0
6	C	35	0	50	1	0
7	A	25	0	0	5	0
7	C	40	0	0	0	0
8	B	2	0	0	0	0
8	D	2	0	0	0	0
9	C	13	0	18	1	0
10	A	228	0	0	6	0
10	B	15	0	0	2	0
10	C	195	0	0	9	0
10	D	15	0	0	1	0
All	All	15939	0	14727	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 143 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1001:W9Y:C20	4:A:1002:EDO:O1	2.00	1.09
1:A:150:ILE:O	10:A:1101:HOH:O	1.83	0.95
2:D:56:CYS:O	10:D:701:HOH:O	1.98	0.82
1:A:293:THR:HA	4:A:1011:EDO:H22	1.65	0.79
2:B:48:PHE:O	10:B:701:HOH:O	2.03	0.77

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	855/977 (88%)	826 (97%)	29 (3%)	0	100	100
1	C	859/977 (88%)	829 (96%)	30 (4%)	0	100	100
2	B	85/554 (15%)	82 (96%)	3 (4%)	0	100	100
2	D	85/554 (15%)	82 (96%)	3 (4%)	0	100	100
All	All	1884/3062 (62%)	1819 (96%)	65 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	747/846 (88%)	739 (99%)	8 (1%)	65	84
1	C	742/846 (88%)	734 (99%)	8 (1%)	65	84
2	B	69/485 (14%)	69 (100%)	0	100	100
2	D	68/485 (14%)	68 (100%)	0	100	100
All	All	1626/2662 (61%)	1610 (99%)	16 (1%)	68	86

5 of 16 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	769	MET
1	C	478	LEU
1	C	160	LEU
1	C	446	ASP
1	A	863	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	473	ASN
1	C	563	ASN
2	D	50	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	788	GLN
1	A	788	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 72 ligands modelled in this entry, 4 are monoatomic - leaving 68 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	1003	-	3,3,3	0.43	0	2,2,2	0.36	0
6	PEG	A	1014	-	6,6,6	0.49	0	5,5,5	0.25	0
7	SO4	C	1022	-	4,4,4	0.23	0	6,6,6	0.13	0
4	EDO	C	1004	-	3,3,3	0.46	0	2,2,2	0.29	0
4	EDO	A	1031	-	3,3,3	0.42	0	2,2,2	0.41	0
6	PEG	C	1015	-	6,6,6	0.48	0	5,5,5	0.25	0
3	W9Y	A	1001	-	36,36,36	2.42	11 (30%)	43,50,50	1.76	10 (23%)
4	EDO	A	1012	-	3,3,3	0.46	0	2,2,2	0.26	0
4	EDO	A	1022	-	3,3,3	0.43	0	2,2,2	0.44	0
4	EDO	B	602	-	3,3,3	0.38	0	2,2,2	0.50	0
6	PEG	C	1010	-	6,6,6	0.50	0	5,5,5	0.33	0
7	SO4	C	1026	-	4,4,4	0.23	0	6,6,6	0.08	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	1015	-	3,3,3	0.23	0	2,2,2	0.23	0
4	EDO	C	1013	-	3,3,3	0.49	0	2,2,2	0.27	0
7	SO4	C	1024	-	4,4,4	0.23	0	6,6,6	0.14	0
7	SO4	C	1027	-	4,4,4	0.24	0	6,6,6	0.12	0
6	PEG	A	1023	-	6,6,6	0.18	0	5,5,5	0.09	0
6	PEG	C	1007	-	6,6,6	0.50	0	5,5,5	0.26	0
4	EDO	A	1020	-	3,3,3	0.42	0	2,2,2	0.44	0
4	EDO	C	1002	-	3,3,3	0.43	0	2,2,2	0.28	0
5	PGE	A	1005	-	9,9,9	0.32	0	8,8,8	0.30	0
9	PG4	C	1020	-	12,12,12	0.53	0	11,11,11	0.17	0
4	EDO	C	1014	-	3,3,3	0.34	0	2,2,2	0.21	0
7	SO4	C	1023	-	4,4,4	0.23	0	6,6,6	0.10	0
7	SO4	A	1035	-	4,4,4	0.23	0	6,6,6	0.08	0
5	PGE	A	1026	-	9,9,9	0.32	0	8,8,8	0.35	0
6	PEG	A	1028	-	6,6,6	0.50	0	5,5,5	0.29	0
4	EDO	C	1008	-	3,3,3	0.41	0	2,2,2	0.41	0
4	EDO	A	1018	-	3,3,3	0.43	0	2,2,2	0.30	0
7	SO4	A	1034	-	4,4,4	0.26	0	6,6,6	0.09	0
7	SO4	C	1028	-	4,4,4	0.21	0	6,6,6	0.12	0
4	EDO	C	1005	-	3,3,3	0.46	0	2,2,2	0.30	0
4	EDO	C	1011	-	3,3,3	0.42	0	2,2,2	0.37	0
6	PEG	C	1019	-	6,6,6	0.50	0	5,5,5	0.31	0
6	PEG	A	1017	-	6,6,6	0.51	0	5,5,5	0.23	0
4	EDO	A	1008	-	3,3,3	0.40	0	2,2,2	0.49	0
4	EDO	B	603	-	3,3,3	0.44	0	2,2,2	0.36	0
4	EDO	C	1018	-	3,3,3	0.46	0	2,2,2	0.51	0
7	SO4	C	1021	-	4,4,4	0.24	0	6,6,6	0.09	0
4	EDO	A	1013	-	3,3,3	0.40	0	2,2,2	0.44	0
4	EDO	C	1016	-	3,3,3	0.15	0	2,2,2	0.11	0
4	EDO	A	1010	-	3,3,3	0.48	0	2,2,2	0.22	0
5	PGE	C	1006	-	9,9,9	0.33	0	8,8,8	0.27	0
7	SO4	C	1025	-	4,4,4	0.21	0	6,6,6	0.19	0
4	EDO	A	1002	-	3,3,3	0.25	0	2,2,2	0.12	0
4	EDO	A	1006	-	3,3,3	0.47	0	2,2,2	0.25	0
4	EDO	C	1003	-	3,3,3	0.41	0	2,2,2	0.49	0
6	PEG	A	1019	-	6,6,6	0.49	0	5,5,5	0.28	0
4	EDO	A	1030	-	3,3,3	0.42	0	2,2,2	0.42	0
3	W9Y	C	1001	-	36,36,36	2.37	12 (33%)	43,50,50	1.48	5 (11%)
4	EDO	C	1012	-	3,3,3	0.43	0	2,2,2	0.40	0
7	SO4	A	1036	-	4,4,4	0.24	0	6,6,6	0.07	0
6	PEG	A	1025	-	6,6,6	0.48	0	5,5,5	0.30	0
5	PGE	A	1007	-	9,9,9	0.33	0	8,8,8	0.27	0
4	EDO	A	1029	-	3,3,3	0.44	0	2,2,2	0.31	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	C	1009	-	3,3,3	0.40	0	2,2,2	0.44	0
5	PGE	A	1016	-	9,9,9	0.33	0	8,8,8	0.30	0
4	EDO	B	601	-	3,3,3	0.42	0	2,2,2	0.40	0
5	PGE	A	1004	-	9,9,9	0.32	0	8,8,8	0.26	0
4	EDO	A	1027	-	3,3,3	0.43	0	2,2,2	0.38	0
6	PEG	A	1009	-	6,6,6	0.51	0	5,5,5	0.29	0
6	PEG	A	1024	-	6,6,6	0.50	0	5,5,5	0.28	0
4	EDO	A	1011	-	3,3,3	0.39	0	2,2,2	0.53	0
7	SO4	A	1037	-	4,4,4	0.31	0	6,6,6	0.39	0
4	EDO	A	1032	-	3,3,3	0.43	0	2,2,2	0.39	0
4	EDO	A	1021	-	3,3,3	0.44	0	2,2,2	0.33	0
6	PEG	C	1017	-	6,6,6	0.10	0	5,5,5	0.11	0
7	SO4	A	1033	-	4,4,4	0.24	0	6,6,6	0.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	1003	-	-	0/1/1/1	-
6	PEG	A	1014	-	-	1/4/4/4	-
4	EDO	C	1004	-	-	0/1/1/1	-
4	EDO	A	1031	-	-	0/1/1/1	-
6	PEG	C	1015	-	-	3/4/4/4	-
3	W9Y	A	1001	-	-	8/20/45/45	0/3/3/3
4	EDO	A	1012	-	-	1/1/1/1	-
4	EDO	A	1022	-	-	0/1/1/1	-
4	EDO	B	602	-	-	1/1/1/1	-
6	PEG	C	1010	-	-	3/4/4/4	-
9	PG4	C	1020	-	-	7/10/10/10	-
4	EDO	A	1015	-	-	1/1/1/1	-
4	EDO	C	1013	-	-	1/1/1/1	-
6	PEG	A	1023	-	-	3/4/4/4	-
6	PEG	C	1007	-	-	1/4/4/4	-
4	EDO	A	1020	-	-	1/1/1/1	-
4	EDO	C	1002	-	-	0/1/1/1	-
5	PGE	A	1005	-	-	2/7/7/7	-
4	EDO	C	1014	-	-	0/1/1/1	-
5	PGE	A	1026	-	-	3/7/7/7	-
6	PEG	A	1028	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	C	1008	-	-	1/1/1/1	-
4	EDO	A	1018	-	-	0/1/1/1	-
4	EDO	C	1005	-	-	1/1/1/1	-
4	EDO	C	1011	-	-	1/1/1/1	-
6	PEG	C	1019	-	-	3/4/4/4	-
6	PEG	A	1017	-	-	1/4/4/4	-
4	EDO	A	1008	-	-	0/1/1/1	-
4	EDO	B	603	-	-	1/1/1/1	-
4	EDO	C	1018	-	-	1/1/1/1	-
4	EDO	A	1013	-	-	0/1/1/1	-
4	EDO	C	1016	-	-	1/1/1/1	-
4	EDO	A	1010	-	-	0/1/1/1	-
5	PGE	C	1006	-	-	3/7/7/7	-
4	EDO	A	1002	-	-	0/1/1/1	-
4	EDO	A	1006	-	-	0/1/1/1	-
4	EDO	C	1003	-	-	0/1/1/1	-
6	PEG	A	1019	-	-	0/4/4/4	-
4	EDO	A	1030	-	-	0/1/1/1	-
3	W9Y	C	1001	-	-	4/20/45/45	0/3/3/3
4	EDO	C	1012	-	-	0/1/1/1	-
6	PEG	A	1025	-	-	2/4/4/4	-
5	PGE	A	1007	-	-	3/7/7/7	-
4	EDO	A	1029	-	-	1/1/1/1	-
4	EDO	C	1009	-	-	1/1/1/1	-
5	PGE	A	1016	-	-	5/7/7/7	-
4	EDO	B	601	-	-	1/1/1/1	-
5	PGE	A	1004	-	-	6/7/7/7	-
4	EDO	A	1027	-	-	1/1/1/1	-
6	PEG	A	1009	-	-	4/4/4/4	-
6	PEG	A	1024	-	-	2/4/4/4	-
4	EDO	A	1011	-	-	0/1/1/1	-
4	EDO	A	1032	-	-	0/1/1/1	-
4	EDO	A	1021	-	-	1/1/1/1	-
6	PEG	C	1017	-	-	3/4/4/4	-

The worst 5 of 23 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	W9Y	O6-N3	9.83	1.39	1.22
3	C	1001	W9Y	O6-N3	8.97	1.38	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1001	W9Y	O2-C1	-4.74	1.36	1.44
3	A	1001	W9Y	O2-C1	-4.72	1.36	1.44
3	C	1001	W9Y	C21-C20	3.91	1.44	1.35

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1001	W9Y	C16-C17-N4	4.93	125.61	119.58
3	A	1001	W9Y	C17-N4-N5	4.24	126.94	120.28
3	A	1001	W9Y	C20-C21-N4	4.12	107.19	104.55
3	A	1001	W9Y	C18-C19-C14	-3.95	117.94	121.55
3	C	1001	W9Y	C18-C17-N4	-3.67	113.69	119.28

There are no chirality outliers.

5 of 86 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	1017	PEG	C1-C2-O2-C3
9	C	1020	PG4	O3-C5-C6-O4
5	C	1006	PGE	O2-C3-C4-O3
5	A	1016	PGE	O2-C3-C4-O3
3	A	1001	W9Y	N1-C8-C9-C10

There are no ring outliers.

22 monomers are involved in 34 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1031	EDO	2	0
3	A	1001	W9Y	1	0
4	A	1012	EDO	2	0
4	B	602	EDO	2	0
6	C	1007	PEG	1	0
4	C	1002	EDO	2	0
9	C	1020	PG4	1	0
4	C	1014	EDO	1	0
4	A	1018	EDO	1	0
7	A	1034	SO4	2	0
4	C	1011	EDO	1	0
6	A	1017	PEG	2	0
4	A	1008	EDO	1	0
5	C	1006	PGE	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1002	EDO	2	0
6	A	1025	PEG	2	0
5	A	1007	PGE	1	0
4	A	1029	EDO	2	0
4	C	1009	EDO	1	0
5	A	1004	PGE	3	0
4	A	1011	EDO	2	0
7	A	1037	SO4	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	854/977 (87%)	-0.30	13 (1%)	72 68	21, 42, 67, 125	7 (0%)
1	C	857/977 (87%)	0.00	23 (2%)	56 51	22, 48, 86, 107	8 (0%)
2	B	87/554 (15%)	0.45	6 (6%)	23 20	40, 59, 99, 121	0
2	D	87/554 (15%)	0.67	15 (17%)	4 3	37, 59, 105, 116	0
All	All	1885/3062 (61%)	-0.08	57 (3%)	52 48	21, 46, 84, 125	15 (0%)

The worst 5 of 57 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	31	TYR	5.4
1	A	184	PRO	5.1
1	A	247	ALA	4.8
2	D	43	THR	4.4
1	A	33	VAL	4.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	SO4	C	1028	5/5	0.61	0.12	92,93,103,129	0
7	SO4	A	1033	5/5	0.62	0.11	94,109,115,128	0
4	EDO	C	1016	4/4	0.67	0.22	79,82,85,86	0
7	SO4	A	1034	5/5	0.69	0.12	83,97,114,135	0
4	EDO	C	1013	4/4	0.72	0.23	70,73,83,95	0
7	SO4	A	1037	5/5	0.75	0.54	62,70,79,103	0
4	EDO	A	1020	4/4	0.76	0.19	78,80,84,95	0
6	PEG	A	1017	7/7	0.77	0.19	61,73,79,84	0
6	PEG	A	1019	7/7	0.80	0.19	62,66,73,90	0
7	SO4	A	1035	5/5	0.80	0.13	76,77,104,111	0
6	PEG	C	1019	7/7	0.80	0.19	56,65,71,73	0
4	EDO	C	1012	4/4	0.80	0.17	72,74,77,78	0
6	PEG	A	1025	7/7	0.81	0.18	56,63,78,85	0
6	PEG	C	1010	7/7	0.81	0.16	54,67,73,73	0
4	EDO	C	1014	4/4	0.81	0.22	62,65,73,85	0
5	PGE	A	1007	10/10	0.81	0.18	66,71,80,80	0
6	PEG	A	1009	7/7	0.82	0.16	57,63,67,72	0
7	SO4	C	1024	5/5	0.82	0.15	79,89,110,130	0
6	PEG	A	1023	7/7	0.82	0.27	68,81,98,102	0
4	EDO	A	1010	4/4	0.83	0.17	48,57,58,62	0
7	SO4	C	1021	5/5	0.83	0.15	81,88,95,107	0
4	EDO	A	1012	4/4	0.83	0.19	58,59,68,73	0
7	SO4	A	1036	5/5	0.83	0.12	83,84,113,129	0
5	PGE	C	1006	10/10	0.84	0.17	57,69,77,88	0
4	EDO	C	1018	4/4	0.84	0.19	62,83,84,92	0
4	EDO	C	1003	4/4	0.84	0.17	47,54,55,65	0
5	PGE	A	1026	10/10	0.84	0.15	57,70,78,82	0
6	PEG	C	1017	7/7	0.85	0.15	72,73,80,83	0
5	PGE	A	1016	10/10	0.86	0.15	58,73,80,84	0
4	EDO	A	1030	4/4	0.87	0.14	62,64,76,83	0
4	EDO	A	1013	4/4	0.87	0.16	46,49,64,67	0
4	EDO	C	1009	4/4	0.87	0.19	58,59,60,68	0
4	EDO	A	1027	4/4	0.87	0.20	41,59,60,61	0
7	SO4	C	1027	5/5	0.87	0.29	77,82,87,111	0
5	PGE	A	1005	10/10	0.87	0.17	57,65,77,79	0
9	PG4	C	1020	13/13	0.87	0.17	58,65,83,84	0
6	PEG	A	1028	7/7	0.88	0.14	63,68,72,78	0
6	PEG	C	1007	7/7	0.88	0.16	48,66,71,87	0
7	SO4	C	1026	5/5	0.88	0.12	76,84,103,113	0
4	EDO	A	1006	4/4	0.88	0.14	50,54,55,56	0
4	EDO	C	1005	4/4	0.88	0.15	57,59,64,64	0
4	EDO	A	1008	4/4	0.88	0.17	40,56,65,72	0
3	W9Y	C	1001	34/34	0.89	0.15	36,64,99,107	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	1015	4/4	0.90	0.22	79,84,95,102	0
6	PEG	A	1014	7/7	0.90	0.14	55,61,79,87	0
7	SO4	C	1025	5/5	0.90	0.32	72,77,98,113	0
4	EDO	C	1011	4/4	0.90	0.14	55,56,58,58	0
4	EDO	C	1004	4/4	0.90	0.15	56,61,63,73	0
6	PEG	C	1015	7/7	0.90	0.14	52,59,73,76	0
4	EDO	A	1032	4/4	0.90	0.16	55,58,59,67	0
6	PEG	A	1024	7/7	0.91	0.12	58,69,73,77	0
4	EDO	A	1003	4/4	0.91	0.16	66,67,68,71	0
4	EDO	A	1029	4/4	0.91	0.13	53,55,56,57	0
4	EDO	A	1002	4/4	0.91	0.13	67,68,68,84	0
4	EDO	A	1031	4/4	0.92	0.14	52,64,64,65	0
4	EDO	C	1008	4/4	0.92	0.12	44,66,71,74	0
4	EDO	B	602	4/4	0.92	0.11	41,52,65,65	0
5	PGE	A	1004	10/10	0.92	0.12	58,67,71,73	0
7	SO4	C	1022	5/5	0.92	0.20	61,69,77,109	0
7	SO4	C	1023	5/5	0.92	0.23	56,76,79,94	0
4	EDO	B	603	4/4	0.93	0.12	61,64,66,67	0
4	EDO	B	601	4/4	0.93	0.12	50,55,65,66	0
3	W9Y	A	1001	34/34	0.93	0.12	30,59,97,106	0
4	EDO	A	1011	4/4	0.94	0.10	48,51,53,53	0
4	EDO	C	1002	4/4	0.94	0.20	50,56,65,68	0
4	EDO	A	1021	4/4	0.95	0.07	49,50,51,59	0
4	EDO	A	1018	4/4	0.96	0.08	58,59,62,66	0
4	EDO	A	1022	4/4	0.97	0.07	46,49,52,53	0
8	CA	B	605	1/1	0.99	0.04	53,53,53,53	0
8	CA	D	601	1/1	0.99	0.03	56,56,56,56	0
8	CA	B	604	1/1	0.99	0.02	46,46,46,46	0
8	CA	D	602	1/1	1.00	0.01	44,44,44,44	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around W9Y C 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around W9Y A 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.