



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:39 AM UTC

PDB ID : 3KCU / pdb_00003kcu
Title : Structure of formate channel
Authors : Wang, Y.; Huang, Y.; Wang, J.; Yan, N.; Shi, Y.
Deposited on : 2009-10-22
Resolution : 2.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3416 (2.26-2.22)
Clashscore	190562	3556 (2.26-2.22)
Ramachandran outliers	187476	3500 (2.26-2.22)
Sidechain outliers	187428	3501 (2.26-2.22)
RSRZ outliers	180081	3415 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	285	4% 78% 8% • 12%
1	B	285	4% 76% 12% • 12%
1	C	285	6% 71% 11% • 16%
1	D	285	15% 64% 21% • 13%
1	E	285	10% 69% 16% • 13%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9630 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable formate transporter 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	252	Total	C	N	O	S	0	2	0
			1947	1298	305	326	18			
1	B	252	Total	C	N	O	S	0	0	0
			1927	1281	304	324	18			
1	C	239	Total	C	N	O	S	0	1	0
			1825	1217	283	307	18			
1	D	248	Total	C	N	O	S	0	0	0
			1888	1254	297	319	18			
1	E	249	Total	C	N	O	S	0	1	0
			1908	1271	297	322	18			

- Molecule 2 is 2-(6-(2-CYCLOHEXYLETHOXY)-TETRAHYDRO-4,5-DIHYDROXY-2(HYDROXYMETHYL)-2H-PYRAN-3-YLOXY)-TETRAHYDRO-6(HYDROXYMETHYL)-2H-PYRAN-3,4,5-TRIOL (CCD ID: MA5) (formula: C₂₀H₃₆O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			31	20	11		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	37	Total	O	0	0
			37	37		
3	B	27	Total	O	0	0
			27	27		
3	C	22	Total	O	0	0
			22	22		
3	D	6	Total	O	0	0
			6	6		
3	E	12	Total	O	0	0
			12	12		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable formate transporter 1



- Molecule 1: Probable formate transporter 1




- Molecule 1: Probable formate transporter 1




- Molecule 1: Probable formate transporter 1





● Molecule 1: Probable formate transporter 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	101.38Å 107.93Å 163.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.99 – 2.24 39.99 – 2.24	Depositor EDS
% Data completeness (in resolution range)	98.8 (39.99-2.24) 98.7 (39.99-2.24)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.75 (at 2.24Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.5_2)	Depositor
R, R_{free}	0.203 , 0.232 0.202 , 0.231	Depositor DCC
R_{free} test set	4378 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	50.5	Xtriage
Anisotropy	0.472	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 62.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9630	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MA5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/2003	0.83	2/2729 (0.1%)
1	B	0.57	0/1978	0.79	0/2695
1	C	0.56	0/1876	0.82	0/2555
1	D	0.39	0/1938	0.77	0/2641
1	E	0.42	0/1963	0.75	0/2677
All	All	0.52	0/9758	0.79	2/13297 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	30	HIS	CA-C-N	5.67	125.78	119.32
1	A	30	HIS	C-N-CA	5.67	125.78	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1947	0	1989	32	0
1	B	1927	0	1972	32	0
1	C	1825	0	1865	36	0
1	D	1888	0	1928	54	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1908	0	1944	37	0
2	A	31	0	36	0	0
3	A	37	0	0	1	0
3	B	27	0	0	0	0
3	C	22	0	0	0	0
3	D	6	0	0	0	0
3	E	12	0	0	1	0
All	All	9630	0	9734	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:VAL:HA	1:B:219:MET:HE1	1.14	1.12
1:A:129:VAL:HA	1:A:219:MET:HE1	1.12	1.06
1:A:215:PHE:CE1	1:A:219:MET:HE3	1.91	1.06
1:B:215:PHE:CE1	1:B:219:MET:HE3	1.93	1.03
1:A:215:PHE:CZ	1:A:219:MET:HE3	2.03	0.93
1:B:129:VAL:HA	1:B:219:MET:CE	1.98	0.92
1:B:215:PHE:CZ	1:B:219:MET:HE3	2.05	0.92
1:B:129:VAL:HG22	1:B:219:MET:HE2	1.51	0.90
1:A:129:VAL:HG22	1:A:219:MET:HE2	1.53	0.89
1:C:129:VAL:HA	1:C:219:MET:CE	2.04	0.88
1:A:129:VAL:CA	1:A:219:MET:HE1	2.02	0.87
1:A:129:VAL:HA	1:A:219:MET:CE	2.03	0.86
1:E:50:VAL:HG21	1:E:132:MET:HE3	1.56	0.86
1:C:215:PHE:CZ	1:C:219:MET:HE3	2.11	0.85
1:A:77:LEU:HD22	1:A:81:LEU:HD22	1.58	0.83
1:D:77:LEU:HD22	1:D:81:LEU:HD22	1.58	0.83
1:C:276:VAL:HG13	1:D:33:LYS:HE3	1.62	0.81
1:E:77:LEU:HD22	1:E:81:LEU:HD22	1.63	0.78
1:C:129:VAL:HA	1:C:219:MET:HE1	1.63	0.78
1:B:129:VAL:CA	1:B:219:MET:HE1	2.06	0.76
1:C:215:PHE:CE1	1:C:219:MET:CE	2.71	0.74
1:C:215:PHE:CE1	1:C:219:MET:HE3	2.22	0.73
1:D:165:VAL:O	1:D:169:ILE:HG22	1.91	0.70
1:C:129:VAL:HA	1:C:219:MET:HE2	1.73	0.69
1:C:189:MET:HE1	1:C:193:PHE:HE2	1.57	0.69
1:D:90:PHE:HB3	1:D:211:ILE:HD11	1.74	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:90:PHE:CB	1:D:211:ILE:HD11	2.23	0.68
1:E:30:HIS:HB2	1:E:31:PRO:HD3	1.75	0.68
1:A:29:LYS:HG2	1:A:30:HIS:N	2.08	0.68
1:A:215:PHE:CE1	1:A:219:MET:CE	2.75	0.68
1:A:129:VAL:HG22	1:A:219:MET:CE	2.22	0.67
1:A:280:ARG:HD2	1:A:280:ARG:H	1.60	0.67
1:D:248:MET:HE3	1:D:248:MET:HA	1.77	0.67
1:B:106:THR:OG1	1:B:109:GLN:HG2	1.94	0.66
1:C:189:MET:CE	1:C:193:PHE:HE2	2.09	0.66
1:C:132:MET:HB2	1:C:219:MET:HE1	1.76	0.66
1:D:161:PHE:CE1	1:D:257:PRO:HG3	2.31	0.65
1:D:160:THR:HB	1:D:163:GLU:HG2	1.80	0.63
1:B:215:PHE:CE1	1:B:219:MET:CE	2.78	0.62
1:D:161:PHE:CD1	1:D:257:PRO:HG3	2.34	0.62
1:D:105:ILE:HD13	1:D:110:LEU:HG	1.82	0.62
1:A:280:ARG:H	1:A:280:ARG:CD	2.13	0.62
1:C:271:GLY:O	1:C:275:TRP:HD1	1.82	0.61
1:C:160:THR:OG1	1:C:163:GLU:HG2	2.01	0.61
1:B:256:ILE:HB	1:B:257:PRO:HD3	1.83	0.60
1:A:276:VAL:HG13	1:B:33:LYS:HE3	1.82	0.60
1:D:254:ASN:O	1:D:257:PRO:HD2	2.03	0.59
1:D:189:MET:HE1	1:D:193:PHE:HE2	1.68	0.59
1:D:207:PHE:CZ	1:E:132:MET:HE1	2.38	0.59
1:C:159:HIS:HB3	1:C:163:GLU:HG3	1.83	0.59
1:B:129:VAL:HG22	1:B:219:MET:CE	2.31	0.58
1:D:259:THR:O	1:D:263:ILE:HG13	2.03	0.58
1:D:169:ILE:HG13	1:D:265:GLY:HA2	1.86	0.58
1:B:45:ILE:HG21	1:B:211:ILE:HG22	1.86	0.58
1:D:149:VAL:HG11	1:D:219:MET:HG3	1.85	0.58
1:A:280:ARG:HD2	1:A:280:ARG:N	2.18	0.57
1:E:254:ASN:O	1:E:257:PRO:HD2	2.03	0.57
1:B:48:ALA:HB2	1:B:78:GLY:HA3	1.86	0.57
1:C:77:LEU:HD22	1:C:81:LEU:HD22	1.88	0.55
1:D:207:PHE:HZ	1:E:132:MET:HE1	1.71	0.55
1:D:90:PHE:HB3	1:D:211:ILE:CD1	2.37	0.55
1:B:96:ILE:HD12	1:B:96:ILE:N	2.22	0.55
1:A:239:PRO:HD2	1:A:240:GLU:OE1	2.07	0.55
1:C:256:ILE:HB	1:C:257:PRO:HD3	1.89	0.54
1:E:215:PHE:CZ	1:E:219:MET:HE3	2.42	0.54
1:E:128:PHE:CE2	1:E:132:MET:HE2	2.43	0.54
1:A:79:LEU:HD12	1:A:199:VAL:CG2	2.38	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:215:PHE:CE1	1:C:219:MET:HE2	2.43	0.54
1:D:66:MET:CE	1:E:59:THR:HG21	2.38	0.54
1:D:95:LEU:HD21	1:D:269:LEU:HB3	1.89	0.54
1:C:132:MET:HB2	1:C:219:MET:CE	2.38	0.53
1:E:170:LEU:HB3	1:E:207:PHE:CD2	2.44	0.53
1:A:29:LYS:HG2	1:A:30:HIS:H	1.72	0.53
1:E:149:VAL:HG11	1:E:219:MET:HG3	1.91	0.53
1:E:45:ILE:HG21	1:E:211:ILE:HG22	1.90	0.53
1:C:215:PHE:CZ	1:C:219:MET:CE	2.88	0.52
1:A:45:ILE:HG21	1:A:211:ILE:HG22	1.90	0.52
1:D:77:LEU:CD2	1:D:81:LEU:HD22	2.33	0.52
1:E:48:ALA:HB2	1:E:78:GLY:HA3	1.91	0.52
1:C:195:MET:C	1:C:198:PRO:HD2	2.34	0.52
1:C:48:ALA:HB2	1:C:78:GLY:HA3	1.92	0.52
1:B:278:TYR:O	1:B:279:LEU:HD12	2.09	0.52
1:D:96:ILE:HG12	1:D:183:TYR:CD1	2.44	0.52
1:A:44:PHE:CD2	1:A:81:LEU:HB3	2.44	0.52
1:E:214:MET:O	1:E:218:PRO:HG2	2.09	0.51
1:A:48:ALA:HB2	1:A:78:GLY:HA3	1.92	0.51
1:B:76:SER:HA	1:B:199:VAL:HG11	1.91	0.51
1:C:197:LEU:HB3	1:D:77:LEU:HG	1.93	0.51
1:C:129:VAL:HG22	1:C:219:MET:HE2	1.93	0.51
1:E:244:HIS:HB2	3:E:287:HOH:O	2.11	0.51
1:D:90:PHE:HB2	1:D:211:ILE:HD11	1.92	0.50
1:D:49:PHE:CD1	1:D:216:MET:HE3	2.46	0.50
1:A:202:PHE:CD1	1:A:202:PHE:C	2.90	0.50
1:D:256:ILE:HB	1:D:257:PRO:HD3	1.92	0.50
1:A:244:HIS:HB2	3:A:292:HOH:O	2.11	0.49
1:E:217:ILE:HB	1:E:218:PRO:HD3	1.94	0.49
1:A:66:MET:HE1	1:B:59:THR:HG21	1.95	0.49
1:D:147:LEU:HD13	1:D:235:VAL:HG11	1.94	0.49
1:E:129:VAL:HA	1:E:219:MET:CE	2.41	0.49
1:D:51:PHE:CD2	1:D:77:LEU:HD12	2.48	0.49
1:D:125:ALA:O	1:D:129:VAL:HG23	2.13	0.49
1:D:202:PHE:C	1:D:202:PHE:CD1	2.91	0.48
1:C:254:ASN:O	1:C:257:PRO:HD2	2.14	0.48
1:D:161:PHE:O	1:D:165:VAL:HG23	2.14	0.48
1:D:189:MET:CE	1:D:193:PHE:HE2	2.25	0.48
1:C:189:MET:HE1	1:C:193:PHE:CE2	2.45	0.47
1:D:247:VAL:O	1:D:251:ILE:HG12	2.15	0.47
1:C:189:MET:CE	1:C:193:PHE:CE2	2.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:30:HIS:CD2	1:D:31:PRO:HD2	2.50	0.47
1:D:197:LEU:N	1:D:198:PRO:HD2	2.29	0.47
1:D:96:ILE:H	1:D:96:ILE:HD12	1.79	0.46
1:E:51:PHE:CG	1:E:74:CYS:HB3	2.51	0.46
1:B:197:LEU:HB3	1:C:77:LEU:HG	1.97	0.46
1:D:66:MET:HE3	1:E:62:MET:SD	2.56	0.46
1:C:214:MET:O	1:C:218:PRO:HG2	2.16	0.46
1:C:66:MET:HE3	1:D:62:MET:SD	2.56	0.46
1:D:76:SER:HA	1:D:199:VAL:HG11	1.98	0.45
1:B:96:ILE:HD12	1:B:96:ILE:H	1.80	0.45
1:B:105:ILE:HG12	1:B:109:GLN:HB2	1.97	0.45
1:B:75:PHE:CD2	1:B:203:VAL:HG21	2.52	0.45
1:C:39:ILE:HA	1:C:120:GLY:O	2.17	0.45
1:D:217:ILE:HB	1:D:218:PRO:HD3	1.99	0.45
1:E:96:ILE:HD12	1:E:180:TRP:HE3	1.81	0.45
1:D:166:CYS:O	1:D:169:ILE:HG23	2.16	0.45
1:E:75:PHE:CD2	1:E:203:VAL:HG21	2.52	0.44
1:E:132:MET:HB2	1:E:219:MET:HE1	1.98	0.44
1:E:251:ILE:O	1:E:256:ILE:HD13	2.17	0.44
1:D:217:ILE:O	1:D:221:ILE:HG13	2.18	0.44
1:B:202:PHE:CD1	1:B:202:PHE:C	2.97	0.43
1:A:79:LEU:HD23	1:A:79:LEU:HA	1.94	0.43
1:A:121:ASN:HB3	1:A:211:ILE:HG23	2.00	0.43
1:E:32:LEU:HD13	1:E:32:LEU:HA	1.85	0.43
1:A:190:ASP:CG	1:B:188:LEU:HB3	2.44	0.43
1:E:105:ILE:HG12	1:E:106:THR:N	2.34	0.43
1:E:161:PHE:CD1	1:E:257:PRO:HG3	2.54	0.43
1:B:32:LEU:HD12	1:B:32:LEU:HA	1.90	0.42
1:A:79:LEU:HD12	1:A:199:VAL:HG21	2.01	0.42
1:E:254:ASN:C	1:E:257:PRO:HD2	2.44	0.42
1:D:122:LEU:O	1:D:126:LEU:HG	2.19	0.42
1:A:66:MET:CE	1:B:59:THR:HG21	2.50	0.42
1:E:44:PHE:CD2	1:E:81:LEU:HB3	2.55	0.42
1:B:278:TYR:C	1:B:279:LEU:HD12	2.44	0.42
1:C:112:LYS:H	1:C:112:LYS:HG2	1.59	0.42
1:B:190:ASP:HA	1:C:189:MET:HE3	2.02	0.42
1:E:101:ALA:O	1:E:102:SER:HB2	2.20	0.42
1:C:194:ILE:HD12	1:C:194:ILE:HA	1.90	0.42
1:D:48:ALA:HB2	1:D:78:GLY:HA3	2.01	0.42
1:E:51:PHE:CD2	1:E:74:CYS:HB3	2.55	0.41
1:E:197:LEU:N	1:E:198:PRO:HD2	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:ILE:HG22	1:B:100:LYS:HD2	2.01	0.41
1:A:66:MET:CE	1:B:59:THR:CG2	2.98	0.41
1:A:142:ASN:HD22	1:A:142:ASN:HA	1.66	0.41
1:E:215:PHE:CE1	1:E:219:MET:HE3	2.56	0.41
1:A:101:ALA:O	1:A:104:ARG:HB2	2.20	0.41
1:A:189:MET:SD	1:A:193:PHE:CE2	3.13	0.41
1:E:256:ILE:HB	1:E:257:PRO:HD3	2.02	0.41
1:C:202:PHE:CD1	1:C:202:PHE:C	2.98	0.41
1:D:166:CYS:HA	1:D:169:ILE:CG2	2.51	0.41
1:B:129:VAL:CG2	1:B:219:MET:HE2	2.37	0.41
1:D:254:ASN:C	1:D:257:PRO:HD2	2.46	0.41
1:D:82:CYS:HA	1:D:87:ALA:HB3	2.03	0.41
1:D:113:ASN:O	1:D:117:VAL:HG23	2.21	0.41
1:E:102:SER:HB2	1:E:104:ARG:NE	2.36	0.41
1:B:112:LYS:HG2	1:B:113:ASN:N	2.33	0.41
1:B:170:LEU:HB3	1:B:207:PHE:CD2	2.55	0.41
1:D:96:ILE:HD12	1:D:96:ILE:N	2.35	0.40
1:E:30:HIS:CB	1:E:31:PRO:HD3	2.49	0.40
1:C:121:ASN:HB3	1:C:211:ILE:HG23	2.04	0.40
1:D:38:ALA:O	1:D:121:ASN:ND2	2.50	0.40
1:D:75:PHE:CG	1:D:203:VAL:HG21	2.56	0.40
1:D:95:LEU:HD11	1:D:269:LEU:HD13	2.02	0.40
1:E:97:VAL:HG11	1:E:110:LEU:HD21	2.02	0.40
1:E:194:ILE:HD12	1:E:194:ILE:HA	1.93	0.40
1:C:190:ASP:HA	1:D:189:MET:HE3	2.03	0.40
1:C:197:LEU:N	1:C:198:PRO:CD	2.84	0.40
1:D:44:PHE:CD2	1:D:81:LEU:HB3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/285 (88%)	246 (98%)	4 (2%)	2 (1%)	16	13
1	B	250/285 (88%)	242 (97%)	7 (3%)	1 (0%)	30	30
1	C	236/285 (83%)	231 (98%)	4 (2%)	1 (0%)	30	30
1	D	246/285 (86%)	233 (95%)	11 (4%)	2 (1%)	16	13
1	E	248/285 (87%)	235 (95%)	11 (4%)	2 (1%)	16	13
All	All	1232/1425 (86%)	1187 (96%)	37 (3%)	8 (1%)	18	20

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	90	PHE
1	E	111	ALA
1	A	30	HIS
1	D	275	TRP
1	E	90	PHE
1	B	90	PHE
1	C	90	PHE
1	A	90	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/230 (90%)	198 (96%)	9 (4%)	26	28
1	B	205/230 (89%)	200 (98%)	5 (2%)	43	51
1	C	195/230 (85%)	187 (96%)	8 (4%)	27	30
1	D	201/230 (87%)	193 (96%)	8 (4%)	28	32
1	E	203/230 (88%)	194 (96%)	9 (4%)	25	27
All	All	1011/1150 (88%)	972 (96%)	39 (4%)	28	33

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	PHE
1	A	66	MET
1	A	77	LEU
1	A	81	LEU
1	A	142	ASN
1	A	197	LEU
1	A	202	PHE
1	A	244	HIS
1	A	280	ARG
1	B	49	PHE
1	B	81	LEU
1	B	197	LEU
1	B	202	PHE
1	B	235	VAL
1	C	49	PHE
1	C	77	LEU
1	C	81	LEU
1	C	112	LYS
1	C	197	LEU
1	C	202	PHE
1	C	235	VAL
1	C	272	LEU
1	D	49	PHE
1	D	61	THR
1	D	77	LEU
1	D	81	LEU
1	D	94	VAL
1	D	169	ILE
1	D	197	LEU
1	D	202	PHE
1	E	32	LEU
1	E	49	PHE
1	E	77	LEU
1	E	81	LEU
1	E	197	LEU
1	E	202	PHE
1	E	235	VAL
1	E	244	HIS
1	E	274	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	113	ASN
1	A	142	ASN
1	A	151	GLN
1	A	241	ASN
1	B	144	GLN
1	B	244	HIS
1	C	142	ASN
1	C	244	HIS
1	D	30	HIS
1	D	144	GLN
1	D	244	HIS
1	E	144	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MA5	A	286	-	33,33,33	0.47	0	45,46,46	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MA5	A	286	-	-	5/14/62/62	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	286	MA5	O5-C5-C6-O6
2	A	286	MA5	C4-C5-C6-O6
2	A	286	MA5	C61-C11-O10-C10
2	A	286	MA5	C30-C40-O1-C1
2	A	286	MA5	C50-C40-O1-C1

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	252/285 (88%)	0.11	10 (3%)	42 41	27, 51, 75, 135	2 (0%)
1	B	252/285 (88%)	0.25	12 (4%)	35 34	38, 54, 97, 148	0
1	C	239/285 (83%)	0.41	17 (7%)	22 20	40, 61, 106, 151	1 (0%)
1	D	248/285 (87%)	1.02	42 (16%)	4 3	55, 90, 163, 260	0
1	E	249/285 (87%)	0.78	29 (11%)	9 9	41, 73, 128, 181	1 (0%)
All	All	1240/1425 (87%)	0.51	110 (8%)	15 14	27, 64, 121, 260	4 (0%)

All (110) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	110	LEU	6.9
1	C	111	ALA	6.6
1	D	107	TRP	6.1
1	D	110	LEU	5.2
1	D	276	VAL	5.1
1	C	101	ALA	4.8
1	E	185	GLY	4.7
1	E	277	ILE	4.7
1	A	186	ARG	4.5
1	D	64	PHE	4.0
1	E	108	GLY	3.9
1	D	160	THR	3.9
1	E	111	ALA	3.9
1	E	260	ILE	3.7
1	E	107	TRP	3.6
1	D	111	ALA	3.5
1	D	275	TRP	3.5
1	C	112	LYS	3.4
1	E	30	HIS	3.4
1	B	116	ASN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	105	ILE	3.4
1	C	243	SER	3.4
1	B	103	GLY	3.4
1	D	97	VAL	3.4
1	C	113	ASN	3.4
1	D	32	LEU	3.3
1	E	109	GLN	3.3
1	A	280	ARG	3.1
1	D	29	LYS	3.1
1	D	161	PHE	3.1
1	B	279	LEU	3.1
1	D	159	HIS	3.0
1	D	90	PHE	3.0
1	A	107	TRP	3.0
1	E	33	LYS	2.9
1	D	60	GLY	2.9
1	E	60	GLY	2.9
1	D	169	ILE	2.9
1	B	113	ASN	2.9
1	C	165	VAL	2.9
1	C	29	LYS	2.8
1	C	244	HIS	2.8
1	C	276	VAL	2.8
1	E	278	TYR	2.8
1	E	275	TRP	2.8
1	D	151	GLN	2.8
1	B	278	TYR	2.7
1	D	123	VAL	2.7
1	D	108	GLY	2.7
1	C	119[A]	PHE	2.7
1	B	109	GLN	2.7
1	D	114	TRP	2.7
1	B	280	ARG	2.6
1	D	112	LYS	2.6
1	D	99	ALA	2.6
1	E	186	ARG	2.6
1	B	115	LEU	2.6
1	C	99	ALA	2.6
1	A	275	TRP	2.6
1	D	34	THR	2.5
1	D	103	GLY	2.5
1	D	65	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	106	THR	2.5
1	E	184	SER	2.5
1	C	169	ILE	2.5
1	D	245	LEU	2.5
1	C	261	GLY	2.5
1	A	102	SER	2.4
1	C	260	ILE	2.4
1	D	154	ASP	2.4
1	D	230	GLU	2.4
1	E	105	ILE	2.4
1	D	86	GLY	2.4
1	B	119	PHE	2.4
1	D	150	LEU	2.4
1	E	103	GLY	2.3
1	E	61	THR	2.3
1	A	244	HIS	2.3
1	E	134	LEU	2.3
1	E	96	ILE	2.3
1	A	29	LYS	2.3
1	E	179	VAL	2.3
1	E	215	PHE	2.3
1	C	275	TRP	2.3
1	D	87	ALA	2.3
1	D	126	LEU	2.2
1	C	186	ARG	2.2
1	A	278	TYR	2.2
1	D	274	TYR	2.2
1	E	183[A]	TYR	2.2
1	B	107	TRP	2.2
1	D	109	GLN	2.2
1	E	193	PHE	2.2
1	D	186	ARG	2.2
1	D	185	GLY	2.2
1	D	266	GLY	2.2
1	D	30	HIS	2.2
1	A	32	LEU	2.1
1	E	113	ASN	2.1
1	D	101	ALA	2.1
1	A	230	GLU	2.1
1	E	119	PHE	2.1
1	B	104	ARG	2.1
1	C	59	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	102	SER	2.1
1	E	182	SER	2.1
1	D	260	ILE	2.1
1	E	86	GLY	2.0
1	D	106	THR	2.0
1	B	30	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MA5	A	286	31/31	0.85	0.16	61,78,88,98	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around MA5 A 286:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.