



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:38 AM UTC

PDB ID : 6KCJ / pdb_00006kcj
Title : Crystal structure of H5N2 hemagglutinin Apo-Q226L mutant from A/chicken
/Taiwan/0502/2012
Authors : Lin, T.H.; Lee, M.S.; Wu, W.G.
Deposited on : 2019-06-28
Resolution : 2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	586	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4080 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	495	Total	C	N	O	S	0	0	0
			3953	2482	691	757	23			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-37	MET	-	initiating methionine	UNP A0A059VBQ9
A	-36	LEU	-	expression tag	UNP A0A059VBQ9
A	-35	LEU	-	expression tag	UNP A0A059VBQ9
A	-34	VAL	-	expression tag	UNP A0A059VBQ9
A	-33	ASN	-	expression tag	UNP A0A059VBQ9
A	-32	GLN	-	expression tag	UNP A0A059VBQ9
A	-31	SER	-	expression tag	UNP A0A059VBQ9
A	-30	HIS	-	expression tag	UNP A0A059VBQ9
A	-29	GLN	-	expression tag	UNP A0A059VBQ9
A	-28	GLY	-	expression tag	UNP A0A059VBQ9
A	-27	PHE	-	expression tag	UNP A0A059VBQ9
A	-26	ASN	-	expression tag	UNP A0A059VBQ9
A	-25	LYS	-	expression tag	UNP A0A059VBQ9
A	-24	GLU	-	expression tag	UNP A0A059VBQ9
A	-23	HIS	-	expression tag	UNP A0A059VBQ9
A	-22	THR	-	expression tag	UNP A0A059VBQ9
A	-21	SER	-	expression tag	UNP A0A059VBQ9
A	-20	LYS	-	expression tag	UNP A0A059VBQ9
A	-19	MET	-	expression tag	UNP A0A059VBQ9
A	-18	VAL	-	expression tag	UNP A0A059VBQ9
A	-17	SER	-	expression tag	UNP A0A059VBQ9
A	-16	ALA	-	expression tag	UNP A0A059VBQ9
A	-15	ILE	-	expression tag	UNP A0A059VBQ9
A	-14	VAL	-	expression tag	UNP A0A059VBQ9
A	-13	LEU	-	expression tag	UNP A0A059VBQ9
A	-12	TYR	-	expression tag	UNP A0A059VBQ9
A	-11	VAL	-	expression tag	UNP A0A059VBQ9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	LEU	-	expression tag	UNP A0A059VBQ9
A	-9	LEU	-	expression tag	UNP A0A059VBQ9
A	-8	ALA	-	expression tag	UNP A0A059VBQ9
A	-7	ALA	-	expression tag	UNP A0A059VBQ9
A	-6	ALA	-	expression tag	UNP A0A059VBQ9
A	-5	ALA	-	expression tag	UNP A0A059VBQ9
A	-4	HIS	-	expression tag	UNP A0A059VBQ9
A	-3	SER	-	expression tag	UNP A0A059VBQ9
A	-2	ALA	-	expression tag	UNP A0A059VBQ9
A	-1	PHE	-	expression tag	UNP A0A059VBQ9
A	0	ALA	-	expression tag	UNP A0A059VBQ9
A	1	SER	-	expression tag	UNP A0A059VBQ9
A	2	ALA	-	expression tag	UNP A0A059VBQ9
A	225	LEU	GLN	conflict	UNP A0A059VBQ9
A	327	GLU	ARG	conflict	UNP A0A059VBQ9
A	328	THR	LYS	conflict	UNP A0A059VBQ9
A	504	SER	-	expression tag	UNP A0A059VBQ9
A	505	GLY	-	expression tag	UNP A0A059VBQ9
A	506	LEU	-	expression tag	UNP A0A059VBQ9
A	507	VAL	-	expression tag	UNP A0A059VBQ9
A	508	PRO	-	expression tag	UNP A0A059VBQ9
A	509	ARG	-	expression tag	UNP A0A059VBQ9
A	510	GLY	-	expression tag	UNP A0A059VBQ9
A	511	SER	-	expression tag	UNP A0A059VBQ9
A	512	PRO	-	expression tag	UNP A0A059VBQ9
A	513	GLY	-	expression tag	UNP A0A059VBQ9
A	514	SER	-	expression tag	UNP A0A059VBQ9
A	515	GLY	-	expression tag	UNP A0A059VBQ9
A	516	TYR	-	expression tag	UNP A0A059VBQ9
A	517	ILE	-	expression tag	UNP A0A059VBQ9
A	518	PRO	-	expression tag	UNP A0A059VBQ9
A	519	GLU	-	expression tag	UNP A0A059VBQ9
A	520	ALA	-	expression tag	UNP A0A059VBQ9
A	521	PRO	-	expression tag	UNP A0A059VBQ9
A	522	ARG	-	expression tag	UNP A0A059VBQ9
A	523	ASP	-	expression tag	UNP A0A059VBQ9
A	524	GLY	-	expression tag	UNP A0A059VBQ9
A	525	GLN	-	expression tag	UNP A0A059VBQ9
A	526	ALA	-	expression tag	UNP A0A059VBQ9
A	527	TYR	-	expression tag	UNP A0A059VBQ9
A	528	VAL	-	expression tag	UNP A0A059VBQ9
A	529	ARG	-	expression tag	UNP A0A059VBQ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	530	LYS	-	expression tag	UNP A0A059VBQ9
A	531	ASP	-	expression tag	UNP A0A059VBQ9
A	532	GLY	-	expression tag	UNP A0A059VBQ9
A	533	GLU	-	expression tag	UNP A0A059VBQ9
A	534	TRP	-	expression tag	UNP A0A059VBQ9
A	535	VAL	-	expression tag	UNP A0A059VBQ9
A	536	LEU	-	expression tag	UNP A0A059VBQ9
A	537	LEU	-	expression tag	UNP A0A059VBQ9
A	538	SER	-	expression tag	UNP A0A059VBQ9
A	539	THR	-	expression tag	UNP A0A059VBQ9
A	540	PHE	-	expression tag	UNP A0A059VBQ9
A	541	LEU	-	expression tag	UNP A0A059VBQ9
A	542	GLY	-	expression tag	UNP A0A059VBQ9
A	543	HIS	-	expression tag	UNP A0A059VBQ9
A	544	HIS	-	expression tag	UNP A0A059VBQ9
A	545	HIS	-	expression tag	UNP A0A059VBQ9
A	546	HIS	-	expression tag	UNP A0A059VBQ9
A	547	HIS	-	expression tag	UNP A0A059VBQ9
A	548	HIS	-	expression tag	UNP A0A059VBQ9

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	113	Total 113	O 113	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	110.44Å 110.44Å 314.14Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	28.15 – 2.46 28.15 – 2.46	Depositor EDS
% Data completeness (in resolution range)	92.3 (28.15-2.46) 92.2 (28.15-2.46)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.85 (at 2.47Å)	Xtriage
Refinement program	PHENIX (1.11.1 _2575: ???)	Depositor
R, R_{free}	0.203 , 0.259 0.214 , 0.267	Depositor DCC
R_{free} test set	1327 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	38.5	Xtriage
Anisotropy	0.166	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 57.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4080	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/4041	0.63	0/5464

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3953	0	3825	95	1
2	A	14	0	13	0	0
3	A	113	0	0	11	0
All	All	4080	0	3838	95	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:498:LYS:NZ	1:A:502:ILE:CD1	2.26	0.98

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:498:LYS:NZ	1:A:502:ILE:HD11	1.81	0.95
1:A:498:LYS:HZ1	1:A:502:ILE:HD11	1.35	0.87
1:A:323:ILE:HG22	1:A:342:GLY:H	1.38	0.87
1:A:220:PRO:O	3:A:701:HOH:O	1.93	0.86
1:A:498:LYS:HZ2	1:A:502:ILE:CD1	1.86	0.85
1:A:357:ASN:HB3	1:A:360:GLY:H	1.40	0.84
1:A:294:PHE:HZ	1:A:388:MET:HE3	1.51	0.76
1:A:373:ALA:O	1:A:377:ILE:HD13	1.88	0.74
1:A:8:ILE:HG13	1:A:448:TYR:HA	1.72	0.72
1:A:70:CYS:O	1:A:148:ARG:NH2	2.22	0.72
1:A:367:LYS:HA	1:A:370:THR:HB	1.72	0.71
1:A:172:ILE:H	1:A:172:ILE:HD12	1.58	0.67
1:A:155:LYS:HE3	1:A:158:ASN:HA	1.77	0.66
1:A:355:HIS:H	1:A:362:GLY:HA2	1.60	0.65
1:A:105:LYS:NZ	1:A:398:GLU:OE1	2.30	0.64
1:A:226:SER:HA	3:A:701:HOH:O	1.97	0.63
1:A:11:HIS:HB2	1:A:350:TRP:HA	1.80	0.63
1:A:370:THR:O	1:A:374:VAL:HG23	2.00	0.62
1:A:355:HIS:H	1:A:362:GLY:CA	2.13	0.61
1:A:354:HIS:HA	1:A:363:TYR:H	1.66	0.60
1:A:228:ARG:NH2	3:A:701:HOH:O	2.34	0.60
1:A:474:ASP:O	1:A:478:MET:HG2	2.02	0.59
1:A:383:SER:O	1:A:387:LYS:HG2	2.02	0.59
1:A:323:ILE:CG2	1:A:342:GLY:H	2.12	0.58
1:A:228:ARG:NH1	3:A:701:HOH:O	2.28	0.57
1:A:163:ILE:O	1:A:245:GLU:HA	2.05	0.57
1:A:449:ASP:CG	1:A:452:ARG:HH21	2.13	0.56
1:A:498:LYS:HZ1	1:A:502:ILE:CD1	2.00	0.55
1:A:380:LYS:HE3	1:A:432:GLU:HB3	1.88	0.54
1:A:471:HIS:ND1	1:A:472:ARG:O	2.40	0.54
1:A:359:GLN:HE22	1:A:474:ASP:HA	1.73	0.54
1:A:473:CYS:O	1:A:477:CYS:HB3	2.08	0.54
1:A:30:THR:HG22	1:A:320:LEU:N	2.23	0.54
1:A:477:CYS:O	1:A:480:SER:HB2	2.08	0.53
1:A:22:ILE:HD11	1:A:431:MET:HA	1.89	0.53
1:A:351:TYR:CE2	1:A:443:ASN:HB3	2.44	0.53
1:A:449:ASP:O	1:A:453:ARG:HG3	2.09	0.52
1:A:22:ILE:H	1:A:22:ILE:HD12	1.74	0.52
1:A:44:LEU:HD13	1:A:272:LEU:HB2	1.91	0.52
1:A:202:SER:OG	1:A:245:GLU:HB3	2.09	0.52
1:A:498:LYS:CE	1:A:502:ILE:HD11	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:498:LYS:NZ	1:A:502:ILE:HD12	2.23	0.51
1:A:320:LEU:HD22	1:A:440:HIS:HB3	1.91	0.51
1:A:45:CYS:H	1:A:282:GLN:NE2	2.08	0.51
1:A:11:HIS:N	1:A:350:TRP:O	2.39	0.51
1:A:343:TRP:NE1	3:A:703:HOH:O	2.23	0.50
1:A:357:ASN:HB3	1:A:360:GLY:N	2.19	0.49
1:A:480:SER:HB3	1:A:486:TYR:HA	1.93	0.49
1:A:478:MET:O	1:A:482:ARG:HG3	2.13	0.49
1:A:96:GLY:HA3	1:A:229:MET:O	2.13	0.49
1:A:498:LYS:HD2	3:A:729:HOH:O	2.11	0.49
1:A:179:TRP:CE2	1:A:203:VAL:HG21	2.48	0.49
1:A:19:VAL:HG21	1:A:317:ALA:HB2	1.96	0.48
1:A:357:ASN:HD21	1:A:474:ASP:C	2.21	0.48
1:A:194:TYR:O	1:A:196:ASN:N	2.46	0.48
1:A:334:ALA:HB3	1:A:342:GLY:O	2.14	0.48
1:A:473:CYS:O	1:A:474:ASP:HB3	2.12	0.48
1:A:410:ASN:O	1:A:414:GLU:HG3	2.13	0.47
1:A:460:LYS:HB2	1:A:470:TYR:OH	2.14	0.47
1:A:495:SER:O	1:A:499:ARG:HG2	2.14	0.47
1:A:97:THR:OG1	1:A:230:GLU:HG3	2.15	0.47
1:A:228:ARG:CZ	3:A:701:HOH:O	2.63	0.46
1:A:320:LEU:CD2	1:A:440:HIS:CG	2.99	0.46
1:A:292:MET:O	1:A:306:PRO:HB3	2.16	0.46
1:A:10:TYR:HB2	1:A:320:LEU:CD1	2.45	0.46
1:A:320:LEU:HD22	1:A:440:HIS:CG	2.51	0.45
1:A:479:GLU:HG3	1:A:482:ARG:NE	2.31	0.45
1:A:353:TYR:CE1	1:A:366:ASP:HB2	2.52	0.44
1:A:487:ASP:OD1	1:A:490:GLN:HB3	2.16	0.44
1:A:355:HIS:CD2	1:A:362:GLY:HA2	2.52	0.44
1:A:141:ASN:N	3:A:717:HOH:O	2.48	0.44
1:A:333:GLY:N	3:A:718:HOH:O	2.50	0.43
1:A:498:LYS:HZ2	1:A:502:ILE:HD12	1.74	0.43
1:A:146:PHE:CZ	1:A:229:MET:HE1	2.54	0.43
1:A:377:ILE:HD11	1:A:439:LEU:HD23	2.01	0.43
1:A:116:LYS:HG2	1:A:255:TYR:HB3	1.99	0.43
1:A:487:ASP:OD1	1:A:487:ASP:O	2.35	0.43
1:A:480:SER:HB3	1:A:486:TYR:CA	2.49	0.43
1:A:288:ILE:HD11	1:A:297:VAL:HB	2.01	0.43
1:A:377:ILE:O	1:A:381:VAL:HG23	2.19	0.43
1:A:355:HIS:CG	1:A:362:GLY:HA2	2.54	0.42
1:A:44:LEU:HD21	1:A:83:VAL:HG21	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:HIS:HA	1:A:229:MET:HG2	2.02	0.42
1:A:480:SER:HB3	1:A:486:TYR:HB2	2.02	0.42
1:A:307:LYS:HB3	1:A:391:GLN:CD	2.45	0.42
1:A:333:GLY:N	3:A:707:HOH:O	2.52	0.41
1:A:388:MET:HG2	1:A:391:GLN:NE2	2.35	0.41
1:A:208:LEU:HD22	1:A:234:THR:OG1	2.19	0.41
1:A:388:MET:HE2	1:A:388:MET:HB2	1.88	0.41
1:A:108:MET:HE1	1:A:114:PHE:CE2	2.56	0.41
1:A:156:LYS:HE3	1:A:156:LYS:HB2	1.92	0.40
1:A:175:LEU:HD21	1:A:258:LYS:HG2	2.02	0.40
1:A:377:ILE:N	1:A:377:ILE:HD12	2.36	0.40
1:A:224:GLY:N	3:A:708:HOH:O	2.39	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:LYS:NZ	1:A:426:GLU:OE2[3_765]	1.90	0.30

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	491/586 (84%)	457 (93%)	29 (6%)	5 (1%)	12 14

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	290	SER
1	A	363	TYR
1	A	195	GLN
1	A	455	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	505	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	437/510 (86%)	437 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	ASN
1	A	157	ASN
1	A	171	ASN
1	A	196	ASN
1	A	276	ASN
1	A	282	GLN
1	A	359	GLN
1	A	391	GLN
1	A	458	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	601	1	14,14,15	1.27	2 (14%)	17,19,21	0.94	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	601	1	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	NAG	C1-C2	3.82	1.57	1.52
2	A	601	NAG	O5-C1	-2.06	1.40	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	NAG	C4-C3-C2	2.08	114.06	111.02

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	NAG	C4-C5-C6-O6
2	A	601	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	495/586 (84%)	0.22	50 (10%)	12 10	19, 46, 118, 189	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	335	ILE	12.4
1	A	323	ILE	6.3
1	A	336	ALA	4.9
1	A	17	THR	4.3
1	A	333	GLY	4.1
1	A	480	SER	4.0
1	A	506	LEU	4.0
1	A	481	VAL	3.8
1	A	6	ILE	3.7
1	A	486	TYR	3.7
1	A	3	GLY	3.6
1	A	472	ARG	3.4
1	A	378	THR	3.4
1	A	334	ALA	3.4
1	A	473	CYS	3.3
1	A	356	SER	3.2
1	A	355	HIS	3.1
1	A	476	LYS	3.0
1	A	22	ILE	2.8
1	A	487	ASP	2.8
1	A	488	TYR	2.7
1	A	23	MET	2.7
1	A	500	GLU	2.7
1	A	351	TYR	2.7
1	A	491	TYR	2.7
1	A	337	GLY	2.6
1	A	469	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	354	HIS	2.5
1	A	453	ARG	2.5
1	A	208	LEU	2.5
1	A	497	LEU	2.5
1	A	374	VAL	2.5
1	A	5	ARG	2.5
1	A	485	THR	2.5
1	A	289	ASN	2.4
1	A	4	ASP	2.4
1	A	474	ASP	2.4
1	A	373	ALA	2.3
1	A	371	GLN	2.3
1	A	502	ILE	2.3
1	A	361	SER	2.3
1	A	369	SER	2.2
1	A	455	LEU	2.2
1	A	467	PHE	2.2
1	A	375	ASP	2.2
1	A	350	TRP	2.2
1	A	349	GLY	2.1
1	A	492	SER	2.1
1	A	157	ASN	2.1
1	A	505	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
-----	------	-------	-----	-------	------	-----	-----------------------------	-------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	A	601	14/15	0.74	0.15	77,91,98,107	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.