



wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 10:14 AM UTC

PDB ID : 9KC9 / pdb_00009kc9
EMDB ID : EMD-62246
Title : Cryo-EM structure of docked mouse bestrophin-1 in a partial open state
Authors : Lim, H.H.; Kim, K.W.; Ko, A.
Deposited on : 2024-11-01
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	689	 47% 6% 47%
1	B	689	 47% 6% 47%
1	C	689	 47% 6% 47%
1	D	689	 47% 6% 47%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	689	47% 6% 47%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 15005 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bestrophin-1,Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	365	Total 2998	C 1968	N 496	O 518	S 16	0	0
1	E	365	Total 2998	C 1968	N 496	O 518	S 16	0	0
1	B	365	Total 2998	C 1968	N 496	O 518	S 16	0	0
1	C	365	Total 2998	C 1968	N 496	O 518	S 16	0	0
1	D	365	Total 2998	C 1968	N 496	O 518	S 16	0	0

There are 175 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	552	THR	-	linker	UNP O88870
A	553	GLY	-	linker	UNP O88870
A	554	LEU	-	linker	UNP O88870
A	555	GLU	-	linker	UNP O88870
A	556	VAL	-	linker	UNP O88870
A	557	LEU	-	linker	UNP O88870
A	558	PHE	-	linker	UNP O88870
A	559	GLN	-	linker	UNP O88870
A	560	GLY	-	linker	UNP O88870
A	561	PRO	-	linker	UNP O88870
A	568	TRP	MET	engineered mutation	UNP P0ABE7
A	663	ILE	HIS	engineered mutation	UNP P0ABE7
A	667	LEU	ARG	engineered mutation	UNP P0ABE7
A	668	ASP	-	expression tag	UNP P0ABE7
A	669	TYR	-	expression tag	UNP P0ABE7
A	670	LYS	-	expression tag	UNP P0ABE7
A	671	ASP	-	expression tag	UNP P0ABE7
A	672	HIS	-	expression tag	UNP P0ABE7
A	673	ASP	-	expression tag	UNP P0ABE7
A	674	GLY	-	expression tag	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	675	ASP	-	expression tag	UNP P0ABE7
A	676	TYR	-	expression tag	UNP P0ABE7
A	677	LYS	-	expression tag	UNP P0ABE7
A	678	ASP	-	expression tag	UNP P0ABE7
A	679	HIS	-	expression tag	UNP P0ABE7
A	680	ASP	-	expression tag	UNP P0ABE7
A	681	ILE	-	expression tag	UNP P0ABE7
A	682	ASP	-	expression tag	UNP P0ABE7
A	683	TYR	-	expression tag	UNP P0ABE7
A	684	LYS	-	expression tag	UNP P0ABE7
A	685	ASP	-	expression tag	UNP P0ABE7
A	686	ASP	-	expression tag	UNP P0ABE7
A	687	ASP	-	expression tag	UNP P0ABE7
A	688	ASP	-	expression tag	UNP P0ABE7
A	689	LYS	-	expression tag	UNP P0ABE7
E	552	THR	-	linker	UNP O88870
E	553	GLY	-	linker	UNP O88870
E	554	LEU	-	linker	UNP O88870
E	555	GLU	-	linker	UNP O88870
E	556	VAL	-	linker	UNP O88870
E	557	LEU	-	linker	UNP O88870
E	558	PHE	-	linker	UNP O88870
E	559	GLN	-	linker	UNP O88870
E	560	GLY	-	linker	UNP O88870
E	561	PRO	-	linker	UNP O88870
E	568	TRP	MET	engineered mutation	UNP P0ABE7
E	663	ILE	HIS	engineered mutation	UNP P0ABE7
E	667	LEU	ARG	engineered mutation	UNP P0ABE7
E	668	ASP	-	expression tag	UNP P0ABE7
E	669	TYR	-	expression tag	UNP P0ABE7
E	670	LYS	-	expression tag	UNP P0ABE7
E	671	ASP	-	expression tag	UNP P0ABE7
E	672	HIS	-	expression tag	UNP P0ABE7
E	673	ASP	-	expression tag	UNP P0ABE7
E	674	GLY	-	expression tag	UNP P0ABE7
E	675	ASP	-	expression tag	UNP P0ABE7
E	676	TYR	-	expression tag	UNP P0ABE7
E	677	LYS	-	expression tag	UNP P0ABE7
E	678	ASP	-	expression tag	UNP P0ABE7
E	679	HIS	-	expression tag	UNP P0ABE7
E	680	ASP	-	expression tag	UNP P0ABE7
E	681	ILE	-	expression tag	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	682	ASP	-	expression tag	UNP P0ABE7
E	683	TYR	-	expression tag	UNP P0ABE7
E	684	LYS	-	expression tag	UNP P0ABE7
E	685	ASP	-	expression tag	UNP P0ABE7
E	686	ASP	-	expression tag	UNP P0ABE7
E	687	ASP	-	expression tag	UNP P0ABE7
E	688	ASP	-	expression tag	UNP P0ABE7
E	689	LYS	-	expression tag	UNP P0ABE7
B	552	THR	-	linker	UNP O88870
B	553	GLY	-	linker	UNP O88870
B	554	LEU	-	linker	UNP O88870
B	555	GLU	-	linker	UNP O88870
B	556	VAL	-	linker	UNP O88870
B	557	LEU	-	linker	UNP O88870
B	558	PHE	-	linker	UNP O88870
B	559	GLN	-	linker	UNP O88870
B	560	GLY	-	linker	UNP O88870
B	561	PRO	-	linker	UNP O88870
B	568	TRP	MET	engineered mutation	UNP P0ABE7
B	663	ILE	HIS	engineered mutation	UNP P0ABE7
B	667	LEU	ARG	engineered mutation	UNP P0ABE7
B	668	ASP	-	expression tag	UNP P0ABE7
B	669	TYR	-	expression tag	UNP P0ABE7
B	670	LYS	-	expression tag	UNP P0ABE7
B	671	ASP	-	expression tag	UNP P0ABE7
B	672	HIS	-	expression tag	UNP P0ABE7
B	673	ASP	-	expression tag	UNP P0ABE7
B	674	GLY	-	expression tag	UNP P0ABE7
B	675	ASP	-	expression tag	UNP P0ABE7
B	676	TYR	-	expression tag	UNP P0ABE7
B	677	LYS	-	expression tag	UNP P0ABE7
B	678	ASP	-	expression tag	UNP P0ABE7
B	679	HIS	-	expression tag	UNP P0ABE7
B	680	ASP	-	expression tag	UNP P0ABE7
B	681	ILE	-	expression tag	UNP P0ABE7
B	682	ASP	-	expression tag	UNP P0ABE7
B	683	TYR	-	expression tag	UNP P0ABE7
B	684	LYS	-	expression tag	UNP P0ABE7
B	685	ASP	-	expression tag	UNP P0ABE7
B	686	ASP	-	expression tag	UNP P0ABE7
B	687	ASP	-	expression tag	UNP P0ABE7
B	688	ASP	-	expression tag	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	689	LYS	-	expression tag	UNP P0ABE7
C	552	THR	-	linker	UNP O88870
C	553	GLY	-	linker	UNP O88870
C	554	LEU	-	linker	UNP O88870
C	555	GLU	-	linker	UNP O88870
C	556	VAL	-	linker	UNP O88870
C	557	LEU	-	linker	UNP O88870
C	558	PHE	-	linker	UNP O88870
C	559	GLN	-	linker	UNP O88870
C	560	GLY	-	linker	UNP O88870
C	561	PRO	-	linker	UNP O88870
C	568	TRP	MET	engineered mutation	UNP P0ABE7
C	663	ILE	HIS	engineered mutation	UNP P0ABE7
C	667	LEU	ARG	engineered mutation	UNP P0ABE7
C	668	ASP	-	expression tag	UNP P0ABE7
C	669	TYR	-	expression tag	UNP P0ABE7
C	670	LYS	-	expression tag	UNP P0ABE7
C	671	ASP	-	expression tag	UNP P0ABE7
C	672	HIS	-	expression tag	UNP P0ABE7
C	673	ASP	-	expression tag	UNP P0ABE7
C	674	GLY	-	expression tag	UNP P0ABE7
C	675	ASP	-	expression tag	UNP P0ABE7
C	676	TYR	-	expression tag	UNP P0ABE7
C	677	LYS	-	expression tag	UNP P0ABE7
C	678	ASP	-	expression tag	UNP P0ABE7
C	679	HIS	-	expression tag	UNP P0ABE7
C	680	ASP	-	expression tag	UNP P0ABE7
C	681	ILE	-	expression tag	UNP P0ABE7
C	682	ASP	-	expression tag	UNP P0ABE7
C	683	TYR	-	expression tag	UNP P0ABE7
C	684	LYS	-	expression tag	UNP P0ABE7
C	685	ASP	-	expression tag	UNP P0ABE7
C	686	ASP	-	expression tag	UNP P0ABE7
C	687	ASP	-	expression tag	UNP P0ABE7
C	688	ASP	-	expression tag	UNP P0ABE7
C	689	LYS	-	expression tag	UNP P0ABE7
D	552	THR	-	linker	UNP O88870
D	553	GLY	-	linker	UNP O88870
D	554	LEU	-	linker	UNP O88870
D	555	GLU	-	linker	UNP O88870
D	556	VAL	-	linker	UNP O88870
D	557	LEU	-	linker	UNP O88870

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	558	PHE	-	linker	UNP O88870
D	559	GLN	-	linker	UNP O88870
D	560	GLY	-	linker	UNP O88870
D	561	PRO	-	linker	UNP O88870
D	568	TRP	MET	engineered mutation	UNP P0ABE7
D	663	ILE	HIS	engineered mutation	UNP P0ABE7
D	667	LEU	ARG	engineered mutation	UNP P0ABE7
D	668	ASP	-	expression tag	UNP P0ABE7
D	669	TYR	-	expression tag	UNP P0ABE7
D	670	LYS	-	expression tag	UNP P0ABE7
D	671	ASP	-	expression tag	UNP P0ABE7
D	672	HIS	-	expression tag	UNP P0ABE7
D	673	ASP	-	expression tag	UNP P0ABE7
D	674	GLY	-	expression tag	UNP P0ABE7
D	675	ASP	-	expression tag	UNP P0ABE7
D	676	TYR	-	expression tag	UNP P0ABE7
D	677	LYS	-	expression tag	UNP P0ABE7
D	678	ASP	-	expression tag	UNP P0ABE7
D	679	HIS	-	expression tag	UNP P0ABE7
D	680	ASP	-	expression tag	UNP P0ABE7
D	681	ILE	-	expression tag	UNP P0ABE7
D	682	ASP	-	expression tag	UNP P0ABE7
D	683	TYR	-	expression tag	UNP P0ABE7
D	684	LYS	-	expression tag	UNP P0ABE7
D	685	ASP	-	expression tag	UNP P0ABE7
D	686	ASP	-	expression tag	UNP P0ABE7
D	687	ASP	-	expression tag	UNP P0ABE7
D	688	ASP	-	expression tag	UNP P0ABE7
D	689	LYS	-	expression tag	UNP P0ABE7

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
2	A	1	Total Ca 1 1	0
2	E	1	Total Ca 1 1	0
2	B	1	Total Ca 1 1	0
2	C	1	Total Ca 1 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
2	D	1	Total 1	Ca 1	0

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		AltConf
3	A	2	Total 2	Cl 2	0
3	E	2	Total 2	Cl 2	0
3	B	2	Total 2	Cl 2	0
3	C	2	Total 2	Cl 2	0
3	D	2	Total 2	Cl 2	0


[illegible]

- Molecule 1: Bestrophin-1, Soluble cytochrome b562

Chain B:  47% 6% 47%

[illegible]


- Molecule 1: Bestrophin-1, Soluble cytochrome b562

Chain C:  47% 6% 47%

ASP	ASN	MET	GLY	PRO	LYS	PRO	LYS	F281	MET
ASN	ALA	THR	GLN	ALA	ASN	GLN	ASN	I282	I2
ALA	ALA	ASN	ALA	TYR	TYR	TYR	TYR	R13	R13
GLN	GLN	ILE	PRO	GLN	HIS	HIS	HIS	Y284	Y284
VAL	VAL	GLN	SER	LEU	LEU	LEU	LEU	M285	K30
LYS	LYS	ALA	SER	PRO	PRO	PRO	PRO	L31	L31
ASP	ASP	ALA	HIS	LEU	LEU	LEU	LEU	D302	L32
ASP	ASP	MET	PRO	ASP	ASP	ASP	ASP	F305	L40
LEU	LEU	LYS	THR	LYS	LYS	LYS	LYS	L130	R51
THR	THR	GLU	GLU	LEU	LEU	LEU	LEU	L311	M52
HIS	HIS	ALA	SER	SER	THR	THR	THR	N314	L60
ALA	ARG	GLU	ALA	LEU	LYS	LYS	LYS	I315	K64
ARG	GLU	GLU	PRO	SER	LEU	LEU	LEU	Q316	Y68
ALA	ALA	THR	SER	SER	SER	SER	SER	V317	P77
ALA	ASP	ARG	ASP	ASP	LYS	LYS	LYS	S318	I78
ALA	ALA	ASP	THR	THR	ASN	ASN	ASN	P343	V61
GLN	GLN	GLU	GLY	PRO	PRO	GLY	GLY	Q344	I76
LYS	LYS	ALA	GLY	LEU	LEU	LEU	LEU	P345	P77
ALA	ALA	GLY	GLY	PRO	GLU	GLU	GLU	L128	L128
THR	THR	THR	PRO	SER	GLY	GLY	SER	I129	I129
PRO	PRO	LYS	SER	GLY	LYS	LYS	SER	R150	R150
PRO	PRO	PRO	THR	THR	ASP	ASP	LYS	K173	K173
LYS	LYS	VAL	LYS	GLN	ASP	GLN	LYS	V183	V183
ASP	ASP	GLU	GLU	GLN	ALA	ALA	GLU	P184	P184
GLY	GLY	GLU	ILE	ILE	ASN	ASN	ASP	Y196	Y196
GLY	GLY	GLU	CYS	CYS	GLN	GLN	GLU	L207	L207
GLY	GLY	GLU	GLN	GLN	LEU	LEU	LEU	Q208	Q208
GLY	GLY	GLU	GLY	GLY	GLY	GLY	GLY	M211	M211
GLY	GLY	GLU	THR	THR	THR	THR	THR	R218	R218
GLY	GLY	ASN	ILE	ILE	ILE	ILE	ILE	L224	L224
ASP	ASP	LEU	GLN	GLN	LYS	LYS	GLY	V261	V261
LYS	LYS	VAL	GLN	GLN	ARG	ARG	PHE	K262	K262
LEU	LEU	ALA	ARG	ARG	CYS	CYS	PHE	D263	D263
LEU	LEU	ILE	ARG	ARG	GLY	GLY	GLY	GLN	GLN
LEU	LEU	LYS	GLY	GLY	LEU	LEU	LEU	THR	THR
ALA	ALA	THR	ASP	ASP	THR	THR	THR	GLN	GLN
ASN	ASN	ALA	GLN	GLN	LYS	LYS	GLY	LYS	LYS

GLU	GLY	LYS	VAL	LYS	GLU	ALA	GLN	ALA	ALA	ALA	GLU	GLN	LEU	LYS	THR	THR	ARG	ASN	ALA	TYR	ILE	GLN	LYS	TYR	LEU	ASP	TYR	LYS	ASP	HIS	ASP	GLY	ASP	TYR	LYS	ASP	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

● Molecule 1: Bestrophin-1,Soluble cytochrome b562



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	97720	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2750	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	8.376	Depositor
Minimum map value	-4.970	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.246	Depositor
Recommended contour level	0.5	Depositor
Map size ($\text{\AA}$)	261.0, 261.0, 261.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.87, 0.87, 0.87	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.19	1/3086 (0.0%)	0.36	1/4202 (0.0%)
1	B	0.20	1/3086 (0.0%)	0.36	1/4202 (0.0%)
1	C	0.19	1/3086 (0.0%)	0.36	1/4202 (0.0%)
1	D	0.19	1/3086 (0.0%)	0.36	1/4202 (0.0%)
1	E	0.19	1/3086 (0.0%)	0.36	1/4202 (0.0%)
All	All	0.19	5/15430 (0.0%)	0.36	5/21010 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	208	GLN	C-O	-5.72	1.16	1.24
1	A	208	GLN	C-O	-5.71	1.16	1.24
1	D	208	GLN	C-O	-5.70	1.16	1.24
1	E	208	GLN	C-O	-5.68	1.16	1.24
1	C	208	GLN	C-O	-5.68	1.16	1.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	311	ILE	N-CA-C	-6.77	103.43	113.39
1	A	311	ILE	N-CA-C	-6.77	103.43	113.39
1	D	311	ILE	N-CA-C	-6.77	103.43	113.39
1	C	311	ILE	N-CA-C	-6.76	103.45	113.39
1	E	311	ILE	N-CA-C	-6.74	103.48	113.39

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2998	0	2979	29	0
1	B	2998	0	2979	30	0
1	C	2998	0	2979	31	0
1	D	2998	0	2979	30	0
1	E	2998	0	2979	31	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
3	A	2	0	0	2	0
3	B	2	0	0	2	0
3	C	2	0	0	2	0
3	D	2	0	0	2	0
3	E	2	0	0	2	0
All	All	15005	0	14895	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 132 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:76:ILE:O	1:C:78:ILE:N	2.24	0.71
1:B:76:ILE:O	1:B:78:ILE:N	2.24	0.70
1:E:218:ARG:NH1	3:E:703:CL:CL	2.62	0.70
1:B:68:TYR:OH	3:B:702:CL:CL	2.47	0.70
1:C:68:TYR:OH	3:C:702:CL:CL	2.47	0.70

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	363/689 (53%)	349 (96%)	14 (4%)	0	100	100
1	B	363/689 (53%)	350 (96%)	13 (4%)	0	100	100
1	C	363/689 (53%)	349 (96%)	14 (4%)	0	100	100
1	D	363/689 (53%)	349 (96%)	14 (4%)	0	100	100
1	E	363/689 (53%)	350 (96%)	13 (4%)	0	100	100
All	All	1815/3445 (53%)	1747 (96%)	68 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	327/613 (53%)	325 (99%)	2 (1%)	78	83
1	B	327/613 (53%)	325 (99%)	2 (1%)	78	83
1	C	327/613 (53%)	325 (99%)	2 (1%)	78	83
1	D	327/613 (53%)	325 (99%)	2 (1%)	78	83
1	E	327/613 (53%)	325 (99%)	2 (1%)	78	83
All	All	1635/3065 (53%)	1625 (99%)	10 (1%)	76	83

5 of 10 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	310	ILE
1	D	208	GLN
1	D	310	ILE
1	E	310	ILE
1	B	208	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	155	HIS
1	D	223	GLN
1	D	328	ASN
1	B	155	HIS
1	B	328	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 15 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-62246. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 135




Y Index: 136




Z Index: 116


6.3.2 Raw map



X Index: 144



Y Index: 135




Z Index: 96


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 199 nm³; this corresponds to an approximate mass of 179 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.323 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.10	3.43	3.17
Unmasked-calculated*	3.51	3.97	3.63

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.51 differs from the reported value 3.1 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-62246 and PDB model 9KC9. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9230	0.5720
A	0.9240	0.5710
B	0.9210	0.5720
C	0.9220	0.5730
D	0.9220	0.5710
E	0.9240	0.5710

