



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 02:58 AM UTC

PDB ID : 6KF9 / pdb_00006kf9
EMDB ID : EMD-9970
Title : Cryo-EM structure of Thermococcus kodakarensis RNA polymerase
Authors : Jun, S.-H.; Hyun, J.; Jeong, H.; Cha, J.S.; Kim, H.; Bartlett, M.S.; Cho, H.-S.; Murakami, K.S.
Deposited on : 2019-07-07
Resolution : 3.79 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8989 (3.35 - 4.35)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	906	14% 83% 15% ..
2	B	1123	42% 81% 16% ..
3	C	391	32% 78% 21% .
4	D	259	40% 86% 13% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	190	
6	F	122	
7	H	82	
8	K	57	
9	L	94	
10	N	65	
11	P	49	
12	G	185	
13	X	16	
14	Y	27	

2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 28232 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	900	Total	C	N	O	S	0	0
			7181	4535	1277	1330	39		

- Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	1114	Total	C	N	O	S	0	0
			8892	5616	1587	1652	37		

- Molecule 3 is a protein called DNA-directed RNA polymerase subunit A”.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	388	Total	C	N	O	S	0	0
			3037	1920	525	582	10		

- Molecule 4 is a protein called DNA-directed RNA polymerase subunit D.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	257	Total	C	N	O	S	0	0
			2058	1325	340	389	4		

- Molecule 5 is a protein called DNA-directed RNA polymerase, subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	181	Total	C	N	O	S	0	0
			1465	939	250	267	9		

- Molecule 6 is a protein called DNA-directed RNA polymerase, subunit F.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	122	Total	C	N	O	S	0	0
			1020	654	169	193	4		

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	115	ILE	-	expression tag	UNP Q5JI52
F	116	ASP	-	expression tag	UNP Q5JI52
F	117	GLU	-	expression tag	UNP Q5JI52
F	118	TYR	-	expression tag	UNP Q5JI52
F	119	ARG	-	expression tag	UNP Q5JI52
F	120	PRO	-	expression tag	UNP Q5JI52
F	121	LEU	-	expression tag	UNP Q5JI52
F	122	GLU	-	expression tag	UNP Q5JI52

- Molecule 7 is a protein called DNA-directed RNA polymerase subunit H.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	H	76	Total	C	N	O	0	0
			627	408	105	114		

- Molecule 8 is a protein called DNA-directed RNA polymerase subunit K.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	K	56	Total	C	N	O	S	0	0
			433	284	75	73	1		

- Molecule 9 is a protein called DNA-directed RNA polymerase subunit L.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	L	94	Total	C	N	O	S	0	0
			775	493	134	146	2		

- Molecule 10 is a protein called DNA-directed RNA polymerase subunit N.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	N	65	Total	C	N	O	S	0	0
			529	340	89	94	6		

- Molecule 11 is a protein called DNA-directed RNA polymerase subunit P.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	P	44	Total	C	N	O	S	0	0
			352	221	70	57	4		

- Molecule 12 is a protein called Transcription factor E.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	G	166	Total	C	N	O	S	0	0
			1386	881	228	267	10		

- Molecule 13 is a DNA chain called DNA (5'-D(P*TP*CP*GP*GP*TP*AP*AP*TP*CP*AP*CP*GP*CP*TP*CP*C)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
13	X	14	Total	C	N	O	P	0	0
			285	136	50	85	14		

- Molecule 14 is a DNA chain called DNA (27-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
14	Y	9	Total	C	N	O	P	0	0
			185	88	35	53	9		

- Molecule 15 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
15	A	1	Total	Mg	0
			1	1	


- Molecule 16 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
16	A	2	Total	Zn	0
			2	2	
16	B	1	Total	Zn	0
			1	1	
16	N	1	Total	Zn	0
			1	1	
16	P	1	Total	Zn	0
			1	1	
16	G	1	Total	Zn	0
			1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA-directed RNA polymerase subunit





- Molecule 2: DNA-directed RNA polymerase subunit beta











• Molecule 3: DNA-directed RNA polymerase subunit A''




• Molecule 4: DNA-directed RNA polymerase subunit D




• Molecule 5: DNA-directed RNA polymerase, subunit E









• Molecule 6: DNA-directed RNA polymerase, subunit F





• Molecule 7: DNA-directed RNA polymerase subunit H





• Molecule 8: DNA-directed RNA polymerase subunit K



• Molecule 9: DNA-directed RNA polymerase subunit L



• Molecule 10: DNA-directed RNA polymerase subunit N





• Molecule 11: DNA-directed RNA polymerase subunit P








• Molecule 12: Transcription factor E



• Molecule 13: DNA (5'-D(P*TP*CP*GP*GP*TP*AP*AP*TP*CP*AP*CP*GP*CP*TP*CP*C)-3')



• Molecule 14: DNA (27-MER)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	312092	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	35.0	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.966	Depositor
Minimum map value	-0.803	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.07	Depositor
Map size (Å)	246.4, 246.4, 246.4	wwPDB
Map dimensions	176, 176, 176	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.4, 1.4, 1.4	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/7324	0.75	2/9885 (0.0%)
2	B	0.35	0/9070	0.76	14/12256 (0.1%)
3	C	0.32	0/3077	0.79	0/4156
4	D	0.33	0/2103	0.70	0/2848
5	E	0.21	0/1491	0.47	0/2008
6	F	0.19	0/1040	0.58	2/1399 (0.1%)
7	H	0.32	0/641	0.78	1/866 (0.1%)
8	K	0.32	0/441	0.67	0/598
9	L	0.30	0/790	0.74	0/1066
10	N	0.40	0/538	0.87	1/723 (0.1%)
11	P	0.39	0/357	1.14	4/477 (0.8%)
12	G	0.23	0/1409	0.72	0/1890
13	X	0.41	0/318	0.73	0/488
14	Y	0.26	0/207	0.56	0/317
All	All	0.33	0/28806	0.74	24/38977 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
2	B	0	3
3	C	0	6
7	H	0	1
8	K	0	2
11	P	0	1
12	G	0	3
All	All	0	19

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	H	42	GLN	N-CA-C	7.55	119.75	110.91
2	B	12	LEU	CA-C-N	7.05	139.01	121.80
2	B	12	LEU	C-N-CA	7.05	139.01	121.80
6	F	28	GLY	CA-C-N	6.77	133.89	121.70
6	F	28	GLY	C-N-CA	6.77	133.89	121.70
11	P	13	LYS	CA-C-N	6.77	134.47	121.54
11	P	13	LYS	C-N-CA	6.77	134.47	121.54
2	B	57	VAL	CA-C-N	6.69	143.06	127.00
2	B	57	VAL	C-N-CA	6.69	143.06	127.00
2	B	57	VAL	C-N-CD	-6.09	107.19	120.60
2	B	819	PRO	N-CA-C	6.01	124.85	112.47
11	P	13	LYS	CA-CB-CG	5.82	125.74	114.10
11	P	14	GLU	N-CA-C	5.73	123.01	110.80
2	B	1030	LEU	CA-C-N	-5.56	113.31	121.99
2	B	1030	LEU	C-N-CA	-5.56	113.31	121.99
2	B	1076	LYS	CA-C-N	5.51	132.07	121.54
2	B	1076	LYS	C-N-CA	5.51	132.07	121.54
1	A	504	ILE	CA-C-N	5.49	129.05	120.82
1	A	504	ILE	C-N-CA	5.49	129.05	120.82
10	N	6	ARG	N-CA-C	-5.46	99.17	110.80
2	B	289	TYR	CA-CB-CG	5.22	123.29	113.90
2	B	1079	GLY	CA-C-N	5.09	131.25	121.54
2	B	1079	GLY	C-N-CA	5.09	131.25	121.54
2	B	899	GLU	CA-CB-CG	-5.08	103.93	114.10

There are no chirality outliers.

All (19) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	427	GLN	Peptide
1	A	455	CYS	Peptide
1	A	874	GLU	Peptide
2	B	10	PRO	Peptide
2	B	704	LEU	Peptide
2	B	781	ASN	Peptide
3	C	110	ASN	Peptide
3	C	203	LYS	Peptide
3	C	204	LYS	Peptide
3	C	342	THR	Peptide
3	C	35	TYR	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	C	384	LEU	Peptide
12	G	112	GLU	Peptide
12	G	146	GLN	Peptide
12	G	147	TYR	Peptide
7	H	47	ASP	Peptide
8	K	30	VAL	Peptide
8	K	31	PRO	Peptide
11	P	14	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7181	0	7250	77	0
2	B	8892	0	8950	96	0
3	C	3037	0	3151	40	0
4	D	2058	0	2068	21	0
5	E	1465	0	1503	11	0
6	F	1020	0	1024	6	0
7	H	627	0	642	4	0
8	K	433	0	466	3	0
9	L	775	0	770	10	0
10	N	529	0	543	10	0
11	P	352	0	376	9	0
12	G	1386	0	1382	13	0
13	X	285	0	159	0	0
14	Y	185	0	102	0	0
15	A	1	0	0	0	0
16	A	2	0	0	0	0
16	B	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	P	1	0	0	0	0
All	All	28232	0	28386	254	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (254) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:107:ALA:HB1	3:C:270:TRP:HE1	1.53	0.73
1:A:597:PRO:HA	1:A:601:ARG:HD2	1.72	0.72
1:A:445:TYR:HB2	1:A:449:ARG:HH22	1.58	0.67
1:A:203:LEU:HD21	3:C:352:ARG:HH21	1.61	0.65
1:A:263:ALA:O	12:G:51:ARG:NH1	2.30	0.65
2:B:78:GLN:HB3	2:B:84:ARG:HG2	1.80	0.64
1:A:285:ASN:ND2	1:A:301:LEU:O	2.32	0.60
2:B:857:THR:OG1	2:B:858:GLU:N	2.33	0.60
4:D:89:LEU:HB2	4:D:133:ALA:HB3	1.84	0.60
2:B:427:LEU:HD23	2:B:429:ARG:HH21	1.66	0.59
4:D:62:ARG:HH22	10:N:2:ILE:HB	1.67	0.59
2:B:1052:ARG:NH1	2:B:1056:GLU:OE1	2.35	0.59
1:A:570:TRP:HB3	1:A:610:TYR:HD1	1.66	0.59
10:N:7:CYS:SG	10:N:8:PHE:N	2.70	0.59
2:B:1065:CYS:SG	2:B:1066:GLU:N	2.75	0.58
1:A:340:ILE:HD12	1:A:650:LEU:HD22	1.85	0.58
1:A:325:ASN:OD1	2:B:1008:ARG:NH1	2.36	0.58
2:B:13:THR:OG1	2:B:16:GLU:OE1	2.21	0.58
1:A:429:SER:OG	2:B:1036:GLU:OE2	2.19	0.57
4:D:71:PRO:HG3	4:D:110:ASP:HB3	1.87	0.57
1:A:468:ASN:OD1	1:A:468:ASN:N	2.37	0.57
8:K:34:ILE:HG23	8:K:38:GLN:HB2	1.86	0.57
2:B:47:GLN:HE21	2:B:51:ASN:HD21	1.53	0.57
1:A:147:CYS:SG	1:A:149:HIS:ND1	2.77	0.56
1:A:871:LYS:HB3	1:A:875:ASP:HB3	1.87	0.56
4:D:62:ARG:NH1	4:D:120:ILE:O	2.38	0.56
1:A:384:VAL:HG23	1:A:412:VAL:HG22	1.86	0.56
1:A:774:ILE:HG13	1:A:826:GLU:HG3	1.87	0.56
1:A:853:LYS:HB3	3:C:373:VAL:HG12	1.87	0.56
6:F:5:LYS:HE2	6:F:7:LEU:HB3	1.86	0.56
2:B:659:TYR:HB3	2:B:662:HIS:HD2	1.71	0.56
1:A:178:LYS:O	12:G:67:ARG:NH2	2.39	0.56
4:D:43:ASP:OD2	4:D:136:ARG:NH1	2.39	0.56
1:A:360:THR:OG1	1:A:361:GLU:N	2.39	0.55
2:B:903:TRP:CD1	4:D:30:ARG:HH22	2.24	0.55
10:N:8:PHE:HB2	10:N:47:ARG:HH22	1.71	0.55
2:B:81:GLN:NE2	11:P:24:GLU:OE2	2.40	0.55
2:B:579:ARG:NH2	2:B:623:GLU:OE2	2.38	0.55
2:B:512:GLU:OE2	2:B:514:ARG:NH1	2.40	0.55
1:A:236:ARG:HE	2:B:820:ARG:HH11	1.55	0.55
1:A:311:LYS:HA	1:A:316:ARG:HH21	1.72	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:773:ASP:HB3	2:B:818:PRO:HD3	1.89	0.55
2:B:436:LEU:HD22	2:B:652:ILE:HG12	1.88	0.55
1:A:896:ARG:NH2	3:C:52:GLU:OE2	2.40	0.54
2:B:1058:ASP:OD1	2:B:1058:ASP:N	2.40	0.54
4:D:6:ILE:HG21	4:D:9:LYS:HE3	1.89	0.54
2:B:165:GLU:OE1	2:B:429:ARG:NH2	2.41	0.54
2:B:284:GLY:O	12:G:69:ARG:NH2	2.41	0.54
3:C:127:ASP:OD1	3:C:127:ASP:N	2.41	0.54
3:C:215:ALA:O	3:C:220:LYS:NZ	2.41	0.53
1:A:426:ARG:HD3	1:A:428:PRO:HD2	1.90	0.53
1:A:541:PRO:O	1:A:553:TRP:NE1	2.42	0.53
5:E:53:GLU:HB2	5:E:71:ILE:HD12	1.90	0.53
12:G:113:ILE:HG21	12:G:124:LYS:HB2	1.91	0.53
2:B:903:TRP:HH2	4:D:153:TYR:H	1.56	0.52
2:B:884:SER:OG	2:B:885:ARG:N	2.42	0.52
3:C:136:ARG:NH2	3:C:174:ASP:OD2	2.41	0.52
3:C:336:ARG:HB3	3:C:346:LEU:HD21	1.91	0.52
1:A:813:THR:OG1	1:A:816:GLU:OE1	2.24	0.52
2:B:735:ASN:HA	2:B:739:ALA:HB3	1.92	0.52
1:A:891:ASP:N	1:A:891:ASP:OD1	2.40	0.52
3:C:267:ASN:ND2	3:C:288:GLU:OE2	2.43	0.52
9:L:2:ARG:NH2	9:L:18:GLU:OE2	2.43	0.52
2:B:546:ARG:NH2	2:B:616:GLU:OE2	2.43	0.52
1:A:263:ALA:HB1	12:G:51:ARG:HD2	1.92	0.52
3:C:133:GLU:HA	3:C:136:ARG:HD3	1.92	0.52
1:A:595:PRO:HD2	1:A:601:ARG:HH11	1.76	0.51
3:C:168:LEU:HD22	3:C:175:MET:HE2	1.93	0.51
12:G:10:LEU:HD22	12:G:22:VAL:HG13	1.92	0.51
5:E:91:GLU:HB3	5:E:98:PHE:HB2	1.92	0.51
3:C:90:ALA:HA	3:C:233:ILE:HG21	1.93	0.51
2:B:95:ARG:HG3	2:B:97:LEU:HD13	1.92	0.51
2:B:239:THR:HG22	2:B:241:LYS:H	1.76	0.50
2:B:66:LYS:HB3	2:B:108:ILE:HB	1.92	0.50
2:B:50:VAL:HG21	2:B:70:ILE:HD11	1.93	0.50
4:D:246:LYS:HE2	9:L:24:PHE:HB2	1.93	0.50
6:F:103:PRO:HB2	6:F:108:ALA:HB2	1.93	0.50
11:P:18:ASP:OD1	11:P:18:ASP:N	2.39	0.50
1:A:531:MET:HE1	9:L:58:LYS:HD3	1.94	0.50
4:D:151:VAL:HG22	4:D:224:VAL:HG22	1.93	0.50
1:A:335:ASP:N	1:A:335:ASP:OD1	2.43	0.50
1:A:471:VAL:O	2:B:1052:ARG:NH2	2.45	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:878:LEU:HD21	2:B:894:LEU:HA	1.93	0.50
9:L:14:GLU:OE1	9:L:56:ARG:NH2	2.44	0.49
1:A:432:ARG:HG3	3:C:67:VAL:HG12	1.94	0.49
2:B:522:VAL:HG22	2:B:568:VAL:HB	1.95	0.49
1:A:188:ASP:O	1:A:192:LYS:NZ	2.45	0.49
2:B:212:ASP:N	2:B:212:ASP:OD1	2.44	0.49
3:C:168:LEU:HG	3:C:173:LEU:HB2	1.95	0.49
7:H:40:LEU:HB2	7:H:78:LEU:HD13	1.94	0.49
1:A:265:GLN:HB2	12:G:51:ARG:HD3	1.94	0.49
2:B:64:LYS:HB2	2:B:110:VAL:HB	1.94	0.49
11:P:19:LEU:HD12	11:P:20:ALA:H	1.77	0.49
2:B:958:ARG:HH21	2:B:968:HIS:CD2	2.31	0.49
2:B:735:ASN:HB3	2:B:741:ILE:HG13	1.95	0.49
1:A:244:LYS:HE2	1:A:301:LEU:HD22	1.95	0.49
2:B:222:VAL:HG11	2:B:281:ALA:HA	1.95	0.49
1:A:870:PHE:O	7:H:73:TYR:OH	2.30	0.49
2:B:60:ILE:HG12	2:B:62:ASN:H	1.76	0.49
2:B:856:VAL:HG13	11:P:35:LEU:HB2	1.95	0.49
2:B:10:PRO:O	2:B:593:ARG:NH2	2.42	0.48
3:C:122:GLU:HG2	3:C:125:ARG:HH12	1.77	0.48
2:B:510:ILE:HD11	2:B:529:ILE:HA	1.95	0.48
2:B:852:ASP:O	11:P:39:ARG:NH2	2.45	0.48
3:C:343:THR:O	3:C:347:PHE:N	2.40	0.48
1:A:245:LEU:HD23	1:A:248:ILE:HD12	1.94	0.48
1:A:838:SER:HB2	3:C:98:LEU:HD11	1.96	0.48
3:C:191:PHE:HD2	3:C:198:LEU:HD13	1.78	0.48
1:A:774:ILE:HG12	1:A:775:ARG:HD3	1.96	0.48
2:B:854:VAL:HG22	2:B:868:VAL:HG22	1.95	0.48
2:B:546:ARG:NH1	2:B:555:ILE:O	2.41	0.48
2:B:652:ILE:HG23	2:B:653:PRO:HD3	1.96	0.48
2:B:699:TYR:O	2:B:722:GLN:NE2	2.45	0.48
2:B:298:ILE:HG23	2:B:302:LEU:HD12	1.95	0.47
1:A:80:ALA:O	1:A:81:ARG:NE	2.46	0.47
9:L:32:LEU:HD22	9:L:38:VAL:HG21	1.95	0.47
1:A:195:ASP:OD1	1:A:209:ARG:NH1	2.46	0.47
1:A:706:LEU:HG	1:A:708:PRO:HD3	1.97	0.47
1:A:840:TYR:OH	3:C:323:ARG:NH1	2.47	0.47
1:A:875:ASP:N	1:A:875:ASP:OD1	2.46	0.47
6:F:116:ASP:HA	6:F:119:ARG:HE	1.77	0.47
1:A:341:ASN:ND2	1:A:488:GLN:OE1	2.47	0.47
3:C:58:ILE:HD11	3:C:62:GLU:HG2	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:175:ALA:HB1	2:B:178:LYS:HG3	1.96	0.47
2:B:389:ASN:O	2:B:393:PHE:N	2.40	0.47
1:A:844:ARG:NH1	3:C:106:ASP:OD2	2.47	0.47
2:B:635:VAL:HG11	2:B:642:LEU:HD12	1.97	0.47
7:H:47:ASP:O	7:H:49:ALA:N	2.48	0.47
2:B:207:VAL:HG12	2:B:217:VAL:HG22	1.96	0.47
2:B:591:LEU:HB2	2:B:614:VAL:HG21	1.97	0.47
3:C:332:SER:OG	3:C:356:ASP:OD1	2.25	0.47
12:G:119:THR:OG1	12:G:121:GLY:O	2.32	0.47
5:E:2:TYR:HH	6:F:44:SER:HG	1.60	0.47
11:P:17:LEU:HD11	11:P:35:LEU:HD21	1.96	0.47
3:C:148:ARG:NH1	3:C:149:GLU:OE2	2.47	0.46
1:A:29:ILE:HD13	1:A:220:VAL:HG21	1.96	0.46
2:B:766:ARG:HG2	2:B:772:LYS:HB2	1.97	0.46
3:C:319:ARG:HH21	3:C:326:ILE:HG12	1.81	0.46
1:A:314:ARG:HH22	2:B:1017:THR:HG22	1.80	0.46
2:B:556:ASN:N	2:B:556:ASN:OD1	2.48	0.46
1:A:673:GLU:HB2	1:A:809:LYS:HE3	1.97	0.46
4:D:255:HIS:NE2	9:L:72:GLU:OE2	2.47	0.46
1:A:414:ARG:NH1	1:A:415:HIS:O	2.48	0.46
2:B:132:SER:OG	2:B:133:LYS:N	2.49	0.46
3:C:313:THR:HG22	3:C:318:ILE:HG22	1.97	0.46
2:B:679:LEU:HD21	2:B:998:HIS:HB3	1.97	0.46
2:B:766:ARG:HH12	2:B:862:GLY:HA3	1.80	0.46
1:A:87:GLY:HA3	3:C:344:GLN:HE21	1.81	0.46
4:D:167:ASP:OD2	4:D:202:LYS:NZ	2.48	0.46
5:E:83:GLU:HB3	5:E:146:ILE:HD12	1.97	0.46
1:A:875:ASP:HA	1:A:876:GLY:HA2	1.66	0.45
1:A:887:THR:O	1:A:889:ASP:N	2.49	0.45
3:C:303:ARG:NH2	7:H:69:THR:OG1	2.50	0.45
4:D:38:PRO:HG2	4:D:77:LEU:HD22	1.98	0.45
2:B:452:HIS:HB3	2:B:455:ALA:HB3	1.98	0.45
2:B:706:ASN:ND2	2:B:716:GLU:OE2	2.38	0.45
1:A:337:MET:HE2	9:L:47:HIS:H	1.81	0.45
2:B:369:ASP:OD1	2:B:399:ARG:NH2	2.49	0.45
3:C:236:LYS:HG3	3:C:241:TYR:HE1	1.81	0.45
4:D:22:ASP:N	4:D:22:ASP:OD1	2.47	0.45
2:B:273:ALA:HA	2:B:276:TYR:HB2	1.98	0.45
8:K:49:ILE:H	8:K:49:ILE:HG13	1.61	0.45
1:A:505:GLN:HA	1:A:755:ALA:HB1	1.98	0.45
1:A:701:TYR:HE1	1:A:714:LEU:HB3	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:105:LEU:HD12	2:B:123:ILE:HD11	1.98	0.45
2:B:431:ASN:ND2	2:B:675:ALA:O	2.50	0.45
12:G:118:GLY:O	12:G:142:LYS:NZ	2.44	0.45
2:B:904:THR:HG23	2:B:974:MET:HG3	1.99	0.44
6:F:90:LEU:HA	6:F:93:ARG:HH21	1.81	0.44
1:A:295:HIS:CD2	1:A:299:ARG:HH21	2.36	0.44
1:A:229:ILE:O	1:A:237:ALA:N	2.51	0.44
2:B:763:GLU:HA	2:B:865:LEU:HA	1.99	0.44
2:B:782:ILE:H	2:B:782:ILE:HG12	1.58	0.44
2:B:774:ASN:O	2:B:816:THR:OG1	2.29	0.44
12:G:125:LEU:HD12	12:G:144:LEU:HD21	1.98	0.44
2:B:509:PRO:HA	2:B:530:GLY:HA2	2.00	0.44
4:D:181:PRO:HG2	4:D:192:THR:HB	1.98	0.44
5:E:49:LEU:HB2	5:E:73:ASN:HB2	2.00	0.44
1:A:358:LYS:HG2	8:K:21:ALA:HB1	1.99	0.44
2:B:956:LYS:HD2	2:B:956:LYS:HA	1.81	0.44
5:E:180:LYS:NZ	6:F:88:ASP:OD2	2.43	0.44
11:P:7:ARG:NH1	11:P:21:THR:OG1	2.46	0.44
1:A:9:GLY:H	2:B:1119:LEU:HA	1.83	0.44
3:C:37:LEU:HD23	3:C:37:LEU:H	1.82	0.44
1:A:391:ARG:NH1	2:B:1010:ARG:HH12	2.16	0.43
3:C:103:GLU:HG2	3:C:108:ARG:HD3	2.00	0.43
1:A:319:LEU:HD23	3:C:366:LEU:HD11	2.00	0.43
2:B:126:LEU:HD12	2:B:127:PRO:HD2	2.00	0.43
9:L:71:LEU:HD23	9:L:71:LEU:HA	1.88	0.43
11:P:26:ARG:HG2	11:P:33:LYS:HE2	2.01	0.43
4:D:243:LEU:HD22	4:D:243:LEU:HA	1.88	0.43
1:A:94:ARG:HG3	1:A:138:HIS:CD2	2.53	0.43
1:A:209:ARG:HB2	1:A:212:TRP:CD2	2.53	0.42
1:A:573:ASN:ND2	1:A:622:ASP:OD1	2.51	0.42
3:C:327:VAL:HG11	3:C:339:PHE:HB3	2.01	0.42
10:N:53:VAL:HB	10:N:55:LEU:HG	2.00	0.42
1:A:387:PRO:HD3	1:A:410:TRP:CD1	2.53	0.42
2:B:35:LEU:HD21	2:B:132:SER:HA	2.00	0.42
12:G:165:ILE:HD13	12:G:165:ILE:HA	1.90	0.42
1:A:743:MET:N	1:A:743:MET:SD	2.93	0.42
2:B:674:MET:HE1	2:B:889:LYS:HE3	2.01	0.42
3:C:321:ILE:HD12	3:C:326:ILE:HD12	2.01	0.42
5:E:8:LYS:HG2	5:E:71:ILE:HG12	2.02	0.42
1:A:127:LYS:HE2	3:C:336:ARG:HH22	1.85	0.42
1:A:527:GLU:OE2	9:L:41:ALA:N	2.40	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:100:ARG:HD2	3:C:100:ARG:HA	1.83	0.42
1:A:269:GLU:OE1	12:G:78:TYR:OH	2.36	0.42
2:B:698:HIS:CD2	4:D:58:ILE:HD11	2.55	0.42
2:B:726:VAL:HG21	2:B:992:ILE:HD12	2.02	0.42
1:A:60:CYS:SG	1:A:61:GLU:N	2.89	0.41
2:B:510:ILE:HA	2:B:513:ARG:HG2	2.02	0.41
4:D:44:GLU:OE2	11:P:45:ARG:NH2	2.54	0.41
2:B:166:ARG:NH2	2:B:424:SER:O	2.37	0.41
2:B:173:ASP:OD1	2:B:349:LYS:NZ	2.38	0.41
2:B:742:ILE:HD13	2:B:747:ILE:HD11	2.02	0.41
2:B:817:SER:HB3	2:B:837:ARG:HH21	1.85	0.41
3:C:15:GLU:O	3:C:18:ASP:N	2.48	0.41
5:E:112:GLN:HG2	12:G:146:GLN:HE22	1.86	0.41
5:E:155:VAL:HG12	5:E:157:ARG:H	1.85	0.41
1:A:254:ARG:O	1:A:258:ASN:N	2.47	0.41
2:B:925:VAL:H	2:B:925:VAL:HG23	1.67	0.41
4:D:91:LEU:HD13	4:D:104:LEU:HD23	2.03	0.41
10:N:63:LYS:HE2	10:N:63:LYS:HB2	1.92	0.41
1:A:425:ASN:HD21	2:B:1036:GLU:CD	2.28	0.41
1:A:510:GLY:HA2	1:A:661:ILE:HD13	2.03	0.41
3:C:100:ARG:NH2	3:C:288:GLU:OE2	2.42	0.41
4:D:7:LEU:HD12	4:D:15:LYS:HG2	2.03	0.41
2:B:744:LYS:HB3	2:B:897:PRO:HA	2.03	0.41
9:L:77:LYS:HE2	9:L:77:LYS:HB2	1.78	0.41
10:N:6:ARG:HD3	10:N:6:ARG:HA	1.93	0.41
10:N:16:ASP:OD1	10:N:16:ASP:N	2.53	0.41
1:A:845:LEU:HD11	3:C:105:VAL:HG11	2.03	0.41
2:B:89:PRO:HG3	2:B:99:TYR:CZ	2.56	0.41
2:B:161:ILE:HD12	2:B:411:LEU:HD22	2.03	0.41
2:B:884:SER:HB2	2:B:994:TYR:CE1	2.56	0.41
10:N:60:MET:HE3	10:N:60:MET:HB3	1.86	0.41
2:B:743:ASN:HB3	2:B:746:SER:HB2	2.02	0.40
1:A:160:GLU:HG2	1:A:161:ARG:H	1.85	0.40
1:A:346:PRO:HG2	1:A:349:VAL:HB	2.03	0.40
2:B:510:ILE:HD11	2:B:529:ILE:HG22	2.03	0.40
2:B:520:TYR:CD1	2:B:531:THR:HB	2.55	0.40
1:A:592:LYS:O	1:A:594:ILE:N	2.54	0.40
2:B:837:ARG:HE	2:B:837:ARG:HB3	1.68	0.40
3:C:128:ARG:HH12	3:C:132:LEU:HD21	1.86	0.40
2:B:376:LYS:HD2	2:B:376:LYS:HA	1.93	0.40
2:B:385:TYR:O	2:B:389:ASN:N	2.55	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:688:ILE:HG23	10:N:64:VAL:HG23	2.03	0.40
2:B:724:PHE:CD2	2:B:994:TYR:HB2	2.55	0.40
3:C:7:ILE:H	3:C:7:ILE:HG12	1.57	0.40
5:E:106:GLY:HA3	5:E:163:MET:HE2	2.02	0.40
1:A:626:TYR:CE1	1:A:653:VAL:HG11	2.57	0.40
2:B:470:GLU:OE2	2:B:654:ALA:N	2.55	0.40
4:D:150:PHE:HE2	10:N:10:CYS:HA	1.85	0.40
5:E:13:ILE:HD12	5:E:68:HIS:CE1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	898/906 (99%)	750 (84%)	140 (16%)	8 (1%)	14	45
2	B	1112/1123 (99%)	940 (84%)	159 (14%)	13 (1%)	10	40
3	C	386/391 (99%)	309 (80%)	74 (19%)	3 (1%)	16	48
4	D	255/259 (98%)	242 (95%)	12 (5%)	1 (0%)	30	62
5	E	179/190 (94%)	166 (93%)	13 (7%)	0	100	100
6	F	120/122 (98%)	110 (92%)	10 (8%)	0	100	100
7	H	74/82 (90%)	63 (85%)	10 (14%)	1 (1%)	9	37
8	K	54/57 (95%)	46 (85%)	8 (15%)	0	100	100
9	L	92/94 (98%)	82 (89%)	10 (11%)	0	100	100
10	N	63/65 (97%)	54 (86%)	8 (13%)	1 (2%)	7	35
11	P	42/49 (86%)	27 (64%)	14 (33%)	1 (2%)	4	29
12	G	164/185 (89%)	148 (90%)	14 (8%)	2 (1%)	10	40
All	All	3439/3523 (98%)	2937 (85%)	472 (14%)	30 (1%)	16	45

All (30) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	593	LEU
2	B	432	TYR
2	B	819	PRO
1	A	604	ALA
1	A	888	VAL
2	B	287	LYS
2	B	431	ASN
2	B	863	THR
2	B	1079	GLY
2	B	1085	VAL
3	C	357	PRO
10	N	63	LYS
11	P	20	ALA
12	G	46	ARG
2	B	283	PRO
3	C	109	LYS
1	A	428	PRO
2	B	861	ASP
4	D	76	SER
1	A	599	GLU
7	H	48	PRO
12	G	72	GLU
2	B	860	GLY
1	A	161	ARG
2	B	862	GLY
1	A	455	CYS
1	A	456	PRO
3	C	385	PRO
2	B	705	VAL
2	B	517	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	774/779 (99%)	744 (96%)	30 (4%)	28	52
2	B	961/969 (99%)	900 (94%)	61 (6%)	16	42
3	C	331/334 (99%)	315 (95%)	16 (5%)	23	47
4	D	226/228 (99%)	222 (98%)	4 (2%)	51	67
5	E	160/167 (96%)	159 (99%)	1 (1%)	78	79
6	F	107/107 (100%)	107 (100%)	0	100	100
7	H	68/72 (94%)	66 (97%)	2 (3%)	37	58
8	K	45/46 (98%)	43 (96%)	2 (4%)	25	49
9	L	81/81 (100%)	78 (96%)	3 (4%)	30	54
10	N	59/59 (100%)	53 (90%)	6 (10%)	7	27
11	P	37/40 (92%)	28 (76%)	9 (24%)	1	4
12	G	148/166 (89%)	142 (96%)	6 (4%)	27	51
All	All	2997/3048 (98%)	2857 (95%)	140 (5%)	25	48

All (140) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	147	CYS
1	A	149	HIS
1	A	253	ASN
1	A	265	GLN
1	A	266	LEU
1	A	271	LEU
1	A	274	LEU
1	A	275	LEU
1	A	359	VAL
1	A	468	ASN
1	A	552	LEU
1	A	583	GLU
1	A	585	LEU
1	A	587	LYS
1	A	588	LEU
1	A	589	ILE
1	A	590	GLU
1	A	591	GLU
1	A	592	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	600	VAL
1	A	633	LEU
1	A	656	LEU
1	A	668	THR
1	A	721	LYS
1	A	731	ASP
1	A	759	ILE
1	A	877	VAL
1	A	890	VAL
1	A	891	ASP
1	A	899	LEU
2	B	35	LEU
2	B	56	VAL
2	B	57	VAL
2	B	105	LEU
2	B	121	VAL
2	B	131	LYS
2	B	168	ILE
2	B	174	LEU
2	B	194	VAL
2	B	207	VAL
2	B	282	LEU
2	B	287	LYS
2	B	288	GLU
2	B	289	TYR
2	B	290	ARG
2	B	334	LEU
2	B	350	LEU
2	B	358	LEU
2	B	411	LEU
2	B	458	LEU
2	B	529	ILE
2	B	538	LEU
2	B	556	ASN
2	B	635	VAL
2	B	650	LEU
2	B	652	ILE
2	B	656	LEU
2	B	705	VAL
2	B	725	VAL
2	B	729	LEU
2	B	743	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	772	LYS
2	B	773	ASP
2	B	775	PHE
2	B	779	SER
2	B	781	ASN
2	B	782	ILE
2	B	783	GLN
2	B	785	TYR
2	B	786	LEU
2	B	788	GLU
2	B	789	LYS
2	B	813	VAL
2	B	816	THR
2	B	838	GLU
2	B	840	SER
2	B	848	LYS
2	B	851	VAL
2	B	856	VAL
2	B	857	THR
2	B	859	THR
2	B	865	LEU
2	B	870	VAL
2	B	873	LEU
2	B	885	ARG
2	B	1078	ARG
2	B	1081	VAL
2	B	1083	CYS
2	B	1085	VAL
2	B	1092	ILE
2	B	1093	SER
3	C	5	LYS
3	C	6	THR
3	C	7	ILE
3	C	8	LYS
3	C	10	MET
3	C	11	VAL
3	C	24	LEU
3	C	27	LYS
3	C	29	ILE
3	C	30	GLU
3	C	82	ASN
3	C	92	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	163	ILE
3	C	164	ASP
3	C	250	PHE
3	C	314	LEU
4	D	232	VAL
4	D	242	ILE
4	D	243	LEU
4	D	254	LEU
5	E	30	LEU
7	H	65	ARG
7	H	78	LEU
8	K	34	ILE
8	K	49	ILE
9	L	2	ARG
9	L	32	LEU
9	L	90	LYS
10	N	57	ASP
10	N	59	VAL
10	N	60	MET
10	N	61	VAL
10	N	63	LYS
10	N	64	VAL
11	P	8	CYS
11	P	13	LYS
11	P	14	GLU
11	P	15	VAL
11	P	16	GLU
11	P	17	LEU
11	P	19	LEU
11	P	23	ARG
11	P	29	TYR
12	G	36	ASP
12	G	45	ILE
12	G	72	GLU
12	G	73	THR
12	G	75	TRP
12	G	165	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	252	ASN
1	A	253	ASN
1	A	276	GLN
1	A	278	HIS
1	A	295	HIS
1	A	451	ASN
1	A	732	ASN
1	A	772	GLN
1	A	820	HIS
2	B	34	HIS
2	B	47	GLN
2	B	260	ASN
2	B	312	ASN
2	B	396	ASN
2	B	452	HIS
2	B	476	ASN
2	B	639	HIS
2	B	662	HIS
2	B	743	ASN
2	B	774	ASN
2	B	927	GLN
3	C	43	GLN
3	C	54	GLN
3	C	82	ASN
3	C	110	ASN
3	C	124	HIS
3	C	267	ASN
3	C	344	GLN
4	D	132	ASN
5	E	68	HIS
5	E	162	ASN
6	F	32	ASN
9	L	37	HIS
12	G	151	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 7 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-9970. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 88




Y Index: 88




Z Index: 88


6.2.2 Raw map



X Index: 88



Y Index: 88




Z Index: 88


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 80




Y Index: 72




Z Index: 83


6.3.2 Raw map



X Index: 80



Y Index: 100




Z Index: 91


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z

6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_9970_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 203 nm³; this corresponds to an approximate mass of 183 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.264 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.264 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.79	-	-
Author-provided FSC curve	3.80	4.16	3.86
Unmasked-calculated*	3.87	4.30	3.95

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-9970 and PDB model 6KF9. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)

This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 70% of all backbone atoms, 53% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5310	 0.2010
A	 0.6380	 0.2440
B	 0.4550	 0.1610
C	 0.5020	 0.2160
D	 0.4520	 0.1580
E	 0.6890	 0.3080
F	 0.5580	 0.2220
G	 0.3980	 0.1280
H	 0.7100	 0.2920
K	 0.7160	 0.3140
L	 0.5080	 0.2170
N	 0.4290	 0.1190
P	 0.5270	 0.1490
X	 0.4560	 0.0980
Y	 0.4860	 0.1520

