



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 03:43 PM UTC

PDB ID : 4KGD / pdb_00004kgd
Title : High-resolution crystal structure of pyruvate oxidase from *L. plantarum* in complex with phosphate
Authors : Neumann, P.; Tittmann, K.
Deposited on : 2013-04-29
Resolution : 1.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1182 (1.08-1.04)
Clashscore	190562	1204 (1.08-1.04)
Ramachandran outliers	187476	1175 (1.08-1.04)
Sidechain outliers	187428	1176 (1.08-1.04)
RSRZ outliers	180081	1181 (1.08-1.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	603	2% 87% 8% ...
1	B	603	% 87% 8% ...

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	B	704	-	X	-	-

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 11890 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	586	Total	C	N	O	S	0	41	0
			4863	3078	844	923	18			
1	B	585	Total	C	N	O	S	0	44	0
			4903	3101	858	925	19			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 5 is THIAMINE DIPHOSPHATE (CCD ID: TPP) (formula: $C_{12}H_{19}N_4O_7P_2S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
5	B	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	K	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	945	Total	O	0	106
			945	945		
8	B	954	Total	O	0	94
			954	954		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pyruvate oxidase



• Molecule 1: Pyruvate oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	119.28Å 154.16Å 165.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.06 30.00 – 1.06	Depositor EDS
% Data completeness (in resolution range)	91.6 (30.00-1.06) 88.3 (30.00-1.06)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 1.06Å)	Xtriage
Refinement program	SHELX, SHELXL	Depositor
R, R_{free}	0.127 , 0.150 0.125 , 0.143	Depositor DCC
R_{free} test set	19363 reflections (3.00%)	wwPDB-VP
Wilson B-factor (Å ²)	6.6	Xtriage
Anisotropy	0.356	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 79.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	11890	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: K, MG, PO4, GOL, FAD, TPP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	1/4977 (0.0%)	1.23	38/6764 (0.6%)
1	B	0.88	1/5014 (0.0%)	1.20	36/6806 (0.5%)
All	All	0.88	2/9991 (0.0%)	1.21	74/13570 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
1	B	0	9
All	All	0	15

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	58	HIS	CG-ND1	-6.92	1.30	1.38
1	A	155	ARG	NE-CZ	-5.15	1.27	1.33

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	265	VAL	CB-CA-C	11.04	125.58	113.22
1	B	265	VAL	N-CA-CB	10.65	122.93	112.28
1	B	155	ARG	NE-CZ-NH2	9.81	128.03	119.20
1	A	200	GLN	CB-CG-CD	9.05	127.99	112.60
1	A	357	ARG	NH1-CZ-NH2	9.02	131.02	119.30
1	A	74	GLY	CA-C-N	8.98	134.35	121.50
1	A	74	GLY	C-N-CA	8.98	134.35	121.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	122	GLN	CB-CG-CD	-8.60	97.99	112.60
1	A	593	ASP	CA-CB-CG	-8.33	104.27	112.60
1	B	512	GLN	OE1-CD-NE2	8.20	130.79	122.60
1	A	122	GLN	OE1-CD-NE2	8.15	130.75	122.60
1	A	74	GLY	O-C-N	-8.12	112.07	122.39
1	A	50	ARG	CG-CD-NE	7.92	129.42	112.00
1	A	558	ASP	CA-CB-CG	7.89	120.50	112.60
1	B	204[A]	ARG	NE-CZ-NH1	-7.46	114.04	121.50
1	B	204[B]	ARG	NE-CZ-NH1	-7.46	114.04	121.50
1	B	155	ARG	CD-NE-CZ	7.41	134.78	124.40
1	A	52	HIS	CA-CB-CG	-7.39	106.41	113.80
1	A	357	ARG	NE-CZ-NH2	-7.36	112.58	119.20
1	B	204[A]	ARG	NE-CZ-NH2	7.25	125.73	119.20
1	B	204[B]	ARG	NE-CZ-NH2	7.25	125.73	119.20
1	A	447	ASP	CA-CB-CG	7.19	119.79	112.60
1	B	345	TRP	CA-C-N	7.14	129.72	120.44
1	B	345	TRP	C-N-CA	7.14	129.72	120.44
1	B	265	VAL	CG1-CB-CG2	6.99	126.17	110.80
1	B	447	ASP	CA-CB-CG	6.90	119.50	112.60
1	B	74	GLY	CA-C-O	6.72	126.21	119.09
1	B	155	ARG	NE-CZ-NH1	-6.58	114.92	121.50
1	A	155	ARG	NE-CZ-NH2	6.49	125.04	119.20
1	B	347	GLN	OE1-CD-NE2	-6.38	116.22	122.60
1	A	587	LYS	CG-CD-CE	6.35	125.90	111.30
1	B	74	GLY	O-C-N	-6.32	114.51	122.41
1	A	155	ARG	CD-NE-CZ	6.12	132.97	124.40
1	B	276	GLN	OE1-CD-NE2	6.06	128.66	122.60
1	B	345	TRP	O-C-N	-6.05	115.84	122.07
1	A	69	ASP	CA-CB-CG	6.04	118.64	112.60
1	A	254	ARG	CD-NE-CZ	5.90	132.66	124.40
1	A	192	PRO	CA-C-O	5.87	128.01	121.43
1	B	515	ARG	NE-CZ-NH1	-5.86	115.64	121.50
1	A	204	ARG	CD-NE-CZ	5.76	132.47	124.40
1	A	282	PHE	CA-CB-CG	5.76	119.56	113.80
1	A	155	ARG	NE-CZ-NH1	-5.71	115.79	121.50
1	A	535	HIS	CA-CB-CG	-5.68	108.12	113.80
1	B	48	ARG	NE-CZ-NH2	5.64	124.28	119.20
1	B	515	ARG	NE-CZ-NH2	5.64	124.27	119.20
1	A	278	ASP	CA-CB-CG	5.62	118.22	112.60
1	A	339	GLU	CB-CG-CD	5.61	122.13	112.60
1	B	466	PRO	N-CA-CB	5.61	106.17	102.25
1	B	171	ASP	CA-CB-CG	5.51	118.11	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	346	TRP	CA-CB-CG	5.49	124.03	113.60
1	A	283	VAL	CA-CB-CG1	-5.44	101.16	110.40
1	A	50	ARG	NH1-CZ-NH2	-5.43	112.24	119.30
1	B	122[A]	GLN	OE1-CD-NE2	5.40	128.00	122.60
1	B	122[B]	GLN	OE1-CD-NE2	5.40	128.00	122.60
1	A	396	ASP	CA-CB-CG	5.40	118.00	112.60
1	B	300	ARG	NE-CZ-NH1	-5.39	116.11	121.50
1	B	74	GLY	CA-C-N	5.32	130.65	122.93
1	B	74	GLY	C-N-CA	5.32	130.65	122.93
1	A	74	GLY	CA-C-O	5.31	124.91	119.02
1	A	283	VAL	CA-CB-CG2	5.28	119.37	110.40
1	A	479	PHE	CA-CB-CG	5.21	119.01	113.80
1	B	282	PHE	CA-CB-CG	5.19	118.99	113.80
1	A	121	PHE	CA-C-N	5.17	129.68	122.08
1	A	121	PHE	C-N-CA	5.17	129.68	122.08
1	B	580	GLN	OE1-CD-NE2	5.17	127.77	122.60
1	B	592	ASP	CA-C-N	-5.12	112.48	121.70
1	B	592	ASP	C-N-CA	-5.12	112.48	121.70
1	A	357	ARG	NE-CZ-NH1	-5.12	116.38	121.50
1	A	50	ARG	NE-CZ-NH2	5.11	123.80	119.20
1	A	50	ARG	CD-NE-CZ	5.08	131.51	124.40
1	B	489[A]	GLN	OE1-CD-NE2	-5.05	117.55	122.60
1	B	489[B]	GLN	OE1-CD-NE2	-5.05	117.55	122.60
1	B	589	PHE	CA-CB-CG	-5.03	108.77	113.80
1	A	368	GLU	CB-CG-CD	-5.00	104.09	112.60

There are no chirality outliers.

All (15) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	156[A]	ARG	Sidechain
1	A	224	ARG	Sidechain
1	A	254	ARG	Sidechain
1	A	48[A]	ARG	Sidechain
1	A	556[A]	ARG	Sidechain
1	A	9	THR	Peptide
1	B	155	ARG	Sidechain
1	B	156[A]	ARG	Sidechain
1	B	204[A]	ARG	Sidechain
1	B	224[A]	ARG	Sidechain
1	B	254	ARG	Sidechain
1	B	357[A]	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	48	ARG	Sidechain
1	B	50	ARG	Sidechain
1	B	556[A]	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4863	0	4809	38	0
1	B	4903	0	4852	42	0
2	A	53	0	31	2	0
2	B	53	0	31	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
5	A	26	0	16	0	0
5	B	26	0	16	0	0
6	A	24	0	32	0	0
6	B	30	0	40	3	0
7	A	1	0	0	0	0
8	A	945	0	0	27	1
8	B	954	0	0	27	1
All	All	11890	0	9827	80	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:LYS:HE3	8:A:1570[A]:HOH:O	1.82	0.79
1:B:225:LYS:HD3	8:B:971[B]:HOH:O	1.85	0.77
1:B:568[B]:GLU:HG2	8:B:1334:HOH:O	1.85	0.76
1:B:439:ARG:HH12	6:B:708:GOL:H12	1.51	0.76
1:B:213[A]:GLU:HG2	8:B:1585:HOH:O	1.86	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:370[B]:PRO:HG2	8:B:1531:HOH:O	1.84	0.76
1:A:225:LYS:HD3	8:A:1707[B]:HOH:O	1.86	0.74
1:B:122[B]:GLN:HA	8:B:1458:HOH:O	1.86	0.74
1:A:328:LYS:HE3	8:A:1571[B]:HOH:O	1.90	0.72
8:A:946:HOH:O	1:B:317[B]:LYS:HE3	1.92	0.69
1:A:224:ARG:HD2	8:A:1470:HOH:O	1.93	0.66
1:A:554:LYS:HE2	8:A:1276[A]:HOH:O	1.96	0.65
1:A:572[A]:GLN:HG2	8:A:1573:HOH:O	1.97	0.65
1:A:354[B]:LYS:HE2	8:A:1280:HOH:O	1.95	0.65
1:B:232[A]:GLN:HG2	8:B:1523:HOH:O	1.98	0.64
1:B:122[A]:GLN:HA	8:B:1458:HOH:O	1.99	0.62
1:A:178:PRO:HD2	8:A:1188[B]:HOH:O	1.98	0.62
1:B:75[B]:LYS:HG2	8:B:1497:HOH:O	1.98	0.61
1:B:297:LYS:HE2	8:B:1350:HOH:O	2.01	0.60
1:A:498[B]:ASN:HB3	8:A:1273:HOH:O	2.02	0.59
1:B:489[B]:GLN:HG2	8:B:1345:HOH:O	2.02	0.58
1:B:121:PHE:CD2	1:B:122[B]:GLN:HG2	2.39	0.57
1:A:298[B]:ASN:HB2	8:A:1181:HOH:O	2.04	0.57
1:A:232[B]:GLN:HG3	8:A:1116:HOH:O	2.07	0.53
1:A:530[A]:LYS:HE3	8:A:1675:HOH:O	2.09	0.53
1:B:498[A]:ASN:HB2	8:B:1394:HOH:O	2.08	0.53
1:B:64[A]:MET:SD	1:B:424[A]:VAL:HG12	2.50	0.52
1:A:498[A]:ASN:HB2	8:A:1273:HOH:O	2.10	0.52
1:A:50:ARG:HG3	8:A:1568:HOH:O	2.09	0.52
1:B:498[B]:ASN:HB3	8:B:1394:HOH:O	2.10	0.51
1:B:368:GLU:HG3	8:B:1681:HOH:O	2.09	0.51
1:B:498[B]:ASN:ND2	8:B:1119[B]:HOH:O	2.43	0.51
1:A:572[A]:GLN:HG3	8:A:1574:HOH:O	2.09	0.51
1:A:276:GLN:OE1	1:A:594:LEU:HG	2.11	0.51
1:B:307[B]:ILE:HD11	8:B:1569:HOH:O	2.10	0.50
6:B:709:GOL:H31	8:B:939:HOH:O	2.12	0.49
1:B:75[B]:LYS:HD3	8:B:1497:HOH:O	2.12	0.49
1:A:110:GLN:NE2	8:A:902[B]:HOH:O	2.46	0.49
1:A:498[B]:ASN:ND2	8:A:1150[B]:HOH:O	2.45	0.49
1:A:228[B]:LYS:HE3	8:A:1684:HOH:O	2.13	0.49
1:B:232[B]:GLN:HG3	8:B:1113:HOH:O	2.12	0.49
1:B:75[B]:LYS:HD3	8:B:1593:HOH:O	2.12	0.49
1:B:454[B]:MET:HE3	1:B:502:PHE:CE1	2.49	0.47
1:B:553:GLU:OE2	1:B:554[A]:LYS:HE2	2.12	0.47
1:A:191[B]:THR:HG22	1:A:192:PRO:HD2	1.97	0.47
1:A:183:TYR:CD2	1:B:317[B]:LYS:HD2	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:PRO:HG3	8:A:1329:HOH:O	2.14	0.46
1:B:224[B]:ARG:NH2	8:B:1498:HOH:O	2.48	0.46
1:B:50:ARG:NH2	8:B:1060:HOH:O	2.48	0.46
1:B:19[B]:LYS:NZ	8:B:1629[B]:HOH:O	2.50	0.45
1:B:382[B]:LYS:NZ	8:B:1665:HOH:O	2.48	0.45
1:B:554[B]:LYS:HE2	8:B:1640[B]:HOH:O	2.15	0.45
1:B:111[B]:PHE:CE2	1:B:122[B]:GLN:HG3	2.52	0.45
1:A:387:ASP:HA	1:A:410[B]:SER:O	2.17	0.45
1:B:554[A]:LYS:NZ	8:B:1367[A]:HOH:O	2.49	0.45
1:B:111[B]:PHE:CZ	1:B:122[B]:GLN:HG3	2.52	0.45
1:A:122:GLN:HA	8:A:1607:HOH:O	2.17	0.45
1:B:412:ARG:HG2	6:B:708:GOL:H32	1.99	0.44
1:A:556[B]:ARG:NH1	8:A:1277[B]:HOH:O	2.49	0.44
1:A:254:ARG:NH2	8:A:1583:HOH:O	2.50	0.44
1:A:307[B]:ILE:HG12	2:A:701:FAD:C4A	2.47	0.44
1:B:28:HIS:HA	1:B:52[B]:HIS:O	2.17	0.44
1:A:593:ASP:C	1:A:594:LEU:HD23	2.43	0.44
1:B:161:GLN:HG3	8:B:1288:HOH:O	2.17	0.44
1:B:357[A]:ARG:NH2	8:B:1099:HOH:O	2.51	0.44
1:A:111[A]:PHE:CE2	1:A:115:GLY:HA3	2.53	0.43
1:A:580:GLN:NE2	8:A:1192:HOH:O	2.47	0.43
1:A:199[A]:VAL:HG13	8:A:1286:HOH:O	2.18	0.43
1:B:454[B]:MET:HE2	1:B:505:ILE:HG21	2.01	0.42
1:A:214[A]:ARG:CZ	1:A:594:LEU:HD11	2.50	0.42
1:B:451[B]:SER:O	1:B:454[B]:MET:HG2	2.19	0.42
1:B:221:ILE:HD12	1:B:224[A]:ARG:NH2	2.35	0.42
1:A:28:HIS:HA	1:A:52:HIS:O	2.20	0.42
1:A:307[B]:ILE:HG23	2:A:701:FAD:N1A	2.35	0.42
1:A:192:PRO:HD3	8:A:1329:HOH:O	2.20	0.41
1:B:180[A]:GLU:HG2	1:B:181:ASP:OD1	2.20	0.41
1:A:263:ASN:HB2	1:A:287:TYR:OH	2.21	0.41
1:B:263:ASN:HB2	1:B:287:TYR:OH	2.21	0.41
1:A:39:SER:HB3	1:A:174:TRP:CD2	2.56	0.40
1:A:311[B]:LYS:HE3	8:A:1009:HOH:O	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:1048:HOH:O	8:A:1048:HOH:O[4_565]	2.16	0.04
8:B:1109:HOH:O	8:B:1109:HOH:O[4_565]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	625/603 (104%)	609 (97%)	14 (2%)	2 (0%)	36	10
1	B	628/603 (104%)	610 (97%)	17 (3%)	1 (0%)	43	12
All	All	1253/1206 (104%)	1219 (97%)	31 (2%)	3 (0%)	36	12

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	263	ASN
1	B	263	ASN
1	A	559	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	512/485 (106%)	508 (99%)	4 (1%)	73	42
1	B	515/485 (106%)	510 (99%)	5 (1%)	68	36
All	All	1027/970 (106%)	1018 (99%)	9 (1%)	70	39

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	THR
1	A	254	ARG
1	A	338	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	559	SER
1	B	210	LEU
1	B	265	VAL
1	B	283[A]	VAL
1	B	283[B]	VAL
1	B	368	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	127	ASN
1	A	167	GLN
1	A	190	GLN
1	A	207	GLN
1	A	347	GLN
1	A	476	GLN
1	A	580	GLN
1	B	175	GLN
1	B	336	GLN
1	B	347	GLN
1	B	490	ASN
1	B	528	GLN
1	B	572	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 18 ligands modelled in this entry, 3 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	GOL	B	709	-	5,5,5	0.85	0	5,5,5	0.85	0
6	GOL	A	708	-	5,5,5	0.79	0	5,5,5	1.78	1 (20%)
6	GOL	A	705	-	5,5,5	0.75	0	5,5,5	1.34	1 (20%)
6	GOL	B	708	-	5,5,5	0.70	0	5,5,5	1.32	0
5	TPP	A	704	3	26,27,27	1.58	4 (15%)	38,40,40	1.40	7 (18%)
6	GOL	B	706	-	5,5,5	0.57	0	5,5,5	1.18	1 (20%)
6	GOL	A	707	-	5,5,5	0.29	0	5,5,5	1.24	1 (20%)
2	FAD	B	701	-	58,58,58	1.13	3 (5%)	85,89,89	1.07	5 (5%)
4	PO4	A	703	-	4,4,4	2.10	1 (25%)	6,6,6	1.63	1 (16%)
2	FAD	A	701	-	58,58,58	1.09	4 (6%)	85,89,89	1.01	3 (3%)
5	TPP	B	703	3	26,27,27	1.98	6 (23%)	38,40,40	1.29	4 (10%)
6	GOL	B	705	-	5,5,5	0.79	0	5,5,5	1.00	0
6	GOL	A	706	-	5,5,5	1.14	0	5,5,5	1.16	0
4	PO4	B	704	-	4,4,4	2.24	2 (50%)	6,6,6	2.14	3 (50%)
6	GOL	B	707	-	5,5,5	0.92	0	5,5,5	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	B	709	-	-	2/4/4/4	-
6	GOL	A	708	-	-	1/4/4/4	-
6	GOL	A	705	-	-	0/4/4/4	-
6	GOL	B	708	-	-	4/4/4/4	-
5	TPP	A	704	3	-	1/17/17/17	0/2/2/2
6	GOL	B	706	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	707	-	-	0/4/4/4	-
2	FAD	B	701	-	-	3/34/50/50	0/6/6/6
5	TPP	B	703	3	-	2/17/17/17	0/2/2/2
6	GOL	B	705	-	-	0/4/4/4	-
6	GOL	A	706	-	-	0/4/4/4	-
2	FAD	A	701	-	-	4/34/50/50	0/6/6/6
6	GOL	B	707	-	-	0/4/4/4	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	703	TPP	C4'-N3'	5.10	1.41	1.35
5	B	703	TPP	C6'-N1'	4.78	1.44	1.34
5	A	704	TPP	C2-N3	4.78	1.44	1.32
5	B	703	TPP	C2-N3	4.54	1.43	1.32
2	B	701	FAD	C4X-N5	4.12	1.39	1.30
4	A	703	PO4	P-O4	-3.70	1.43	1.54
5	A	704	TPP	C6'-N1'	3.47	1.41	1.34
2	A	701	FAD	C4X-N5	3.19	1.37	1.30
4	B	704	PO4	P-O4	-3.16	1.45	1.54
2	B	701	FAD	P-O3P	2.94	1.62	1.59
5	A	704	TPP	C4'-N3'	2.90	1.38	1.35
4	B	704	PO4	P-O1	-2.60	1.44	1.50
5	B	703	TPP	C6'-C5'	-2.35	1.33	1.37
5	B	703	TPP	C2-S1	2.35	1.76	1.69
2	A	701	FAD	C4X-C10	-2.26	1.37	1.44
2	A	701	FAD	P-O3P	2.24	1.61	1.59
5	B	703	TPP	C7'-C5'	2.23	1.55	1.51
2	B	701	FAD	O4-C4	2.17	1.27	1.23
2	A	701	FAD	O4-C4	2.03	1.27	1.23
5	A	704	TPP	C2-S1	2.03	1.75	1.69

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	704	PO4	O4-P-O3	4.07	120.57	107.91
5	A	704	TPP	S1-C2-N3	-3.68	107.64	112.30
5	B	703	TPP	S1-C2-N3	-3.63	107.70	112.30
6	A	708	GOL	O2-C2-C3	-3.57	94.41	109.18
5	A	704	TPP	C5'-C6'-N1'	-3.34	118.40	123.83
4	A	703	PO4	O4-P-O3	3.09	117.52	107.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	703	TPP	C6'-C5'-C4'	3.05	119.30	115.55
5	B	703	TPP	C4-C5-S1	2.93	115.13	110.56
5	A	704	TPP	C6'-N1'-C2'	2.93	120.88	116.07
2	B	701	FAD	C4A-N9A-C8A	2.80	108.68	105.74
5	A	704	TPP	C6'-C5'-C4'	2.77	118.96	115.55
2	B	701	FAD	N9A-C8A-N7A	-2.48	110.41	113.94
2	A	701	FAD	C1'-C2'-C3'	2.45	116.29	109.66
2	B	701	FAD	C5'-C4'-C3'	-2.42	107.65	112.22
5	A	704	TPP	C7'-N3-C2	-2.42	118.44	123.48
2	A	701	FAD	C9A-C5X-N5	-2.37	119.94	122.45
5	B	703	TPP	O3B-PB-O2B	2.31	116.46	107.80
6	A	707	GOL	C3-C2-C1	-2.28	103.42	111.80
5	A	704	TPP	N1'-C2'-N3'	-2.20	121.87	125.53
2	B	701	FAD	C9A-C5X-N5	-2.19	120.14	122.45
5	A	704	TPP	CM2-C2'-N3'	2.18	120.40	117.13
2	B	701	FAD	O3P-PA-O1A	-2.18	104.14	110.70
4	B	704	PO4	O4-P-O1	-2.15	103.34	110.95
2	A	701	FAD	C9A-N10-C10	-2.12	117.51	120.75
6	B	706	GOL	O1-C1-C2	-2.10	100.93	110.38
6	A	705	GOL	C3-C2-C1	-2.04	104.30	111.80
4	B	704	PO4	O3-P-O2	-2.01	101.65	107.91

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	FAD	O4'-C4'-C5'-O5'
2	B	701	FAD	C3'-C4'-C5'-O5'
2	B	701	FAD	O4'-C4'-C5'-O5'
5	B	703	TPP	PA-O3A-PB-O2B
6	B	706	GOL	C1-C2-C3-O3
6	B	708	GOL	C1-C2-C3-O3
6	A	708	GOL	O1-C1-C2-C3
6	B	708	GOL	O1-C1-C2-O2
6	B	708	GOL	O2-C2-C3-O3
2	A	701	FAD	C3'-C4'-C5'-O5'
2	A	701	FAD	P-O3P-PA-O5B
2	B	701	FAD	P-O3P-PA-O5B
6	B	706	GOL	O1-C1-C2-O2
6	B	706	GOL	O2-C2-C3-O3
5	A	704	TPP	PA-O3A-PB-O3B
6	B	708	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
6	B	709	GOL	C1-C2-C3-O3
6	B	709	GOL	O2-C2-C3-O3
5	B	703	TPP	C5-C6-C7-O7
2	A	701	FAD	PA-O3P-P-O2P

There are no ring outliers.


3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	709	GOL	1	0
6	B	708	GOL	2	0
2	A	701	FAD	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand FAD A 701



Ligand TPP B 703



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	586/603 (97%)	-0.46	11 (1%) 66 75	3, 8, 21, 81	41 (6%)
1	B	585/603 (97%)	-0.53	4 (0%) 84 92	2, 7, 16, 72	44 (7%)
All	All	1171/1206 (97%)	-0.49	15 (1%) 75 84	2, 7, 18, 81	85 (7%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	594	LEU	7.6
1	B	593	ASP	6.1
1	A	9	THR	3.4
1	A	564	ALA	3.2
1	A	592	ASP	3.1
1	A	559	SER	3.0
1	B	592	ASP	2.9
1	A	593	ASP	2.9
1	A	199[A]	VAL	2.8
1	B	9	THR	2.5
1	A	561	MET	2.5
1	A	560	ALA	2.5
1	A	572[A]	GLN	2.4
1	B	591	LEU	2.2
1	A	565	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	GOL	B	708	6/6	0.79	0.21	45,47,53,53	0
6	GOL	B	706	6/6	0.84	0.16	36,46,52,63	0
6	GOL	A	707	6/6	0.89	0.14	25,33,35,39	0
6	GOL	B	709	6/6	0.90	0.11	18,28,30,43	0
6	GOL	A	706	6/6	0.94	0.09	16,21,26,28	0
6	GOL	B	705	6/6	0.95	0.09	17,26,33,40	0
6	GOL	A	708	6/6	0.95	0.12	14,20,40,63	0
6	GOL	A	705	6/6	0.96	0.10	8,14,20,25	0
6	GOL	B	707	6/6	0.96	0.09	17,20,27,28	0
4	PO4	B	704	5/5	0.99	0.05	9,10,14,16	5
4	PO4	A	703	5/5	0.99	0.06	10,10,16,17	5
2	FAD	B	701	53/53	1.00	0.02	4,5,6,6	0
5	TPP	A	704	26/26	1.00	0.02	5,5,7,7	0
5	TPP	B	703	26/26	1.00	0.03	4,5,6,7	0
3	MG	A	702	1/1	1.00	0.01	5,5,5,5	0
3	MG	B	702	1/1	1.00	0.02	5,5,5,5	0
2	FAD	A	701	53/53	1.00	0.03	4,5,7,8	0
7	K	A	709	1/1	1.00	0.11	7,7,7,7	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FAD B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TPP A 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TPP B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.