



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:56 PM UTC

PDB ID : 1KH4 / pdb_00001kh4
Title : E. COLI ALKALINE PHOSPHATASE MUTANT (D330N) IN COMPLEX WITH PHOSPHATE
Authors : Le Du, M.H.; Lamoure, C.; Muller, B.H.; Bulgakov, O.V.; Lajeunesse, E.
Deposited on : 2001-11-29
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	449	
1	B	449	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MG	A	452	-	-	-	X
3	MG	B	452	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	A	1453	-	X	X	-
4	PO4	B	2453	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6770 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALKALINE PHOSPHATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	444	Total	C	N	O	S	0	0	0
			3260	2014	578	657	11			
1	B	444	Total	C	N	O	S	0	0	0
			3260	2014	578	657	11			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	ASN	ASP	conflict	UNP P00634
A	35	ASN	ASP	conflict	UNP P00634
A	176	GLN	GLU	conflict	UNP P00634
A	228	GLU	GLN	conflict	UNP P00634
A	230	GLU	GLN	conflict	UNP P00634
A	330	ASN	ASP	engineered mutation	UNP P00634
B	15	ASN	ASP	conflict	UNP P00634
B	35	ASN	ASP	conflict	UNP P00634
B	176	GLN	GLU	conflict	UNP P00634
B	228	GLU	GLN	conflict	UNP P00634
B	230	GLU	GLN	conflict	UNP P00634
B	330	ASN	ASP	engineered mutation	UNP P00634

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	121	Total	O	0	0
			121	121		
5	B	113	Total	O	0	0
			113	113		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALKALINE PHOSPHATASE



• Molecule 1: ALKALINE PHOSPHATASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	163.62Å 163.62Å 138.88Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	10.00 – 2.40 10.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	73.0 (10.00-2.40) 67.7 (10.00-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.41 (at 2.39Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.188 , 0.245 0.187 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	32.6	Xtriage
Anisotropy	0.714	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 77.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6770	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	0/3313	1.14	25/4496 (0.6%)
1	B	0.63	1/3313 (0.0%)	1.16	28/4496 (0.6%)
All	All	0.63	1/6626 (0.0%)	1.15	53/8992 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	146	VAL	CA-CB	7.06	1.64	1.54

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	326	ILE	N-CA-C	-10.46	100.69	110.53
1	B	324	ALA	N-CA-C	9.71	121.47	111.07
1	B	154	ALA	N-CA-C	9.59	121.74	111.28
1	B	326	ILE	N-CA-C	-9.47	101.63	110.53
1	B	97	ASP	N-CA-C	-8.90	94.02	108.52
1	B	373	ALA	N-CA-C	8.60	122.27	111.69
1	A	324	ALA	N-CA-C	8.24	120.04	111.14
1	B	411	GLU	N-CA-C	7.69	122.54	110.32
1	A	98	TYR	N-CA-C	7.65	121.71	112.38
1	A	325	SER	N-CA-C	7.48	122.09	113.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	170	GLY	CA-C-N	7.46	129.16	119.84
1	B	170	GLY	C-N-CA	7.46	129.16	119.84
1	A	373	ALA	N-CA-C	7.20	120.18	111.40
1	A	323	GLY	N-CA-C	-6.84	96.96	113.18
1	A	289	ASN	CA-C-N	6.81	126.49	119.82
1	A	289	ASN	C-N-CA	6.81	126.49	119.82
1	A	170	GLY	CA-C-N	6.71	126.97	119.32
1	A	170	GLY	C-N-CA	6.71	126.97	119.32
1	B	75	ILE	N-CA-C	6.54	116.69	110.42
1	B	125	HIS	N-CA-C	-6.44	105.18	113.16
1	B	264	MET	CA-C-N	6.42	126.38	119.76
1	B	264	MET	C-N-CA	6.42	126.38	119.76
1	A	154	ALA	N-CA-C	6.13	118.75	111.33
1	B	395	GLY	N-CA-C	-6.11	106.81	115.30
1	B	378	ALA	CA-C-N	6.08	126.25	119.32
1	B	378	ALA	C-N-CA	6.08	126.25	119.32
1	B	325	SER	N-CA-C	6.08	120.43	113.19
1	B	289	ASN	CA-C-N	6.00	126.42	119.47
1	B	289	ASN	C-N-CA	6.00	126.42	119.47
1	B	334	ASN	CA-C-N	5.98	127.32	119.84
1	B	334	ASN	C-N-CA	5.98	127.32	119.84
1	A	78	LEU	CA-C-N	5.93	126.08	119.32
1	A	78	LEU	C-N-CA	5.93	126.08	119.32
1	B	12	ALA	N-CA-C	-5.93	101.63	110.23
1	B	13	GLN	N-CA-C	5.91	120.33	113.18
1	A	294	ASP	N-CA-C	-5.80	106.29	113.19
1	A	75	ILE	N-CA-C	5.79	117.22	110.62
1	B	195	LEU	N-CA-C	-5.73	104.95	111.14
1	A	102	SER	N-CA-C	5.73	118.26	111.33
1	B	200	ALA	N-CA-C	-5.69	103.02	110.53
1	A	199	ARG	N-CA-C	5.68	118.95	111.28
1	A	79	PRO	N-CA-C	5.58	122.06	113.75
1	B	235	GLN	N-CA-C	-5.54	100.94	109.76
1	A	412	HIS	N-CA-C	-5.52	103.62	110.41
1	A	284	VAL	N-CA-C	5.44	117.15	108.89
1	A	97	ASP	N-CA-C	-5.42	98.54	108.02
1	A	411	GLU	N-CA-C	5.42	117.68	110.53
1	A	315	LYS	N-CA-C	-5.22	99.68	110.80
1	B	336	CYS	N-CA-C	5.22	116.66	111.07
1	A	267	ARG	N-CA-C	5.15	116.97	111.36
1	B	330	ASN	N-CA-C	-5.10	105.80	111.36
1	B	295	SER	N-CA-C	5.06	119.43	113.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	50	GLY	N-CA-C	-5.04	101.23	113.18

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	422	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3260	0	3204	99	0
1	B	3260	0	3204	93	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	5	0	0	2	0
4	B	5	0	0	2	0
5	A	121	0	0	3	0
5	B	113	0	0	2	0
All	All	6770	0	6408	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:48:LEU:HD13	1:B:321:VAL:HB	1.60	0.84
1:A:102:SER:HB2	4:A:1453:PO4:O2	1.79	0.82
1:B:354:GLU:HA	1:B:357:LYS:HE3	1.65	0.78
1:B:107:THR:O	1:B:111:THR:HB	1.85	0.76
1:A:111:THR:HG22	1:A:113:VAL:HG12	1.68	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:SER:HB2	4:B:2453:PO4:P	2.27	0.74
1:B:111:THR:HG22	1:B:113:VAL:HG12	1.69	0.74
1:A:111:THR:CG2	1:A:113:VAL:HG12	2.18	0.73
1:B:111:THR:CG2	1:B:113:VAL:HG12	2.19	0.73
1:B:7:LEU:HB2	1:B:10:ARG:HH21	1.54	0.72
1:B:10:ARG:HH22	1:B:29:GLN:NE2	1.86	0.72
1:A:23:ARG:HD2	1:B:440:TYR:CE2	2.25	0.71
1:A:265:PRO:HB2	1:A:292:ARG:HG3	1.70	0.71
1:A:7:LEU:HB2	1:A:10:ARG:HH21	1.56	0.71
1:A:137:LYS:HZ2	1:A:199:ARG:HB3	1.53	0.71
1:B:303:THR:O	1:B:307:ILE:HG13	1.92	0.70
1:B:214:THR:HA	1:B:224:THR:HA	1.75	0.69
1:B:253:LYS:HE2	1:B:253:LYS:HA	1.74	0.69
1:B:102:SER:HB2	4:B:2453:PO4:O2	1.91	0.69
1:A:419:ILE:HG23	1:A:429:VAL:HG13	1.75	0.68
1:B:357:LYS:HB2	1:B:357:LYS:NZ	2.09	0.67
1:B:15:ASN:O	1:B:21:GLY:HA3	1.95	0.66
1:A:443:LYS:HE2	1:A:449:LYS:HD2	1.77	0.66
1:A:137:LYS:NZ	1:A:199:ARG:HB3	2.12	0.65
1:B:178:CYS:HB3	1:B:181:ASN:OD1	1.97	0.65
1:A:443:LYS:HE2	1:A:449:LYS:HA	1.79	0.64
1:B:134:GLU:OE2	1:B:162:HIS:HE1	1.81	0.64
1:A:107:THR:O	1:A:111:THR:HB	1.97	0.63
1:B:354:GLU:HA	1:B:357:LYS:CE	2.28	0.63
1:B:10:ARG:O	1:B:24:ARG:HD3	1.98	0.63
1:A:48:LEU:HD13	1:A:321:VAL:HB	1.81	0.63
1:B:150:GLU:H	1:B:263:ASN:ND2	1.97	0.62
1:A:357:LYS:NZ	1:A:357:LYS:HB2	2.17	0.60
1:A:149:ALA:HA	1:A:263:ASN:HD22	1.68	0.58
1:A:190:SER:O	1:A:194:GLN:HG3	2.03	0.58
1:B:10:ARG:HB2	1:B:71:PHE:CD1	2.38	0.58
1:A:10:ARG:O	1:A:24:ARG:HD3	2.04	0.58
1:A:155:THR:HB	1:A:156:PRO:HD3	1.86	0.57
1:B:45:ILE:HD12	1:B:446:LEU:HD22	1.84	0.57
1:B:337:GLY:O	1:B:341:GLU:HG2	2.05	0.57
1:A:13:GLN:HG2	1:A:23:ARG:O	2.04	0.57
1:B:162:HIS:H	1:B:194:GLN:NE2	2.03	0.57
1:A:337:GLY:O	1:A:341:GLU:HG2	2.05	0.57
1:A:89:LEU:HD13	1:B:17:THR:HG22	1.87	0.56
1:A:39:ASP:HB3	1:B:30:THR:HG21	1.88	0.56
1:B:137:LYS:NZ	1:B:198:ALA:O	2.35	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:ALA:HA	1:B:263:ASN:HD22	1.71	0.56
1:B:400:MET:HE1	5:B:1171:HOH:O	2.06	0.56
1:B:162:HIS:H	1:B:194:GLN:HE22	1.52	0.55
1:B:199:ARG:HD3	1:B:251:GLN:OE1	2.06	0.55
1:A:269:LEU:HD12	1:A:290:PRO:HD2	1.89	0.55
1:A:23:ARG:HD2	1:B:440:TYR:CD2	2.42	0.55
1:B:13:GLN:HG2	1:B:23:ARG:O	2.06	0.55
1:A:37:LEU:HD11	1:B:37:LEU:HD11	1.88	0.55
1:A:265:PRO:HB2	1:A:292:ARG:CG	2.37	0.54
1:A:116:TYR:CZ	1:A:119:ALA:HB2	2.42	0.54
1:B:185:LYS:HD2	1:B:185:LYS:N	2.23	0.54
1:B:249:ALA:HA	1:B:253:LYS:O	2.08	0.54
1:A:34:ARG:HG2	1:B:37:LEU:CD1	2.38	0.54
1:A:313:ASN:OD1	1:A:315:LYS:HB3	2.08	0.53
1:A:228:GLU:O	1:A:232:ARG:HG3	2.08	0.53
1:A:38:SER:OG	1:A:40:LYS:HG3	2.09	0.53
1:A:379:PRO:HA	1:A:399:VAL:HG21	1.90	0.53
1:B:419:ILE:HG12	1:B:429:VAL:HG13	1.91	0.53
1:A:375:GLN:NE2	5:A:1128:HOH:O	2.42	0.52
1:B:228:GLU:O	1:B:232:ARG:HG3	2.09	0.52
1:A:134:GLU:OE2	1:A:162:HIS:HE1	1.92	0.52
1:A:379:PRO:HA	1:A:399:VAL:CG2	2.39	0.52
1:A:345:LEU:O	1:A:349:VAL:HG23	2.10	0.52
1:B:151:LEU:HD22	1:B:206:GLY:O	2.10	0.52
1:A:182:ALA:HB3	1:A:185:LYS:HG2	1.91	0.51
1:B:40:LYS:HB2	1:B:41:PRO:HD2	1.92	0.51
1:B:92:LYS:H	1:B:92:LYS:HD2	1.74	0.51
1:A:40:LYS:HD3	1:A:41:PRO:O	2.10	0.50
1:A:111:THR:HG21	1:A:113:VAL:HG12	1.92	0.50
1:A:199:ARG:HD3	1:A:251:GLN:OE1	2.11	0.50
1:B:104:ALA:HB2	1:B:117:ASN:HA	1.94	0.50
1:A:440:TYR:CE2	1:B:23:ARG:HD2	2.47	0.50
1:B:379:PRO:HA	1:B:399:VAL:CG2	2.42	0.50
1:B:150:GLU:N	1:B:263:ASN:HD22	2.10	0.50
1:A:174:THR:HG23	1:A:178:CYS:HB2	1.94	0.49
1:B:149:ALA:HB2	1:B:324:ALA:CB	2.41	0.49
1:B:150:GLU:H	1:B:263:ASN:HD22	1.60	0.49
1:A:314:GLU:O	1:A:315:LYS:HB2	2.12	0.49
1:B:176:GLN:HG3	1:B:177:LYS:HG3	1.95	0.49
1:A:10:ARG:HH22	1:A:29:GLN:CD	2.21	0.48
1:B:281:LYS:HD2	1:B:281:LYS:N	2.28	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:GLU:HA	1:A:357:LYS:HE3	1.94	0.48
1:B:111:THR:HG21	1:B:113:VAL:HG12	1.95	0.48
1:A:207:GLY:HA2	1:A:261:ASP:O	2.14	0.47
1:A:183:LEU:HD12	1:A:187:GLY:O	2.13	0.47
1:A:152:GLN:NE2	1:A:210:THR:HB	2.29	0.47
1:A:7:LEU:HD23	1:A:9:ASN:O	2.13	0.47
1:A:102:SER:HB2	4:A:1453:PO4:P	2.54	0.47
1:A:293:ASN:HB2	1:A:296:VAL:HG23	1.95	0.47
1:A:137:LYS:NZ	1:A:198:ALA:O	2.39	0.47
1:A:208:ALA:HB2	1:A:258:LEU:HB3	1.97	0.47
1:B:6:VAL:N	1:B:29:GLN:HE21	2.13	0.47
1:B:449:LYS:HB2	1:B:449:LYS:NZ	2.30	0.47
1:B:183:LEU:HA	1:B:187:GLY:O	2.14	0.47
1:B:10:ARG:HH22	1:B:29:GLN:CD	2.23	0.47
1:B:148:THR:HG23	1:B:299:LEU:HD13	1.98	0.46
1:A:92:LYS:H	1:A:92:LYS:HD2	1.79	0.46
1:A:443:LYS:HD3	1:A:449:LYS:NZ	2.31	0.46
1:B:109:TRP:HB2	1:B:438:LEU:HD23	1.98	0.46
1:B:438:LEU:O	1:B:442:MET:HG3	2.16	0.46
1:B:149:ALA:HA	1:B:263:ASN:ND2	2.31	0.46
1:B:184:GLU:C	1:B:186:GLY:H	2.24	0.46
1:B:379:PRO:HA	1:B:399:VAL:HG21	1.98	0.46
1:B:230:GLU:C	1:B:232:ARG:H	2.23	0.46
1:B:160:VAL:HB	1:B:198:ALA:HB2	1.96	0.45
1:A:34:ARG:HG2	1:B:37:LEU:HD13	1.98	0.45
1:B:128:ASP:HB2	1:B:162:HIS:CD2	2.51	0.45
1:B:298:THR:OG1	1:B:301:GLN:HG3	2.17	0.45
1:B:33:LEU:HD23	1:B:33:LEU:HA	1.71	0.45
1:B:116:TYR:CZ	1:B:119:ALA:HB2	2.51	0.45
1:A:149:ALA:CA	1:A:263:ASN:HD22	2.29	0.45
1:A:10:ARG:HH22	1:A:29:GLN:NE2	2.15	0.45
1:A:109:TRP:O	1:A:439:PHE:HB2	2.16	0.45
1:A:220:TRP:CZ2	1:A:232:ARG:HD3	2.51	0.45
1:A:434:ASP:O	1:A:437:ASP:HB2	2.17	0.45
1:A:259:PHE:HB2	1:A:264:MET:HE3	1.98	0.44
1:A:406:GLU:OE1	1:B:276:HIS:HE1	1.99	0.44
1:A:42:ALA:HB2	1:A:424:PRO:HB2	1.99	0.44
1:A:183:LEU:HD12	1:A:183:LEU:HA	1.87	0.44
1:A:45:ILE:HD12	1:A:446:LEU:HD22	1.98	0.44
1:B:174:THR:HG22	1:B:178:CYS:O	2.17	0.44
1:B:277:GLY:HA2	1:B:281:LYS:HD3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:419:ILE:HG23	1:B:429:VAL:HG13	1.98	0.44
1:A:17:THR:HG22	1:B:89:LEU:HD13	1.98	0.44
1:A:51:ASP:O	1:A:327:ASP:HB2	2.17	0.44
1:B:375:GLN:NE2	5:B:1019:HOH:O	2.50	0.43
1:A:263:ASN:ND2	1:A:328:LYS:HE3	2.33	0.43
1:A:443:LYS:HG2	1:A:449:LYS:HD2	2.00	0.43
1:B:280:ASP:HB2	1:B:281:LYS:HD2	1.99	0.43
1:A:293:ASN:C	1:A:295:SER:H	2.24	0.43
1:A:226:ARG:O	1:A:229:ALA:HB3	2.18	0.43
1:A:435:GLN:NE2	5:A:1083:HOH:O	2.46	0.43
1:A:103:ALA:HA	1:A:154:ALA:HB1	2.00	0.43
1:A:269:LEU:CD1	1:A:290:PRO:HD2	2.48	0.43
1:B:137:LYS:NZ	1:B:199:ARG:HB3	2.34	0.43
1:B:404:ASN:H	1:B:410:GLN:HE22	1.67	0.43
1:A:40:LYS:HB2	1:A:40:LYS:HE2	1.79	0.42
1:A:78:LEU:HA	1:A:79:PRO:HD2	1.84	0.42
1:B:163:VAL:CG1	1:B:165:SER:O	2.68	0.42
1:A:177:LYS:HE3	5:A:1154:HOH:O	2.19	0.42
1:A:196:LEU:HD12	1:A:196:LEU:HA	1.90	0.42
1:A:447:GLY:C	1:A:449:LYS:H	2.26	0.42
1:A:107:THR:HG21	1:A:115:THR:HG21	2.02	0.42
1:A:125:HIS:O	1:A:126:GLU:HB2	2.20	0.42
1:A:148:THR:HG23	1:A:299:LEU:HD13	2.02	0.42
1:A:293:ASN:C	1:A:295:SER:N	2.77	0.42
1:A:448:LEU:HD12	1:A:448:LEU:HA	1.84	0.42
1:B:12:ALA:HB1	1:B:22:ALA:HA	2.01	0.42
1:B:38:SER:OG	1:B:40:LYS:HG2	2.20	0.42
1:B:137:LYS:HZ1	1:B:199:ARG:HB3	1.85	0.42
1:A:218:GLY:O	1:A:221:GLN:HG2	2.19	0.42
1:A:331:HIS:ND1	1:A:410:GLN:O	2.52	0.42
1:B:357:LYS:HB2	1:B:357:LYS:HZ3	1.82	0.42
1:A:73:LYS:HD3	1:A:350:GLN:CD	2.45	0.42
1:B:15:ASN:ND2	1:B:17:THR:H	2.18	0.42
1:A:149:ALA:HB2	1:A:324:ALA:CB	2.49	0.42
1:A:289:ASN:HA	1:A:290:PRO:HD2	1.82	0.42
1:B:7:LEU:HD13	1:B:7:LEU:HA	1.88	0.42
1:B:165:SER:HB3	1:B:178:CYS:SG	2.59	0.42
1:A:265:PRO:O	1:A:292:ARG:HD2	2.20	0.42
1:B:289:ASN:HA	1:B:290:PRO:HD2	1.78	0.42
1:B:217:ALA:C	1:B:221:GLN:HB3	2.45	0.41
1:B:149:ALA:CA	1:B:263:ASN:HD22	2.32	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:344:ASP:O	1:B:347:GLU:HB2	2.20	0.41
1:A:144:GLY:HA3	1:A:310:LEU:HD21	2.03	0.41
1:A:145:ASN:ND2	1:A:159:LEU:HD12	2.35	0.41
1:A:418:ARG:HG3	1:B:83:GLN:OE1	2.19	0.41
1:A:48:LEU:HG	1:A:349:VAL:HG22	2.03	0.41
1:B:443:LYS:HE2	1:B:449:LYS:HA	2.03	0.41
1:A:64:TYR:CD1	1:A:64:TYR:C	2.99	0.41
1:B:235:GLN:OE1	1:B:253:LYS:HB3	2.21	0.41
1:B:201:ASP:OD2	1:B:201:ASP:N	2.54	0.40
1:A:43:LYS:HZ2	1:A:314:GLU:CD	2.30	0.40
1:A:357:LYS:HB2	1:A:357:LYS:HZ2	1.87	0.40
1:A:306:ALA:O	1:A:310:LEU:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/449 (98%)	423 (96%)	18 (4%)	1 (0%)	43	58
1	B	442/449 (98%)	424 (96%)	18 (4%)	0	100	100
All	All	884/898 (98%)	847 (96%)	36 (4%)	1 (0%)	48	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	315	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/340 (98%)	300 (90%)	33 (10%)	7	11
1	B	333/340 (98%)	305 (92%)	28 (8%)	10	17
All	All	666/680 (98%)	605 (91%)	61 (9%)	8	14

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	33	LEU
1	A	40	LYS
1	A	48	LEU
1	A	71	PHE
1	A	83	GLN
1	A	84	TYR
1	A	92	LYS
1	A	101	ASP
1	A	127	LYS
1	A	132	ILE
1	A	146	VAL
1	A	151	LEU
1	A	184	GLU
1	A	196	LEU
1	A	223	LYS
1	A	225	LEU
1	A	232	ARG
1	A	247	THR
1	A	279	ILE
1	A	281	LYS
1	A	284	VAL
1	A	291	GLN
1	A	310	LEU
1	A	314	GLU
1	A	315	LYS
1	A	353	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	357	LYS
1	A	407	GLU
1	A	417	LEU
1	A	429	VAL
1	A	446	LEU
1	A	448	LEU
1	B	7	LEU
1	B	19	PRO
1	B	33	LEU
1	B	71	PHE
1	B	84	TYR
1	B	92	LYS
1	B	128	ASP
1	B	146	VAL
1	B	151	LEU
1	B	163	VAL
1	B	184	GLU
1	B	196	LEU
1	B	225	LEU
1	B	232	ARG
1	B	244	ASN
1	B	250	ASN
1	B	253	LYS
1	B	279	ILE
1	B	284	VAL
1	B	294	ASP
1	B	310	LEU
1	B	353	LEU
1	B	357	LYS
1	B	400	MET
1	B	407	GLU
1	B	417	LEU
1	B	446	LEU
1	B	448	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	GLN
1	A	35	ASN
1	A	83	GLN
1	A	125	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	176	GLN
1	A	194	GLN
1	A	221	GLN
1	A	235	GLN
1	A	263	ASN
1	A	375	GLN
1	A	391	ASN
1	A	425	HIS
1	B	15	ASN
1	B	29	GLN
1	B	83	GLN
1	B	145	ASN
1	B	162	HIS
1	B	194	GLN
1	B	197	ASN
1	B	221	GLN
1	B	263	ASN
1	B	276	HIS
1	B	293	ASN
1	B	329	GLN
1	B	375	GLN
1	B	425	HIS
1	B	435	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	PO4	A	1453	2	4,4,4	2.88	3 (75%)	6,6,6	1.38	1 (16%)
4	PO4	B	2453	2	4,4,4	2.26	2 (50%)	6,6,6	1.03	0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1453	PO4	P-O3	-3.78	1.43	1.54
4	B	2453	PO4	P-O2	-3.40	1.44	1.54
4	A	1453	PO4	P-O1	-3.32	1.43	1.50
4	B	2453	PO4	P-O3	-2.75	1.46	1.54
4	A	1453	PO4	P-O2	-2.47	1.47	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1453	PO4	O3-P-O1	-2.75	101.22	110.95

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1453	PO4	2	0
4	B	2453	PO4	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	444/449 (98%)	-0.38	1 (0%) 91 89	11, 27, 55, 72	0
1	B	444/449 (98%)	-0.35	3 (0%) 84 81	11, 28, 54, 83	0
All	All	888/898 (98%)	-0.36	4 (0%) 87 85	11, 27, 55, 83	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	182	ALA	2.2
1	B	102	SER	2.2
1	B	219	GLU	2.1
1	A	6	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	B	452	1/1	0.34	0.75	35,35,35,35	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	A	452	1/1	0.54	0.68	31,31,31,31	1
2	ZN	A	451	1/1	0.98	0.04	22,22,22,22	0
2	ZN	B	450	1/1	0.98	0.02	20,20,20,20	0
4	PO4	A	1453	5/5	0.98	0.06	31,33,37,39	0
2	ZN	A	450	1/1	0.99	0.02	21,21,21,21	0
4	PO4	B	2453	5/5	0.99	0.05	27,28,34,35	0
2	ZN	B	451	1/1	1.00	0.03	25,25,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.