



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:56 PM UTC

PDB ID : 1KHL / pdb_00001khl
Title : E. COLI ALKALINE PHOSPHATASE MUTANT (D153HD330N) COMPLEX WITH PHOSPHATE
Authors : Le Du, M.H.; Lamoure, C.; Muller, B.H.; Bulgakov, O.V.; Lajeunesse, E.; Menez, A.; Boulain, J.C.
Deposited on : 2001-11-30
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	449	% 74% 21% ..
1	B	449	% 74% 21% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6837 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alkaline Phosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	444	Total	C	N	O	S	0	0	0
			3258	2013	579	655	11			
1	B	444	Total	C	N	O	S	0	0	0
			3258	2013	579	655	11			


There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	ASN	ASP	conflict	UNP P00634
A	35	ASN	ASP	conflict	UNP P00634
A	153	HIS	ASP	engineered mutation	UNP P00634
A	176	GLN	GLU	conflict	UNP P00634
A	228	GLU	GLN	conflict	UNP P00634
A	230	GLU	GLN	conflict	UNP P00634
A	330	ASN	ASP	engineered mutation	UNP P00634
B	15	ASN	ASP	conflict	UNP P00634
B	35	ASN	ASP	conflict	UNP P00634
B	153	HIS	ASP	engineered mutation	UNP P00634
B	176	GLN	GLU	conflict	UNP P00634
B	228	GLU	GLN	conflict	UNP P00634
B	230	GLU	GLN	conflict	UNP P00634
B	330	ASN	ASP	engineered mutation	UNP P00634

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	146	Total	O	0	0
			146	146		
4	B	161	Total	O	0	0
			161	161		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Alkaline Phosphatase



• Molecule 1: Alkaline Phosphatase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	163.51Å 163.51Å 138.03Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	10.00 – 2.50 10.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	89.2 (10.00-2.50) 88.0 (10.00-2.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.35 (at 2.42Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.183 , 0.227 0.183 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	28.3	Xtriage
Anisotropy	0.346	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6837	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	2/3312 (0.1%)	1.17	27/4496 (0.6%)
1	B	0.69	0/3312	1.14	24/4496 (0.5%)
All	All	0.72	2/6624 (0.0%)	1.15	51/8992 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	153	HIS	CA-C	-22.01	1.23	1.52
1	A	152	GLN	C-N	10.66	1.47	1.33

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	155	THR	CA-CB-CG2	11.22	129.58	110.50
1	A	152	GLN	CA-C-N	10.83	137.94	120.94
1	A	152	GLN	C-N-CA	10.83	137.94	120.94
1	A	153	HIS	N-CA-C	-10.29	95.98	110.50
1	A	152	GLN	O-C-N	-9.63	108.14	122.39
1	B	324	ALA	N-CA-C	9.17	121.36	111.36
1	A	324	ALA	N-CA-C	8.84	121.00	111.36
1	A	153	HIS	CB-CA-C	8.56	125.29	109.54
1	B	373	ALA	N-CA-C	8.20	119.99	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	326	ILE	N-CA-C	-7.78	102.95	110.42
1	A	326	ILE	N-CA-C	-7.50	102.97	110.62
1	A	155	THR	CA-CB-OG1	7.41	120.71	109.60
1	B	98	TYR	N-CA-C	7.13	119.91	111.71
1	B	411	GLU	N-CA-C	6.94	121.17	110.42
1	B	374	SER	N-CA-C	6.91	120.39	110.24
1	A	325	SER	N-CA-C	6.81	121.29	113.19
1	A	98	TYR	N-CA-C	6.69	120.54	112.38
1	A	373	ALA	N-CA-C	6.69	119.92	111.69
1	B	93	THR	N-CA-C	6.65	119.53	111.82
1	B	97	ASP	N-CA-C	-6.63	96.42	108.02
1	A	170	GLY	CA-C-N	6.63	126.14	119.24
1	A	170	GLY	C-N-CA	6.63	126.14	119.24
1	B	154	ALA	N-CA-C	6.54	122.16	111.37
1	A	374	SER	N-CA-C	6.47	119.75	110.24
1	B	172	SER	N-CA-C	6.38	118.23	111.28
1	A	93	THR	N-CA-C	6.27	119.09	111.82
1	B	360	GLY	N-CA-C	6.07	123.10	115.21
1	A	97	ASP	N-CA-C	-5.96	97.59	108.02
1	A	411	GLU	N-CA-C	5.93	119.61	110.42
1	A	154	ALA	N-CA-C	5.93	121.15	111.37
1	A	75	ILE	N-CA-C	5.86	117.30	110.62
1	A	323	GLY	N-CA-C	-5.85	99.31	113.18
1	B	79	PRO	N-CA-C	5.80	121.59	113.53
1	B	244	ASN	N-CA-CB	-5.62	101.63	110.06
1	B	243	LEU	CA-C-N	5.58	128.03	120.38
1	B	243	LEU	C-N-CA	5.58	128.03	120.38
1	B	155	THR	CA-C-N	-5.58	113.28	119.19
1	B	155	THR	C-N-CA	-5.58	113.28	119.19
1	A	79	PRO	N-CA-C	5.56	121.26	113.53
1	A	153	HIS	CA-C-O	5.49	127.55	121.56
1	B	358	LYS	CB-CG-CD	-5.43	98.81	111.30
1	A	155	THR	CA-C-N	-5.41	113.45	119.19
1	A	155	THR	C-N-CA	-5.41	113.45	119.19
1	B	170	GLY	CA-C-N	5.34	124.80	119.24
1	B	170	GLY	C-N-CA	5.34	124.80	119.24
1	B	13	GLN	N-CA-C	5.21	116.96	111.28
1	B	325	SER	N-CA-C	5.16	119.33	113.19
1	B	23	ARG	NE-CZ-NH1	-5.10	116.40	121.50
1	A	40	LYS	N-CA-C	-5.07	103.09	110.08
1	A	200	ALA	N-CA-C	-5.06	103.37	110.50
1	B	314	GLU	N-CA-C	5.05	117.68	111.82

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	155	THR	CB

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3258	0	3196	64	0
1	B	3258	0	3196	59	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	146	0	0	2	0
4	B	161	0	0	3	0
All	All	6837	0	6392	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:267:ARG:HD2	1:B:344:ASP:HB2	1.65	0.79
1:A:334:ASN:HD22	1:A:337:GLY:H	1.34	0.74
1:B:111:THR:HG22	1:B:113:VAL:HG12	1.70	0.73
1:A:365:ILE:HD13	1:A:438:LEU:HD11	1.72	0.70
1:A:38:SER:OG	1:A:40:LYS:HG2	1.91	0.70
1:A:440:TYR:CD2	1:B:23:ARG:HD3	2.27	0.70
1:A:48:LEU:HD13	1:A:321:VAL:HB	1.73	0.69
1:B:48:LEU:HD13	1:B:321:VAL:HB	1.75	0.68
1:A:334:ASN:ND2	1:A:337:GLY:H	1.92	0.67
1:B:111:THR:CG2	1:B:113:VAL:HG12	2.25	0.66
1:A:134:GLU:OE2	1:A:162:HIS:HE1	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:THR:CG2	1:A:113:VAL:HG12	2.27	0.65
1:A:156:PRO:HD3	1:A:322:GLU:OE2	1.98	0.63
1:A:111:THR:HG22	1:A:113:VAL:HG12	1.80	0.63
1:B:134:GLU:OE2	1:B:162:HIS:HE1	1.82	0.62
1:A:223:LYS:HE2	1:A:227:GLU:HB3	1.80	0.62
1:B:38:SER:OG	1:B:40:LYS:HG2	2.00	0.62
1:B:337:GLY:O	1:B:341:GLU:HG2	2.00	0.61
1:A:10:ARG:HH22	1:A:29:GLN:CD	2.08	0.61
1:B:223:LYS:HE3	1:B:227:GLU:HB3	1.83	0.61
1:A:89:LEU:HD13	1:B:17:THR:HG22	1.82	0.60
1:A:330:ASN:HD21	1:A:374:SER:H	1.50	0.60
1:B:107:THR:O	1:B:111:THR:HB	2.03	0.58
1:A:7:LEU:HB2	1:A:10:ARG:HH21	1.67	0.58
1:B:150:GLU:O	1:B:153:HIS:HB3	2.04	0.58
1:B:334:ASN:HD22	1:B:337:GLY:H	1.51	0.58
1:B:13:GLN:NE2	1:B:26:THR:HG23	2.18	0.57
1:B:330:ASN:HD21	1:B:374:SER:H	1.51	0.57
1:A:223:LYS:CE	1:A:227:GLU:HB3	2.35	0.56
1:B:116:TYR:CZ	1:B:119:ALA:HB2	2.41	0.55
1:B:223:LYS:CE	1:B:227:GLU:HB3	2.36	0.55
1:A:402:TYR:HB3	1:A:410:GLN:HG3	1.88	0.55
1:B:10:ARG:HH22	1:B:29:GLN:CD	2.15	0.54
1:A:107:THR:O	1:A:111:THR:HB	2.07	0.54
1:B:446:LEU:HB3	1:B:448:LEU:HD13	1.90	0.53
1:B:334:ASN:ND2	1:B:337:GLY:H	2.07	0.53
1:A:116:TYR:CZ	1:A:119:ALA:HB2	2.43	0.53
1:A:192:THR:HG21	1:A:225:LEU:HD23	1.91	0.53
1:A:163:VAL:HG12	1:A:165:SER:H	1.74	0.53
1:A:155:THR:HB	1:A:156:PRO:CD	2.34	0.52
1:B:353:LEU:O	1:B:357:LYS:HG3	2.09	0.52
1:B:23:ARG:HD2	4:B:1122:HOH:O	2.09	0.52
1:B:48:LEU:HG	1:B:349:VAL:HG22	1.90	0.52
1:A:151:LEU:HD22	1:A:206:GLY:O	2.10	0.52
1:B:365:ILE:HD13	1:B:438:LEU:HD11	1.91	0.52
1:B:402:TYR:HB3	1:B:410:GLN:HG3	1.91	0.51
1:A:149:ALA:HB2	1:A:324:ALA:CB	2.40	0.51
1:A:199:ARG:HA	1:A:234:TYR:OH	2.12	0.49
1:A:379:PRO:HA	1:A:399:VAL:HG21	1.95	0.49
1:A:337:GLY:O	1:A:341:GLU:HG2	2.13	0.48
1:B:137:LYS:NZ	1:B:198:ALA:O	2.45	0.48
1:A:121:GLY:O	1:A:162:HIS:HD2	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:306:ALA:O	1:B:310:LEU:HB2	2.13	0.48
1:A:249:ALA:HA	1:A:253:LYS:O	2.14	0.47
1:B:223:LYS:HG2	1:B:227:GLU:OE1	2.14	0.47
1:A:137:LYS:NZ	1:A:198:ALA:O	2.43	0.47
1:A:432:LEU:O	1:B:10:ARG:HD2	2.14	0.47
1:A:353:LEU:HG	1:A:357:LYS:HE2	1.96	0.47
1:B:148:THR:HG23	1:B:299:LEU:HD13	1.96	0.47
1:A:10:ARG:O	1:A:24:ARG:HD3	2.15	0.46
1:B:8:GLU:O	1:B:71:PHE:CZ	2.70	0.46
1:B:121:GLY:O	1:B:162:HIS:HD2	1.99	0.46
1:A:379:PRO:HA	1:A:399:VAL:CG2	2.46	0.45
1:B:174:THR:HG23	1:B:178:CYS:HB2	1.97	0.45
1:B:220:TRP:CZ2	1:B:232:ARG:HD3	2.51	0.45
1:A:92:LYS:HD3	1:A:92:LYS:H	1.81	0.45
1:B:267:ARG:HD2	1:B:344:ASP:CB	2.42	0.45
1:A:89:LEU:HD11	1:B:17:THR:HA	1.98	0.44
1:A:220:TRP:CZ2	1:A:232:ARG:HD3	2.52	0.44
1:A:438:LEU:O	1:A:442:MET:HG3	2.17	0.44
1:B:10:ARG:HB2	1:B:71:PHE:CD1	2.53	0.44
1:A:137:LYS:HZ1	1:A:199:ARG:HB3	1.83	0.44
1:B:92:LYS:N	1:B:92:LYS:HD3	2.32	0.44
1:A:137:LYS:NZ	1:A:199:ARG:HB3	2.33	0.44
1:A:8:GLU:O	1:A:71:PHE:CZ	2.71	0.43
1:A:46:ILE:HG22	1:A:48:LEU:HD22	1.99	0.43
1:A:192:THR:CG2	1:A:225:LEU:HD23	2.48	0.43
1:B:379:PRO:HA	1:B:399:VAL:CG2	2.49	0.43
1:A:23:ARG:HD2	1:B:440:TYR:CE2	2.53	0.43
1:B:46:ILE:HG22	1:B:48:LEU:HD22	1.99	0.43
1:A:263:ASN:HB3	4:A:1052:HOH:O	2.18	0.43
1:B:121:GLY:HA2	4:B:1214:HOH:O	2.18	0.43
1:B:379:PRO:HA	1:B:399:VAL:HG21	1.99	0.43
1:A:174:THR:HG23	1:A:178:CYS:HB2	2.00	0.43
1:B:109:TRP:O	1:B:439:PHE:HB2	2.19	0.43
1:A:155:THR:HG21	1:A:322:GLU:CD	2.44	0.43
1:B:244:ASN:ND2	4:B:1282:HOH:O	2.44	0.43
1:A:306:ALA:O	1:A:310:LEU:HB2	2.19	0.42
1:B:151:LEU:HD22	1:B:206:GLY:O	2.18	0.42
1:A:110:SER:O	1:A:131:THR:HA	2.19	0.42
1:B:37:LEU:HD22	1:B:427:ALA:HB2	2.01	0.42
1:A:275:TYR:O	1:A:276:HIS:HB2	2.19	0.42
1:B:13:GLN:HE22	1:B:26:THR:HG23	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:424:PRO:O	1:B:425:HIS:HB2	2.20	0.42
1:A:163:VAL:HG11	1:A:168:CYS:HB2	2.02	0.42
1:A:20:GLY:HA2	1:A:23:ARG:HD2	2.01	0.42
1:A:150:GLU:H	1:A:263:ASN:ND2	2.18	0.42
1:A:20:GLY:O	1:A:23:ARG:HD3	2.19	0.41
1:B:80:LEU:N	1:B:80:LEU:HD22	2.35	0.41
1:B:92:LYS:HD3	1:B:92:LYS:H	1.85	0.41
1:A:15:ASN:ND2	4:A:1104:HOH:O	2.52	0.41
1:A:208:ALA:HB2	1:A:258:LEU:HB3	2.01	0.41
1:A:424:PRO:O	1:A:425:HIS:HB2	2.19	0.41
1:B:15:ASN:O	1:B:21:GLY:HA3	2.21	0.41
1:B:248:GLU:OE1	1:B:253:LYS:NZ	2.53	0.41
1:A:122:VAL:HA	1:A:127:LYS:O	2.20	0.41
1:A:234:TYR:CD2	1:A:254:PRO:HB2	2.56	0.41
1:A:92:LYS:HD3	1:A:92:LYS:N	2.36	0.41
1:B:234:TYR:CD2	1:B:254:PRO:HB2	2.56	0.41
1:B:353:LEU:HD12	1:B:353:LEU:HA	1.80	0.41
1:A:190:SER:O	1:A:194:GLN:HG3	2.20	0.41
1:B:105:SER:CB	1:B:435:GLN:HE22	2.33	0.41
1:B:122:VAL:HA	1:B:127:LYS:O	2.21	0.41
1:A:448:LEU:O	1:A:449:LYS:C	2.64	0.40
1:B:289:ASN:HA	1:B:290:PRO:HD2	1.93	0.40
1:A:10:ARG:HD2	1:B:432:LEU:O	2.20	0.40
1:A:111:THR:HG21	1:A:113:VAL:HG12	2.01	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	442/449 (98%)	432 (98%)	10 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	442/449 (98%)	428 (97%)	14 (3%)	0	100	100
All	All	884/898 (98%)	860 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/340 (98%)	308 (93%)	24 (7%)	13	28
1	B	332/340 (98%)	303 (91%)	29 (9%)	9	21
All	All	664/680 (98%)	611 (92%)	53 (8%)	11	24

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	26	THR
1	A	48	LEU
1	A	71	PHE
1	A	83	GLN
1	A	84	TYR
1	A	92	LYS
1	A	146	VAL
1	A	151	LEU
1	A	167	LYS
1	A	184	GLU
1	A	196	LEU
1	A	225	LEU
1	A	232	ARG
1	A	252	GLN
1	A	253	LYS
1	A	284	VAL
1	A	293	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	310	LEU
1	A	330	ASN
1	A	353	LEU
1	A	417	LEU
1	A	429	VAL
1	A	448	LEU
1	B	26	THR
1	B	48	LEU
1	B	71	PHE
1	B	73	LYS
1	B	83	GLN
1	B	84	TYR
1	B	92	LYS
1	B	146	VAL
1	B	151	LEU
1	B	167	LYS
1	B	184	GLU
1	B	196	LEU
1	B	209	LYS
1	B	223	LYS
1	B	225	LEU
1	B	232	ARG
1	B	238	SER
1	B	252	GLN
1	B	253	LYS
1	B	284	VAL
1	B	293	ASN
1	B	310	LEU
1	B	330	ASN
1	B	334	ASN
1	B	353	LEU
1	B	407	GLU
1	B	417	LEU
1	B	429	VAL
1	B	448	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	GLN
1	A	15	ASN
1	A	35	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	83	GLN
1	A	145	ASN
1	A	153	HIS
1	A	162	HIS
1	A	263	ASN
1	A	330	ASN
1	A	334	ASN
1	A	391	ASN
1	A	435	GLN
1	B	9	ASN
1	B	13	GLN
1	B	15	ASN
1	B	35	ASN
1	B	145	ASN
1	B	153	HIS
1	B	162	HIS
1	B	263	ASN
1	B	330	ASN
1	B	334	ASN
1	B	391	ASN
1	B	435	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	B	2453	2	4,4,4	3.06	3 (75%)	6,6,6	1.00	0
3	PO4	A	1453	2	4,4,4	2.59	3 (75%)	6,6,6	0.65	0

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2453	PO4	P-O2	-5.20	1.39	1.54
3	A	1453	PO4	P-O2	-3.35	1.44	1.54
3	A	1453	PO4	P-O4	-2.66	1.46	1.54
3	A	1453	PO4	P-O3	-2.58	1.47	1.54
3	B	2453	PO4	P-O4	-2.37	1.47	1.54
3	B	2453	PO4	P-O3	-2.22	1.48	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	444/449 (98%)	-0.34	4 (0%) 81 78	11, 21, 49, 78	0
1	B	444/449 (98%)	-0.24	3 (0%) 84 81	11, 23, 50, 71	0
All	All	888/898 (98%)	-0.29	7 (0%) 82 80	11, 22, 50, 78	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	293	ASN	4.5
1	A	6	VAL	3.5
1	B	182	ALA	3.2
1	B	6	VAL	2.7
1	A	252	GLN	2.4
1	A	245	SER	2.3
1	B	221	GLN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZN	A	451	1/1	0.91	0.06	29,29,29,29	0
2	ZN	B	450	1/1	0.95	0.04	17,17,17,17	0
2	ZN	B	451	1/1	0.96	0.03	30,30,30,30	0
3	PO4	A	1453	5/5	0.96	0.09	25,29,36,38	0
3	PO4	B	2453	5/5	0.97	0.07	29,29,36,36	0
2	ZN	A	450	1/1	0.98	0.05	20,20,20,20	0

6.5 Other polymers [i](#)

There are no such residues in this entry.