



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:22 AM UTC

PDB ID : 3KHL / pdb_00003khl
Title : Dpo4 post-extension ternary complex with misinserted A opposite the 2-aminofluorene-guanine [AF]G lesion
Authors : Rechkoblit, O.; Malinina, L.; Patel, D.J.
Deposited on : 2009-10-30
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	341	84% 14% .
1	B	341	% 82% 17% .
2	D	13	15% 46% 46% 8%
2	H	13	15% 62% 31% 8%
3	E	20	20% 45% 35% 5% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	J	20	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase IV.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	341	Total	C	N	O	S	0	1	0
			2749	1763	474	506	6			
1	B	341	Total	C	N	O	S	0	2	0
			2761	1769	479	507	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP Q97W02
B	1001	GLY	-	expression tag	UNP Q97W02

- Molecule 2 is a DNA chain called 5'-D(*TP*TP*GP*GP*AP*TP*GP*GP*TP*AP*GP*A P*(DDG))-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	13	Total	C	N	O	P	0	0	0
			271	130	53	76	12			
2	H	13	Total	C	N	O	P	0	0	0
			261	125	48	76	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	815	DDG	G	engineered mutation	PDB 3KHL
H	1815	DDG	G	engineered mutation	PDB 3KHL

- Molecule 3 is a DNA chain called 5'-D(*CP*C*TP*AP*AP*CP*GP*CP*TP*AP*CP*CP*AP*TP*CP*CP*AP*AP*CP*C)-3'.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	17	Total	C	N	O	P	0	0	0
			338	163	62	97	16			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	J	18	Total	C	N	O	P	0	0	0
			357	172	65	103	17			

- Molecule 4 is THYMIDINE-5'-TRIPHOSPHATE (CCD ID: TTP) (formula: $C_{10}H_{17}N_2O_{14}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			29	10	2	14	3		
4	B	1	Total	C	N	O	P	0	0
			29	10	2	14	3		

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	Ca	0	0
			3	3		
5	B	3	Total	Ca	0	0
			3	3		

- Molecule 6 is 2-AMINOFLUORENE (CCD ID: AF) (formula: $C_{13}H_{11}N$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	E	1	Total	C	N	0	0
			14	13	1		
6	J	1	Total	C	N	0	0
			14	13	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	135	Total	O	0	0
			135	135		
7	D	15	Total	O	0	0
			15	15		
7	E	6	Total	O	0	0
			6	6		
7	B	126	Total	O	0	0
			126	126		
7	H	14	Total	O	0	0
			14	14		
7	J	20	Total	O	0	0
			20	20		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DNA polymerase IV




• Molecule 1: DNA polymerase IV





• Molecule 2: 5'-D(*TP*TP*GP*GP*AP*TP*GP*GP*TP*AP*GP*AP*(DDG))-3'




• Molecule 2: 5'-D(*TP*TP*GP*GP*AP*TP*GP*GP*TP*AP*GP*AP*(DDG))-3'



- Molecule 3: 5'-D(*CP*C*TP*AP*AP*CP*GP*CP*TP*AP*CP*CP*AP*TP*CP*CP*AP*AP*CP*C)-3'



- Molecule 3: 5'-D(*CP*C*TP*AP*AP*CP*GP*CP*TP*AP*CP*CP*AP*TP*CP*CP*AP*AP*CP*C)-3'



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	52.39Å 52.67Å 100.10Å 82.19° 76.40° 70.07°	Depositor
Resolution (Å)	20.00 – 2.10 20.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.2 (20.00-2.10) 97.0 (20.00-2.10)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.205 , 0.263 0.213 , 0.274	Depositor DCC
R_{free} test set	2797 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	41.3	Xtriage
Anisotropy	0.145	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 46.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7145	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, AF, TTP, DDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/2788	0.89	2/3742 (0.1%)
1	B	0.68	0/2801	0.89	2/3760 (0.1%)
2	D	0.37	0/281	1.02	0/434
2	H	0.34	0/269	0.93	0/415
3	E	0.36	0/378	1.30	4/579 (0.7%)
3	J	0.40	0/399	1.11	0/611
All	All	0.65	0/6916	0.94	8/9541 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	902	DT	O3'-P-O5'	-13.97	83.04	104.00
1	B	1287	VAL	CB-CA-C	-7.60	99.30	110.62
3	E	902	DT	OP1-P-O3'	-6.69	87.92	108.00
3	E	902	DT	P-O3'-C3'	5.80	128.91	120.20
3	E	902	DT	OP2-P-O3'	-5.39	91.82	108.00
1	A	11	PHE	N-CA-C	5.39	117.59	111.02
1	B	1011	PHE	N-CA-C	5.34	117.53	111.02
1	A	70	ASN	N-CA-C	5.23	118.92	112.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2749	0	2895	41	0
1	B	2761	0	2898	39	0
2	D	271	0	149	9	0
2	H	261	0	144	4	0
3	E	338	0	192	11	0
3	J	357	0	203	6	0
4	A	29	0	13	2	0
4	B	29	0	13	0	0
5	A	3	0	0	0	0
5	B	3	0	0	0	0
6	E	14	0	10	3	0
6	J	14	0	10	4	0
7	A	135	0	0	5	0
7	B	126	0	0	5	0
7	D	15	0	0	1	0
7	E	6	0	0	1	0
7	H	14	0	0	0	0
7	J	20	0	0	1	0
All	All	7145	0	6527	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:GLN:HE22	1:A:139:THR:H	1.04	0.95
1:B:1091:LEU:O	1:B:1094:GLU:HG2	1.69	0.93
3:E:902:DT:H2''	3:E:903:DA:OP2	1.66	0.92
1:B:1014:GLN:HE22	1:B:1139:THR:H	1.14	0.88
1:B:1296:VAL:HB	7:B:202:HOH:O	1.75	0.86
1:B:1293:LEU:HD21	3:J:1903:DA:H2'	1.68	0.76
1:B:1288:ALA:HB3	7:B:202:HOH:O	1.88	0.71
1:B:1251:MET:HA	1:B:1264:TYR:CE1	2.27	0.69
1:B:1287:VAL:HG13	6:J:1926:AF:C8	2.24	0.68
1:A:188:ASN:HD22	1:A:188:ASN:H	1.41	0.68
1:A:14:GLN:NE2	1:A:139:THR:H	1.86	0.68
1:B:1304[B]:HIS:HD2	1:B:1305:GLY:O	1.79	0.65
1:A:70:ASN:O	1:A:70:ASN:OD1	2.16	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:J:1914:DC:H6	7:J:95:HOH:O	1.81	0.63
1:B:1287:VAL:HG22	6:J:1926:AF:C5	2.28	0.62
1:B:1023:LEU:O	1:B:1026:LYS:HG2	2.00	0.62
1:A:60:PRO:HG2	1:A:63:GLU:HB2	1.81	0.61
1:A:304:HIS:HD2	1:A:305:GLY:O	1.83	0.60
1:A:285:HIS:HD2	7:A:521:HOH:O	1.85	0.59
1:A:283:ALA:HB2	1:A:339:LYS:HD2	1.83	0.58
1:A:123:ASN:HB3	7:A:549:HOH:O	2.04	0.58
1:A:209:GLU:HB3	7:A:555:HOH:O	2.05	0.57
3:E:907:DC:H2''	3:E:908:DT:H72	1.86	0.57
1:B:1179:ASP:HB3	1:B:1182:ASP:OD2	2.03	0.57
1:A:257:ASN:C	1:A:257:ASN:HD22	2.12	0.57
3:E:902:DT:C2'	3:E:903:DA:OP2	2.40	0.57
1:A:152:LYS:HE3	2:D:814:DA:H1'	1.85	0.56
1:A:273:TYR:HA	1:A:276:LEU:HD12	1.88	0.56
2:D:805:DG:H2''	2:D:806:DG:N7	2.20	0.56
2:D:804:DT:H1'	2:D:805:DG:C8	2.40	0.56
2:H:1805:DG:H2''	2:H:1806:DG:O4'	2.06	0.56
2:H:1814:DA:H2''	2:H:1815:DDG:H8	1.87	0.55
1:A:257:ASN:HB3	1:A:260:GLU:HB3	1.88	0.55
1:B:1052:LYS:HE2	7:B:225:HOH:O	2.04	0.55
1:B:1291:GLU:HG3	1:B:1329:LYS:HB2	1.89	0.55
1:A:188:ASN:HD22	1:A:188:ASN:N	2.05	0.54
1:B:1020:ASN:HB3	1:B:1023:LEU:HD22	1.89	0.54
1:B:1285:HIS:HD2	7:B:9:HOH:O	1.91	0.53
1:B:1036:ARG:NH2	1:B:1254:ASN:OD1	2.33	0.53
1:A:247:ARG:NE	1:A:271:GLU:OE1	2.31	0.53
1:A:36:ARG:NH1	1:A:254:ASN:OD1	2.32	0.52
1:B:1079:GLU:CD	1:B:1079:GLU:H	2.17	0.52
1:B:1186:ILE:HD11	1:B:1225:LEU:HD21	1.91	0.52
1:A:258:LEU:HG	1:A:262:LYS:HD2	1.92	0.51
1:B:1157:MET:HE1	1:B:1174:LEU:HD21	1.92	0.51
1:B:1197:LEU:HD22	1:B:1212:LYS:HE3	1.93	0.51
1:B:1254:ASN:ND2	1:B:1291:GLU:HG2	2.26	0.50
1:A:327:GLU:H	1:A:327:GLU:CD	2.18	0.50
1:B:1023:LEU:HA	1:B:1026:LYS:HE2	1.93	0.50
3:J:1901:DC:H2'	3:J:1902:DT:H6	1.76	0.50
7:A:595:HOH:O	2:D:810:DG:H2'	2.12	0.49
3:J:1907:DC:H2''	3:J:1908:DT:H72	1.93	0.49
1:B:1039:ASP:CG	1:B:1065:LYS:HE3	2.39	0.48
3:E:915:DC:H2''	7:E:68:HOH:O	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1287:VAL:HG13	6:J:1926:AF:C7	2.44	0.47
1:A:12:TYR:CD2	4:A:414:TTP:H2'1	2.50	0.47
1:B:1293:LEU:CD2	3:J:1903:DA:H2'	2.42	0.46
1:A:20:ASN:HB3	1:A:23:LEU:HD22	1.96	0.46
1:B:1270:GLU:OE2	1:B:1312:TYR:OH	2.32	0.46
2:D:815:DDG:OP1	7:D:510:HOH:O	2.20	0.46
1:A:293:LEU:HD11	3:E:903:DA:C8	2.51	0.45
1:B:1287:VAL:CG1	6:J:1926:AF:C8	2.94	0.45
1:B:1267:ARG:O	1:B:1271:GLU:HG3	2.16	0.45
1:A:157:MET:HE1	1:A:174:LEU:HD21	1.97	0.45
1:A:185:GLY:HA2	2:D:814:DA:C2	2.52	0.45
1:B:1005:PHE:CE1	1:B:1106:GLU:HB3	2.52	0.44
2:D:803:DT:H2''	2:D:804:DT:OP2	2.17	0.44
3:E:911:DC:H2'	3:E:912:DA:C8	2.53	0.44
1:B:1006:VAL:O	1:B:1106:GLU:HA	2.18	0.44
1:A:209:GLU:HG2	1:A:212:LYS:H	1.83	0.43
1:A:55:VAL:HG21	1:A:68:LEU:HD12	2.01	0.43
1:A:289:VAL:HB	1:A:332:ARG:HB2	2.01	0.43
1:A:199:ILE:HD11	1:A:208:ILE:HG21	2.01	0.43
2:D:805:DG:OP2	2:D:805:DG:H2'	2.18	0.43
1:B:1091:LEU:O	1:B:1094:GLU:CG	2.53	0.43
1:A:242:ARG:HD2	7:A:345:HOH:O	2.18	0.43
1:A:336:ARG:HB3	6:E:926:AF:C6	2.49	0.43
1:A:257:ASN:HD22	1:A:258:LEU:N	2.17	0.43
1:B:1266:PHE:CD1	1:B:1312:TYR:HD1	2.37	0.43
1:A:336:ARG:HB2	6:E:926:AF:C5	2.50	0.42
1:A:37:PHE:HZ	3:E:902:DT:H5''	1.84	0.42
1:B:1300:ARG:HD3	1:B:1314:GLU:OE1	2.20	0.42
1:B:1235:GLU:HA	1:B:1236:PRO:HD3	1.93	0.42
3:J:1901:DC:H2'	3:J:1902:DT:C6	2.55	0.42
1:A:97:GLU:H	1:A:97:GLU:CD	2.26	0.42
3:E:914:DC:H2''	3:E:915:DC:C4	2.55	0.42
1:B:1310:THR:O	1:B:1314:GLU:HB2	2.20	0.42
2:H:1804:DT:H1'	2:H:1805:DG:N7	2.35	0.42
1:A:70:ASN:OD1	1:A:70:ASN:C	2.62	0.42
1:A:37:PHE:HZ	3:E:902:DT:H3'	1.84	0.41
1:A:184:PRO:HA	2:D:814:DA:H5'	2.03	0.41
1:B:1036:ARG:HB2	1:B:1040:SER:OG	2.20	0.41
1:A:12:TYR:CE2	4:A:414:TTP:H2'1	2.55	0.41
1:B:1169:GLU:HG2	7:B:240:HOH:O	2.20	0.41
1:B:1251:MET:HA	1:B:1264:TYR:CZ	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1210:PHE:CD1	1:B:1226:ILE:HD12	2.56	0.41
3:E:914:DC:H2''	3:E:915:DC:C5	2.55	0.41
1:A:37:PHE:CZ	3:E:902:DT:H5''	2.57	0.40
2:H:1805:DG:H2'	2:H:1806:DG:C8	2.57	0.40
1:A:188:ASN:N	1:A:188:ASN:ND2	2.70	0.40
1:A:287:VAL:HB	6:E:926:AF:C7	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	340/341 (100%)	331 (97%)	9 (3%)	0	100	100
1	B	341/341 (100%)	331 (97%)	10 (3%)	0	100	100
All	All	681/682 (100%)	662 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/299 (100%)	282 (94%)	18 (6%)	17	15
1	B	301/299 (101%)	288 (96%)	13 (4%)	26	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	601/598 (100%)	570 (95%)	31 (5%)	21	20

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	LEU
1	A	23	LEU
1	A	26	LYS
1	A	63	GLU
1	A	68	LEU
1	A	79	GLU
1	A	97	GLU
1	A	101	ILE
1	A	180	ILE
1	A	188	ASN
1	A	207	SER
1	A	209	GLU
1	A	242	ARG
1	A	245	ILE
1	A	252	LYS
1	A	291	GLU
1	A	323	LEU
1	A	327	GLU
1	B	1019	LEU
1	B	1079	GLU
1	B	1094	GLU
1	B	1135	LYS
1	B	1137	LYS
1	B	1208	ILE
1	B	1238	ARG
1	B	1252	LYS
1	B	1287	VAL
1	B	1323	LEU
1	B	1324	GLU
1	B	1327	GLU
1	B	1336	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	70	ASN
1	A	123	ASN
1	A	188	ASN
1	A	257	ASN
1	A	285	HIS
1	A	304	HIS
1	B	1014	GLN
1	B	1070	ASN
1	B	1082	GLN
1	B	1188	ASN
1	B	1285	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	DDG	D	815	2,3	20,23,24	0.42	0	27,33,36	0.95	2 (7%)
2	DDG	H	1815	2,3,5	20,23,24	0.44	0	27,33,36	0.91	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DDG	D	815	2,3	-	0/7/18/19	0/3/3/3
2	DDG	H	1815	2,3,5	-	0/7/18/19	0/3/3/3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	815	DDG	O4'-C1'-C2'	2.62	109.52	106.41
2	H	1815	DDG	C3'-C2'-C1'	2.10	105.30	102.87
2	D	815	DDG	C2'-C1'-N9	2.07	116.32	112.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	815	DDG	1	0
2	H	1815	DDG	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	AF	J	1926	3	16,16,16	0.64	0	23,23,23	0.63	0
4	TTP	B	1414	5	29,30,30	1.44	6 (20%)	43,47,47	1.89	10 (23%)
4	TTP	A	414	5	29,30,30	1.44	6 (20%)	43,47,47	1.82	9 (20%)
6	AF	E	926	3	16,16,16	0.56	0	23,23,23	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	AF	J	1926	3	-	-	0/3/3/3
4	TTP	B	1414	5	-	5/22/34/34	0/2/2/2
4	TTP	A	414	5	-	5/22/34/34	0/2/2/2
6	AF	E	926	3	-	-	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	414	TTP	C6-C5	3.44	1.40	1.34
4	B	1414	TTP	C6-C5	3.07	1.39	1.34
4	A	414	TTP	PA-O3A	3.01	1.62	1.59
4	A	414	TTP	C4-C5	2.95	1.49	1.44
4	B	1414	TTP	C4-C5	2.78	1.49	1.44
4	B	1414	TTP	O2-C2	2.61	1.27	1.23
4	B	1414	TTP	PB-O3A	2.57	1.62	1.59
4	B	1414	TTP	C2-N1	2.36	1.42	1.38
4	A	414	TTP	PB-O3A	2.29	1.62	1.59
4	B	1414	TTP	PA-O3A	2.12	1.61	1.59
4	A	414	TTP	C2-N1	2.04	1.41	1.38
4	A	414	TTP	C4-N3	-2.01	1.35	1.38

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1414	TTP	C5-C4-N3	5.43	120.05	115.32
4	B	1414	TTP	C4-N3-C2	-5.05	120.72	127.34
4	A	414	TTP	N3-C2-N1	5.04	121.46	114.89
4	A	414	TTP	C4-N3-C2	-4.57	121.34	127.34
4	B	1414	TTP	O4-C4-C5	-4.50	119.77	124.92
4	B	1414	TTP	N3-C2-N1	4.28	120.47	114.89
4	A	414	TTP	C5-C4-N3	4.02	118.82	115.32
4	B	1414	TTP	C5M-C5-C4	3.90	122.94	118.78
4	A	414	TTP	O4'-C1'-N1	3.48	114.04	107.86
4	A	414	TTP	O4-C4-C5	-3.31	121.13	124.92
4	A	414	TTP	C5-C6-N1	-3.25	119.78	123.31
4	A	414	TTP	O3G-PG-O3B	3.01	114.71	104.64
4	A	414	TTP	C2'-C1'-N1	-2.79	106.83	113.81
4	B	1414	TTP	C5-C6-N1	-2.72	120.36	123.31
4	B	1414	TTP	O2-C2-N1	-2.72	119.26	122.80
4	B	1414	TTP	C2'-C1'-N1	-2.39	107.83	113.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	414	TTP	O2-C2-N1	-2.31	119.78	122.80
4	B	1414	TTP	C5M-C5-C6	-2.03	120.10	122.85
4	B	1414	TTP	O3G-PG-O3B	2.01	111.37	104.64

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	414	TTP	PB-O3B-PG-O3G
4	B	1414	TTP	PB-O3B-PG-O2G
4	B	1414	TTP	PB-O3B-PG-O3G
4	A	414	TTP	PB-O3B-PG-O2G
4	A	414	TTP	PA-O3A-PB-O1B
4	A	414	TTP	PB-O3B-PG-O1G
4	B	1414	TTP	PB-O3B-PG-O1G
4	B	1414	TTP	PA-O3A-PB-O1B
4	A	414	TTP	PA-O3A-PB-O2B
4	B	1414	TTP	PA-O3A-PB-O2B

There are no ring outliers.

3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	J	1926	AF	4	0
4	A	414	TTP	2	0
6	E	926	AF	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	341/341 (100%)	-0.04	1 (0%) 90 91	11, 29, 44, 52	1 (0%)
1	B	341/341 (100%)	-0.00	3 (0%) 81 83	11, 30, 43, 51	2 (0%)
2	D	12/13 (92%)	0.80	2 (16%) 4 4	20, 29, 80, 82	0
2	H	12/13 (92%)	0.35	2 (16%) 4 4	16, 26, 86, 89	0
3	E	17/20 (85%)	0.91	4 (23%) 2 2	22, 33, 91, 95	0
3	J	18/20 (90%)	0.70	3 (16%) 4 4	19, 36, 94, 95	0
All	All	741/748 (99%)	0.04	15 (2%) 65 67	11, 30, 46, 95	3 (0%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1021	PRO	3.4
2	D	803	DT	2.7
1	B	1274	TYR	2.7
1	A	209	GLU	2.6
2	H	1805	DG	2.5
3	E	916	DA	2.5
3	E	917	DA	2.5
3	E	918	DC	2.5
1	B	1022	SER	2.4
2	D	814	DA	2.3
3	J	1916	DA	2.2
3	J	1915	DC	2.1
2	H	1803	DT	2.1
3	J	1917	DA	2.1
3	E	915	DC	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DDG	D	815	21/22	0.84	0.13	49,50,64,65	0
2	DDG	H	1815	21/22	0.89	0.10	44,51,61,62	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	AF	J	1926	14/14	0.85	0.10	41,44,46,47	0
6	AF	E	926	14/14	0.88	0.08	40,44,45,45	0
4	TTP	A	414	29/29	0.90	0.15	8,13,18,30	0
5	CA	B	1417	1/1	0.91	0.11	54,54,54,54	0
5	CA	B	1415	1/1	0.93	0.15	54,54,54,54	0
4	TTP	B	1414	29/29	0.94	0.10	7,13,15,18	0
5	CA	A	415	1/1	0.96	0.21	44,44,44,44	0
5	CA	A	417	1/1	0.96	0.17	51,51,51,51	0
5	CA	B	1416	1/1	0.98	0.02	27,27,27,27	0
5	CA	A	416	1/1	0.98	0.03	28,28,28,28	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around TTP A 414:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TTP B 1414:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.