



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:05 PM UTC

PDB ID : 6KH2 / pdb_00006kh2
Title : Crystal structure of Nicotinic acid mononucleotide adenylyltransferase mutant P22K/Y84V/Y118D/C132L/W176Y from Escherichia coli
Authors : Feng, Y.; Xue, S.; Zhao, Z.; Wang, X.
Deposited on : 2019-07-12
Resolution : 3.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3685 (3.08-3.00)
Clashscore	190562	4007 (3.08-3.00)
Ramachandran outliers	187476	3834 (3.08-3.00)
Sidechain outliers	187428	3836 (3.08-3.00)
RSRZ outliers	180081	3684 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	213	0% 75% 23% .
1	B	213	3% 68% 29% .
1	C	213	2% 70% 28% .
1	D	213	3% 76% 19% ..
1	E	213	5% 72% 23% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	213	6% 71% 23%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 10189 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable nicotinate-nucleotide adenylyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	0	0	0
			1727	1104	298	321	4			
1	B	213	Total	C	N	O	S	0	0	0
			1727	1104	298	321	4			
1	C	213	Total	C	N	O	S	0	0	0
			1727	1104	298	321	4			
1	D	206	Total	C	N	O	S	0	0	0
			1664	1062	290	308	4			
1	E	207	Total	C	N	O	S	0	0	0
			1673	1067	291	311	4			
1	F	207	Total	C	N	O	S	0	0	0
			1671	1066	291	310	4			

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	22	LYS	PRO	engineered mutation	UNP A0A222QGJ8
A	84	VAL	TYR	engineered mutation	UNP A0A222QGJ8
A	118	ASP	TYR	engineered mutation	UNP A0A222QGJ8
A	132	LEU	CYS	engineered mutation	UNP A0A222QGJ8
A	176	TYR	TRP	engineered mutation	UNP A0A222QGJ8
B	22	LYS	PRO	engineered mutation	UNP A0A222QGJ8
B	84	VAL	TYR	engineered mutation	UNP A0A222QGJ8
B	118	ASP	TYR	engineered mutation	UNP A0A222QGJ8
B	132	LEU	CYS	engineered mutation	UNP A0A222QGJ8
B	176	TYR	TRP	engineered mutation	UNP A0A222QGJ8
C	22	LYS	PRO	engineered mutation	UNP A0A222QGJ8
C	84	VAL	TYR	engineered mutation	UNP A0A222QGJ8
C	118	ASP	TYR	engineered mutation	UNP A0A222QGJ8
C	132	LEU	CYS	engineered mutation	UNP A0A222QGJ8
C	176	TYR	TRP	engineered mutation	UNP A0A222QGJ8
D	22	LYS	PRO	engineered mutation	UNP A0A222QGJ8
D	84	VAL	TYR	engineered mutation	UNP A0A222QGJ8

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	118	ASP	TYR	engineered mutation	UNP A0A222QGJ8
D	132	LEU	CYS	engineered mutation	UNP A0A222QGJ8
D	176	TYR	TRP	engineered mutation	UNP A0A222QGJ8
E	22	LYS	PRO	engineered mutation	UNP A0A222QGJ8
E	84	VAL	TYR	engineered mutation	UNP A0A222QGJ8
E	118	ASP	TYR	engineered mutation	UNP A0A222QGJ8
E	132	LEU	CYS	engineered mutation	UNP A0A222QGJ8
E	176	TYR	TRP	engineered mutation	UNP A0A222QGJ8
F	22	LYS	PRO	engineered mutation	UNP A0A222QGJ8
F	84	VAL	TYR	engineered mutation	UNP A0A222QGJ8
F	118	ASP	TYR	engineered mutation	UNP A0A222QGJ8
F	132	LEU	CYS	engineered mutation	UNP A0A222QGJ8
F	176	TYR	TRP	engineered mutation	UNP A0A222QGJ8


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable nicotinate-nucleotide adenylyltransferase




- Molecule 1: Probable nicotinate-nucleotide adenylyltransferase




- Molecule 1: Probable nicotinate-nucleotide adenylyltransferase





- Molecule 1: Probable nicotinate-nucleotide adenylyltransferase






- Molecule 1: Probable nicotinate-nucleotide adenylyltransferase



- Molecule 1: Probable nicotinate-nucleotide adenylyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	84.69Å 130.21Å 106.74Å 90.00° 103.50° 90.00°	Depositor
Resolution (Å)	48.70 – 3.04 48.70 – 3.04	Depositor EDS
% Data completeness (in resolution range)	63.4 (48.70-3.04) 63.4 (48.70-3.04)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 3.07Å)	Xtriage
Refinement program	PHENIX 1.16_3549, PHENIX 1.16_3549	Depositor
R, R_{free}	0.232 , 0.268 0.237 , 0.273	Depositor DCC
R_{free} test set	1359 reflections (3.14%)	wwPDB-VP
Wilson B-factor (Å ²)	68.0	Xtriage
Anisotropy	0.225	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 32.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	10189	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.16	0/1773	0.38	0/2419
1	B	0.17	0/1773	0.39	0/2419
1	C	0.16	0/1773	0.39	0/2419
1	D	0.19	0/1705	0.42	0/2322
1	E	0.17	0/1714	0.41	0/2334
1	F	0.18	0/1712	0.41	0/2332
All	All	0.17	0/10450	0.40	0/14245

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1727	0	1714	32	0
1	B	1727	0	1714	40	0
1	C	1727	0	1714	38	0
1	D	1664	0	1663	37	0
1	E	1673	0	1669	32	0
1	F	1671	0	1670	34	0
All	All	10189	0	10144	203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:29:LEU:HA	1:B:175:PRO:HB3	1.58	0.84
1:B:29:LEU:HA	1:E:175:PRO:HB3	1.66	0.77
1:B:64:ILE:HG13	1:B:70:PHE:HB2	1.67	0.75
1:D:22:LYS:HD2	1:D:132:LEU:HD13	1.67	0.75
1:F:64:ILE:HG13	1:F:70:PHE:HB2	1.69	0.74
1:C:184:ILE:HG12	1:C:197:LEU:HD12	1.72	0.72
1:C:26:LEU:HD12	1:C:132:LEU:HD21	1.71	0.71
1:A:64:ILE:HG13	1:A:70:PHE:HB2	1.72	0.71
1:B:188:LEU:O	1:B:213:ARG:NH1	2.24	0.70
1:E:26:LEU:HD12	1:E:132:LEU:HD21	1.74	0.69
1:D:64:ILE:HG13	1:D:70:PHE:HB2	1.74	0.68
1:E:64:ILE:HG13	1:E:70:PHE:HB2	1.76	0.68
1:A:47:PRO:HG3	1:D:146:TYR:HB3	1.75	0.67
1:F:93:ARG:NH2	1:F:100:VAL:O	2.27	0.67
1:C:18:GLY:O	1:C:22:LYS:HB2	1.95	0.67
1:D:120:TYR:CD1	1:D:121:GLU:HG3	2.31	0.66
1:E:133:ARG:HH22	1:E:139:LEU:HG	1.61	0.65
1:D:93:ARG:NH2	1:D:100:VAL:O	2.24	0.64
1:D:120:TYR:HD1	1:D:121:GLU:H	1.45	0.64
1:F:146:TYR:HA	1:F:149:TRP:HB3	1.79	0.62
1:B:132:LEU:HD22	1:B:174:THR:HG21	1.83	0.61
1:B:93:ARG:NH2	1:B:100:VAL:O	2.25	0.61
1:D:120:TYR:HD1	1:D:121:GLU:HG3	1.65	0.60
1:D:132:LEU:HD22	1:D:174:THR:HG21	1.82	0.60
1:F:106:ILE:HD12	1:F:111:LEU:HD13	1.83	0.59
1:A:111:LEU:HD22	1:A:131:VAL:HG21	1.83	0.59
1:F:27:ALA:HA	1:F:32:LEU:HB2	1.85	0.58
1:E:79:ARG:NH2	1:E:91:GLU:OE2	2.36	0.58
1:F:93:ARG:NH1	1:F:126:ASN:O	2.36	0.58
1:E:198:LEU:HD23	1:E:203:LEU:HD13	1.86	0.57
1:F:18:GLY:O	1:F:22:LYS:HB2	2.05	0.57
1:D:133:ARG:NH2	1:D:139:LEU:HG	2.19	0.57
1:D:18:GLY:O	1:D:22:LYS:HB2	2.04	0.56
1:B:47:PRO:HG2	1:F:120:TYR:CE2	2.40	0.56
1:A:18:GLY:O	1:A:22:LYS:HB2	2.06	0.56
1:E:22:LYS:HD2	1:E:132:LEU:HD13	1.88	0.56
1:B:93:ARG:NH1	1:B:126:ASN:O	2.40	0.55
1:C:105:ILE:HD13	1:C:130:ILE:HB	1.87	0.55
1:A:26:LEU:HD12	1:A:132:LEU:HD21	1.88	0.55
1:D:79:ARG:NH2	1:D:91:GLU:OE2	2.40	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:LEU:HD22	1:B:131:VAL:HG21	1.89	0.54
1:E:133:ARG:NH2	1:E:139:LEU:HG	2.22	0.54
1:F:133:ARG:NH1	1:F:139:LEU:HG	2.23	0.54
1:F:205:TYR:CE1	1:F:209:GLN:HG3	2.43	0.54
1:E:132:LEU:HD22	1:E:174:THR:HG21	1.89	0.54
1:C:64:ILE:HG13	1:C:70:PHE:HB2	1.90	0.53
1:C:143:GLN:H	1:C:146:TYR:HE1	1.55	0.53
1:B:47:PRO:HG3	1:F:146:TYR:HB3	1.91	0.53
1:F:179:ILE:HG22	1:F:197:LEU:HD22	1.90	0.53
1:E:111:LEU:HD22	1:E:131:VAL:HG21	1.90	0.53
1:C:111:LEU:HA	1:C:114:PHE:HB2	1.90	0.53
1:E:93:ARG:NH2	1:E:100:VAL:O	2.40	0.53
1:A:39:PRO:HD2	1:A:73:ASP:O	2.09	0.52
1:D:205:TYR:CE1	1:D:209:GLN:HG3	2.44	0.52
1:A:13:ASP:OD2	1:A:50:GLU:N	2.43	0.52
1:C:18:GLY:N	1:C:179:ILE:HD11	2.24	0.52
1:C:93:ARG:NH2	1:C:100:VAL:O	2.26	0.52
1:F:134:ARG:HD3	1:F:137:TYR:CD1	2.45	0.52
1:F:79:ARG:NH2	1:F:91:GLU:OE2	2.43	0.51
1:A:205:TYR:CE1	1:A:209:GLN:HG3	2.46	0.51
1:B:143:GLN:O	1:B:145:GLN:N	2.36	0.51
1:B:75:ARG:NH2	1:B:95:GLU:OE1	2.34	0.51
1:C:96:GLN:HG3	1:C:100:VAL:HG21	1.93	0.51
1:B:180:SER:H	1:B:183:ILE:HB	1.77	0.50
1:E:154:LEU:HD11	1:E:171:LEU:HG	1.92	0.50
1:C:188:LEU:HD23	1:C:212:TYR:HB2	1.94	0.49
1:B:188:LEU:HD23	1:B:212:TYR:HB2	1.93	0.49
1:B:18:GLY:O	1:B:22:LYS:HB2	2.12	0.49
1:C:188:LEU:O	1:C:213:ARG:NH1	2.46	0.49
1:B:26:LEU:HD11	1:B:130:ILE:HG21	1.95	0.49
1:B:89:LEU:HD21	1:B:104:PHE:HD2	1.77	0.49
1:E:206:ILE:HG23	1:E:211:LEU:HB2	1.93	0.49
1:F:26:LEU:HD12	1:F:132:LEU:HD21	1.94	0.49
1:C:61:GLU:HA	1:C:64:ILE:HG22	1.95	0.48
1:F:187:ARG:HB2	1:F:194:CYS:SG	2.53	0.48
1:A:106:ILE:HD11	1:A:129:LEU:HD13	1.96	0.48
1:C:193:SER:OG	1:C:195:GLU:OE1	2.31	0.48
1:D:187:ARG:HA	1:D:192:GLU:HG3	1.94	0.48
1:A:143:GLN:O	1:A:145:GLN:N	2.46	0.48
1:B:198:LEU:HD23	1:B:203:LEU:HD13	1.94	0.48
1:E:96:GLN:HG3	1:E:100:VAL:HG21	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:96:GLN:HG3	1:F:100:VAL:HG21	1.95	0.48
1:B:76:GLU:OE1	1:B:83:SER:HB2	2.14	0.48
1:A:115:PRO:HG2	1:A:146:TYR:CD1	2.49	0.47
1:A:47:PRO:CG	1:D:146:TYR:HB3	2.44	0.47
1:A:187:ARG:NH2	1:A:193:SER:O	2.44	0.47
1:E:187:ARG:HA	1:E:192:GLU:HG3	1.95	0.47
1:C:26:LEU:HD22	1:C:32:LEU:HD12	1.96	0.47
1:F:26:LEU:HD22	1:F:32:LEU:HD12	1.97	0.47
1:A:76:GLU:OE1	1:A:79:ARG:NH1	2.48	0.47
1:C:198:LEU:HD12	1:C:198:LEU:HA	1.74	0.47
1:D:187:ARG:NH2	1:D:193:SER:O	2.47	0.47
1:C:89:LEU:HD21	1:C:104:PHE:HD2	1.80	0.47
1:D:120:TYR:HD1	1:D:121:GLU:N	2.11	0.47
1:E:57:LYS:NZ	1:E:74:GLU:OE2	2.48	0.47
1:E:61:GLU:HA	1:E:64:ILE:HG22	1.97	0.47
1:F:144:PRO:HA	1:F:147:GLN:HB3	1.96	0.47
1:E:93:ARG:NH1	1:E:126:ASN:O	2.49	0.46
1:F:154:LEU:HD11	1:F:171:LEU:HG	1.95	0.46
1:B:134:ARG:HD3	1:B:137:TYR:CD1	2.50	0.46
1:B:45:HIS:NE2	1:F:125:ASP:OD1	2.49	0.46
1:D:6:ALA:HB3	1:D:35:VAL:HG22	1.96	0.46
1:E:179:ILE:HG22	1:E:197:LEU:HD22	1.96	0.46
1:C:143:GLN:O	1:C:145:GLN:N	2.48	0.46
1:C:180:SER:O	1:C:184:ILE:HG13	2.16	0.46
1:F:13:ASP:OD1	1:F:212:TYR:OH	2.31	0.46
1:B:133:ARG:HH11	1:B:133:ARG:HB3	1.81	0.46
1:D:104:PHE:HE2	1:D:106:ILE:HG23	1.80	0.46
1:E:26:LEU:HD11	1:E:130:ILE:HG21	1.96	0.46
1:F:141:MET:HB2	1:F:147:GLN:HB2	1.96	0.46
1:C:115:PRO:HG2	1:C:146:TYR:CD1	2.51	0.46
1:B:93:ARG:HB2	1:B:126:ASN:HB3	1.98	0.46
1:D:104:PHE:CE2	1:D:106:ILE:HG23	2.51	0.46
1:E:193:SER:OG	1:E:194:CYS:N	2.49	0.46
1:A:41:ASN:OD1	1:A:83:SER:HB2	2.16	0.45
1:B:40:ASN:OD1	1:B:76:GLU:HG3	2.16	0.45
1:B:41:ASN:OD1	1:B:41:ASN:N	2.49	0.45
1:B:61:GLU:HA	1:B:64:ILE:HG22	1.98	0.45
1:D:106:ILE:HD11	1:D:129:LEU:HD13	1.98	0.45
1:A:115:PRO:HG2	1:A:146:TYR:CE1	2.51	0.45
1:C:132:LEU:HD22	1:C:174:THR:HG21	1.98	0.45
1:D:143:GLN:O	1:D:145:GLN:N	2.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:PRO:HG2	1:B:146:TYR:CE1	2.51	0.45
1:E:146:TYR:HA	1:E:149:TRP:HB3	1.99	0.45
1:E:180:SER:OG	1:E:183:ILE:HG12	2.16	0.45
1:F:41:ASN:OD1	1:F:41:ASN:N	2.47	0.45
1:C:39:PRO:HD2	1:C:73:ASP:O	2.17	0.45
1:F:30:ILE:HD11	1:F:170:TYR:CZ	2.52	0.45
1:F:61:GLU:HA	1:F:64:ILE:HG22	1.99	0.45
1:E:42:VAL:HG13	1:E:46:ARG:HD3	1.99	0.45
1:D:93:ARG:NH1	1:D:126:ASN:O	2.42	0.45
1:A:47:PRO:HD2	1:D:121:GLU:HG2	1.99	0.44
1:B:75:ARG:HH22	1:B:95:GLU:CD	2.23	0.44
1:C:41:ASN:OD1	1:C:41:ASN:N	2.50	0.44
1:B:115:PRO:HA	1:B:120:TYR:CG	2.52	0.44
1:A:79:ARG:NH2	1:A:91:GLU:OE2	2.50	0.44
1:D:39:PRO:HD2	1:D:73:ASP:O	2.17	0.44
1:F:106:ILE:HD11	1:F:129:LEU:HD13	1.98	0.44
1:E:43:PRO:HA	1:E:44:PRO:HD3	1.88	0.44
1:B:81:ALA:HB1	1:B:82:PRO:HD2	2.00	0.44
1:D:2:LYS:HE2	1:D:2:LYS:HB3	1.77	0.44
1:A:18:GLY:N	1:A:179:ILE:HD11	2.33	0.44
1:B:133:ARG:HB3	1:B:133:ARG:NH1	2.33	0.44
1:C:129:LEU:HG	1:C:169:ILE:HG12	1.99	0.43
1:D:20:LEU:O	1:D:24:GLU:HG2	2.17	0.43
1:E:109:ASP:HA	1:E:112:LEU:HG	2.00	0.43
1:B:19:HIS:CD2	1:B:19:HIS:H	2.35	0.43
1:C:134:ARG:HD3	1:C:137:TYR:CD1	2.53	0.43
1:F:188:LEU:HD23	1:F:212:TYR:HB2	1.99	0.43
1:C:154:LEU:HD11	1:C:171:LEU:HG	2.00	0.43
1:A:129:LEU:HG	1:A:169:ILE:HG12	2.00	0.43
1:B:6:ALA:HB3	1:B:35:VAL:HG22	2.00	0.43
1:C:41:ASN:OD1	1:C:83:SER:HB2	2.18	0.43
1:C:76:GLU:OE1	1:C:79:ARG:NH1	2.51	0.43
1:F:198:LEU:HD23	1:F:203:LEU:HD13	2.00	0.43
1:D:105:ILE:HD13	1:D:130:ILE:HB	2.00	0.43
1:F:180:SER:OG	1:F:183:ILE:HG12	2.19	0.43
1:D:60:LEU:O	1:D:64:ILE:HG22	2.18	0.43
1:E:41:ASN:OD1	1:E:41:ASN:N	2.48	0.43
1:F:35:VAL:O	1:F:70:PHE:HA	2.19	0.43
1:C:20:LEU:HD11	1:C:63:ALA:HB1	2.01	0.43
1:C:46:ARG:HD3	1:E:121:GLU:HB3	1.99	0.42
1:E:132:LEU:HD23	1:E:132:LEU:HA	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:145:GLN:HG2	1:F:146:TYR:N	2.33	0.42
1:E:109:ASP:O	1:E:112:LEU:HB2	2.20	0.42
1:A:105:ILE:HD13	1:A:130:ILE:HB	2.02	0.42
1:D:64:ILE:HD11	1:D:71:THR:HA	2.01	0.42
1:F:22:LYS:HG2	1:F:174:THR:HB	2.01	0.42
1:A:47:PRO:HD2	1:D:121:GLU:CG	2.50	0.42
1:B:13:ASP:OD1	1:B:212:TYR:OH	2.35	0.42
1:A:75:ARG:NH2	1:A:95:GLU:OE1	2.51	0.42
1:C:73:ASP:OD1	1:C:75:ARG:HG3	2.19	0.42
1:D:30:ILE:HD11	1:D:170:TYR:CE1	2.55	0.42
1:D:64:ILE:HD11	1:D:71:THR:CA	2.49	0.42
1:A:109:ASP:OD1	1:A:109:ASP:N	2.48	0.41
1:B:154:LEU:HD11	1:B:171:LEU:HG	2.02	0.41
1:F:86:ALA:HB1	1:F:122:THR:HB	2.02	0.41
1:B:205:TYR:CE1	1:B:209:GLN:HG3	2.55	0.41
1:C:111:LEU:HD22	1:C:131:VAL:HG21	2.01	0.41
1:A:188:LEU:HD23	1:A:212:TYR:HB2	2.03	0.41
1:B:179:ILE:HG22	1:B:197:LEU:HD22	2.03	0.41
1:C:106:ILE:O	1:C:131:VAL:HA	2.20	0.41
1:A:143:GLN:C	1:A:145:GLN:H	2.29	0.41
1:D:187:ARG:O	1:D:192:GLU:N	2.53	0.41
1:E:2:LYS:HE2	1:E:2:LYS:HB3	1.78	0.41
1:A:1:MET:HB2	1:A:1:MET:HE3	1.86	0.41
1:A:35:VAL:HG23	1:A:69:LEU:HD11	2.03	0.41
1:A:73:ASP:OD1	1:A:75:ARG:HG3	2.21	0.41
1:C:20:LEU:O	1:C:24:GLU:HG2	2.21	0.41
1:C:114:PHE:O	1:C:117:TRP:HB2	2.21	0.41
1:C:183:ILE:O	1:C:187:ARG:HG2	2.21	0.41
1:D:41:ASN:OD1	1:D:41:ASN:N	2.48	0.41
1:A:139:LEU:HD23	1:A:150:LEU:HD21	2.02	0.41
1:C:108:GLN:NE2	1:C:138:PRO:O	2.54	0.41
1:D:139:LEU:H	1:D:139:LEU:HD12	1.85	0.41
1:B:60:LEU:O	1:B:64:ILE:HG22	2.21	0.40
1:A:2:LYS:HG2	1:A:100:VAL:HG12	2.02	0.40
1:B:143:GLN:OE1	1:B:145:GLN:NE2	2.50	0.40
1:B:114:PHE:CE2	1:B:120:TYR:HB2	2.56	0.40
1:D:22:LYS:HG2	1:D:174:THR:HB	2.02	0.40
1:E:30:ILE:HD11	1:E:170:TYR:CE1	2.56	0.40
1:C:52:ASN:OD1	1:C:54:VAL:N	2.45	0.40
1:D:64:ILE:HD13	1:D:64:ILE:HG21	1.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/213 (99%)	202 (96%)	8 (4%)	1 (0%)	24	57
1	B	211/213 (99%)	200 (95%)	10 (5%)	1 (0%)	24	57
1	C	211/213 (99%)	205 (97%)	5 (2%)	1 (0%)	24	57
1	D	202/213 (95%)	194 (96%)	8 (4%)	0	100	100
1	E	203/213 (95%)	192 (95%)	11 (5%)	0	100	100
1	F	203/213 (95%)	197 (97%)	6 (3%)	0	100	100
All	All	1241/1278 (97%)	1190 (96%)	48 (4%)	3 (0%)	43	73

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	83	SER
1	A	144	PRO
1	C	144	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/190 (100%)	178 (94%)	12 (6%)	16	45
1	B	190/190 (100%)	171 (90%)	19 (10%)	7	27
1	C	190/190 (100%)	181 (95%)	9 (5%)	23	55
1	D	183/190 (96%)	174 (95%)	9 (5%)	22	53

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	184/190 (97%)	174 (95%)	10 (5%)	20	50
1	F	184/190 (97%)	172 (94%)	12 (6%)	15	44
All	All	1121/1140 (98%)	1050 (94%)	71 (6%)	16	45

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	LEU
1	A	72	LEU
1	A	109	ASP
1	A	113	THR
1	A	116	THR
1	A	121	GLU
1	A	122	THR
1	A	129	LEU
1	A	145	GLN
1	A	192	GLU
1	A	197	LEU
1	A	198	LEU
1	B	26	LEU
1	B	66	ASP
1	B	83	SER
1	B	84	VAL
1	B	88	THR
1	B	96	GLN
1	B	105	ILE
1	B	109	ASP
1	B	113	THR
1	B	117	TRP
1	B	122	THR
1	B	129	LEU
1	B	139	LEU
1	B	145	GLN
1	B	188	LEU
1	B	192	GLU
1	B	195	GLU
1	B	197	LEU
1	B	198	LEU
1	C	72	LEU
1	C	88	THR
1	C	109	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	113	THR
1	C	117	TRP
1	C	122	THR
1	C	145	GLN
1	C	197	LEU
1	C	198	LEU
1	D	29	LEU
1	D	50	GLU
1	D	106	ILE
1	D	109	ASP
1	D	122	THR
1	D	139	LEU
1	D	146	TYR
1	D	192	GLU
1	D	197	LEU
1	E	29	LEU
1	E	72	LEU
1	E	84	VAL
1	E	122	THR
1	E	125	ASP
1	E	139	LEU
1	E	146	TYR
1	E	188	LEU
1	E	192	GLU
1	E	197	LEU
1	F	72	LEU
1	F	88	THR
1	F	106	ILE
1	F	113	THR
1	F	122	THR
1	F	129	LEU
1	F	133	ARG
1	F	139	LEU
1	F	146	TYR
1	F	188	LEU
1	F	192	GLU
1	F	197	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	207	ASN
1	B	126	ASN
1	C	19	HIS
1	C	108	GLN
1	D	19	HIS
1	D	48	GLN
1	D	87	GLN
1	D	96	GLN
1	D	156	HIS
1	D	207	ASN
1	E	153	HIS
1	F	48	GLN
1	F	164	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/213 (100%)	0.15	3 (1%) 73 50	39, 60, 86, 94	0
1	B	213/213 (100%)	0.20	6 (2%) 55 31	37, 59, 82, 97	0
1	C	213/213 (100%)	0.21	4 (1%) 66 42	40, 60, 88, 105	0
1	D	206/213 (96%)	0.18	6 (2%) 53 30	37, 55, 89, 115	0
1	E	207/213 (97%)	0.31	11 (5%) 32 16	42, 58, 89, 105	0
1	F	207/213 (97%)	0.30	12 (5%) 29 14	37, 56, 84, 110	0
All	All	1259/1278 (98%)	0.22	42 (3%) 49 27	37, 58, 86, 115	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	81	ALA	5.6
1	F	143	GLN	3.6
1	E	140	GLU	3.6
1	A	88	THR	3.4
1	B	139	LEU	3.3
1	F	200	GLU	3.3
1	E	139	LEU	3.1
1	D	144	PRO	2.9
1	A	146	TYR	2.8
1	E	196	ASP	2.7
1	F	45	HIS	2.7
1	E	198	LEU	2.6
1	F	81	ALA	2.6
1	B	117	TRP	2.6
1	F	122	THR	2.5
1	B	142	ALA	2.5
1	C	186	GLU	2.5
1	D	139	LEU	2.5
1	D	120	TYR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	120	TYR	2.5
1	F	142	ALA	2.4
1	F	120	TYR	2.3
1	A	24	GLU	2.3
1	C	117	TRP	2.3
1	F	140	GLU	2.3
1	C	143	GLN	2.3
1	F	186	GLU	2.2
1	C	142	ALA	2.2
1	D	109	ASP	2.2
1	F	66	ASP	2.2
1	D	167	GLY	2.2
1	B	1	MET	2.2
1	F	139	LEU	2.2
1	E	44	PRO	2.2
1	E	11	THR	2.2
1	F	192	GLU	2.2
1	E	119	GLU	2.1
1	B	28	ASN	2.1
1	B	151	GLU	2.1
1	E	142	ALA	2.0
1	D	94	GLN	2.0
1	E	121	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.