



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:00 PM UTC

PDB ID : 1KIE / pdb_00001kie
Title : Inosine-adenosine-guanosine preferring nucleoside hydrolase from Trypanosoma vivax: Asp10Ala mutant in complex with 3-deaza-adenosine
Authors : Versees, W.; Decanniere, K.; Van Holsbeke, E.; Devroede, N.; Steyaert, J.
Deposited on : 2001-12-03
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	
1	B	339	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5515 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called inosine-adenosine-guanosine preferring nucleoside hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	315	Total	C	N	O	S	0	8	0
			2436	1554	399	460	23			
1	B	314	Total	C	N	O	S	0	6	0
			2434	1550	401	457	26			

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	MET	-	expression tag	UNP Q9GPQ4
A	-11	ARG	-	expression tag	UNP Q9GPQ4
A	-10	GLY	-	expression tag	UNP Q9GPQ4
A	-9	SER	-	expression tag	UNP Q9GPQ4
A	-8	PRO	-	expression tag	UNP Q9GPQ4
A	-7	HIS	-	expression tag	UNP Q9GPQ4
A	-6	HIS	-	expression tag	UNP Q9GPQ4
A	-5	HIS	-	expression tag	UNP Q9GPQ4
A	-4	HIS	-	expression tag	UNP Q9GPQ4
A	-3	HIS	-	expression tag	UNP Q9GPQ4
A	-2	HIS	-	expression tag	UNP Q9GPQ4
A	-1	GLY	-	expression tag	UNP Q9GPQ4
A	0	SER	-	expression tag	UNP Q9GPQ4
A	10	ALA	ASP	engineered mutation	UNP Q9GPQ4
A	301	ASN	LYS	SEE REMARK 999	UNP Q9GPQ4
B	-12	MET	-	expression tag	UNP Q9GPQ4
B	-11	ARG	-	expression tag	UNP Q9GPQ4
B	-10	GLY	-	expression tag	UNP Q9GPQ4
B	-9	SER	-	expression tag	UNP Q9GPQ4
B	-8	PRO	-	expression tag	UNP Q9GPQ4
B	-7	HIS	-	expression tag	UNP Q9GPQ4
B	-6	HIS	-	expression tag	UNP Q9GPQ4
B	-5	HIS	-	expression tag	UNP Q9GPQ4
B	-4	HIS	-	expression tag	UNP Q9GPQ4
B	-3	HIS	-	expression tag	UNP Q9GPQ4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	HIS	-	expression tag	UNP Q9GPQ4
B	-1	GLY	-	expression tag	UNP Q9GPQ4
B	0	SER	-	expression tag	UNP Q9GPQ4
B	10	ALA	ASP	engineered mutation	UNP Q9GPQ4
B	301	ASN	LYS	SEE REMARK 999	UNP Q9GPQ4


- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0
2	B	1	Total Ca 1 1	0	0

- Molecule 3 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ni 1 1	0	0

- Molecule 4 is 3-DEAZA-ADENOSINE (CCD ID: AD3) (formula: C₁₁H₁₄N₄O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O 19 11 4 4	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			19	11	4	4		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	323	Total	O	0	0
			323	323		
5	B	281	Total	O	0	0
			281	281		

- Molecule 1: inosine-adenosine-guanosine preferring nucleoside hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.27Å 72.96Å 71.53Å 90.00° 98.18° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.3 (20.00-2.00) 97.2 (20.00-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.82 (at 2.01Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.156 , 0.215 0.162 , 0.218	Depositor DCC
R_{free} test set	1749 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	22.2	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 56.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5515	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, AD3, NI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/2521	1.13	21/3439 (0.6%)
1	B	0.60	0/2510	1.12	19/3420 (0.6%)
All	All	0.62	0/5031	1.12	40/6859 (0.6%)

There are no bond length outliers.

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	76	VAL	N-CA-C	-15.51	97.03	111.45
1	A	76	VAL	N-CA-C	-13.19	99.19	111.45
1	A	82	GLU	N-CA-C	-8.43	92.85	110.80
1	A	185	TRP	N-CA-C	8.38	121.47	111.33
1	B	86	LEU	N-CA-C	-8.11	103.18	113.72
1	A	159	GLU	N-CA-C	-7.95	102.55	111.14
1	A	116	GLU	N-CA-C	-7.82	96.52	108.96
1	B	185	TRP	N-CA-C	7.77	120.43	111.11
1	B	42	PHE	N-CA-C	-7.34	98.02	109.25
1	A	206	ILE	N-CA-C	-7.31	97.93	108.53
1	B	116	GLU	N-CA-C	-6.90	97.27	108.52
1	B	159	GLU	N-CA-C	-6.88	103.71	111.07
1	A	17	VAL	N-CA-C	-6.70	103.95	110.72
1	B	275	ASN	N-CA-C	-6.64	101.59	110.55
1	A	79[A]	PHE	CA-C-N	-6.43	113.52	119.82
1	A	79[A]	PHE	C-N-CA	-6.43	113.52	119.82
1	A	79[B]	PHE	CA-C-N	-6.43	113.52	119.82
1	A	79[B]	PHE	C-N-CA	-6.43	113.52	119.82
1	A	117	GLY	N-CA-C	6.39	120.63	112.83
1	B	87	ALA	N-CA-C	-6.33	104.81	112.54
1	A	80	PRO	N-CA-C	-6.22	105.96	113.98
1	A	163	ILE	N-CA-C	6.18	116.83	108.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	275	ASN	N-CA-C	-6.04	102.39	110.55
1	B	231	ASN	N-CA-C	-6.01	105.90	113.18
1	B	206	ILE	N-CA-C	-5.85	99.98	108.17
1	A	281	ILE	N-CA-C	5.83	116.25	107.80
1	B	81	LYS	N-CA-C	-5.75	105.10	111.71
1	B	167	ALA	N-CA-C	-5.73	97.52	107.49
1	B	236	ILE	N-CA-C	-5.72	104.93	110.42
1	B	17	VAL	N-CA-C	-5.69	104.97	110.72
1	B	129	GLU	N-CA-C	-5.68	105.01	111.14
1	B	68	ILE	CA-C-N	-5.66	118.27	122.18
1	B	68	ILE	C-N-CA	-5.66	118.27	122.18
1	A	68	ILE	CA-C-N	-5.50	117.91	121.65
1	A	68	ILE	C-N-CA	-5.50	117.91	121.65
1	B	163	ILE	N-CA-C	5.47	115.82	108.17
1	A	29	VAL	N-CA-C	5.36	115.84	108.12
1	A	15	ASP	N-CA-C	-5.31	105.49	111.28
1	B	9	HIS	N-CA-C	5.31	117.49	109.41
1	A	6	VAL	N-CA-C	-5.04	101.05	108.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2436	0	2363	81	2
1	B	2434	0	2380	103	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
4	A	19	0	11	0	0
4	B	19	0	13	0	0
5	A	323	0	0	6	1
5	B	281	0	0	12	1
All	All	5515	0	4767	181	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:ALA:HB1	1:B:79:PHE:HE1	1.09	1.08
1:B:39:ALA:HB1	1:B:79:PHE:CE1	1.91	1.04
1:A:79[A]:PHE:HB3	1:A:81:LYS:HB2	1.53	0.91
1:B:56:LEU:HD11	1:B:233:LEU:HD13	1.53	0.90
1:B:231:ASN:ND2	1:B:231:ASN:H	1.67	0.89
1:A:93[B]:MET:CE	1:A:96:LEU:HG	2.01	0.89
1:B:231:ASN:HD22	1:B:231:ASN:N	1.72	0.87
1:A:93[B]:MET:HE3	1:A:95:ILE:HG22	1.54	0.87
1:B:231:ASN:H	1:B:231:ASN:HD22	1.22	0.87
1:A:81:LYS:HA	1:A:83:TRP:NE1	1.90	0.86
1:B:38:ASP:OD1	1:B:42:PHE:HA	1.78	0.82
1:A:79[B]:PHE:HB2	1:A:81:LYS:HB2	1.60	0.81
1:A:93[B]:MET:HE1	1:A:237:LEU:CD1	2.10	0.81
1:A:88:LYS:HA	1:A:88:LYS:HE2	1.63	0.81
1:A:314:GLU:H	1:A:314:GLU:CD	1.90	0.79
1:A:93[B]:MET:HG2	5:A:834:HOH:O	1.82	0.79
1:B:102:VAL:HG13	5:B:852:HOH:O	1.83	0.78
1:B:49:VAL:HG11	1:B:90[A]:MET:HE2	1.66	0.78
1:A:90:MET:HE1	1:A:93[B]:MET:SD	2.24	0.77
1:B:219:ARG:HG3	1:B:221:PRO:HD2	1.68	0.76
1:A:93[B]:MET:HE1	1:A:237:LEU:HD13	1.66	0.76
1:A:241:MET:HA	1:A:244:MET:HE3	1.66	0.76
1:A:90:MET:SD	1:A:244:MET:HE1	2.28	0.74
1:B:41:CYS:HB3	5:B:994:HOH:O	1.89	0.72
1:B:277:ASP:OD1	1:B:309:ARG:HD2	1.90	0.72
1:A:93[B]:MET:HE3	1:A:96:LEU:HG	1.72	0.72
1:A:79[B]:PHE:HE2	1:A:189:TRP:HE1	1.40	0.69
1:B:241:MET:HA	1:B:244:MET:HE3	1.72	0.69
1:B:38:ASP:HB3	5:B:845:HOH:O	1.93	0.68
1:B:219:ARG:CG	1:B:221:PRO:HD2	2.23	0.67
1:B:90[B]:MET:SD	1:B:244:MET:HE1	2.35	0.67
1:A:81:LYS:HA	1:A:83:TRP:CD1	2.29	0.67
1:B:240:THR:HG22	1:B:244:MET:HE2	1.77	0.67
1:A:119:GLN:HE22	1:A:149:LYS:NZ	1.94	0.65
1:B:13:LEU:HD23	1:B:90[A]:MET:SD	2.36	0.65
1:A:119:GLN:HE22	1:A:149:LYS:HZ2	1.42	0.65
1:B:177:PRO:HD2	5:B:960:HOH:O	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:ALA:HB2	1:A:189:TRP:CE2	2.33	0.64
1:B:38:ASP:HB2	1:B:43:VAL:HB	1.79	0.64
1:A:12:ASN:HD22	1:A:40:ASP:HB3	1.63	0.63
1:A:240:THR:HG22	1:A:244:MET:HE2	1.80	0.63
1:B:80:PRO:HG2	1:B:83:TRP:CE2	2.34	0.63
1:A:93[B]:MET:CE	1:A:95:ILE:HG22	2.26	0.62
1:B:56:LEU:HD13	1:B:101:ASN:ND2	2.14	0.62
1:B:219:ARG:HE	1:B:221:PRO:HB2	1.65	0.62
1:B:39:ALA:C	1:B:41:CYS:H	2.06	0.62
1:B:14[B]:ASP:OD2	1:B:261:ASP:N	2.32	0.61
1:A:87:ALA:HB3	5:A:955:HOH:O	2.01	0.60
1:A:17:VAL:HG21	1:A:242:TRP:NE1	2.17	0.59
1:B:93[B]:MET:HE3	1:B:244:MET:CE	2.33	0.59
1:B:10:ALA:HB1	1:B:39:ALA:HB3	1.85	0.59
1:A:89:ASN:HB3	1:B:243:ALA:O	2.03	0.58
1:B:18:ALA:HB1	1:B:265:ALA:HB2	1.84	0.58
1:B:90[B]:MET:SD	1:B:241:MET:HG2	2.43	0.58
1:B:93[B]:MET:HE3	1:B:244:MET:HE1	1.84	0.58
1:B:75:ALA:HB2	1:B:189:TRP:CE2	2.39	0.58
1:A:93[B]:MET:HE3	1:A:95:ILE:CG2	2.31	0.57
1:B:278:PRO:HB2	1:B:304:LEU:HD13	1.85	0.57
1:A:164:MET:HG3	1:A:261:ASP:OD1	2.06	0.56
1:B:80:PRO:HD3	1:B:185:TRP:CH2	2.41	0.56
1:B:14[A]:ASP:OD2	1:B:261:ASP:CG	2.49	0.56
1:B:164:MET:C	1:B:164:MET:SD	2.89	0.56
1:B:224:GLN:NE2	5:B:940:HOH:O	2.38	0.55
1:B:95:ILE:HD11	1:B:233:LEU:HD22	1.88	0.55
1:A:41:CYS:SG	1:A:84:ARG:CB	2.95	0.55
1:A:17:VAL:HG21	1:A:242:TRP:CD1	2.41	0.54
1:A:56:LEU:C	1:A:56:LEU:HD23	2.32	0.54
1:A:38:ASP:HB2	1:A:43:VAL:HB	1.90	0.53
1:B:5:VAL:CG2	1:B:29:VAL:HG13	2.38	0.53
1:B:277:ASP:CG	1:B:309:ARG:HD2	2.33	0.53
1:B:84:ARG:O	1:B:86:LEU:N	2.41	0.53
1:B:322[B]:ARG:NH1	5:B:944:HOH:O	2.39	0.53
1:A:276:VAL:HB	1:A:306:PHE:HB3	1.90	0.53
1:B:119:GLN:HE22	1:B:149:LYS:NZ	2.07	0.53
1:B:39:ALA:C	1:B:79:PHE:HD1	2.17	0.52
1:B:93[A]:MET:SD	1:B:95:ILE:HG22	2.48	0.52
1:B:141:SER:HA	1:B:193:SER:CB	2.40	0.52
1:A:239:GLY:HA3	1:B:94:PRO:HG3	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:GLN:HG3	5:A:1087:HOH:O	2.10	0.52
1:B:210:LEU:HA	1:B:213:THR:OG1	2.10	0.51
1:B:161[B]:CYS:SG	1:B:203:LEU:HD11	2.49	0.51
1:A:41:CYS:HB3	5:A:955:HOH:O	2.11	0.50
1:A:79[A]:PHE:HZ	5:A:1099:HOH:O	1.94	0.50
1:B:90[A]:MET:HG2	1:B:93[A]:MET:CE	2.42	0.50
1:B:162:VAL:HG12	1:B:264:THR:HG23	1.94	0.50
1:A:79[A]:PHE:CD1	1:A:81:LYS:HG3	2.47	0.49
1:A:35:LEU:HA	1:A:69:GLY:O	2.12	0.49
1:B:42:PHE:C	1:B:44:GLU:N	2.71	0.49
1:B:42:PHE:O	1:B:43:VAL:C	2.56	0.49
1:B:39:ALA:C	1:B:41:CYS:N	2.72	0.48
1:A:86:LEU:O	1:A:88:LYS:N	2.46	0.48
1:B:6:VAL:HG23	1:B:132:VAL:HG11	1.95	0.48
1:B:149:LYS:HE2	1:B:150:TYR:CZ	2.49	0.48
1:B:42:PHE:O	1:B:44:GLU:N	2.47	0.48
1:A:84:ARG:C	1:A:86:LEU:H	2.22	0.48
1:B:160:GLU:HB3	1:B:204:ARG:HD3	1.96	0.48
1:A:95:ILE:HD11	1:A:233:LEU:CD2	2.44	0.47
1:A:112:ASN:HA	1:A:115:TYR:CD2	2.49	0.47
1:A:164:MET:C	1:A:164:MET:SD	2.98	0.47
1:B:57:MET:HE3	1:B:234:LEU:HD11	1.95	0.47
1:B:119:GLN:NE2	1:B:145:TRP:HH2	2.12	0.47
1:B:90[A]:MET:CE	1:B:241:MET:SD	3.03	0.47
1:B:198:PHE:CZ	1:B:207:MET:HE3	2.50	0.47
1:B:2:ALA:N	5:B:1060:HOH:O	2.49	0.46
1:A:90:MET:HE2	1:A:241:MET:CG	2.46	0.46
1:B:80:PRO:HD2	1:B:83:TRP:CZ2	2.51	0.46
1:B:83:TRP:O	1:B:84:ARG:C	2.57	0.46
1:B:2:ALA:N	5:B:975:HOH:O	2.49	0.46
1:B:79:PHE:HE2	1:B:185:TRP:HB3	1.79	0.46
1:B:14[A]:ASP:OD2	1:B:261:ASP:OD2	2.33	0.46
1:B:137:THR:HB	1:B:261:ASP:CG	2.40	0.46
1:B:116:GLU:HG3	5:B:1041:HOH:O	2.15	0.46
1:B:10:ALA:HB1	1:B:40:ASP:H	1.82	0.45
1:B:37:THR:C	1:B:39:ALA:H	2.24	0.45
1:B:229:GLN:HA	1:B:231:ASN:HD21	1.81	0.45
1:A:80:PRO:HD2	1:A:185:TRP:CH2	2.52	0.45
1:B:81:LYS:O	1:B:82:GLU:C	2.60	0.45
1:A:95:ILE:HD11	1:A:233:LEU:HD23	1.97	0.45
1:A:277:ASP:OD2	1:A:309:ARG:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:GLU:HB2	5:B:953:HOH:O	2.17	0.45
1:A:216:VAL:HG11	1:A:316:PHE:CD2	2.52	0.45
1:B:286:ASP:O	1:B:288:GLN:N	2.50	0.45
1:A:119:GLN:NE2	1:A:149:LYS:HZ2	2.13	0.45
1:A:88:LYS:HA	1:A:88:LYS:CE	2.42	0.44
1:B:5:VAL:HG21	1:B:29:VAL:HG13	1.99	0.44
1:B:139:PRO:HG2	1:B:189:TRP:CD2	2.52	0.44
1:A:141:SER:HA	1:A:193:SER:CB	2.48	0.44
1:B:271:GLN:HG2	5:B:1037:HOH:O	2.17	0.44
1:A:42:PHE:CE2	1:A:44:GLU:HB3	2.53	0.44
1:B:164:MET:HE2	1:B:208:PHE:O	2.18	0.44
1:A:240:THR:HG22	1:A:244:MET:CE	2.48	0.44
1:B:12:ASN:ND2	1:B:40:ASP:OD2	2.48	0.44
1:A:26:THR:HG21	5:A:1030:HOH:O	2.18	0.43
1:B:259:ALA:O	1:B:260:TRP:C	2.60	0.43
1:A:150:TYR:HB2	1:A:154:PHE:HB2	2.00	0.43
1:B:40:ASP:O	1:B:84:ARG:C	2.61	0.43
1:A:275:ASN:HD22	1:A:275:ASN:HA	1.67	0.43
1:A:282:ASP:HB2	1:A:297:THR:HB	1.99	0.43
1:B:149:LYS:NZ	5:B:1019:HOH:O	2.51	0.43
1:A:84:ARG:O	1:A:86:LEU:N	2.52	0.43
1:B:83:TRP:HE3	1:B:84:ARG:H	1.60	0.43
1:A:81:LYS:HG2	1:A:83:TRP:CD1	2.54	0.43
1:A:5:VAL:CG2	1:A:29:VAL:HG13	2.49	0.43
1:A:90:MET:HA	1:A:93[A]:MET:HG2	1.99	0.43
1:A:219:ARG:HH11	1:A:219:ARG:HG2	1.83	0.43
1:A:141:SER:HA	1:A:193:SER:HB3	2.00	0.43
1:A:239:GLY:HA3	1:B:94:PRO:CG	2.49	0.42
1:B:7:LEU:O	1:B:34:ALA:HA	2.18	0.42
1:A:137:THR:HB	1:A:261:ASP:CG	2.45	0.42
1:B:80:PRO:CG	1:B:83:TRP:CE2	3.02	0.42
1:A:93[B]:MET:HE2	1:A:96:LEU:HG	1.97	0.42
1:A:259:ALA:O	1:A:260:TRP:C	2.62	0.42
1:A:75:ALA:HB2	1:A:189:TRP:NE1	2.34	0.42
1:A:118:GLN:HG2	1:A:142:ASN:OD1	2.20	0.42
1:A:237:LEU:HG	1:A:241:MET:HE2	2.01	0.42
1:B:17:VAL:HG21	1:B:242:TRP:CD1	2.55	0.42
1:B:140:LEU:HB3	1:B:197:VAL:HG21	2.01	0.42
1:B:222:TYR:CE2	1:B:242:TRP:HZ3	2.38	0.42
1:B:126:MET:O	1:B:157:LYS:NZ	2.53	0.41
1:B:219:ARG:HG2	1:B:221:PRO:HD2	1.99	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:GLN:NE2	1:A:145:TRP:HH2	2.19	0.41
1:B:80:PRO:HD3	1:B:185:TRP:CZ2	2.56	0.41
1:A:14[A]:ASP:OD2	1:A:261:ASP:N	2.53	0.41
1:A:208:PHE:CZ	1:A:267:TYR:HB2	2.55	0.41
1:B:5:VAL:HA	1:B:133:THR:O	2.21	0.41
1:A:9:HIS:HB2	1:A:15:ASP:HB3	2.03	0.41
1:A:14[B]:ASP:OD2	1:A:261:ASP:CG	2.63	0.41
1:B:39:ALA:C	1:B:79:PHE:CD1	2.98	0.41
1:B:276:VAL:HB	1:B:306:PHE:HB3	2.02	0.41
1:B:322[A]:ARG:HG2	1:B:322[A]:ARG:HH21	1.85	0.41
1:A:45:ASN:HB2	1:A:87:ALA:HB1	2.03	0.40
1:B:187:ILE:HG23	1:B:194:ALA:CB	2.51	0.40
1:B:37:THR:C	1:B:39:ALA:N	2.80	0.40
1:A:258:TYR:HB2	1:A:260:TRP:CE2	2.56	0.40
1:B:279:VAL:CG1	1:B:296:ARG:HG2	2.52	0.40
1:B:150:TYR:O	1:B:151:GLY:C	2.64	0.40
1:A:81:LYS:HA	1:A:83:TRP:CE2	2.55	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298[B]:ASP:OD1	5:A:839:HOH:O[1_455]	2.16	0.04
1:A:288:GLN:OE1	5:B:1079:HOH:O[2_556]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	319/339 (94%)	308 (97%)	6 (2%)	5 (2%)	7	3
1	B	316/339 (93%)	302 (96%)	9 (3%)	5 (2%)	7	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	635/678 (94%)	610 (96%)	15 (2%)	10 (2%)	7 3

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	81	LYS
1	A	82	GLU
1	A	85	CYS
1	A	87	ALA
1	B	82	GLU
1	B	85	CYS
1	B	40	ASP
1	B	83	TRP
1	A	260	TRP
1	B	43	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	266/289 (92%)	258 (97%)	8 (3%)	36 38
1	B	268/289 (93%)	259 (97%)	9 (3%)	32 33
All	All	534/578 (92%)	517 (97%)	17 (3%)	33 35

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LEU
1	A	81	LYS
1	A	83	TRP
1	A	88	LYS
1	A	152	GLU
1	A	164	MET
1	A	275	ASN
1	A	314	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	35	LEU
1	B	152	GLU
1	B	164	MET
1	B	216	VAL
1	B	219	ARG
1	B	231	ASN
1	B	263	LEU
1	B	288	GLN
1	B	309	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	GLN
1	A	224	GLN
1	A	271	GLN
1	A	275	ASN
1	A	288	GLN
1	B	60	ASN
1	B	89	ASN
1	B	119	GLN
1	B	224	GLN
1	B	231	ASN
1	B	271	GLN
1	B	275	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AD3	A	801	2	21,21,21	1.24	3 (14%)	30,31,31	4.64	15 (50%)
4	AD3	B	802	2	21,21,21	1.56	4 (19%)	30,31,31	4.91	17 (56%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AD3	A	801	2	-	3/6/22/22	0/3/3/3
4	AD3	B	802	2	-	4/6/22/22	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	802	AD3	C1'-N9	4.50	1.58	1.46
4	B	802	AD3	C8-N9	3.29	1.43	1.37
4	A	801	AD3	C1'-N9	3.16	1.55	1.46
4	A	801	AD3	C8-N9	2.45	1.41	1.37
4	A	801	AD3	C5-C6	2.29	1.47	1.41
4	B	802	AD3	C5-C6	2.13	1.46	1.41
4	B	802	AD3	C4-C5	2.02	1.43	1.40

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	802	AD3	O4'-C1'-N9	18.71	144.03	108.09
4	A	801	AD3	O4'-C1'-N9	15.60	138.06	108.09
4	A	801	AD3	O4'-C4'-C5'	12.62	135.89	109.22
4	B	802	AD3	C3'-C2'-C1'	9.42	119.27	101.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	802	AD3	O2'-C2'-C1'	6.80	133.52	110.10
4	B	802	AD3	C5'-C4'-C3'	-6.35	100.09	115.10
4	A	801	AD3	O4'-C1'-C2'	-6.03	93.71	106.62
4	A	801	AD3	O4'-C4'-C3'	-5.78	93.68	105.15
4	B	802	AD3	O4'-C4'-C5'	5.77	121.41	109.22
4	B	802	AD3	O4'-C1'-C2'	-5.76	94.30	106.62
4	A	801	AD3	O3'-C3'-C2'	-4.88	96.16	111.82
4	A	801	AD3	O3'-C3'-C4'	4.77	124.77	111.08
4	A	801	AD3	C3'-C2'-C1'	4.65	110.26	101.46
4	A	801	AD3	O5'-C5'-C4'	-4.55	95.84	111.33
4	B	802	AD3	C3-C4-C5	4.53	127.42	122.62
4	B	802	AD3	C2'-C1'-N9	-4.39	102.39	113.30
4	A	801	AD3	C3-C4-C5	4.16	127.03	122.62
4	B	802	AD3	C2'-C3'-C4'	-3.75	95.36	102.61
4	B	802	AD3	O3'-C3'-C4'	-3.38	101.36	111.08
4	B	802	AD3	C3-C2-N1	3.29	128.00	123.97
4	B	802	AD3	C2-C3-C4	-3.23	110.89	117.98
4	A	801	AD3	C3-C2-N1	3.21	127.91	123.97
4	A	801	AD3	C2-C3-C4	-3.17	111.03	117.98
4	B	802	AD3	O2'-C2'-C3'	-3.15	101.72	111.82
4	A	801	AD3	C4'-O4'-C1'	2.96	116.00	109.47
4	B	802	AD3	C4'-O4'-C1'	2.85	115.77	109.47
4	A	801	AD3	O2'-C2'-C1'	2.84	119.89	110.10
4	B	802	AD3	C5-C4-N9	2.57	106.22	105.24
4	A	801	AD3	O2'-C2'-C3'	2.52	119.89	111.82
4	A	801	AD3	C5'-C4'-C3'	-2.37	109.50	115.10
4	B	802	AD3	C2-N1-C6	2.23	120.82	117.62
4	B	802	AD3	C3-C4-N9	-2.15	126.35	130.61

There are no chirality outliers.


All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	801	AD3	O4'-C1'-N9-C8
4	A	801	AD3	O4'-C1'-N9-C4
4	B	802	AD3	O4'-C1'-N9-C8
4	B	802	AD3	O4'-C1'-N9-C4
4	B	802	AD3	C2'-C1'-N9-C4
4	A	801	AD3	C2'-C1'-N9-C4
4	B	802	AD3	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	315/339 (92%)	-0.54	7 (2%) 62 61	12, 20, 40, 68	8 (2%)
1	B	314/339 (92%)	-0.33	7 (2%) 62 61	13, 24, 44, 71	6 (1%)
All	All	629/678 (92%)	-0.44	14 (2%) 62 61	12, 22, 42, 71	14 (2%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	79[A]	PHE	5.6
1	B	39	ALA	5.0
1	A	87	ALA	4.5
1	B	41	CYS	4.1
1	B	40	ASP	3.9
1	A	85	CYS	3.6
1	B	42	PHE	3.4
1	A	82	GLU	2.8
1	B	245	CYS	2.7
1	A	83	TRP	2.7
1	B	218	VAL	2.6
1	B	84	ARG	2.5
1	A	86	LEU	2.4
1	A	84	ARG	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	AD3	A	801	19/19	0.90	0.10	21,42,56,57	0
4	AD3	B	802	19/19	0.90	0.10	25,31,50,51	0
2	CA	B	328	1/1	0.98	0.12	34,34,34,34	0
2	CA	A	328	1/1	0.99	0.13	31,31,31,31	0
3	NI	A	701	1/1	0.99	0.03	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around AD3 A 801:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.