



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:35 PM UTC

PDB ID : 1KIM / pdb_00001kim
Title : CRYSTAL STRUCTURE OF THYMIDINE KINASE FROM HERPES SIMPLEX VIRUS TYPE I COMPLEXED WITH DEOXYTHYMIDINE
Authors : Champness, J.N.; Bennett, M.S.; Wien, F.; Brown, D.G.; Visse, R.; Sandhu, G.; Davies, A.; Rizkallah, P.J.; Melitz, C.; Summers, W.C.; Sanderson, M.R.
Deposited on : 1997-11-12
Resolution : 2.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	366	2% 57% 20% 5% 17%
1	B	366	2% 54% 26% • 16%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4933 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THYMIDINE KINASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	0	4
			2304	1467	406	416	15			
1	B	308	Total	C	N	O	S	0	0	4
			2323	1482	407	419	15			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is THYMIDINE (CCD ID: THM) (formula: C₁₀H₁₄N₂O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	10	2	5		
3	B	1	Total	C	N	O	0	0
			17	10	2	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	132	Total	O	0	0
			132	132		
4	B	130	Total	O	0	0
			130	130		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: THYMIDINE KINASE



• Molecule 1: THYMIDINE KINASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	113.40Å 116.60Å 108.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	12.00 – 2.14 12.00 – 2.14	Depositor EDS
% Data completeness (in resolution range)	96.3 (12.00-2.14) 99.3 (12.00-2.14)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.02 (at 2.15Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.209 , 0.279 0.201 , 0.261	Depositor DCC
R_{free} test set	4051 reflections (10.23%)	wwPDB-VP
Wilson B-factor (Å ²)	24.7	Xtriage
Anisotropy	0.237	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 70.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.033 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4933	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, THM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	3/2355 (0.1%)	1.19	21/3215 (0.7%)
1	B	0.99	7/2375 (0.3%)	1.14	14/3245 (0.4%)
All	All	0.96	10/4730 (0.2%)	1.16	35/6460 (0.5%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	85	MET	SD-CE	-7.17	1.61	1.79
1	B	72	LEU	C-N	-5.56	1.25	1.33
1	B	128	MET	SD-CE	-5.46	1.66	1.79
1	B	160	ILE	C-O	-5.45	1.18	1.24
1	B	374	GLU	C-N	-5.42	1.25	1.33
1	B	81	VAL	CA-CB	-5.29	1.49	1.54
1	A	358	ILE	CA-CB	5.28	1.56	1.54
1	A	195	PRO	CA-C	5.11	1.54	1.51
1	B	326	ILE	C-O	-5.11	1.18	1.24
1	B	147	ALA	C-N	-5.09	1.26	1.33

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	293	ARG	N-CA-C	-11.24	95.62	111.81
1	A	91	LEU	N-CA-C	9.50	121.24	111.07
1	B	307	VAL	CB-CA-C	-8.61	100.86	111.88
1	B	91	LEU	N-CA-C	8.02	120.11	111.36
1	A	307	VAL	CB-CA-C	-7.97	101.68	111.88
1	A	210	GLU	N-CA-C	7.34	119.92	111.11
1	A	177	TYR	N-CA-C	-6.54	104.08	111.14
1	A	171	CYS	N-CA-C	6.54	118.09	110.97
1	B	154	PRO	N-CA-CB	6.28	109.91	103.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	220	ARG	N-CA-C	6.25	120.75	107.70
1	A	319	LEU	N-CA-C	6.22	118.14	111.36
1	A	208	LEU	CA-C-N	6.19	126.21	119.90
1	A	208	LEU	C-N-CA	6.19	126.21	119.90
1	A	281	ARG	N-CA-C	6.14	113.75	108.22
1	A	336	CYS	N-CA-C	-6.10	104.54	111.07
1	B	81	VAL	CA-C-N	6.07	126.03	120.21
1	B	81	VAL	C-N-CA	6.07	126.03	120.21
1	A	154	PRO	N-CA-CB	6.02	109.62	103.00
1	B	81	VAL	N-CA-C	-6.00	102.21	108.15
1	B	189	ALA	N-CA-C	-5.80	104.88	111.14
1	A	280	PRO	N-CA-CB	5.78	109.36	103.00
1	B	171	CYS	N-CA-C	5.64	117.23	111.14
1	B	83	GLU	N-CA-C	-5.42	102.94	109.83
1	B	210	GLU	N-CA-C	5.42	116.87	111.07
1	A	294	ALA	CA-C-N	5.40	125.73	119.47
1	A	294	ALA	C-N-CA	5.40	125.73	119.47
1	B	305	TYR	N-CA-C	-5.35	103.07	110.35
1	A	227	LEU	N-CA-C	-5.26	102.26	110.10
1	A	353	THR	N-CA-C	5.17	118.74	112.23
1	B	307	VAL	N-CA-CB	5.15	116.23	110.51
1	B	90	VAL	N-CA-C	5.11	119.97	109.34
1	A	81	VAL	CA-C-N	5.07	126.18	119.84
1	A	81	VAL	C-N-CA	5.07	126.18	119.84
1	B	195	PRO	N-CA-C	5.06	115.32	110.47
1	A	372	MET	N-CA-C	5.03	119.69	113.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2304	0	2310	68	0
1	B	2323	0	2332	76	0
2	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	5	0	0	1	0
3	A	17	0	14	0	0
3	B	17	0	14	1	0
4	A	132	0	0	4	0
4	B	130	0	0	12	0
All	All	4933	0	4670	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:208:LEU:HD11	1:B:212:ARG:HD2	1.36	1.06
1:B:65:THR:HG21	1:B:336:CYS:HB2	1.51	0.91
1:B:125:GLN:HG3	1:B:182:MET:HE1	1.53	0.88
1:A:217:LEU:HD13	1:A:227:LEU:HD23	1.58	0.83
1:B:58:HIS:HB3	4:B:484:HOH:O	1.81	0.79
1:A:86:THR:OG1	1:A:374:GLU:HG3	1.83	0.78
1:B:222:ARG:HG3	1:B:223:PRO:HD2	1.65	0.78
1:A:85:MET:HE2	1:A:89:ARG:CG	2.17	0.74
1:A:116:ASP:O	1:A:119:VAL:HG12	1.87	0.74
1:A:232:LEU:O	1:A:236:ARG:HG3	1.86	0.74
1:B:121:MET:HE2	1:B:176:ARG:HG3	1.70	0.72
1:B:97:ILE:HD13	1:B:222:ARG:HG2	1.72	0.71
1:A:213:HIS:CE1	1:A:232:LEU:HD21	2.26	0.71
1:A:85:MET:HE2	1:A:89:ARG:HG3	1.74	0.70
1:A:63:THR:HG22	1:A:162:ASP:OD2	1.92	0.70
1:B:246:VAL:HG21	1:B:324:VAL:HG21	1.75	0.67
1:A:69:LEU:HD11	1:A:340:LEU:CD2	2.26	0.66
1:A:59:GLY:O	1:A:216:ARG:HB3	1.97	0.65
1:A:58:HIS:H	1:A:58:HIS:CD2	2.15	0.64
1:A:146:GLU:HG3	1:A:199:PRO:HB3	1.79	0.64
1:B:210:GLU:HG2	1:B:214:ILE:HD13	1.82	0.62
1:A:143:ILE:HG13	1:A:198:LEU:HD13	1.81	0.62
1:A:178:LEU:HD11	1:A:291:LEU:HD22	1.82	0.61
1:A:341:LEU:O	1:A:344:THR:HB	2.00	0.61
1:B:59:GLY:HA3	1:B:217:LEU:HD22	1.82	0.61
1:A:51:ARG:NH2	1:A:199:PRO:O	2.33	0.60
1:A:63:THR:O	1:A:67:GLN:HG3	2.02	0.59
1:A:212:ARG:NH1	1:A:216:ARG:NH2	2.51	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:HIS:HD2	1:A:172:TYR:OH	1.86	0.58
1:B:210:GLU:O	1:B:214:ILE:HD13	2.03	0.58
1:A:208:LEU:O	1:A:236:ARG:NH2	2.37	0.58
1:A:217:LEU:HD13	1:A:227:LEU:CD2	2.32	0.58
1:A:130:MET:HB3	1:A:131:PRO:HD3	1.86	0.57
1:B:213:HIS:CD2	1:B:217:LEU:HD23	2.40	0.57
1:B:77:ASP:N	4:B:477:HOH:O	2.36	0.57
1:B:347:MET:HA	4:B:460:HOH:O	2.05	0.57
1:B:214:ILE:HG13	1:B:229:LEU:HD22	1.86	0.56
1:A:280:PRO:N	4:A:491:HOH:O	2.39	0.55
1:A:87:TYR:HA	1:A:91:LEU:HB2	1.88	0.55
1:A:159:LEU:HD21	1:A:365:ALA:HB2	1.89	0.55
1:A:126:ILE:HD11	1:A:190:PHE:HE1	1.72	0.55
1:B:354:THR:HG22	1:B:355:PRO:HD2	1.88	0.55
1:B:358:ILE:HB	1:B:359:PRO:HD3	1.87	0.55
1:B:56:GLY:O	1:B:163:ARG:NH2	2.39	0.54
1:A:58:HIS:CD2	1:A:172:TYR:OH	2.61	0.54
1:A:61:GLY:O	1:A:65:THR:HG23	2.06	0.54
3:B:2:THM:H2'2	4:B:484:HOH:O	2.06	0.54
1:A:219:LYS:O	1:A:220:ARG:HD3	2.08	0.53
1:B:155:PRO:HD2	4:B:475:HOH:O	2.08	0.53
1:B:214:ILE:HD12	1:B:232:LEU:CD1	2.39	0.53
1:B:51:ARG:NH2	1:B:199:PRO:O	2.42	0.53
1:B:59:GLY:HA3	1:B:217:LEU:CD2	2.39	0.52
1:B:370:ARG:NH1	4:B:468:HOH:O	2.42	0.52
1:B:163:ARG:NH1	4:B:484:HOH:O	2.43	0.52
1:A:164:HIS:CG	1:A:165:PRO:HD2	2.45	0.52
1:B:209:PRO:HD3	4:B:430:HOH:O	2.09	0.52
1:B:69:LEU:HD11	1:B:341:LEU:HD23	1.91	0.52
1:A:208:LEU:HD11	1:A:212:ARG:HD2	1.92	0.51
1:B:208:LEU:HD21	1:B:216:ARG:HD3	1.92	0.51
1:A:163:ARG:HH21	1:A:172:TYR:HE1	1.57	0.51
1:B:373:GLY:O	1:B:374:GLU:HB2	2.10	0.51
1:A:89:ARG:HD2	1:A:95:GLU:OE1	2.10	0.51
1:A:163:ARG:NH2	1:A:172:TYR:OH	2.44	0.51
1:A:85:MET:HE1	1:A:97:ILE:HD12	1.93	0.50
1:A:217:LEU:HD22	1:A:221:GLN:OE1	2.11	0.50
1:A:219:LYS:HZ3	1:A:220:ARG:CB	2.25	0.50
1:B:58:HIS:H	1:B:58:HIS:CD2	2.30	0.50
1:B:222:ARG:HB2	1:B:225:GLU:OE1	2.11	0.49
1:A:163:ARG:NH1	4:A:409:HOH:O	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:352:VAL:HB	1:B:357:SER:HB2	1.94	0.49
1:B:354:THR:CG2	1:B:355:PRO:HD2	2.43	0.49
1:A:164:HIS:CD2	1:A:165:PRO:HD2	2.49	0.48
1:B:251:CYS:HB3	1:B:281:ARG:HB2	1.96	0.48
1:A:372:MET:CE	1:B:307:VAL:HG13	2.44	0.48
1:A:358:ILE:HB	1:A:359:PRO:HD3	1.95	0.48
1:A:362:CYS:SG	1:A:366:ARG:NH1	2.87	0.48
1:A:85:MET:HE2	1:A:89:ARG:HG2	1.96	0.48
1:B:63:THR:HG22	1:B:162:ASP:OD2	2.13	0.48
1:B:85:MET:HE2	1:B:89:ARG:HG3	1.95	0.48
1:B:146:GLU:OE2	1:B:323:HIS:HE1	1.97	0.48
1:A:69:LEU:HD11	1:A:340:LEU:HD23	1.96	0.47
1:A:217:LEU:HD12	1:A:232:LEU:HG	1.95	0.47
1:A:222:ARG:NH1	4:A:434:HOH:O	2.46	0.47
1:B:54:ILE:HD12	1:B:54:ILE:N	2.30	0.47
1:B:102:THR:O	1:B:106:ARG:HG2	2.15	0.47
1:B:169:LEU:O	1:B:190:PHE:HB3	2.14	0.47
1:B:323:HIS:CE1	1:B:348:VAL:HG21	2.49	0.47
1:B:345:SER:C	1:B:347:MET:H	2.23	0.47
1:A:126:ILE:CD1	1:A:190:PHE:HE1	2.27	0.46
1:A:372:MET:HE1	1:B:307:VAL:HG13	1.98	0.46
1:B:85:MET:HB2	1:B:375:ALA:N	2.30	0.46
1:A:69:LEU:HD11	1:A:340:LEU:HD21	1.98	0.46
1:A:307:VAL:HG22	1:B:371:GLU:OE2	2.16	0.45
1:B:219:LYS:HA	1:B:219:LYS:HE3	1.98	0.45
1:A:117:ALA:O	1:A:121:MET:HB2	2.16	0.45
1:A:352:VAL:HB	1:A:357:SER:CB	2.46	0.45
1:B:210:GLU:HG2	1:B:214:ILE:CD1	2.47	0.45
1:B:142:HIS:HD2	1:B:357:SER:OG	2.00	0.45
1:A:219:LYS:HG2	1:A:220:ARG:N	2.30	0.45
1:B:246:VAL:O	1:B:250:GLN:HG3	2.16	0.45
1:B:121:MET:HB3	1:B:182:MET:HE2	1.99	0.45
1:B:85:MET:CE	1:B:89:ARG:HG3	2.47	0.44
1:B:262:LEU:HD13	1:B:284:ILE:HG23	2.00	0.44
1:B:243:ALA:O	1:B:247:ARG:HG3	2.18	0.44
1:A:126:ILE:HD11	1:B:126:ILE:HD11	2.00	0.44
1:A:352:VAL:HB	1:A:357:SER:HB2	2.00	0.44
1:B:164:HIS:CG	1:B:165:PRO:HD2	2.52	0.44
1:B:348:VAL:HG23	4:B:460:HOH:O	2.16	0.44
1:A:46:MET:O	1:A:351:HIS:HD2	2.01	0.43
1:B:86:THR:HG22	1:B:91:LEU:HG	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:217:LEU:HG	1:B:232:LEU:HG	1.99	0.43
1:B:242:LEU:O	1:B:246:VAL:HG23	2.17	0.43
1:B:63:THR:HG23	2:B:4:SO4:O2	2.19	0.43
1:B:146:GLU:CD	1:B:348:VAL:HG11	2.44	0.43
1:B:301:ASN:OD1	1:B:301:ASN:C	2.61	0.43
1:B:140:ALA:N	1:B:141:PRO:HD2	2.33	0.43
1:B:121:MET:HG3	1:B:181:SER:HB2	2.00	0.42
1:B:222:ARG:CG	1:B:223:PRO:HD2	2.40	0.42
1:B:287:THR:O	1:B:290:THR:HG22	2.19	0.42
1:A:353:THR:HG22	1:A:354:THR:HG23	2.02	0.42
1:B:216:ARG:O	1:B:219:LYS:HB3	2.20	0.42
1:A:292:PHE:C	1:A:294:ALA:H	2.28	0.42
1:A:188:LEU:HD23	1:A:188:LEU:HA	1.83	0.42
1:A:371:GLU:OE2	1:B:307:VAL:HG22	2.20	0.42
1:B:251:CYS:CB	1:B:281:ARG:HB2	2.49	0.41
1:A:130:MET:HA	4:B:389:HOH:O	2.20	0.41
1:A:236:ARG:NH1	4:A:493:HOH:O	2.54	0.41
1:A:80:TYR:O	1:A:82:PRO:HD3	2.20	0.41
1:A:246:VAL:O	1:A:250:GLN:HG3	2.20	0.41
1:B:169:LEU:HD13	1:B:194:ILE:HA	2.02	0.41
1:B:312:LEU:HD23	1:B:312:LEU:HA	1.94	0.41
1:A:216:ARG:O	1:A:217:LEU:C	2.62	0.41
1:A:314:VAL:O	1:A:318:ARG:HG2	2.21	0.41
1:A:325:PHE:HB3	1:A:343:LEU:HD13	2.02	0.41
1:B:58:HIS:HD2	1:B:172:TYR:OH	2.03	0.41
1:B:246:VAL:HG11	1:B:324:VAL:HG23	2.03	0.40
1:A:135:THR:O	1:A:139:LEU:HB2	2.21	0.40
1:B:116:ASP:O	1:B:120:VAL:HG23	2.22	0.40
1:B:221:GLN:HB2	4:B:445:HOH:O	2.22	0.40
1:B:317:LYS:HE3	4:B:456:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	296/366 (81%)	287 (97%)	9 (3%)	0	100	100
1	B	300/366 (82%)	289 (96%)	10 (3%)	1 (0%)	36	33
All	All	596/732 (81%)	576 (97%)	19 (3%)	1 (0%)	43	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	374	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/293 (82%)	217 (90%)	24 (10%)	7	3
1	B	242/293 (83%)	217 (90%)	25 (10%)	7	3
All	All	483/586 (82%)	434 (90%)	49 (10%)	7	3

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	LEU
1	A	62	LYS
1	A	65	THR
1	A	107	LEU
1	A	121	MET
1	A	134	VAL
1	A	165	PRO
1	A	178	LEU
1	A	182	MET
1	A	212	ARG
1	A	216	ARG
1	A	217	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	219	LYS
1	A	220	ARG
1	A	227	LEU
1	A	232	LEU
1	A	257	GLU
1	A	293	ARG
1	A	304	LEU
1	A	307	VAL
1	A	317	LYS
1	A	341	LEU
1	A	353	THR
1	A	374	GLU
1	B	50	LEU
1	B	62	LYS
1	B	72	LEU
1	B	85	MET
1	B	107	LEU
1	B	109	GLN
1	B	123	SER
1	B	138	VAL
1	B	165	PRO
1	B	173	PRO
1	B	178	LEU
1	B	182	MET
1	B	214	ILE
1	B	217	LEU
1	B	219	LYS
1	B	222	ARG
1	B	232	LEU
1	B	262	LEU
1	B	281	ARG
1	B	307	VAL
1	B	341	LEU
1	B	342	GLN
1	B	344	THR
1	B	353	THR
1	B	374	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	142	HIS
1	A	351	HIS
1	B	58	HIS
1	B	109	GLN
1	B	142	HIS
1	B	323	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	THM	A	1	-	18,18,18	1.42	3 (16%)	26,26,26	2.29	11 (42%)
2	SO4	A	3	-	4,4,4	0.90	0	6,6,6	0.71	0
3	THM	B	2	-	18,18,18	1.67	4 (22%)	26,26,26	1.47	3 (11%)
2	SO4	B	4	-	4,4,4	0.71	0	6,6,6	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	THM	A	1	-	-	0/6/18/18	0/2/2/2
3	THM	B	2	-	-	0/6/18/18	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2	THM	C3'-C4'	-3.37	1.44	1.53
3	B	2	THM	C5M-C5	3.32	1.58	1.50
3	A	1	THM	C2-N1	-3.18	1.33	1.38
3	A	1	THM	C4-C5	-3.06	1.39	1.44
3	B	2	THM	C2'-C3'	-2.81	1.45	1.52
3	B	2	THM	C2-N3	-2.12	1.34	1.38
3	A	1	THM	O4'-C1'	2.08	1.47	1.42

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1	THM	O4'-C1'-C2'	-5.53	95.91	106.25
3	A	1	THM	C4'-O4'-C1'	4.16	119.41	109.51
3	A	1	THM	C5-C4-N3	-3.82	112.00	115.32
3	B	2	THM	O4'-C1'-C2'	-3.51	99.69	106.25
3	A	1	THM	O4'-C4'-C3'	-3.41	97.88	105.65
3	A	1	THM	O4'-C4'-C5'	3.37	116.35	109.22
3	A	1	THM	C5M-C5-C6	-2.93	118.88	122.85
3	B	2	THM	O3'-C3'-C2'	-2.89	100.83	110.88
3	A	1	THM	C2'-C1'-N1	2.59	120.29	113.81
3	A	1	THM	O2-C2-N1	2.49	126.04	122.80
3	A	1	THM	C6-C5-C4	2.48	120.07	118.02
3	B	2	THM	C4-N3-C2	-2.23	124.42	127.34
3	A	1	THM	C5M-C5-C4	2.10	121.03	118.78
3	A	1	THM	O4-C4-C5	2.10	127.31	124.92

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2	THM	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	4	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/366 (83%)	-0.11	9 (2%) 52 56	8, 19, 43, 54	0
1	B	308/366 (84%)	-0.15	8 (2%) 57 61	8, 18, 40, 60	0
All	All	612/732 (83%)	-0.13	17 (2%) 55 59	8, 19, 42, 60	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	375	ALA	6.4
1	B	222	ARG	4.5
1	B	221	GLN	4.4
1	B	218	ALA	4.1
1	A	70	VAL	4.0
1	A	220	ARG	3.3
1	B	219	LYS	2.9
1	A	147	ALA	2.9
1	A	68	LEU	2.8
1	A	63	THR	2.8
1	A	211	ASP	2.7
1	A	374	GLU	2.7
1	B	346	GLY	2.7
1	A	219	LYS	2.5
1	A	148	GLY	2.2
1	B	374	GLU	2.1
1	B	223	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	THM	A	1	17/17	0.95	0.05	7,11,15,17	0
3	THM	B	2	17/17	0.96	0.05	9,12,16,16	0
2	SO4	A	3	5/5	0.97	0.07	22,22,24,27	0
2	SO4	B	4	5/5	0.97	0.05	24,24,26,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.