



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:51 PM UTC

PDB ID : 7KIS / pdb_00007kis
Title : Crystal structure of Pseudomonas aeruginosa PBP2 in complex with WCK 5153
Authors : Rajavel, M.; van den Akker, F.
Deposited on : 2020-10-24
Resolution : 2.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.


Mol	Chain	Length	Quality of chain
1	A	646	3% 56% 15% 29%
1	B	646	6% 54% 14% 32%

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidoglycan D,D-transpeptidase MrdA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	458	Total 3589	C 2281	N 644	O 654	S 10	0	0	0
1	B	440	Total 3423	C 2177	N 614	O 622	S 10	0	0	0

- Molecule 2 is (2S,5R)-1-formyl-N'-[(3R)-pyrrolidine-3-carbonyl]-5-[(sulfooxy)amino]piperidine-2-carbohydrazide (CCD ID: C9D) (formula: C₁₂H₂₁N₅O₇S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 25	C 12	N 5	O 7	S 1	0	0
2	B	1	Total 25	C 12	N 5	O 7	S 1	0	0

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Cl 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	13	Total 13	O 13	0	0
4	B	7	Total 7	O 7	0	0



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.02Å 75.92Å 97.30Å 90.00° 106.73° 90.00°	Depositor
Resolution (Å)	29.67 – 2.87 29.67 – 2.87	Depositor EDS
% Data completeness (in resolution range)	90.8 (29.67-2.87) 90.7 (29.67-2.87)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.85Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.258 , 0.317 0.258 , 0.315	Depositor DCC
R_{free} test set	1184 reflections (4.48%)	wwPDB-VP
Wilson B-factor (Å ²)	46.8	Xtriage
Anisotropy	0.141	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 18.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	7083	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, C9D

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.13	0/3684	0.36	0/5006
1	B	0.20	0/3513	0.47	4/4774 (0.1%)
All	All	0.17	0/7197	0.42	4/9780 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	365	ARG	CA-CB-CG	-10.12	93.85	114.10
1	B	365	ARG	CB-CG-CD	9.93	134.13	111.30
1	B	399	ASP	CA-C-N	-5.14	114.06	122.54
1	B	399	ASP	C-N-CA	-5.14	114.06	122.54

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	191	LEU	Peptide
1	B	286	GLN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3589	0	3516	68	1
1	B	3423	0	3354	55	1
2	A	25	0	0	1	0
2	B	25	0	0	0	0
3	A	1	0	0	0	0
4	A	13	0	0	0	0
4	B	7	0	0	0	0
All	All	7083	0	6870	121	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:432:LYS:HE3	1:A:438:GLN:HG3	1.61	0.81
1:A:342:VAL:HG23	1:A:343:VAL:HG23	1.66	0.78
1:A:246:ASP:OD2	1:B:83:ARG:NH2	2.22	0.72
1:B:562:HIS:HE1	1:B:563:ARG:HH11	1.40	0.70
1:A:180:VAL:HG12	1:A:203:GLY:HA2	1.72	0.69
1:A:183:ILE:HG23	1:A:187:GLU:HG3	1.74	0.69
1:A:310:ILE:HD12	1:A:311:ASP:N	2.08	0.68
1:B:79:ILE:HG21	1:B:177:VAL:HG21	1.76	0.68
1:A:310:ILE:HD12	1:A:310:ILE:C	2.19	0.67
1:B:432:LYS:HE2	1:B:438:GLN:HG3	1.77	0.67
1:A:238:ARG:NH1	1:A:240:ASP:OD1	2.28	0.66
1:A:568:PHE:HD1	1:A:599:VAL:HG21	1.61	0.65
1:B:427:PRO:HG2	1:B:448:LEU:HD11	1.80	0.64
1:A:64:ILE:HD11	1:A:222:GLU:HG3	1.81	0.62
1:B:542:ALA:HB3	1:B:565:HIS:HB2	1.83	0.61
1:A:74:ARG:HD3	1:A:252:ASP:HB2	1.83	0.61
1:B:608:LEU:O	1:B:615:LYS:NZ	2.34	0.61
1:A:427:PRO:HG2	1:A:448:LEU:HD11	1.82	0.60
1:A:330:LYS:HB2	1:A:538:LYS:HE3	1.84	0.60
1:A:348:ARG:HD3	1:A:374:TRP:CE3	2.37	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:255:LEU:HD23	1:B:282:ALA:HB2	1.84	0.59
1:A:539:SER:HB3	1:A:568:PHE:HD2	1.68	0.58
1:B:81:ASP:OD1	1:B:83:ARG:NH1	2.36	0.58
1:B:287:PRO:O	1:B:313:PRO:HA	2.03	0.57
1:B:568:PHE:HD2	1:B:599:VAL:HG21	1.68	0.57
1:B:306:LEU:O	1:B:313:PRO:HD2	2.05	0.57
1:A:335:LEU:HD22	1:A:500:LEU:HD21	1.88	0.56
1:A:73:ASP:CG	1:A:77:VAL:HG22	2.30	0.56
1:B:568:PHE:CD2	1:B:599:VAL:HG21	2.41	0.56
1:B:248:VAL:O	1:B:482:LYS:N	2.36	0.55
1:B:399:ASP:OD2	1:B:429:ARG:NH2	2.38	0.55
1:B:180:VAL:HG12	1:B:203:GLY:HA2	1.88	0.55
1:B:543:GLN:HA	1:B:564:ASP:HB3	1.89	0.55
1:B:610:GLU:HG3	1:B:611:HIS:CE1	2.42	0.55
1:A:250:SER:HB3	1:A:279:ASP:HB3	1.88	0.54
1:A:195:ASN:ND2	1:A:217:GLY:O	2.38	0.54
1:A:310:ILE:C	1:A:310:ILE:CD1	2.80	0.54
1:A:62:GLN:NE2	1:A:63:PRO:O	2.41	0.53
1:A:542:ALA:O	1:A:564:ASP:HB2	2.08	0.53
1:A:516:VAL:HG11	1:A:538:LYS:HA	1.89	0.53
1:B:335:LEU:HD12	1:B:509:VAL:HG21	1.91	0.53
1:B:319:LEU:HD22	1:B:421:GLU:HG3	1.89	0.52
1:B:287:PRO:HB3	1:B:311:ASP:HB3	1.91	0.52
1:A:382:TYR:HA	1:A:516:VAL:HG22	1.92	0.52
1:B:250:SER:N	1:B:480:LEU:O	2.42	0.52
1:B:357:LEU:O	1:B:359:ASN:N	2.42	0.51
1:A:500:LEU:HD23	1:A:505:ASN:HB2	1.91	0.51
1:A:581:VAL:HB	1:A:599:VAL:HG13	1.93	0.51
1:A:568:PHE:CD1	1:A:599:VAL:HG21	2.44	0.51
1:A:195:ASN:HD22	1:A:216:HIS:CE1	2.29	0.50
1:B:595:ALA:O	1:B:599:VAL:HG23	2.12	0.50
1:B:470:ALA:HB1	1:B:577:PRO:HB3	1.94	0.49
1:B:414:VAL:HG12	1:B:475:TRP:HH2	1.77	0.49
1:A:286:GLN:HG3	1:A:287:PRO:HA	1.95	0.49
1:A:350:PHE:HB2	1:A:374:TRP:CZ3	2.48	0.49
1:A:62:GLN:HG2	1:A:63:PRO:HD2	1.95	0.49
1:B:327:SER:HB2	1:B:540:GLY:HA2	1.95	0.49
1:B:500:LEU:HD23	1:B:505:ASN:HB2	1.96	0.47
1:B:539:SER:HB3	1:B:568:PHE:HD1	1.79	0.47
1:A:246:ASP:CG	1:B:83:ARG:HH21	2.17	0.47
1:B:319:LEU:HD21	1:B:418:MET:SD	2.54	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:356:GLN:NE2	1:B:361:ASP:O	2.48	0.46
1:B:260:GLU:HB3	1:B:286:GLN:NE2	2.31	0.46
1:B:357:LEU:C	1:B:359:ASN:H	2.24	0.46
1:A:561:ARG:HG2	1:A:562:HIS:H	1.80	0.46
1:A:202:ILE:HG13	1:A:203:GLY:N	2.31	0.46
1:A:502:ASP:OD2	1:A:508:ARG:NH2	2.49	0.46
1:A:357:LEU:HD12	1:A:359:ASN:H	1.82	0.45
1:B:298:ILE:HG21	1:B:303:TYR:HD2	1.80	0.45
1:B:470:ALA:HB2	1:B:571:PHE:CG	2.51	0.45
1:A:470:ALA:HB1	1:A:577:PRO:HB3	1.98	0.45
1:A:542:ALA:HB3	1:A:565:HIS:HB2	1.99	0.45
1:A:65:PRO:HA	1:A:219:VAL:HG12	1.97	0.45
1:A:173:PHE:HD2	1:A:176:SER:HB2	1.82	0.45
1:A:333:VAL:HG12	1:A:392:LEU:HD22	1.99	0.45
1:B:167:TYR:CD2	1:B:291:PRO:HB2	2.52	0.44
1:B:79:ILE:CG2	1:B:177:VAL:HG21	2.43	0.44
1:B:378:GLU:CD	1:B:378:GLU:H	2.26	0.43
1:A:312:ARG:HB3	1:A:315:TYR:HB2	1.99	0.43
1:A:386:ASP:OD2	2:A:701:C9D:NAO	2.50	0.43
1:A:263:LEU:HD13	1:A:270:ILE:HD11	2.00	0.43
1:B:326:GLY:O	1:B:329:VAL:HG22	2.19	0.43
1:B:562:HIS:CE1	1:B:563:ARG:HH11	2.26	0.43
1:A:396:LEU:HA	1:A:400:ARG:HH21	1.83	0.43
1:A:379:SER:HA	1:A:382:TYR:CZ	2.54	0.43
1:B:426:MET:SD	1:B:455:MET:HE3	2.59	0.43
1:A:590:SER:O	1:A:594:VAL:HG12	2.19	0.43
1:B:402:HIS:ND1	1:B:426:MET:HG3	2.34	0.43
1:A:378:GLU:H	1:A:378:GLU:CD	2.27	0.43
1:B:376:SER:H	1:B:379:SER:HG	1.66	0.43
1:B:418:MET:HE1	1:B:460:ILE:HD12	2.00	0.43
1:B:471:ASN:ND2	1:B:474:HIS:HB3	2.34	0.43
1:A:171:GLU:HB2	1:A:288:SER:HB3	2.00	0.42
1:A:468:LEU:HD12	1:A:468:LEU:HA	1.89	0.42
1:B:398:ILE:HG12	1:B:440:TRP:CE2	2.54	0.42
1:B:507:ASP:HA	1:B:510:ASP:HB2	2.02	0.42
1:A:398:ILE:HD12	1:A:401:LEU:HB3	2.02	0.42
1:B:73:ASP:OD1	1:B:77:VAL:N	2.45	0.42
1:B:452:GLN:HB3	1:B:453:GLY:H	1.74	0.42
1:A:179:TYR:HB3	1:A:291:PRO:HB3	2.01	0.42
1:A:563:ARG:HB3	1:A:589:GLU:CD	2.45	0.42
1:A:287:PRO:HG2	1:A:313:PRO:HA	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:391:ASP:OD2	1:A:395:LYS:NZ	2.38	0.41
1:A:274:GLN:HB2	1:A:281:LEU:HD11	2.03	0.41
1:A:330:LYS:HE2	1:A:450:ILE:HG22	2.02	0.41
1:A:66:PRO:HD3	1:A:219:VAL:HG12	2.02	0.41
1:B:382:TYR:HA	1:B:516:VAL:HG22	2.03	0.41
1:A:315:TYR:HD2	1:A:317:ARG:HG2	1.85	0.41
1:A:423:ASP:O	1:A:461:GLN:NE2	2.45	0.41
1:A:73:ASP:OD1	1:A:77:VAL:N	2.54	0.41
1:A:79:ILE:O	1:A:168:PRO:HD2	2.20	0.41
1:A:83:ARG:HD3	1:A:83:ARG:HA	1.92	0.41
1:B:354:TYR:HB2	1:B:363:LYS:HB3	2.03	0.41
1:A:270:ILE:HG12	1:A:583:VAL:HG13	2.03	0.41
1:B:433:ARG:HA	1:B:433:ARG:HD3	1.83	0.41
1:A:398:ILE:HD12	1:A:398:ILE:HA	1.82	0.40
1:B:416:LEU:HD23	1:B:416:LEU:HA	1.90	0.40
1:A:357:LEU:CD1	1:A:359:ASN:HB2	2.51	0.40
1:B:468:LEU:HD12	1:B:468:LEU:HA	1.88	0.40
1:A:83:ARG:HA	1:A:84:PRO:HD3	1.95	0.40
1:A:263:LEU:HD23	1:A:286:GLN:HB2	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:ARG:NH2	1:B:574:ALA:O[2_655]	2.03	0.17

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	450/646 (70%)	434 (96%)	15 (3%)	1 (0%)	43 62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	430/646 (67%)	407 (95%)	19 (4%)	4 (1%)	14	28
All	All	880/1292 (68%)	841 (96%)	34 (4%)	5 (1%)	21	38

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	287	PRO
1	B	192	ASP
1	B	286	GLN
1	B	358	PRO
1	A	358	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	373/537 (70%)	373 (100%)	0	100	100
1	B	353/537 (66%)	353 (100%)	0	100	100
All	All	726/1074 (68%)	726 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	82	ASN
1	A	162	GLN
1	A	166	HIS
1	A	175	HIS
1	A	195	ASN
1	A	356	GLN
1	A	359	ASN
1	A	394	HIS
1	A	576	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	286	GLN
1	B	368	ASN
1	B	438	GLN
1	B	578	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	C9D	B	701	1	22,26,26	3.68	11 (50%)	25,36,36	1.76	7 (28%)
2	C9D	A	701	1	22,26,26	3.69	11 (50%)	25,36,36	1.94	10 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C9D	B	701	1	-	3/15/41/41	0/2/2/2
2	C9D	A	701	1	-	3/15/41/41	0/2/2/2

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	C9D	C-NAP	8.97	1.48	1.34
2	B	701	C9D	C-NAP	8.96	1.48	1.34
2	A	701	C9D	CAS-NAO	7.69	1.46	1.34
2	B	701	C9D	CAS-NAO	7.62	1.46	1.34
2	B	701	C9D	CAG-N	6.64	1.46	1.34
2	A	701	C9D	CAG-N	6.61	1.46	1.34
2	B	701	C9D	CAL-NAN	5.94	1.64	1.46
2	A	701	C9D	CAL-NAN	5.91	1.64	1.46
2	A	701	C9D	CAI-CAH	4.12	1.59	1.53
2	B	701	C9D	CAV-CAS	3.97	1.58	1.51
2	B	701	C9D	CAI-CAH	3.92	1.58	1.53
2	A	701	C9D	CAV-CAS	3.82	1.58	1.51
2	A	701	C9D	CAM-N	3.01	1.51	1.47
2	B	701	C9D	CAM-N	2.94	1.51	1.47
2	A	701	C9D	NAO-NAP	2.84	1.42	1.39
2	B	701	C9D	NAO-NAP	2.79	1.42	1.39
2	B	701	C9D	CAH-NAN	-2.57	1.35	1.47
2	A	701	C9D	CAH-NAN	-2.56	1.35	1.47
2	B	701	C9D	O-C	-2.50	1.18	1.23
2	A	701	C9D	O-C	-2.47	1.18	1.23
2	B	701	C9D	OAB-CAS	-2.23	1.19	1.23
2	A	701	C9D	OAB-CAS	-2.15	1.19	1.23

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	C9D	CA-C-NAP	4.80	121.42	114.16
2	B	701	C9D	CA-C-NAP	3.39	119.29	114.16
2	B	701	C9D	CAI-CAV-CAL	3.25	106.73	102.45
2	B	701	C9D	CAU-CAM-N	3.21	114.46	110.11
2	A	701	C9D	CAI-CAV-CAL	3.15	106.61	102.45
2	B	701	C9D	CAJ-CAU-CAM	3.14	113.79	109.71
2	A	701	C9D	CAJ-CAU-CAM	2.80	113.35	109.71
2	B	701	C9D	OAE-SAY-OAF	-2.78	101.50	112.24
2	A	701	C9D	CAU-CAM-N	2.78	113.88	110.11
2	A	701	C9D	OAE-SAY-OAF	-2.77	101.56	112.24
2	A	701	C9D	CAI-CAV-CAS	-2.57	107.76	112.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	C9D	O-C-NAP	-2.40	119.52	123.07
2	A	701	C9D	OAA-CAG-N	-2.30	119.72	125.34
2	A	701	C9D	CB-CA-C	-2.29	107.87	112.17
2	B	701	C9D	OAA-CAG-N	-2.18	120.00	125.34
2	A	701	C9D	C-NAP-NAO	-2.16	117.08	120.06
2	B	701	C9D	CAI-CAV-CAS	-2.10	108.66	112.66

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	701	C9D	OAA-CAG-N-CAM
2	A	701	C9D	NAO-CAS-CAV-CAI
2	A	701	C9D	OAB-CAS-CAV-CAI
2	B	701	C9D	OAA-CAG-N-CAM
2	B	701	C9D	NAO-CAS-CAV-CAI
2	B	701	C9D	OAB-CAS-CAV-CAI

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	C9D	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	458/646 (70%)	0.53	20 (4%)	39 30	24, 38, 67, 91	0
1	B	440/646 (68%)	0.72	37 (8%)	17 12	21, 39, 68, 88	0
All	All	898/1292 (69%)	0.62	57 (6%)	26 19	21, 39, 68, 91	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	268	GLY	5.3
1	B	543	GLN	4.7
1	B	63	PRO	3.3
1	B	80	ALA	3.3
1	B	400	ARG	3.3
1	A	510	ASP	3.2
1	B	306	LEU	3.2
1	B	420	GLY	3.1
1	B	288	SER	3.1
1	B	300	PHE	2.9
1	B	397	GLY	2.9
1	B	65	PRO	2.8
1	B	286	GLN	2.8
1	B	419	PHE	2.8
1	B	310	ILE	2.8
1	B	86	PHE	2.8
1	B	313	PRO	2.8
1	B	193	PRO	2.7
1	B	269	ALA	2.7
1	B	297	GLY	2.5
1	A	202	ILE	2.5
1	A	220	GLY	2.5
1	A	221	TYR	2.5
1	A	299	SER	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	610	GLU	2.5
1	A	452	GLN	2.4
1	A	255	LEU	2.4
1	A	214	GLU	2.4
1	B	85	SER	2.4
1	B	402	HIS	2.4
1	B	240	ASP	2.4
1	A	562	HIS	2.4
1	B	191	LEU	2.3
1	B	255	LEU	2.3
1	B	602	VAL	2.3
1	B	259	ALA	2.3
1	B	611	HIS	2.3
1	B	360	TYR	2.3
1	B	304	ALA	2.3
1	A	66	PRO	2.3
1	A	219	VAL	2.3
1	B	202	ILE	2.2
1	A	418	MET	2.2
1	B	197	SER	2.2
1	A	249	LEU	2.2
1	B	320	ARG	2.2
1	A	439	VAL	2.2
1	B	544	VAL	2.2
1	A	86	PHE	2.2
1	A	188	LEU	2.2
1	A	322	LEU	2.2
1	A	617	GLU	2.2
1	B	308	ASP	2.1
1	A	199	THR	2.1
1	B	470	ALA	2.1
1	B	244	GLY	2.0
1	B	217	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	C9D	A	701	25/25	0.83	0.14	30,40,59,68	0
2	C9D	B	701	25/25	0.89	0.11	35,44,53,55	0
3	CL	A	702	1/1	0.96	0.20	44,44,44,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around C9D B 701:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.