



Full wwPDB EM Validation Report ⓘ

Mar 10, 2026 – 08:57 AM UTC

PDB ID : 8KI9 / pdb_00008ki9
EMDB ID : EMD-37255
Title : Structure of Tomato spotted wilt virus L protein contained CTD
Authors : Cao, L.; Wang, L.
Deposited on : 2023-08-23
Resolution : 4.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7587 (3.50 - 4.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2441	

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 18082 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called L protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	2238	18082	11542	2997	3422	121	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: L protein





L2481	F2548	R2549	L2550	T2552	L2553	L2554	R2555	N2556	S2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632
K2482	D2549	L2550	E2551	T2552	L2553	L2554	R2555	N2556	S2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632
M2483	L2550	E2551	T2552	L2553	L2554	R2555	N2556	S2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632	
D2484	T2552	L2553	L2554	R2555	N2556	S2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632			
R2485	L2553	L2554	R2555	N2556	S2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632				
S2486	L2554	R2555	N2556	S2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632					
D2487	L2555	N2556	S2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632						
E2488	L2556	S2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632							
E2489	L2557	F2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632								
F2490	L2558	R2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632									
V2491	L2559	P2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632										
G2492	L2560	D2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632											
L2493	L2561	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632												
A2494	L2562	F2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632													
S2495	L2563	S2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632														
F2496	L2564	T2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632															
M2497	L2565	D2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632																
V2498	L2566	R2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632																	
L2499	L2567	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632																		
R2500	L2568	G2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632																			
L2501	L2569	R2570	L2578	Y2585	M2586	E2587	Y2588	K2589	N2592	N2596	E2597	Y2605	S2611	R2612	S2613	K2614	E2615	H2616	F2617	L2618	S2619	V2622	K2623	K2624	A2625	L2626	L2627	Q2628	L2629	R2630	D2631	E2632																				
D2502	L2570	N2671	D2672	Y2673	L2674	M2675	R2678	E2679	L2680	L2681	L2682	S2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																			
E2503	L2571	N2672	Y2673	L2674	M2675	R2678	E2679	L2680	L2681	L2682	S2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																				
E2504	L2572	N2673	Y2674	M2675	R2678	E2679	L2680	L2681	L2682	S2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																					
E2505	L2573	N2674	M2675	R2678	E2679	L2680	L2681	L2682	S2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																						
M2506	L2574	N2675	R2678	E2679	L2680	L2681	L2682	S2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																							
V2507	L2575	N2676	R2679	E2680	L2681	L2682	S2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																								
E2508	L2576	N2677	R2680	E2681	L2682	S2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																									
G2509	L2577	N2678	R2681	E2682	S2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																										
L2510	L2578	N2679	R2682	E2683	K2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																											
L2511	L2579	N2680	R2683	E2684	L2685	S2686	E2687	L2688	D2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																												
K2512	L2580	N2681	R2684	E2685	L2686	S2687	K2688	L2689	E2690	V2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																													
E2513	L2581	N2682	R2685	E2686	L2687	S2688	K2689	L2690	E2691	V2692	E2693	T2694	D2695	E2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																														
M2514	L2582	N2683	R2686	E2687	L2688	S2689	K2690	L2691	E2692	V2693	E2694	T2695	D2696	E2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																															
K2515	L2583	N2684	R2687	E2688	L2689	S2690	K2691	L2692	E2693	V2694	E2695	T2696	D2697	N2698	F2699	L2700	L2701	S2702	Y2703	L2704																																
L2516	L2584	N2685	R2688	E2689	L2690	S2691	K2692	L2693	E2694	V2695	E2696	T2697	D2698	N2699	F2700	L2701	L2702	S2703	Y2704	L2705																																
K2517	L2585	N2686	R2689	E2690	L2691	S2692	K2693	L2694	E2695	V2696	E2697	T2698	D2699	N2700	F2701	L2702	L2703	S2704	Y2705																																	
R2518	L2586	N2687	R2690	E2691	L2692	S2693	K2694	L2695	E2696	V2697	E2698	T2699	D2700	N2701	F2702	L2703																																				

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	61445	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	2.290	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.036	Depositor
Recommended contour level	0.087	Depositor
Map size (Å)	273.92, 273.92, 273.92	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/18394	0.60	3/24780 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	567	GLU	CA-C-N	5.67	132.38	121.54
1	A	567	GLU	C-N-CA	5.67	132.38	121.54
1	A	736	LYS	CB-CG-CD	5.45	123.83	111.30

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1952	ASN	Peptide
1	A	2296	VAL	Peptide
1	A	2485	ARG	Peptide
1	A	2488	GLU	Peptide
1	A	490	ARG	Sidechain
1	A	678	GLY	Peptide
1	A	894	VAL	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	18082	0	18295	227	0
All	All	18082	0	18295	227	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1901:ASN:C	1:A:1901:ASN:HD22	1.88	0.81
1:A:1544:VAL:HG21	1:A:1593:LEU:HD13	1.78	0.65
1:A:912:ARG:HG3	1:A:917:PHE:HB2	1.79	0.64
1:A:1951:GLN:O	1:A:1953:ARG:NH1	2.29	0.64
1:A:1334:SER:OG	1:A:1356:TRP:NE1	2.31	0.64
1:A:1859:GLN:NE2	1:A:1878:ALA:O	2.30	0.64
1:A:1257:LEU:HB3	1:A:1261:GLU:HG3	1.79	0.64
1:A:1641:SER:HA	1:A:1644:MET:HE2	1.80	0.64
1:A:422:LYS:HZ3	1:A:426:ARG:HH22	1.45	0.63
1:A:1999:ARG:NH2	1:A:2374:MET:SD	2.72	0.62
1:A:2325:PHE:HB3	1:A:2329:TYR:HB2	1.82	0.62
1:A:472:MET:HE1	1:A:730:LEU:HD11	1.82	0.62
1:A:701:LYS:O	1:A:718:ARG:NH1	2.33	0.61
1:A:873:GLU:HG2	1:A:1429:ILE:HD12	1.83	0.61
1:A:472:MET:O	1:A:720:GLN:NE2	2.34	0.61
1:A:1858:PHE:HA	1:A:1862:LYS:HE2	1.82	0.61
1:A:2145:ILE:HG21	1:A:2223:TYR:HB3	1.81	0.60
1:A:1438:ASN:HA	1:A:1441:THR:HG22	1.82	0.60
1:A:1289:ARG:NH1	1:A:1309:LEU:O	2.35	0.60
1:A:1569:MET:HA	1:A:1572:ARG:HG2	1.84	0.60
1:A:437:ILE:HB	1:A:816:LYS:HD2	1.84	0.60
1:A:2635:ARG:HH12	1:A:2639:LEU:HB2	1.66	0.59
1:A:665:THR:HG23	1:A:667:ASN:H	1.67	0.59
1:A:1548:PHE:O	1:A:1570:ARG:NH2	2.36	0.58
1:A:2164:LEU:HA	1:A:2167:ILE:HG12	1.86	0.58
1:A:492:SER:O	1:A:709:ASN:ND2	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:679:VAL:HB	1:A:722:LEU:HB2	1.87	0.57
1:A:1864:ILE:HD11	1:A:1876:MET:HA	1.86	0.57
1:A:1195:ILE:HA	1:A:1200:LYS:HD2	1.87	0.57
1:A:1700:ASN:HA	1:A:1703:LYS:HG2	1.86	0.57
1:A:1849:LYS:HD2	1:A:1861:GLU:HG2	1.86	0.57
1:A:467:LYS:HB2	1:A:829:ASN:HD21	1.69	0.56
1:A:1871:PRO:HG3	1:A:2320:ARG:HE	1.70	0.56
1:A:446:GLN:NE2	1:A:450:GLU:OE2	2.39	0.56
1:A:1490:LEU:HD12	1:A:1491:PRO:HD2	1.86	0.56
1:A:354:GLU:HG3	1:A:392:ILE:HD12	1.88	0.56
1:A:420:LEU:HD22	1:A:1346:CYS:HB3	1.88	0.56
1:A:1325:LEU:HD21	1:A:1328:LEU:HD23	1.87	0.55
1:A:726:ARG:NH1	1:A:790:THR:O	2.39	0.55
1:A:2056:ASP:O	1:A:2060:LYS:NZ	2.39	0.55
1:A:856:THR:HG21	1:A:871:THR:HA	1.89	0.55
1:A:1150:ALA:HB3	1:A:1169:LYS:HE3	1.88	0.55
1:A:855:ILE:HD12	1:A:2673:TYR:HE1	1.72	0.55
1:A:1523:SER:HB3	1:A:1536:ASN:HB3	1.88	0.55
1:A:749:ASN:ND2	1:A:868:THR:O	2.39	0.54
1:A:1963:ARG:NH1	1:A:1965:SER:OG	2.40	0.54
1:A:2038:LEU:O	1:A:2042:ASN:ND2	2.40	0.54
1:A:1614:ASN:O	1:A:1618:LEU:N	2.40	0.54
1:A:2137:VAL:O	1:A:2221:ILE:HA	2.07	0.54
1:A:708:ARG:NE	1:A:710:GLY:O	2.39	0.54
1:A:363:ASN:HD21	1:A:1253:LEU:HD22	1.72	0.54
1:A:887:PRO:HG2	1:A:890:LEU:HD11	1.89	0.54
1:A:2104:ASP:OD1	1:A:2108:ARG:NH1	2.41	0.54
1:A:792:LEU:HA	1:A:795:MET:HE3	1.88	0.54
1:A:1170:VAL:HA	1:A:1173:MET:HG2	1.89	0.54
1:A:1163:VAL:HA	1:A:1321:LEU:HD13	1.88	0.54
1:A:2005:GLN:OE1	1:A:2320:ARG:NH1	2.41	0.53
1:A:663:LEU:HB2	1:A:672:LEU:HB2	1.90	0.53
1:A:1000:GLU:O	1:A:1004:ASN:ND2	2.42	0.53
1:A:471:SER:OG	1:A:472:MET:N	2.36	0.53
1:A:744:PHE:HB3	1:A:864:ILE:HD13	1.90	0.53
1:A:1421:GLU:H	1:A:1431:LEU:HD13	1.73	0.53
1:A:686:ILE:HD12	1:A:712:ASN:HD21	1.74	0.53
1:A:2635:ARG:O	1:A:2635:ARG:NH1	2.42	0.53
1:A:669:SER:HB3	1:A:686:ILE:HB	1.92	0.52
1:A:2008:MET:SD	1:A:2320:ARG:NH1	2.83	0.52
1:A:845:ARG:O	1:A:845:ARG:NH1	2.41	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1387:GLU:OE2	1:A:1391:ARG:NH1	2.42	0.52
1:A:1919:LEU:HD23	1:A:1930:ALA:HB2	1.91	0.52
1:A:468:THR:O	1:A:829:ASN:ND2	2.43	0.52
1:A:2002:VAL:O	1:A:2006:GLN:NE2	2.43	0.52
1:A:2069:PHE:HD1	1:A:2073:ASN:HD22	1.58	0.52
1:A:776:LEU:HA	1:A:779:ILE:HG22	1.90	0.51
1:A:912:ARG:NH1	1:A:918:ASN:O	2.44	0.51
1:A:1414:SER:HB3	1:A:1424:VAL:HG23	1.92	0.51
1:A:2204:ASN:HD21	1:A:2209:GLN:HA	1.76	0.51
1:A:2417:LEU:HD13	1:A:2605:TYR:HB2	1.92	0.51
1:A:891:HIS:CE1	1:A:895:HIS:HB3	2.46	0.51
1:A:2333:PHE:HA	1:A:2336:ILE:HD12	1.93	0.50
1:A:2629:LEU:HD22	1:A:2638:LYS:HG2	1.92	0.50
1:A:1648:HIS:HA	1:A:1651:MET:HE2	1.93	0.50
1:A:2542:GLY:O	1:A:2660:THR:OG1	2.29	0.50
1:A:524:LEU:HD22	1:A:536:MET:HE3	1.94	0.50
1:A:472:MET:HG2	1:A:720:GLN:HG3	1.94	0.50
1:A:580:LEU:O	1:A:584:HIS:ND1	2.44	0.50
1:A:2058:MET:HA	1:A:2061:ILE:HG12	1.94	0.50
1:A:984:SER:OG	1:A:1102:LYS:NZ	2.39	0.50
1:A:2547:SER:HA	1:A:2550:ILE:HD12	1.93	0.49
1:A:833:ILE:HA	1:A:836:VAL:HG22	1.94	0.49
1:A:2632:GLU:HG3	1:A:2634:SER:H	1.77	0.49
1:A:736:LYS:NZ	1:A:885:MET:HB3	2.28	0.49
1:A:749:ASN:ND2	1:A:868:THR:OG1	2.41	0.49
1:A:1831:ASN:HD21	1:A:1886:GLU:HG3	1.78	0.48
1:A:1359:HIS:HB3	1:A:1362:ASP:HB3	1.95	0.48
1:A:2358:LYS:HE2	1:A:2362:ILE:HD12	1.95	0.48
1:A:1941:VAL:O	1:A:1945:ASN:HB2	2.14	0.48
1:A:2070:THR:OG1	1:A:2071:VAL:N	2.47	0.48
1:A:2168:MET:HE2	1:A:2199:MET:HG2	1.96	0.48
1:A:691:MET:HE3	1:A:694:GLN:HE22	1.79	0.48
1:A:1038:PHE:O	1:A:1042:ASN:HB2	2.14	0.48
1:A:1534:SER:OG	1:A:1886:GLU:OE2	2.32	0.48
1:A:1591:ILE:HA	1:A:1594:ILE:HG22	1.96	0.48
1:A:725:VAL:HG11	1:A:890:LEU:HA	1.94	0.48
1:A:944:VAL:HG23	1:A:1253:LEU:HD11	1.95	0.48
1:A:1463:LEU:HD21	1:A:1525:ILE:HG23	1.96	0.47
1:A:2069:PHE:HB3	1:A:2073:ASN:HB2	1.96	0.47
1:A:2189:SER:HB2	1:A:2203:VAL:HG13	1.96	0.47
1:A:1183:HIS:HA	1:A:1186:GLN:HB2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1274:LYS:HD2	1:A:1275:LEU:HG	1.96	0.47
1:A:2147:ASN:HB3	1:A:2151:TYR:HB2	1.95	0.47
1:A:1640:SER:HA	1:A:1643:GLU:HG2	1.95	0.47
1:A:336:SER:HB3	1:A:1270:LEU:HD13	1.96	0.47
1:A:837:ASN:HA	1:A:840:LYS:HB3	1.96	0.47
1:A:1885:ILE:HG12	1:A:1983:LEU:HB2	1.95	0.47
1:A:2185:ARG:H	1:A:2188:ARG:HD2	1.80	0.47
1:A:2263:ILE:HD11	1:A:2279:LEU:HD13	1.97	0.47
1:A:929:MET:HE3	1:A:933:LYS:HE2	1.97	0.47
1:A:1626:ASP:HB2	1:A:1673:LEU:HD11	1.96	0.47
1:A:2184:LEU:O	1:A:2204:ASN:ND2	2.46	0.47
1:A:535:CYS:SG	1:A:536:MET:N	2.88	0.46
1:A:661:LYS:H	1:A:674:ALA:HB3	1.80	0.46
1:A:572:TRP:O	1:A:576:ILE:HG12	2.14	0.46
1:A:1559:ASP:OD1	1:A:1559:ASP:N	2.48	0.46
1:A:1644:MET:O	1:A:1648:HIS:ND1	2.48	0.46
1:A:861:LYS:N	1:A:865:THR:O	2.44	0.46
1:A:2262:GLN:HB3	1:A:2332:LEU:HD11	1.98	0.46
1:A:702:GLU:HB2	1:A:718:ARG:HB3	1.96	0.46
1:A:942:LEU:HD23	1:A:1400:PHE:HZ	1.81	0.46
1:A:1412:SER:OG	1:A:1413:SER:N	2.48	0.46
1:A:2040:LEU:HG	1:A:2051:TRP:HB2	1.97	0.46
1:A:723:ASN:HB2	1:A:726:ARG:HE	1.81	0.46
1:A:1692:ARG:HH11	1:A:1696:THR:HA	1.81	0.45
1:A:2082:LEU:HD13	1:A:2110:ILE:HD12	1.97	0.45
1:A:1198:ASP:OD1	1:A:1198:ASP:N	2.50	0.45
1:A:775:ILE:HA	1:A:778:ASN:HD22	1.80	0.45
1:A:1204:LEU:HA	1:A:1207:LEU:HG	1.98	0.45
1:A:1487:TYR:HE1	1:A:1682:ALA:HA	1.82	0.45
1:A:1228:LEU:HD12	1:A:1368:ILE:HG12	1.98	0.45
1:A:1068:VAL:HB	1:A:1071:LYS:HE2	1.98	0.45
1:A:702:GLU:N	1:A:702:GLU:OE1	2.50	0.45
1:A:1820:LYS:HA	1:A:1823:VAL:HG12	1.99	0.45
1:A:2471:GLU:OE1	1:A:2559:ARG:NH2	2.50	0.45
1:A:1595:ASN:O	1:A:1599:LYS:NZ	2.44	0.45
1:A:2454:LEU:HB2	1:A:2516:ILE:HB	1.99	0.45
1:A:915:LEU:HD21	1:A:936:PHE:HB2	1.98	0.44
1:A:1196:SER:OG	1:A:1199:ASN:OD1	2.34	0.44
1:A:576:ILE:HG23	1:A:698:CYS:HA	1.99	0.44
1:A:2675:MET:HE3	1:A:2679:GLU:HG3	1.99	0.44
1:A:633:ALA:HB1	1:A:636:HIS:HB2	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1158:ASP:OD1	1:A:1158:ASP:N	2.50	0.44
1:A:1890:LEU:HD12	1:A:1891:LYS:HD2	1.99	0.44
1:A:2452:LYS:HG2	1:A:2526:PRO:HG3	1.99	0.44
1:A:341:ARG:HG3	1:A:926:LYS:HB2	2.00	0.44
1:A:1141:GLN:HA	1:A:1144:GLU:HG3	1.99	0.44
1:A:1644:MET:HA	1:A:1647:VAL:HG22	2.00	0.44
1:A:1669:LEU:O	1:A:1673:LEU:HB2	2.17	0.44
1:A:728:LEU:HD21	1:A:1683:LEU:HD21	2.00	0.44
1:A:897:LEU:O	1:A:901:LEU:HD12	2.18	0.44
1:A:1824:ASN:HA	1:A:1827:ILE:HG12	2.00	0.44
1:A:2455:VAL:HG12	1:A:2457:PRO:HD3	2.00	0.44
1:A:1026:ARG:HD2	1:A:1026:ARG:HA	1.86	0.44
1:A:1601:THR:HG22	1:A:1602:MET:H	1.81	0.44
1:A:1239:SER:OG	1:A:1320:TRP:O	2.35	0.44
1:A:2058:MET:HE1	1:A:2097:LEU:HB3	1.99	0.44
1:A:1577:LYS:NZ	1:A:1582:THR:O	2.38	0.44
1:A:2002:VAL:HG12	1:A:2006:GLN:HE22	1.83	0.44
1:A:2240:LYS:HD2	1:A:2240:LYS:HA	1.80	0.44
1:A:408:LYS:HA	1:A:411:ILE:HG22	1.99	0.43
1:A:2204:ASN:OD1	1:A:2206:THR:OG1	2.31	0.43
1:A:468:THR:O	1:A:791:LYS:NZ	2.51	0.43
1:A:892:ASN:OD1	1:A:893:HIS:N	2.52	0.43
1:A:732:LYS:O	1:A:735:SER:OG	2.30	0.43
1:A:2001:VAL:O	1:A:2005:GLN:HG2	2.18	0.43
1:A:2186:THR:HG22	1:A:2187:ARG:HG3	2.00	0.43
1:A:761:GLU:HG2	1:A:762:LYS:HD3	2.00	0.43
1:A:2152:LEU:HD13	1:A:2205:ALA:HB3	1.99	0.43
1:A:2199:MET:SD	1:A:2199:MET:N	2.91	0.43
1:A:2269:ASP:HA	1:A:2272:ARG:HH21	1.84	0.43
1:A:822:LYS:HA	1:A:822:LYS:HD2	1.88	0.42
1:A:702:GLU:O	1:A:718:ARG:N	2.48	0.42
1:A:1561:VAL:HG22	1:A:1567:LEU:HD11	2.00	0.42
1:A:1848:ARG:NH1	1:A:1874:VAL:O	2.51	0.42
1:A:1883:ASN:HB2	1:A:1885:ILE:HG13	2.00	0.42
1:A:864:ILE:O	1:A:866:GLY:N	2.52	0.42
1:A:747:LYS:HA	1:A:747:LYS:HD3	1.86	0.42
1:A:469:ASN:OD1	1:A:470:PHE:N	2.52	0.42
1:A:598:TYR:O	1:A:602:ALA:HB3	2.18	0.42
1:A:580:LEU:HG	1:A:584:HIS:CE1	2.55	0.42
1:A:638:SER:HB3	1:A:734:PRO:HG3	2.00	0.42
1:A:861:LYS:NZ	1:A:869:LEU:HG	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:909:LEU:HD12	1:A:1301:ALA:HB1	2.01	0.42
1:A:434:GLU:OE2	1:A:1391:ARG:NH2	2.53	0.42
1:A:1685:ARG:HA	1:A:1688:ARG:HB2	2.01	0.42
1:A:2082:LEU:HA	1:A:2085:ILE:HG12	2.01	0.42
1:A:2382:LYS:HD2	1:A:2432:ILE:HD11	2.01	0.42
1:A:2399:ILE:HD13	1:A:2399:ILE:HA	1.90	0.42
1:A:1216:ASN:HB2	1:A:1228:LEU:HD13	2.01	0.41
1:A:1530:ILE:HG23	1:A:1531:LEU:HG	2.02	0.41
1:A:2048:LYS:HA	1:A:2048:LYS:HD2	1.81	0.41
1:A:2456:LEU:HB3	1:A:2459:ILE:HD12	2.02	0.41
1:A:2678:ARG:HD2	1:A:2678:ARG:HA	1.87	0.41
1:A:663:LEU:HD22	1:A:672:LEU:HD22	2.02	0.41
1:A:1491:PRO:HG3	1:A:1520:TRP:HZ2	1.84	0.41
1:A:1909:THR:HA	1:A:1912:ILE:HG22	2.02	0.41
1:A:2596:ASN:OD1	1:A:2597:GLU:N	2.54	0.41
1:A:338:ASP:HA	1:A:341:ARG:HE	1.86	0.41
1:A:1013:TRP:HH2	1:A:1056:ILE:HD12	1.85	0.41
1:A:1830:VAL:O	1:A:1833:SER:OG	2.32	0.41
1:A:420:LEU:HD13	1:A:1343:THR:HG22	2.02	0.41
1:A:490:ARG:HH11	1:A:521:LEU:HG	1.86	0.41
1:A:1089:LEU:HB2	1:A:1095:VAL:HG11	2.03	0.41
1:A:1127:ASN:OD1	1:A:1127:ASN:N	2.54	0.41
1:A:1706:LEU:HD23	1:A:1706:LEU:HA	1.95	0.41
1:A:2441:GLN:NE2	1:A:2557:SER:O	2.54	0.41
1:A:982:LYS:O	1:A:1104:SER:OG	2.40	0.41
1:A:1686:VAL:HG23	1:A:1687:LEU:HD12	2.03	0.41
1:A:1131:GLY:O	1:A:1664:ASN:ND2	2.53	0.40
1:A:1334:SER:HG	1:A:1356:TRP:NE1	2.19	0.40
1:A:1832:PHE:HA	1:A:1835:LEU:HB3	2.03	0.40
1:A:2445:MET:SD	1:A:2528:ASN:ND2	2.95	0.40
1:A:519:LEU:HD22	1:A:546:ILE:HG13	2.02	0.40
1:A:708:ARG:HB2	1:A:713:TYR:HE1	1.87	0.40
1:A:1822:CYS:HA	1:A:1825:LEU:HG	2.03	0.40
1:A:2524:LEU:HD23	1:A:2524:LEU:HA	1.96	0.40
1:A:891:HIS:ND1	1:A:895:HIS:HB3	2.37	0.40
1:A:1605:GLN:HE21	1:A:1608:LYS:HG2	1.86	0.40
1:A:2137:VAL:HG23	1:A:2219:VAL:HG11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	2220/2441 (91%)	2030 (91%)	185 (8%)	5 (0%)	43 75

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2487	ASP
1	A	865	THR
1	A	986	LYS
1	A	1606	ILE
1	A	852	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	2067/2265 (91%)	2066 (100%)	1 (0%)	100 100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1901	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	410	GLN
1	A	447	ASN
1	A	508	ASN
1	A	829	ASN
1	A	877	ASN
1	A	1003	GLN
1	A	1004	ASN
1	A	1235	GLN
1	A	1319	ASN
1	A	1495	ASN
1	A	1550	ASN
1	A	1605	GLN
1	A	1672	GLN
1	A	1852	ASN
1	A	1854	ASN
1	A	1901	ASN
1	A	1938	GLN
1	A	2006	GLN
1	A	2100	HIS
1	A	2292	ASN
1	A	2317	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37255. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128



Z Index: 128

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 112




Y Index: 118




Z Index: 118


6.3.2 Raw map



X Index: 117



Y Index: 119




Z Index: 125


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.087. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 145 nm³; this corresponds to an approximate mass of 131 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.250 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.250 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.00	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	5.70	8.21	6.41

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.70 differs from the reported value 4.0 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-37255 and PDB model 8KI9. Per-residue inclusion information can be found in section 3 on page 4.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.087 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.087).

9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.087) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5870	0.1350
A	0.5870	0.1350

