



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:48 PM UTC

PDB ID : 4KJS / pdb_00004kjs
Title : Structure of native YfkE
Authors : Wu, M.; Tong, S.; Zheng, L.
Deposited on : 2013-05-03
Resolution : 3.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2469 (3.10-3.02)
Clashscore	190562	2569 (3.10-3.02)
Ramachandran outliers	187476	2424 (3.10-3.02)
Sidechain outliers	187428	2423 (3.10-3.02)
RSRZ outliers	180081	2469 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	15% 61% 25% 9%
1	B	351	13% 66% 19% 5% 9%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4800 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cation exchanger YfkE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	320	Total	C	N	O	S	0	0	0
			2391	1596	369	412	14			
1	B	320	Total	C	N	O	S	0	0	0
			2391	1596	369	412	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	77	MET	LEU	conflict	UNP O34840
A	116	ALA	LYS	conflict	UNP O34840
B	77	MET	LEU	conflict	UNP O34840
B	116	ALA	LYS	conflict	UNP O34840


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	8	Total	O	0	0
			8	8		
2	B	10	Total	O	0	0
			10	10		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: cation exchanger YfkE



• Molecule 1: cation exchanger YfkE



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	168.50Å 168.50Å 94.17Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.01 – 3.05 50.01 – 3.05	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.01-3.05) 99.9 (50.01-3.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.06 (at 3.07Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.216 , 0.262 0.241 , 0.283	Depositor DCC
R_{free} test set	993 reflections (5.22%)	wwPDB-VP
Wilson B-factor (Å ²)	83.9	Xtriage
Anisotropy	0.175	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.24 , 42.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.036 for h,-h-k,-l	Xtriage
Reported twinning fraction	0.486 for H, K, L 0.514 for K, H, -L	Depositor
Outliers	0 of 18969 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4800	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/2438	1.08	12/3317 (0.4%)
1	B	0.72	0/2438	1.02	11/3317 (0.3%)
All	All	0.67	0/4876	1.05	23/6634 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
All	All	0	5

There are no bond length outliers.

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	326	ASP	N-CA-C	16.52	129.36	111.03
1	A	116	ALA	N-CA-C	-10.84	98.51	112.93
1	A	115	TYR	N-CA-C	10.71	130.10	113.28
1	B	24	TRP	CA-C-N	9.20	131.33	119.84
1	B	24	TRP	C-N-CA	9.20	131.33	119.84
1	A	115	TYR	CB-CA-C	-9.15	96.88	110.06
1	A	329	SER	N-CA-C	8.78	122.22	109.14
1	B	326	ASP	N-CA-C	8.48	120.15	111.07
1	B	24	TRP	N-CA-C	-8.23	97.50	108.11
1	A	329	SER	N-CA-CB	-8.12	98.47	111.62
1	A	328	ASP	CB-CA-C	8.06	126.45	110.42
1	B	120	PHE	N-CA-CB	-7.15	100.15	110.45
1	A	116	ALA	N-CA-CB	6.48	121.62	110.34
1	A	300	SER	N-CA-C	6.26	118.80	110.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	121	ASN	N-CA-C	5.93	118.41	108.02
1	A	330	ASN	N-CA-C	-5.75	100.20	108.60
1	B	120	PHE	CB-CA-C	-5.71	100.42	113.33
1	A	301	MET	CA-C-N	5.62	125.82	120.31
1	A	301	MET	C-N-CA	5.62	125.82	120.31
1	B	326	ASP	CB-CA-C	-5.35	102.49	110.88
1	B	324	SER	N-CA-C	5.34	117.10	111.28
1	B	24	TRP	N-CA-CB	-5.18	103.57	110.77
1	B	13	VAL	N-CA-CB	5.14	113.74	110.50

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	297	PHE	Peptide
1	A	299	THR	Peptide
1	B	120	PHE	Peptide
1	B	24	TRP	Peptide
1	B	297	PHE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2391	0	2509	78	0
1	B	2391	0	2509	85	0
2	A	8	0	0	0	0
2	B	10	0	0	0	0
All	All	4800	0	5018	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:THR:HG21	1:B:82:GLU:O	1.05	1.21
1:B:20:SER:O	1:B:23:HIS:CD2	1.96	1.18
1:B:122:ILE:HG13	1:B:123:HIS:H	1.08	1.14
1:B:120:PHE:HA	1:B:328:ASP:OD2	1.45	1.12
1:A:299:THR:CG2	1:B:82:GLU:O	2.01	1.09
1:B:122:ILE:HG13	1:B:123:HIS:N	1.60	1.08
1:B:301:MET:O	1:B:301:MET:HG3	1.52	1.03
1:A:299:THR:HG21	1:B:82:GLU:C	1.83	1.02
1:B:20:SER:O	1:B:23:HIS:NE2	1.91	1.01
1:A:295:ILE:HD12	1:A:300:SER:HB3	1.47	0.96
1:B:120:PHE:CA	1:B:328:ASP:OD2	2.16	0.93
1:A:117:ARG:C	1:A:118:GLN:HG2	1.94	0.92
1:A:295:ILE:CD1	1:A:300:SER:HB3	1.99	0.92
1:A:117:ARG:O	1:A:118:GLN:HG2	1.69	0.91
1:A:118:GLN:HG3	1:A:329:SER:HB3	1.51	0.91
1:A:118:GLN:HA	1:A:118:GLN:HE21	1.36	0.88
1:B:323:ILE:O	1:B:326:ASP:OD1	1.95	0.85
1:B:122:ILE:CG1	1:B:123:HIS:H	1.89	0.85
1:B:25:PRO:O	1:B:29:LEU:HD22	1.76	0.84
1:B:326:ASP:CG	1:B:327:GLY:N	2.37	0.83
1:A:108:PHE:CE2	1:A:328:ASP:O	2.32	0.82
1:B:298:PRO:HD2	1:B:299:THR:H	1.45	0.81
1:B:120:PHE:CD1	1:B:120:PHE:N	2.48	0.80
1:A:117:ARG:O	1:A:118:GLN:CG	2.30	0.79
1:B:20:SER:O	1:B:23:HIS:HD2	1.67	0.78
1:A:114:LYS:O	1:A:115:TYR:HB2	1.83	0.78
1:B:20:SER:HG	1:B:219:TYR:HH	0.80	0.78
1:B:301:MET:O	1:B:301:MET:CG	2.30	0.77
1:B:295:ILE:HG22	1:B:300:SER:HB2	1.66	0.75
1:A:301:MET:O	1:A:301:MET:HG3	1.86	0.75
1:A:299:THR:CG2	1:B:82:GLU:C	2.54	0.74
1:A:173:ALA:O	1:A:177:LYS:C	2.31	0.74
1:A:116:ALA:O	1:A:117:ARG:HG2	1.89	0.72
1:B:96:VAL:HB	1:B:279:THR:HG23	1.71	0.72
1:A:173:ALA:O	1:A:177:LYS:N	2.24	0.71
1:A:299:THR:HG23	1:B:83:GLY:HA3	1.73	0.70
1:B:26:SER:HB3	1:B:227:THR:HG23	1.73	0.70
1:A:229:HIS:O	1:A:233:GLU:HG3	1.93	0.68
1:B:317:VAL:O	1:B:321:ILE:HG12	1.94	0.67
1:A:172:ALA:O	1:A:176:PHE:HD1	1.77	0.67
1:B:121:ASN:O	1:B:122:ILE:C	2.37	0.67
1:A:164:ILE:HD13	1:A:168:LEU:HD11	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:ARG:C	1:A:118:GLN:CG	2.70	0.65
1:B:326:ASP:OD1	1:B:327:GLY:N	2.30	0.65
1:A:117:ARG:O	1:A:118:GLN:CD	2.40	0.64
1:A:117:ARG:O	1:A:118:GLN:NE2	2.30	0.64
1:A:164:ILE:HD13	1:A:168:LEU:CD1	2.27	0.63
1:B:160:ILE:HD11	1:B:295:ILE:HG21	1.81	0.63
1:B:24:TRP:CE3	1:B:25:PRO:HD3	2.34	0.62
1:A:164:ILE:CD1	1:A:168:LEU:HD11	2.29	0.62
1:B:298:PRO:CD	1:B:299:THR:H	2.13	0.62
1:A:67:PHE:HA	1:A:70:ALA:HB2	1.82	0.61
1:B:25:PRO:HG2	1:B:28:VAL:HG22	1.82	0.61
1:B:222:GLU:O	1:B:226:HIS:HD2	1.85	0.60
1:A:326:ASP:OD1	1:A:327:GLY:N	2.34	0.59
1:A:164:ILE:O	1:A:168:LEU:HG	2.03	0.59
1:A:297:PHE:O	1:A:297:PHE:CG	2.56	0.59
1:A:240:LEU:O	1:A:244:VAL:HG23	2.03	0.59
1:B:326:ASP:CG	1:B:327:GLY:H	2.07	0.59
1:B:108:PHE:CZ	1:B:328:ASP:O	2.56	0.59
1:B:30:PHE:CD2	1:B:231:VAL:HG21	2.38	0.58
1:A:118:GLN:HA	1:A:118:GLN:NE2	2.14	0.58
1:A:229:HIS:O	1:A:233:GLU:CG	2.51	0.58
1:A:339:ALA:O	1:A:343:ILE:HG12	2.02	0.58
1:B:26:SER:HB3	1:B:227:THR:CG2	2.33	0.58
1:B:299:THR:HG23	1:B:300:SER:N	2.19	0.57
1:B:118:GLN:HG3	1:B:329:SER:HB3	1.87	0.57
1:B:327:GLY:O	1:B:328:ASP:HB2	2.04	0.56
1:B:67:PHE:HA	1:B:70:ALA:HB2	1.86	0.56
1:B:297:PHE:O	1:B:297:PHE:CG	2.59	0.56
1:A:141:VAL:HA	1:A:310:LEU:HD11	1.87	0.55
1:A:99:ASN:HA	1:A:103:VAL:HG22	1.88	0.55
1:A:229:HIS:CE1	1:A:233:GLU:OE2	2.60	0.55
1:A:216:VAL:O	1:A:220:ILE:HG12	2.07	0.54
1:B:120:PHE:N	1:B:328:ASP:OD2	2.41	0.54
1:A:13:VAL:HB	1:A:14:PRO:HD3	1.90	0.54
1:A:167:ILE:HG23	1:A:288:PRO:HB2	1.90	0.53
1:B:268:MET:SD	1:B:329:SER:HB2	2.49	0.53
1:A:118:GLN:HE21	1:A:118:GLN:CA	2.15	0.53
1:B:278:SER:O	1:B:281:GLN:HG2	2.09	0.52
1:A:295:ILE:HD11	1:A:300:SER:HB3	1.86	0.52
1:B:114:LYS:HE3	1:B:115:TYR:CD1	2.45	0.52
1:A:144:GLU:HG2	1:A:310:LEU:HD22	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:VAL:HG21	1:A:313:MET:HE3	1.93	0.51
1:A:298:PRO:C	1:A:299:THR:HG22	2.36	0.51
1:B:150:MET:HE1	1:B:158:LEU:HD22	1.93	0.51
1:A:245:ILE:HD11	1:A:345:ALA:HA	1.91	0.51
1:B:118:GLN:HE22	1:B:266:ASN:HA	1.76	0.50
1:A:35:VAL:HA	1:A:38:ILE:HD12	1.93	0.50
1:B:108:PHE:CE2	1:B:328:ASP:O	2.66	0.49
1:B:166:MET:HE3	1:B:288:PRO:HG3	1.94	0.49
1:B:99:ASN:ND2	1:B:279:THR:OG1	2.45	0.49
1:A:82:GLU:HB3	1:A:84:LEU:HD13	1.94	0.49
1:B:24:TRP:CD2	1:B:25:PRO:HD3	2.47	0.49
1:A:330:ASN:HB3	1:A:333:GLU:HB2	1.94	0.49
1:B:119:GLU:C	1:B:328:ASP:OD2	2.55	0.49
1:B:298:PRO:CD	1:B:299:THR:N	2.76	0.49
1:A:82:GLU:OE1	1:A:225:VAL:HG12	2.12	0.49
1:B:297:PHE:CD1	1:B:297:PHE:N	2.81	0.49
1:A:135:ALA:HB2	1:A:284:MET:HE2	1.94	0.48
1:B:20:SER:C	1:B:23:HIS:CD2	2.85	0.48
1:B:20:SER:C	1:B:23:HIS:HD2	2.20	0.48
1:B:162:ILE:HG22	1:B:166:MET:HE2	1.95	0.48
1:A:128:ASN:HB3	1:A:276:VAL:HG11	1.95	0.48
1:B:120:PHE:HA	1:B:328:ASP:CG	2.31	0.48
1:B:13:VAL:HG13	1:B:14:PRO:HD3	1.96	0.47
1:A:285:PHE:O	1:A:289:VAL:HG23	2.15	0.47
1:A:24:TRP:HA	1:A:25:PRO:HA	1.78	0.47
1:A:150:MET:HE1	1:A:158:LEU:HD22	1.97	0.47
1:A:298:PRO:HG2	1:A:299:THR:H	1.80	0.47
1:B:325:ASN:N	1:B:325:ASN:OD1	2.46	0.46
1:B:76:SER:HB3	1:B:88:VAL:HG13	1.98	0.46
1:B:122:ILE:CG1	1:B:123:HIS:N	2.41	0.46
1:A:95:SER:HB3	1:A:282:ILE:HD13	1.96	0.46
1:A:173:ALA:O	1:A:177:LYS:CA	2.63	0.46
1:A:317:VAL:O	1:A:321:ILE:HG13	2.16	0.45
1:B:29:LEU:HD12	1:B:29:LEU:HA	1.66	0.45
1:B:88:VAL:HB	1:B:301:MET:HE1	1.99	0.45
1:B:129:SER:HB3	1:B:321:ILE:HG23	1.99	0.45
1:A:69:ASN:HD21	1:A:281:GLN:HG3	1.82	0.45
1:A:270:ILE:O	1:A:274:ILE:HG12	2.17	0.44
1:B:323:ILE:HD12	1:B:323:ILE:HA	1.72	0.44
1:B:128:ASN:HB3	1:B:276:VAL:HG11	1.99	0.44
1:B:28:VAL:HG23	1:B:29:LEU:N	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:GLN:HB2	1:B:329:SER:HB3	1.99	0.43
1:A:34:CYS:O	1:A:38:ILE:HG13	2.18	0.43
1:A:87:ILE:HD11	1:A:239:GLU:HB3	2.00	0.43
1:B:252:ASN:O	1:B:256:HIS:HD2	2.01	0.43
1:A:76:SER:HB3	1:A:88:VAL:HG13	2.00	0.43
1:B:292:ILE:O	1:B:295:ILE:HG12	2.18	0.43
1:B:156:LEU:HD13	1:B:300:SER:CB	2.48	0.43
1:A:301:MET:O	1:A:301:MET:CG	2.61	0.42
1:B:307:LEU:HB3	1:B:308:PRO:CD	2.49	0.42
1:A:162:ILE:HG22	1:A:166:MET:HE2	2.02	0.42
1:B:114:LYS:HE3	1:B:115:TYR:HD1	1.83	0.42
1:A:85:THR:OG1	1:A:301:MET:HB2	2.19	0.42
1:A:96:VAL:HB	1:A:279:THR:HG23	2.02	0.42
1:A:287:ALA:HB3	1:A:288:PRO:HD3	2.02	0.42
1:B:281:GLN:O	1:B:285:PHE:HB3	2.19	0.42
1:A:282:ILE:HA	1:A:286:VAL:HB	2.01	0.42
1:A:297:PHE:HA	1:A:298:PRO:HA	1.80	0.42
1:A:301:MET:HA	1:A:302:PRO:HD3	1.80	0.42
1:B:108:PHE:CD1	1:B:108:PHE:N	2.87	0.41
1:A:80:LEU:HB2	1:A:297:PHE:CE1	2.55	0.41
1:A:156:LEU:HD22	1:A:300:SER:HB2	2.03	0.41
1:B:34:CYS:O	1:B:38:ILE:HG13	2.21	0.41
1:B:100:LEU:HD22	1:B:320:MET:HG2	2.03	0.41
1:B:108:PHE:HE2	1:B:323:ILE:HG21	1.86	0.41
1:A:25:PRO:HD2	1:A:28:VAL:HB	2.01	0.41
1:B:282:ILE:HD13	1:B:286:VAL:HG21	2.03	0.41
1:A:262:MET:HG3	1:A:267:LYS:HB2	2.03	0.41
1:B:108:PHE:HE2	1:B:323:ILE:CG2	2.35	0.40
1:A:161:GLY:O	1:A:164:ILE:HG22	2.21	0.40
1:A:299:THR:CG2	1:B:83:GLY:HA3	2.46	0.40
1:B:98:GLY:O	1:B:102:LEU:HB3	2.20	0.40
1:B:122:ILE:O	1:B:123:HIS:C	2.63	0.40
1:B:118:GLN:CG	1:B:329:SER:HB3	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/351 (90%)	295 (94%)	19 (6%)	0	100	100
1	B	314/351 (90%)	298 (95%)	15 (5%)	1 (0%)	36	63
All	All	628/702 (90%)	593 (94%)	34 (5%)	1 (0%)	43	70

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	327	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	254/280 (91%)	226 (89%)	28 (11%)	6	21
1	B	254/280 (91%)	225 (89%)	29 (11%)	5	20
All	All	508/560 (91%)	451 (89%)	57 (11%)	6	20

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	PHE
1	A	51	LEU
1	A	64	ASN
1	A	71	VAL
1	A	96	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	97	LEU
1	A	100	LEU
1	A	103	VAL
1	A	118	GLN
1	A	120	PHE
1	A	122	ILE
1	A	137	ILE
1	A	164	ILE
1	A	167	ILE
1	A	174	LEU
1	A	177	LYS
1	A	215	ILE
1	A	224	LEU
1	A	233	GLU
1	A	290	LEU
1	A	295	ILE
1	A	299	THR
1	A	300	SER
1	A	307	LEU
1	A	314	VAL
1	A	323	ILE
1	A	328	ASP
1	A	342	VAL
1	B	13	VAL
1	B	26	SER
1	B	29	LEU
1	B	44	MET
1	B	49	GLU
1	B	82	GLU
1	B	96	VAL
1	B	103	VAL
1	B	113	LEU
1	B	114	LYS
1	B	120	PHE
1	B	137	ILE
1	B	142	ILE
1	B	156	LEU
1	B	165	ILE
1	B	174	LEU
1	B	220	ILE
1	B	222	GLU
1	B	227	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	229	HIS
1	B	266	ASN
1	B	299	THR
1	B	300	SER
1	B	301	MET
1	B	307	LEU
1	B	314	VAL
1	B	323	ILE
1	B	325	ASN
1	B	350	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	ASN
1	A	118	GLN
1	A	223	ASN
1	A	229	HIS
1	A	281	GLN
1	B	99	ASN
1	B	118	GLN
1	B	157	ASN
1	B	226	HIS
1	B	266	ASN
1	B	330	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	320/351 (91%)	1.09	51 (15%) 5 2	52, 81, 107, 128	0
1	B	320/351 (91%)	1.07	47 (14%) 6 3	50, 83, 111, 126	0
All	All	640/702 (91%)	1.08	98 (15%) 5 3	50, 82, 110, 128	0

All (98) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	126	ARG	7.9
1	B	175	TYR	6.8
1	B	124	ASP	6.5
1	B	122	ILE	6.2
1	A	124	ASP	5.9
1	B	265	LYS	5.1
1	A	244	VAL	4.8
1	A	328	ASP	4.5
1	B	91	SER	4.5
1	B	120	PHE	4.2
1	B	84	LEU	4.1
1	B	98	GLY	4.1
1	B	272	VAL	4.0
1	A	272	VAL	3.9
1	B	106	LEU	3.8
1	A	261	ILE	3.8
1	A	325	ASN	3.8
1	B	244	VAL	3.7
1	B	325	ASN	3.6
1	A	98	GLY	3.6
1	B	328	ASP	3.6
1	A	264	PHE	3.6
1	A	219	TYR	3.6
1	A	337	LEU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	246	ILE	3.6
1	A	120	PHE	3.4
1	A	326	ASP	3.4
1	A	245	ILE	3.3
1	A	116	ALA	3.2
1	A	102	LEU	3.1
1	A	83	GLY	3.1
1	B	155	LYS	3.0
1	A	31	ALA	3.0
1	A	223	ASN	3.0
1	A	282	ILE	3.0
1	B	97	LEU	3.0
1	B	333	GLU	3.0
1	B	245	ILE	3.0
1	B	300	SER	2.9
1	A	273	GLU	2.9
1	A	175	TYR	2.9
1	A	168	LEU	2.9
1	A	135	ALA	2.9
1	B	260	ILE	2.9
1	A	22	MET	2.8
1	B	249	ILE	2.7
1	A	324	SER	2.7
1	A	250	VAL	2.7
1	A	283	ALA	2.6
1	A	108	PHE	2.6
1	A	296	PHE	2.6
1	A	304	VAL	2.6
1	B	177	LYS	2.5
1	B	103	VAL	2.5
1	B	48	THR	2.5
1	A	241	PHE	2.5
1	B	264	PHE	2.4
1	B	341	TYR	2.4
1	B	94	GLY	2.4
1	B	102	LEU	2.4
1	B	93	THR	2.4
1	B	63	LEU	2.4
1	B	277	GLY	2.4
1	A	68	GLY	2.4
1	B	337	LEU	2.4
1	A	21	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	123	HIS	2.3
1	B	275	ALA	2.3
1	A	262	MET	2.3
1	A	165	ILE	2.3
1	A	220	ILE	2.3
1	B	273	GLU	2.3
1	B	9	VAL	2.3
1	A	112	GLY	2.3
1	A	348	PHE	2.3
1	B	152	ASN	2.3
1	B	165	ILE	2.3
1	A	126	ARG	2.3
1	A	280	LEU	2.2
1	B	128	ASN	2.2
1	A	320	MET	2.2
1	A	269	ASP	2.2
1	B	127	HIS	2.2
1	A	329	SER	2.1
1	B	178	LEU	2.1
1	A	34	CYS	2.1
1	B	338	LEU	2.1
1	B	95	SER	2.1
1	B	25	PRO	2.1
1	B	304	VAL	2.1
1	A	268	MET	2.1
1	A	25	PRO	2.1
1	A	297	PHE	2.0
1	B	6	PHE	2.0
1	A	97	LEU	2.0
1	A	7	ILE	2.0
1	A	123	HIS	2.0
1	B	89	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.