



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:56 AM UTC

PDB ID : 5KK0 / pdb_00005kk0
Title : Synechocystis ACO mutant - T136A
Authors : Sui, X.; Kiser, P.D.; Palczewski, K.
Deposited on : 2016-06-20
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	490	2% 88% 10%
1	B	490	3% 88% 11%
1	C	490	% 90% 8%
1	D	490	3% 89% 9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15140 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Apocarotenoid-15,15'-oxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	481	Total	C	N	O	S	0	0	0
			3779	2424	652	693	10			
1	B	481	Total	C	N	O	S	0	0	0
			3779	2424	652	693	10			
1	C	479	Total	C	N	O	S	0	0	0
			3766	2416	650	690	10			
1	D	479	Total	C	N	O	S	0	0	0
			3766	2416	650	690	10			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	136	ALA	THR	engineered mutation	UNP P74334
B	136	ALA	THR	engineered mutation	UNP P74334
C	136	ALA	THR	engineered mutation	UNP P74334
D	136	ALA	THR	engineered mutation	UNP P74334

- Molecule 2 is FE (II) ION (CCD ID: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		
2	C	1	Total	Fe	0	0
			1	1		
2	D	1	Total	Fe	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Cl 1	0	0
3	D	1	Total 1	Cl 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	12	Total 12	O 12	0	0
4	B	13	Total 13	O 13	0	0
4	C	10	Total 10	O 10	0	0
4	D	9	Total 9	O 9	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Apocarotenoid-15,15'-oxygenase




• Molecule 1: Apocarotenoid-15,15'-oxygenase




• Molecule 1: Apocarotenoid-15,15'-oxygenase



• Molecule 1: Apocarotenoid-15,15'-oxygenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	118.76Å 124.96Å 203.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.61 – 2.80 48.61 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.61-2.80) 99.9 (48.61-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.11 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.225 , 0.264 0.229 , 0.266	Depositor DCC
R_{free} test set	3538 reflections (4.69%)	wwPDB-VP
Wilson B-factor (Å ²)	60.2	Xtriage
Anisotropy	0.057	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 29.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.055 for k,h,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	15140	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/3893	0.89	2/5301 (0.0%)
1	B	0.78	0/3893	0.89	1/5301 (0.0%)
1	C	0.72	0/3879	0.85	3/5282 (0.1%)
1	D	0.72	0/3879	0.85	3/5282 (0.1%)
All	All	0.75	0/15544	0.87	9/21166 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	246	TYR	N-CA-C	6.06	119.07	109.50
1	B	108	ILE	CB-CA-C	-5.87	105.82	111.05
1	D	290	GLY	N-CA-C	-5.45	105.32	111.85
1	D	116	GLN	N-CA-C	5.20	114.82	108.11
1	C	295	ILE	CA-C-N	-5.14	114.66	119.85
1	C	295	ILE	C-N-CA	-5.14	114.66	119.85
1	D	389	GLY	N-CA-C	-5.09	105.79	112.82
1	C	29	GLN	N-CA-C	5.05	118.45	109.96
1	A	290	GLY	N-CA-C	-5.00	105.85	111.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3779	0	3670	35	0
1	B	3779	0	3670	38	0
1	C	3766	0	3657	27	0
1	D	3766	0	3657	34	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
3	D	1	0	0	0	0
4	A	12	0	0	1	0
4	B	13	0	0	1	0
4	C	10	0	0	0	0
4	D	9	0	0	0	0
All	All	15140	0	14654	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:GLN:OE1	4:B:601:HOH:O	2.03	0.77
1:D:301:PHE:CD2	1:D:325:LEU:HD11	2.21	0.75
1:C:301:PHE:HD2	1:C:325:LEU:HD11	1.53	0.73
1:D:301:PHE:HD2	1:D:325:LEU:HD11	1.53	0.73
1:C:301:PHE:CD2	1:C:325:LEU:HD11	2.24	0.70
1:A:301:PHE:HD2	1:A:325:LEU:HD11	1.57	0.69
1:B:301:PHE:HD2	1:B:325:LEU:HD11	1.58	0.68
1:D:250:LEU:CD2	1:D:302:VAL:HG21	2.26	0.65
1:A:192:PHE:CE1	1:A:288:ASP:HB3	2.33	0.64
1:B:301:PHE:CD2	1:B:325:LEU:HD11	2.33	0.64
1:A:301:PHE:CD2	1:A:325:LEU:HD11	2.32	0.64
1:C:250:LEU:CD2	1:C:302:VAL:HG21	2.28	0.64
1:C:192:PHE:CE1	1:C:288:ASP:HB3	2.33	0.63
1:B:18:GLN:CG	1:D:102:GLN:OE1	2.45	0.63
1:D:250:LEU:HD23	1:D:302:VAL:HG21	1.81	0.63
1:D:193:ASP:HB2	1:D:196:GLN:HB2	1.83	0.60
1:A:338:ASN:HA	1:C:29:GLN:HE22	1.67	0.60
1:C:250:LEU:HD23	1:C:302:VAL:HG21	1.84	0.59
1:B:250:LEU:CD2	1:B:302:VAL:HG21	2.32	0.59
1:B:13:ARG:NH1	1:D:29:GLN:OE1	2.34	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:LEU:CD2	1:A:302:VAL:HG21	2.32	0.58
1:B:192:PHE:CE1	1:B:288:ASP:HB3	2.38	0.58
1:B:13:ARG:NH2	1:D:29:GLN:OE1	2.37	0.57
1:A:134:ALA:HA	1:A:149:TRP:HB2	1.87	0.57
1:B:33:TYR:O	1:B:87:HIS:HD2	1.89	0.55
1:C:480:PRO:O	1:C:481:TYR:C	2.50	0.55
1:C:29:GLN:HG3	1:C:30:GLU:N	2.22	0.55
1:A:13:ARG:NH2	1:C:29:GLN:OE1	2.39	0.54
1:A:250:LEU:HD23	1:A:302:VAL:HG21	1.90	0.54
1:B:363:LEU:C	1:B:363:LEU:HD23	2.33	0.53
1:A:125:ILE:HG12	1:A:126:PHE:CD2	2.43	0.53
1:A:226:GLN:HG2	1:A:226:GLN:O	2.09	0.53
1:B:250:LEU:HD23	1:B:302:VAL:HG21	1.90	0.53
1:D:125:ILE:HG12	1:D:126:PHE:CD2	2.44	0.53
1:D:192:PHE:CE1	1:D:288:ASP:HB3	2.44	0.53
1:C:134:ALA:HA	1:C:149:TRP:HB2	1.91	0.52
1:C:148:LEU:HD23	1:C:154:PRO:HB3	1.91	0.52
1:D:250:LEU:HD23	1:D:302:VAL:CG2	2.40	0.52
1:D:148:LEU:HD23	1:D:154:PRO:HB3	1.91	0.51
1:B:133:ILE:O	1:B:134:ALA:C	2.51	0.51
1:A:318:ASP:OD2	1:A:383:TYR:OH	2.27	0.51
1:D:133:ILE:O	1:D:134:ALA:C	2.54	0.51
1:B:134:ALA:HA	1:B:149:TRP:HB2	1.93	0.51
1:D:29:GLN:HG3	1:D:30:GLU:N	2.26	0.51
1:B:18:GLN:HG2	1:D:102:GLN:OE1	2.10	0.50
1:D:473:LEU:CD1	1:D:473:LEU:N	2.74	0.50
1:D:26:SER:HB3	1:D:57:LEU:HD23	1.94	0.50
1:A:13:ARG:NH1	1:C:29:GLN:OE1	2.43	0.50
1:A:18:GLN:CG	1:C:102:GLN:OE1	2.60	0.49
1:A:363:LEU:HD23	1:A:363:LEU:C	2.37	0.49
1:D:32:ASP:OD1	1:D:87:HIS:NE2	2.42	0.49
1:C:363:LEU:C	1:C:363:LEU:HD23	2.37	0.49
1:A:193:ASP:HB2	1:A:196:GLN:HB2	1.95	0.48
1:C:250:LEU:HD23	1:C:302:VAL:CG2	2.43	0.48
1:A:24:TYR:O	1:A:58:LEU:HD13	2.14	0.48
1:B:148:LEU:HD23	1:B:154:PRO:HB3	1.96	0.47
1:B:79:LYS:HB3	1:B:87:HIS:HB3	1.96	0.47
1:D:50:LEU:HD11	1:D:428:ILE:HG13	1.96	0.47
1:D:132:ASN:OD1	1:D:132:ASN:C	2.57	0.47
1:A:301:PHE:HD1	1:A:302:VAL:H	1.63	0.47
1:C:193:ASP:HB2	1:C:196:GLN:HB2	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:LYS:HB3	1:A:87:HIS:HB3	1.97	0.47
1:D:363:LEU:C	1:D:363:LEU:HD23	2.40	0.46
1:A:18:GLN:HG3	1:C:102:GLN:OE1	2.14	0.46
1:B:473:LEU:N	1:B:473:LEU:CD1	2.78	0.46
1:B:48:GLY:HA2	1:B:490:THR:HG23	1.98	0.46
1:D:134:ALA:HA	1:D:149:TRP:HB2	1.96	0.46
1:D:143:ASP:O	1:D:156:ARG:NH2	2.49	0.46
1:A:148:LEU:HD23	1:A:154:PRO:HB3	1.98	0.45
1:B:144:ARG:NH2	1:B:168:ASP:OD2	2.50	0.45
1:C:125:ILE:HG12	1:C:126:PHE:CD2	2.51	0.45
1:C:226:GLN:O	1:C:226:GLN:HG2	2.15	0.45
1:B:193:ASP:HB2	1:B:196:GLN:HB2	1.98	0.45
1:C:473:LEU:CD1	1:C:473:LEU:N	2.80	0.45
1:A:98:TYR:O	1:A:102:GLN:HG2	2.16	0.45
1:A:72:ASP:HB3	4:A:606:HOH:O	2.16	0.45
1:B:125:ILE:HG12	1:B:126:PHE:CD2	2.52	0.45
1:D:473:LEU:N	1:D:473:LEU:HD12	2.32	0.45
1:B:183:HIS:HE1	1:B:484:HIS:NE2	2.15	0.45
1:B:350:PHE:N	1:B:350:PHE:CD1	2.85	0.44
1:C:98:TYR:O	1:C:102:GLN:HG2	2.17	0.44
1:B:26:SER:HB3	1:B:57:LEU:HD23	1.98	0.44
1:A:250:LEU:HD23	1:A:302:VAL:CG2	2.47	0.44
1:A:259:LEU:N	1:A:260:PRO:CD	2.80	0.44
1:A:26:SER:HB3	1:A:57:LEU:HD23	2.00	0.44
1:B:250:LEU:HD23	1:B:302:VAL:CG2	2.47	0.44
1:C:26:SER:HB3	1:C:57:LEU:HD23	1.98	0.43
1:D:464:ASP:OD1	1:D:464:ASP:C	2.61	0.43
1:B:50:LEU:HD11	1:B:428:ILE:HG13	2.00	0.43
1:B:350:PHE:N	1:B:350:PHE:HD1	2.17	0.43
1:B:301:PHE:HD1	1:B:302:VAL:H	1.67	0.42
1:D:259:LEU:N	1:D:260:PRO:CD	2.81	0.42
1:A:231:PHE:HB2	1:A:232:PRO:CD	2.49	0.42
1:B:24:TYR:O	1:B:58:LEU:HD13	2.18	0.42
1:A:473:LEU:N	1:A:473:LEU:CD1	2.83	0.42
1:B:183:HIS:CE1	1:B:484:HIS:NE2	2.87	0.42
1:C:259:LEU:N	1:C:260:PRO:CD	2.83	0.42
1:D:437:ALA:HB3	1:D:440:ASP:HB2	2.02	0.42
1:A:231:PHE:CB	1:A:294:ARG:HH22	2.33	0.42
1:B:183:HIS:HE1	1:B:484:HIS:CE1	2.37	0.42
1:C:50:LEU:HD11	1:C:428:ILE:HG13	2.01	0.42
1:D:193:ASP:CB	1:D:196:GLN:HB2	2.47	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:ASN:OD1	1:A:132:ASN:C	2.63	0.42
1:D:98:TYR:O	1:D:102:GLN:HG2	2.20	0.42
1:A:350:PHE:N	1:A:350:PHE:CD1	2.88	0.41
1:A:133:ILE:O	1:A:134:ALA:C	2.63	0.41
1:C:473:LEU:N	1:C:473:LEU:HD12	2.35	0.41
1:A:464:ASP:OD1	1:A:464:ASP:C	2.62	0.41
1:B:353:ASP:HB3	1:B:356:ALA:HB3	2.01	0.41
1:A:50:LEU:HD11	1:A:428:ILE:HG13	2.01	0.41
1:B:259:LEU:N	1:B:260:PRO:CD	2.84	0.41
1:A:350:PHE:N	1:A:350:PHE:HD1	2.18	0.41
1:D:302:VAL:HG22	1:D:321:CYS:SG	2.61	0.41
1:B:132:ASN:OD1	1:B:132:ASN:C	2.64	0.40
1:C:79:LYS:HB3	1:C:87:HIS:HB3	2.03	0.40
1:C:387:TYR:CD2	1:C:443:LEU:HD11	2.56	0.40
1:B:437:ALA:HB3	1:B:440:ASP:HB2	2.01	0.40
1:D:226:GLN:HG2	1:D:226:GLN:O	2.21	0.40
1:D:227:LYS:NZ	1:D:290:GLY:O	2.54	0.40
1:B:18:GLN:HG3	1:D:102:GLN:OE1	2.20	0.40
1:B:375:HIS:NE2	1:B:431:PRO:HB3	2.36	0.40
1:A:302:VAL:HG22	1:A:321:CYS:SG	2.62	0.40
1:B:338:ASN:HA	1:D:29:GLN:HE22	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	479/490 (98%)	458 (96%)	21 (4%)	0	100	100
1	B	479/490 (98%)	457 (95%)	22 (5%)	0	100	100
1	C	477/490 (97%)	461 (97%)	16 (3%)	0	100	100
1	D	477/490 (97%)	460 (96%)	17 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1912/1960 (98%)	1836 (96%)	76 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	400/409 (98%)	395 (99%)	5 (1%)	61	86
1	B	400/409 (98%)	395 (99%)	5 (1%)	61	86
1	C	398/409 (97%)	392 (98%)	6 (2%)	57	84
1	D	398/409 (97%)	393 (99%)	5 (1%)	61	86
All	All	1596/1636 (98%)	1575 (99%)	21 (1%)	61	86

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	59	GLU
1	A	90	SER
1	A	205	LYS
1	A	207	SER
1	B	12	GLN
1	B	59	GLU
1	B	90	SER
1	B	205	LYS
1	B	207	SER
1	C	12	GLN
1	C	90	SER
1	C	124	THR
1	C	205	LYS
1	C	207	SER
1	C	240	PHE
1	D	59	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	90	SER
1	D	205	LYS
1	D	207	SER
1	D	473	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	GLN
1	A	378	GLN
1	A	401	GLN
1	B	25	GLN
1	B	29	GLN
1	B	47	GLN
1	B	96	GLN
1	B	183	HIS
1	B	378	GLN
1	C	12	GLN
1	C	183	HIS
1	C	378	GLN
1	D	12	GLN
1	D	47	GLN
1	D	183	HIS
1	D	378	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	481/490 (98%)	0.06	10 (2%) 63 54	31, 59, 96, 148	0
1	B	481/490 (98%)	0.02	13 (2%) 56 46	34, 56, 89, 138	0
1	C	479/490 (97%)	0.00	6 (1%) 75 66	34, 59, 92, 119	0
1	D	479/490 (97%)	0.27	16 (3%) 49 39	32, 64, 100, 122	0
All	All	1920/1960 (97%)	0.09	45 (2%) 61 51	31, 59, 97, 148	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	10	PRO	6.4
1	D	436	VAL	5.3
1	A	11	SER	4.6
1	A	10	PRO	4.5
1	A	232	PRO	4.1
1	D	195	GLY	3.9
1	B	12	GLN	3.4
1	D	196	GLN	3.4
1	C	12	GLN	3.4
1	D	12	GLN	3.3
1	B	207	SER	3.3
1	D	45	ASP	3.3
1	B	303	PHE	3.2
1	A	121	TRP	3.2
1	C	195	GLY	3.1
1	D	224	LEU	3.1
1	A	208	LEU	2.9
1	A	123	LYS	2.9
1	D	232	PRO	2.8
1	D	191	THR	2.8
1	C	301	PHE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	36	GLU	2.6
1	B	277	ASP	2.6
1	D	208	LEU	2.6
1	D	188	PRO	2.5
1	D	377	GLN	2.5
1	B	208	LEU	2.5
1	B	11	SER	2.5
1	B	328	VAL	2.5
1	D	221	GLY	2.4
1	A	236	PHE	2.4
1	B	121	TRP	2.3
1	D	122	LEU	2.3
1	B	301	PHE	2.2
1	C	122	LEU	2.2
1	D	194	GLY	2.2
1	A	122	LEU	2.2
1	D	100	GLU	2.1
1	D	81	PRO	2.1
1	B	79	LYS	2.1
1	C	208	LEU	2.1
1	A	103	LYS	2.1
1	B	236	PHE	2.1
1	C	377	GLN	2.1
1	A	292	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CL	D	501	1/1	0.95	0.07	63,63,63,63	0
3	CL	A	502	1/1	0.97	0.08	48,48,48,48	0
2	FE2	D	502	1/1	0.99	0.03	55,55,55,55	0
2	FE2	B	501	1/1	0.99	0.03	48,48,48,48	0
2	FE2	C	501	1/1	0.99	0.02	58,58,58,58	0
2	FE2	A	501	1/1	1.00	0.03	54,54,54,54	0

6.5 Other polymers [i](#)

There are no such residues in this entry.