



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 04:32 AM UTC

PDB ID : 7KKT / pdb_00007kkt
Title : Dihydrodipicolinate synthase (DHDPS) from C.jejuni, N84D mutant with pyruvate bound in the active site and R,R-bislysine bound at the allosteric site
Authors : Saran, S.; Majdi Yazdi, M.; Sanders, D.A.R.
Deposited on : 2020-10-28
Resolution : 1.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1039 (1.72-1.72)
Clashscore	190562	1049 (1.72-1.72)
Ramachandran outliers	187476	1041 (1.72-1.72)
Sidechain outliers	187428	1041 (1.72-1.72)
RSRZ outliers	180081	1039 (1.72-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	
1	B	310	
1	C	310	
1	D	310	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	310	90% 5%
1	F	310	% 91% 5% 5%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 15621 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-hydroxy-tetrahydrodipicolinate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	S	0	2	0
			2284	1451	379	441	13			
1	B	306	Total	C	N	O	S	0	4	0
			2372	1501	400	456	15			
1	C	306	Total	C	N	O	S	0	3	0
			2372	1502	401	455	14			
1	D	296	Total	C	N	O	S	0	2	0
			2282	1450	378	441	13			
1	E	297	Total	C	N	O	S	0	0	0
			2280	1449	378	440	13			
1	F	296	Total	C	N	O	S	0	2	0
			2284	1451	379	441	13			

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q9PPB4
A	-10	ARG	-	expression tag	UNP Q9PPB4
A	-9	GLY	-	expression tag	UNP Q9PPB4
A	-8	SER	-	expression tag	UNP Q9PPB4
A	-7	HIS	-	expression tag	UNP Q9PPB4
A	-6	HIS	-	expression tag	UNP Q9PPB4
A	-5	HIS	-	expression tag	UNP Q9PPB4
A	-4	HIS	-	expression tag	UNP Q9PPB4
A	-3	HIS	-	expression tag	UNP Q9PPB4
A	-2	HIS	-	expression tag	UNP Q9PPB4
A	-1	GLY	-	expression tag	UNP Q9PPB4
A	0	SER	-	expression tag	UNP Q9PPB4
A	84	ASP	ASN	engineered mutation	UNP Q9PPB4
B	-11	MET	-	expression tag	UNP Q9PPB4
B	-10	ARG	-	expression tag	UNP Q9PPB4
B	-9	GLY	-	expression tag	UNP Q9PPB4
B	-8	SER	-	expression tag	UNP Q9PPB4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-7	HIS	-	expression tag	UNP Q9PPB4
B	-6	HIS	-	expression tag	UNP Q9PPB4
B	-5	HIS	-	expression tag	UNP Q9PPB4
B	-4	HIS	-	expression tag	UNP Q9PPB4
B	-3	HIS	-	expression tag	UNP Q9PPB4
B	-2	HIS	-	expression tag	UNP Q9PPB4
B	-1	GLY	-	expression tag	UNP Q9PPB4
B	0	SER	-	expression tag	UNP Q9PPB4
B	84	ASP	ASN	engineered mutation	UNP Q9PPB4
C	-11	MET	-	expression tag	UNP Q9PPB4
C	-10	ARG	-	expression tag	UNP Q9PPB4
C	-9	GLY	-	expression tag	UNP Q9PPB4
C	-8	SER	-	expression tag	UNP Q9PPB4
C	-7	HIS	-	expression tag	UNP Q9PPB4
C	-6	HIS	-	expression tag	UNP Q9PPB4
C	-5	HIS	-	expression tag	UNP Q9PPB4
C	-4	HIS	-	expression tag	UNP Q9PPB4
C	-3	HIS	-	expression tag	UNP Q9PPB4
C	-2	HIS	-	expression tag	UNP Q9PPB4
C	-1	GLY	-	expression tag	UNP Q9PPB4
C	0	SER	-	expression tag	UNP Q9PPB4
C	84	ASP	ASN	engineered mutation	UNP Q9PPB4
D	-11	MET	-	expression tag	UNP Q9PPB4
D	-10	ARG	-	expression tag	UNP Q9PPB4
D	-9	GLY	-	expression tag	UNP Q9PPB4
D	-8	SER	-	expression tag	UNP Q9PPB4
D	-7	HIS	-	expression tag	UNP Q9PPB4
D	-6	HIS	-	expression tag	UNP Q9PPB4
D	-5	HIS	-	expression tag	UNP Q9PPB4
D	-4	HIS	-	expression tag	UNP Q9PPB4
D	-3	HIS	-	expression tag	UNP Q9PPB4
D	-2	HIS	-	expression tag	UNP Q9PPB4
D	-1	GLY	-	expression tag	UNP Q9PPB4
D	0	SER	-	expression tag	UNP Q9PPB4
D	84	ASP	ASN	engineered mutation	UNP Q9PPB4
E	-11	MET	-	expression tag	UNP Q9PPB4
E	-10	ARG	-	expression tag	UNP Q9PPB4
E	-9	GLY	-	expression tag	UNP Q9PPB4
E	-8	SER	-	expression tag	UNP Q9PPB4
E	-7	HIS	-	expression tag	UNP Q9PPB4
E	-6	HIS	-	expression tag	UNP Q9PPB4
E	-5	HIS	-	expression tag	UNP Q9PPB4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-4	HIS	-	expression tag	UNP Q9PPB4
E	-3	HIS	-	expression tag	UNP Q9PPB4
E	-2	HIS	-	expression tag	UNP Q9PPB4
E	-1	GLY	-	expression tag	UNP Q9PPB4
E	0	SER	-	expression tag	UNP Q9PPB4
E	84	ASP	ASN	engineered mutation	UNP Q9PPB4
F	-11	MET	-	expression tag	UNP Q9PPB4
F	-10	ARG	-	expression tag	UNP Q9PPB4
F	-9	GLY	-	expression tag	UNP Q9PPB4
F	-8	SER	-	expression tag	UNP Q9PPB4
F	-7	HIS	-	expression tag	UNP Q9PPB4
F	-6	HIS	-	expression tag	UNP Q9PPB4
F	-5	HIS	-	expression tag	UNP Q9PPB4
F	-4	HIS	-	expression tag	UNP Q9PPB4
F	-3	HIS	-	expression tag	UNP Q9PPB4
F	-2	HIS	-	expression tag	UNP Q9PPB4
F	-1	GLY	-	expression tag	UNP Q9PPB4
F	0	SER	-	expression tag	UNP Q9PPB4
F	84	ASP	ASN	engineered mutation	UNP Q9PPB4

- Molecule 2 is (2R,5R)-2,5-diamino-2,5-bis(4-aminobutyl)hexanedioic acid (CCD ID: 3VN) (formula: C₁₄H₃₀N₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	O	0
			22	14	4	4	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			22	14	4	4		
2	C	1	Total	C	N	O	0	0
			22	14	4	4		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Mg	0	0
			3	3		
3	B	3	Total	Mg	0	0
			3	3		
3	C	2	Total	Mg	0	0
			2	2		
3	D	2	Total	Mg	0	0
			2	2		
3	E	6	Total	Mg	0	0
			6	6		
3	F	2	Total	Mg	0	0
			2	2		

- Molecule 4 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	6	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			10	6	4		
4	F	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			13	8	5		
5	D	1	Total	C	O	0	0
			13	8	5		

- Molecule 6 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	E	1	Total	C	O	0	0
			4	2	2		
7	F	1	Total	C	O	0	0
			4	2	2		
7	F	1	Total	C	O	0	0
			4	2	2		
7	F	1	Total	C	O	0	0
			4	2	2		
7	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	C	1	Total	C	O	0	0
			7	4	3		
8	E	1	Total	C	O	0	0
			7	4	3		
8	E	1	Total	C	O	0	0
			7	4	3		

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	250	Total	O	0	0
			250	250		
10	B	266	Total	O	0	0
			266	266		
10	C	250	Total	O	0	0
			250	250		
10	D	231	Total	O	0	0
			231	231		
10	E	255	Total	O	0	0
			255	255		
10	F	228	Total	O	0	0
			228	228		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase




- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase




- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase




- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase



- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase



- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase



MET	ARG	GLY	SER	HIS	HIS	HIS	HIS	HIS	GLY	SER	MET	ASP	K3	K32	E36	R60	G72	T73	K74	F95	Y107	Y137	R142	N161	K166	Y241	K245	I254	P255	I256	M260	F271	F298
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	85.02Å 225.47Å 200.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.13 – 1.71 49.13 – 1.71	Depositor EDS
% Data completeness (in resolution range)	98.3 (49.13-1.71) 98.3 (49.13-1.71)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 1.71Å)	Xtriage
Refinement program	PHENIX dev_2398	Depositor
R, R_{free}	0.164 , 0.195 0.165 , 0.195	Depositor DCC
R_{free} test set	10161 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	19.5	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 33.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15621	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: KPI, 3VN, MG, EDO, PG4, PGE, ACT, GOL, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	2/2318 (0.1%)	0.60	0/3132
1	B	0.37	0/2423	0.59	0/3273
1	C	0.40	0/2416	0.60	0/3264
1	D	0.36	0/2316	0.55	0/3129
1	E	0.43	1/2304 (0.0%)	0.57	0/3115
1	F	0.36	0/2318	0.58	0/3132
All	All	0.41	3/14095 (0.0%)	0.58	0/19045

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	68	GLU	C-O	-6.00	1.17	1.24
1	A	147	ILE	C-O	-5.31	1.18	1.23
1	A	223	HIS	CG-ND1	-5.28	1.32	1.38

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	166	KPI	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2284	0	2320	12	0
1	B	2372	0	2384	14	0
1	C	2372	0	2387	22	0
1	D	2282	0	2319	15	0
1	E	2280	0	2306	10	0
1	F	2284	0	2320	9	0
2	A	22	0	28	0	0
2	B	22	0	28	0	0
2	C	22	0	28	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
3	E	6	0	0	0	0
3	F	2	0	0	0	0
4	A	10	0	14	0	0
4	C	10	0	14	4	0
4	F	10	0	14	0	0
5	B	13	0	18	2	0
5	D	13	0	18	2	0
6	B	8	0	6	1	0
6	C	8	0	6	0	0
6	D	4	0	3	0	0
6	E	4	0	3	0	0
7	B	8	0	12	0	0
7	C	16	0	24	3	0
7	D	20	0	30	1	0
7	E	16	0	24	1	0
7	F	16	0	24	0	0
8	C	7	0	10	0	0
8	E	14	0	20	0	0
9	D	6	0	8	0	0
10	A	250	0	0	1	0
10	B	266	0	0	1	0
10	C	250	0	0	1	0
10	D	231	0	0	1	0
10	E	255	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	F	228	0	0	2	0
All	All	15621	0	14368	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:161:ASN:ND2	7:E:313:EDO:H11	2.09	0.67
1:C:154:LYS:HZ2	4:C:304:PGE:H42	1.60	0.64
1:B:142:ARG:HE	6:B:307:ACT:H2	1.63	0.63
1:C:150:ASP:HB3	4:C:304:PGE:H22	1.81	0.62
1:B:128:GLN:NE2	10:B:403:HOH:O	2.25	0.62
1:B:150:ASP:HB3	5:B:302:PG4:H32	1.81	0.62
1:C:73:THR:HB	7:C:311:EDO:H22	1.80	0.62
1:C:280:LYS:CE	1:C:280:LYS:H	2.14	0.61
1:C:280:LYS:H	1:C:280:LYS:HE2	1.65	0.60
1:F:3:LYS:N	10:F:402:HOH:O	2.35	0.58
1:A:40:ASP:OD2	1:A:223:HIS:HE1	1.86	0.58
1:D:140:PRO:HG3	1:D:146:GLU:OE2	2.04	0.58
1:C:241:TYR:CE2	1:C:245:LYS:HG3	2.41	0.56
1:C:154:LYS:NZ	4:C:304:PGE:H2	2.22	0.55
1:C:280:LYS:H	1:C:280:LYS:CD	2.20	0.55
1:E:241:TYR:CE2	1:E:245:LYS:HG3	2.43	0.52
1:F:107:VAL:HA	1:F:137:TYR:HB3	1.92	0.52
1:E:2:ASP:N	10:E:404:HOH:O	2.44	0.50
1:A:107:VAL:HA	1:A:137:TYR:HB3	1.94	0.50
1:C:107:VAL:HA	1:C:137:TYR:HB3	1.95	0.49
1:C:230:TYR:OH	7:C:310:EDO:H21	2.13	0.49
1:A:161:ASN:OD1	1:A:161:ASN:N	2.43	0.49
1:D:3:LYS:HE2	7:D:307:EDO:H21	1.95	0.49
1:C:140:PRO:HG3	1:C:146:GLU:OE1	2.13	0.48
1:D:20:GLY:N	1:D:270:GLU:OE1	2.35	0.48
1:C:138:ASN:HD21	1:C:146:GLU:CD	2.20	0.48
1:B:161:ASN:OD1	1:B:161:ASN:N	2.46	0.48
1:E:231:LYS:O	1:E:235:LYS:HG3	2.14	0.48
1:B:57:GLU:H	1:B:57:GLU:CD	2.20	0.47
1:C:149:THR:HG23	1:C:178:LEU:HD23	1.97	0.47
1:A:241:TYR:CE2	1:A:245:LYS:HG3	2.50	0.47
1:D:97:LYS:HE2	10:D:584:HOH:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4[B]:ASN:HB3	1:A:133:PRO:HG3	1.97	0.46
1:A:239:GLU:HG3	10:A:538:HOH:O	2.15	0.46
1:E:25:GLN:H	1:E:25:GLN:CD	2.22	0.46
1:D:154:LYS:NZ	5:D:301:PG4:H32	2.31	0.46
1:F:60:ARG:HB3	1:F:95:PHE:CZ	2.51	0.45
1:A:234:LYS:HD3	7:C:308:EDO:H22	1.98	0.45
1:B:102:ASP:O	1:B:133:PRO:HD2	2.17	0.45
1:B:107:VAL:HA	1:B:137:TYR:HB3	1.99	0.44
1:C:142:ARG:HG2	1:D:113:LYS:CD	2.47	0.44
1:E:245:LYS:HD2	10:E:584:HOH:O	2.17	0.44
1:A:254:ILE:HB	1:A:255:PRO:HD3	1.99	0.44
1:D:154:LYS:HZ2	5:D:301:PG4:H32	1.83	0.44
1:C:35:ILE:HG12	1:C:75:VAL:HG21	2.00	0.43
1:A:45:VAL:HG12	1:A:51[A]:SER:HB2	2.00	0.43
1:F:241:TYR:CE2	1:F:245:LYS:HG3	2.53	0.43
1:B:57:GLU:OE1	1:B:57:GLU:N	2.46	0.43
1:C:243:ILE:HB	1:C:293:TYR:CE2	2.54	0.42
1:E:107:VAL:HA	1:E:137:TYR:HB3	2.00	0.42
1:B:146:GLU:O	1:B:146:GLU:HG3	2.19	0.42
1:D:107:VAL:HA	1:D:137:TYR:HB3	2.01	0.42
1:A:243:ILE:HB	1:A:293:TYR:CE2	2.55	0.42
1:B:262:LEU:HD21	1:B:283:PHE:CZ	2.55	0.42
1:B:150:ASP:CB	5:B:302:PG4:H32	2.46	0.42
1:F:254:ILE:HA	1:F:271:PHE:CE2	2.55	0.41
1:A:60:ARG:HB3	1:A:95:PHE:CZ	2.55	0.41
1:D:221:LEU:C	1:D:221:LEU:HD23	2.45	0.41
1:A:113:LYS:NZ	1:F:142:ARG:HG2	2.35	0.41
1:C:142:ARG:HG2	1:D:113:LYS:HD3	2.02	0.41
1:D:194:ILE:C	1:D:197:PRO:HD2	2.45	0.41
1:B:254:ILE:HB	1:B:255:PRO:HD3	2.02	0.41
1:E:10:MET:HA	1:E:41:ALA:O	2.20	0.41
1:B:256:ILE:O	1:B:260:MET:HG2	2.21	0.41
1:C:154:LYS:CE	4:C:304:PGE:H2	2.51	0.41
1:B:149:THR:HG23	1:B:178:LEU:HD23	2.02	0.41
1:C:131:ASP:HA	1:C:161[B]:ASN:ND2	2.36	0.41
1:E:3:LYS:HE3	1:E:156:PHE:CE1	2.55	0.41
1:C:229:ASN:HB2	10:C:588:HOH:O	2.21	0.41
1:C:280:LYS:CD	1:C:280:LYS:N	2.84	0.40
1:D:254:ILE:HB	1:D:255:PRO:HD3	2.03	0.40
1:E:140:PRO:HG3	1:E:146:GLU:OE2	2.21	0.40
1:D:256:ILE:O	1:D:260:MET:HG2	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:243:ILE:HB	1:D:293:TYR:CE2	2.57	0.40
1:F:256:ILE:O	1:F:260:MET:HG2	2.20	0.40
1:D:130:VAL:O	1:D:161:ASN:ND2	2.54	0.40
1:F:32:LYS:NZ	10:F:405:HOH:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/310 (95%)	290 (98%)	5 (2%)	0	100	100
1	B	307/310 (99%)	302 (98%)	5 (2%)	0	100	100
1	C	306/310 (99%)	300 (98%)	6 (2%)	0	100	100
1	D	295/310 (95%)	290 (98%)	5 (2%)	0	100	100
1	E	294/310 (95%)	290 (99%)	4 (1%)	0	100	100
1	F	295/310 (95%)	291 (99%)	4 (1%)	0	100	100
All	All	1792/1860 (96%)	1763 (98%)	29 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	250/260 (96%)	249 (100%)	1 (0%)	84	76
1	B	261/260 (100%)	261 (100%)	0	100	100
1	C	260/260 (100%)	258 (99%)	2 (1%)	73	61
1	D	250/260 (96%)	250 (100%)	0	100	100
1	E	247/260 (95%)	247 (100%)	0	100	100
1	F	250/260 (96%)	248 (99%)	2 (1%)	73	61
All	All	1518/1560 (97%)	1513 (100%)	5 (0%)	87	79

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	146	GLU
1	C	161[A]	ASN
1	C	161[B]	ASN
1	F	161[A]	ASN
1	F	161[B]	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	223	HIS
1	B	37	ASN
1	B	201	ASN
1	D	99	HIS
1	E	201	ASN
1	E	252	ASN
1	F	128	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	KPI	D	166	1	11,13,14	1.20	2 (18%)	9,15,17	3.37	3 (33%)
1	KPI	C	166	1	11,13,14	2.46	3 (27%)	9,15,17	3.84	4 (44%)
1	KPI	F	166	1	11,13,14	2.31	3 (27%)	9,15,17	3.85	4 (44%)
1	KPI	A	166	1	11,13,14	1.64	2 (18%)	9,15,17	3.34	3 (33%)
1	KPI	E	166	1	11,13,14	1.97	2 (18%)	9,15,17	3.60	4 (44%)
1	KPI	B	166	1	11,13,14	1.03	1 (9%)	9,15,17	3.41	4 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KPI	D	166	1	-	1/13/14/16	-
1	KPI	C	166	1	-	1/13/14/16	-
1	KPI	F	166	1	-	1/13/14/16	-
1	KPI	A	166	1	-	0/13/14/16	-
1	KPI	E	166	1	-	1/13/14/16	-
1	KPI	B	166	1	-	1/13/14/16	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	166	KPI	O2-CX2	5.76	1.36	1.22
1	E	166	KPI	O2-CX2	5.62	1.36	1.22
1	C	166	KPI	O2-CX2	5.51	1.36	1.22
1	C	166	KPI	O-C	4.34	1.36	1.20
1	A	166	KPI	O-C	3.96	1.35	1.20
1	F	166	KPI	O-C	3.40	1.32	1.20
1	C	166	KPI	O1-CX2	-2.73	1.23	1.30
1	F	166	KPI	O1-CX2	-2.65	1.23	1.30
1	D	166	KPI	CX2-CX1	2.62	1.52	1.49
1	E	166	KPI	O1-CX2	-2.50	1.23	1.30
1	A	166	KPI	CX2-CX1	2.20	1.52	1.49
1	D	166	KPI	O1-CX2	2.14	1.36	1.30
1	B	166	KPI	CX2-CX1	2.01	1.52	1.49

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	166	KPI	C1-CX1-CX2	-8.43	110.16	118.11
1	F	166	KPI	C1-CX1-CX2	-8.41	110.18	118.11
1	B	166	KPI	O2-CX2-CX1	7.93	131.03	121.35
1	A	166	KPI	O2-CX2-CX1	7.10	130.01	121.35
1	D	166	KPI	O2-CX2-CX1	7.06	129.97	121.35
1	E	166	KPI	O2-CX2-CX1	-6.17	113.82	121.35
1	E	166	KPI	O1-CX2-CX1	6.14	129.58	116.50
1	A	166	KPI	C1-CX1-CX2	-5.82	112.62	118.11
1	C	166	KPI	O1-CX2-CX1	5.38	127.96	116.50
1	D	166	KPI	C1-CX1-CX2	-5.35	113.06	118.11
1	E	166	KPI	C1-CX1-CX2	-5.32	113.10	118.11
1	F	166	KPI	O1-CX2-CX1	5.20	127.58	116.50
1	B	166	KPI	C1-CX1-CX2	-4.49	113.88	118.11
1	F	166	KPI	O2-CX2-CX1	-4.24	116.17	121.35
1	D	166	KPI	O1-CX2-O2	-4.14	114.03	123.90
1	C	166	KPI	O2-CX2-CX1	-3.85	116.64	121.35
1	B	166	KPI	O1-CX2-O2	-3.65	115.21	123.90
1	C	166	KPI	O1-CX2-O2	-3.57	115.40	123.90
1	A	166	KPI	O1-CX2-O2	-3.30	116.03	123.90
1	F	166	KPI	O1-CX2-O2	-3.21	116.25	123.90
1	E	166	KPI	O1-CX2-O2	-3.06	116.60	123.90
1	B	166	KPI	CD-CE-NZ	2.17	114.52	110.67

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	166	KPI	C1-CX1-NZ-CE
1	C	166	KPI	C1-CX1-NZ-CE
1	D	166	KPI	C1-CX1-NZ-CE
1	F	166	KPI	C1-CX1-NZ-CE
1	E	166	KPI	C1-CX1-NZ-CE

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 55 ligands modelled in this entry, 18 are monoatomic - leaving 37 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	EDO	D	309	-	3,3,3	0.36	0	2,2,2	0.58	0
7	EDO	D	305	-	3,3,3	0.36	0	2,2,2	0.54	0
2	3VN	C	301	-	17,21,21	0.81	0	18,28,28	1.08	0
7	EDO	F	306	-	3,3,3	0.49	0	2,2,2	0.18	0
7	EDO	F	305	-	3,3,3	0.43	0	2,2,2	0.50	0
6	ACT	E	309	-	3,3,3	0.81	0	3,3,3	1.19	0
7	EDO	E	311	-	3,3,3	0.49	0	2,2,2	0.34	0
6	ACT	B	307	-	3,3,3	0.69	0	3,3,3	1.45	0
7	EDO	B	308	-	3,3,3	0.34	0	2,2,2	0.68	0
7	EDO	F	304	-	3,3,3	0.44	0	2,2,2	0.45	0
8	PEG	E	307	-	6,6,6	0.50	0	5,5,5	0.26	0
6	ACT	B	306	-	3,3,3	0.81	0	3,3,3	1.38	0
7	EDO	C	309	-	3,3,3	0.54	0	2,2,2	0.24	0
8	PEG	E	308	-	6,6,6	0.48	0	5,5,5	0.26	0
7	EDO	C	310	-	3,3,3	0.50	0	2,2,2	0.08	0
5	PG4	B	302	-	12,12,12	0.52	0	11,11,11	0.30	0
7	EDO	D	307	-	3,3,3	0.40	0	2,2,2	0.52	0
4	PGE	F	303	-	9,9,9	0.30	0	8,8,8	0.34	0
2	3VN	A	301	-	17,21,21	0.77	0	18,28,28	1.36	3 (16%)
5	PG4	D	301	-	12,12,12	0.53	0	11,11,11	0.31	0
6	ACT	D	304	-	3,3,3	0.83	0	3,3,3	1.33	0
7	EDO	C	311	-	3,3,3	0.50	0	2,2,2	0.06	0
2	3VN	B	301	3	17,21,21	0.76	0	18,28,28	1.31	2 (11%)
7	EDO	E	312	-	3,3,3	0.52	0	2,2,2	0.27	0
6	ACT	C	307	-	3,3,3	0.86	0	3,3,3	1.41	0
7	EDO	C	308	-	3,3,3	0.44	0	2,2,2	0.45	0
6	ACT	C	306	-	3,3,3	0.90	0	3,3,3	1.39	0
7	EDO	D	308	-	3,3,3	0.41	0	2,2,2	0.62	0
4	PGE	C	304	-	9,9,9	0.28	0	8,8,8	0.32	0
9	GOL	D	310	-	5,5,5	0.32	0	5,5,5	0.86	0
7	EDO	E	313	-	3,3,3	0.61	0	2,2,2	0.56	0
4	PGE	A	305	-	9,9,9	0.34	0	8,8,8	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	E	310	-	3,3,3	0.37	0	2,2,2	0.58	0
7	EDO	F	307	-	3,3,3	0.42	0	2,2,2	0.47	0
8	PEG	C	305	-	6,6,6	0.46	0	5,5,5	0.49	0
7	EDO	B	309	-	3,3,3	0.50	0	2,2,2	0.09	0
7	EDO	D	306	-	3,3,3	0.36	0	2,2,2	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	D	309	-	-	1/1/1/1	-
7	EDO	D	305	-	-	0/1/1/1	-
2	3VN	C	301	-	-	8/31/31/31	-
7	EDO	F	306	-	-	0/1/1/1	-
7	EDO	F	305	-	-	0/1/1/1	-
7	EDO	E	311	-	-	0/1/1/1	-
7	EDO	F	304	-	-	1/1/1/1	-
7	EDO	B	308	-	-	1/1/1/1	-
8	PEG	E	307	-	-	2/4/4/4	-
7	EDO	C	309	-	-	0/1/1/1	-
8	PEG	E	308	-	-	0/4/4/4	-
7	EDO	C	310	-	-	1/1/1/1	-
5	PG4	B	302	-	-	1/10/10/10	-
7	EDO	D	307	-	-	0/1/1/1	-
4	PGE	F	303	-	-	1/7/7/7	-
2	3VN	A	301	-	-	4/31/31/31	-
5	PG4	D	301	-	-	3/10/10/10	-
7	EDO	C	311	-	-	1/1/1/1	-
2	3VN	B	301	3	-	5/31/31/31	-
7	EDO	E	312	-	-	0/1/1/1	-
7	EDO	C	308	-	-	0/1/1/1	-
7	EDO	D	308	-	-	0/1/1/1	-
4	PGE	C	304	-	-	4/7/7/7	-
9	GOL	D	310	-	-	2/4/4/4	-
7	EDO	E	313	-	-	1/1/1/1	-
4	PGE	A	305	-	-	0/7/7/7	-
7	EDO	E	310	-	-	1/1/1/1	-
7	EDO	F	307	-	-	0/1/1/1	-
8	PEG	C	305	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	B	309	-	-	0/1/1/1	-
7	EDO	D	306	-	-	1/1/1/1	-

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	3VN	O22-C20-C13	2.95	121.57	113.69
2	A	301	3VN	O05-C03-C02	2.81	121.19	113.69
2	A	301	3VN	O22-C20-C13	2.48	120.31	113.69
2	B	301	3VN	O05-C03-C02	2.40	120.09	113.69
2	A	301	3VN	C16-C15-C13	-2.07	111.49	115.16

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	3VN	C12-C13-C20-O21
2	A	301	3VN	C12-C13-C20-O22
2	B	301	3VN	C11-C02-C03-O04
2	C	301	3VN	C11-C02-C03-O04
9	D	310	GOL	O1-C1-C2-C3
5	D	301	PG4	O2-C3-C4-O3
5	D	301	PG4	O4-C7-C8-O5
9	D	310	GOL	O1-C1-C2-O2
7	C	310	EDO	O1-C1-C2-O2
4	C	304	PGE	O3-C5-C6-O4
8	C	305	PEG	O2-C3-C4-O4
8	E	307	PEG	C1-C2-O2-C3
8	C	305	PEG	C1-C2-O2-C3
8	E	307	PEG	O1-C1-C2-O2
5	B	302	PG4	C3-C4-O3-C5
4	F	303	PGE	O3-C5-C6-O4
2	A	301	3VN	C15-C13-C20-O21
2	B	301	3VN	C06-C02-C03-O04
2	B	301	3VN	C11-C02-C03-O05
2	C	301	3VN	C11-C02-C03-O05
2	C	301	3VN	C12-C13-C20-O21
2	C	301	3VN	C12-C13-C20-O22
4	C	304	PGE	C6-C5-O3-C4
7	E	310	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	D	301	PG4	C5-C6-O4-C7
2	B	301	3VN	N01-C02-C03-O04
7	C	311	EDO	O1-C1-C2-O2
7	D	306	EDO	O1-C1-C2-O2
7	F	304	EDO	O1-C1-C2-O2
4	C	304	PGE	O1-C1-C2-O2
7	D	309	EDO	O1-C1-C2-O2
7	B	308	EDO	O1-C1-C2-O2
4	C	304	PGE	C1-C2-O2-C3
2	A	301	3VN	C15-C13-C20-O22
2	B	301	3VN	C06-C02-C03-O05
2	C	301	3VN	C06-C02-C03-O04
2	C	301	3VN	C06-C02-C03-O05
2	C	301	3VN	C15-C13-C20-O21
2	C	301	3VN	C15-C13-C20-O22
7	E	313	EDO	O1-C1-C2-O2


There are no ring outliers.


9 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	307	ACT	1	0
7	C	310	EDO	1	0
5	B	302	PG4	2	0
7	D	307	EDO	1	0
5	D	301	PG4	2	0
7	C	311	EDO	1	0
7	C	308	EDO	1	0
4	C	304	PGE	4	0
7	E	313	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	295/310 (95%)	-0.34	0 100 100	13, 18, 30, 41	2 (0%)
1	B	305/310 (98%)	-0.31	2 (0%) 84 88	14, 19, 34, 47	4 (1%)
1	C	305/310 (98%)	-0.30	1 (0%) 90 92	13, 18, 32, 50	3 (0%)
1	D	295/310 (95%)	-0.29	0 100 100	14, 19, 33, 41	2 (0%)
1	E	296/310 (95%)	-0.37	0 100 100	13, 18, 30, 52	0
1	F	295/310 (95%)	-0.19	3 (1%) 79 83	15, 20, 36, 46	2 (0%)
All	All	1791/1860 (96%)	-0.30	6 (0%) 90 92	13, 19, 33, 52	13 (0%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	74	LYS	3.1
1	B	74	LYS	2.3
1	B	2	ASP	2.3
1	C	2	ASP	2.3
1	F	36	GLU	2.1
1	F	72	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KPI	A	166	14/15	0.95	0.07	10,15,23,24	0
1	KPI	B	166	14/15	0.95	0.07	12,17,23,26	0
1	KPI	C	166	14/15	0.96	0.06	12,18,22,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	KPI	D	166	14/15	0.96	0.06	13,15,24,24	0
1	KPI	F	166	14/15	0.96	0.06	14,18,22,26	0
1	KPI	E	166	14/15	0.97	0.06	11,16,25,26	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	GOL	D	310	6/6	0.52	0.20	40,46,56,57	0
6	ACT	D	304	4/4	0.67	0.16	33,37,45,55	0
6	ACT	C	307	4/4	0.72	0.17	38,50,51,52	0
6	ACT	E	309	4/4	0.75	0.18	34,36,47,48	0
8	PEG	E	308	7/7	0.75	0.16	35,44,52,53	0
3	MG	D	302	1/1	0.75	0.14	47,47,47,47	0
6	ACT	B	306	4/4	0.76	0.16	38,45,53,58	0
7	EDO	E	313	4/4	0.76	0.20	28,33,35,43	0
3	MG	E	305	1/1	0.78	0.17	53,53,53,53	0
7	EDO	F	307	4/4	0.78	0.20	42,49,50,51	0
8	PEG	C	305	7/7	0.78	0.17	34,40,47,50	0
7	EDO	B	308	4/4	0.78	0.26	32,34,42,48	0
7	EDO	E	310	4/4	0.78	0.17	33,42,42,50	0
7	EDO	D	306	4/4	0.79	0.21	24,35,36,41	0
7	EDO	D	305	4/4	0.80	0.14	34,38,48,48	0
7	EDO	D	309	4/4	0.80	0.15	35,37,42,51	0
7	EDO	D	307	4/4	0.81	0.15	31,37,43,51	0
7	EDO	C	309	4/4	0.82	0.15	35,41,43,50	0
7	EDO	C	308	4/4	0.83	0.14	33,38,45,52	0
7	EDO	F	305	4/4	0.83	0.13	40,40,47,51	0
5	PG4	D	301	13/13	0.84	0.14	26,40,56,62	0
8	PEG	E	307	7/7	0.84	0.14	32,34,46,49	0
3	MG	A	303	1/1	0.86	0.17	44,44,44,44	0
7	EDO	D	308	4/4	0.87	0.14	31,37,42,44	0
7	EDO	C	311	4/4	0.87	0.18	24,34,38,46	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	EDO	F	304	4/4	0.87	0.11	37,41,46,46	0
6	ACT	C	306	4/4	0.88	0.14	26,35,44,45	0
3	MG	B	303	1/1	0.88	0.12	42,42,42,42	0
7	EDO	E	311	4/4	0.89	0.13	29,40,44,45	0
7	EDO	C	310	4/4	0.89	0.13	28,33,35,47	0
4	PGE	C	304	10/10	0.89	0.12	25,36,44,56	0
6	ACT	B	307	4/4	0.90	0.12	30,32,40,51	0
3	MG	E	303	1/1	0.91	0.17	38,38,38,38	0
4	PGE	F	303	10/10	0.91	0.10	29,34,40,50	0
5	PG4	B	302	13/13	0.91	0.11	29,36,49,53	0
3	MG	B	304	1/1	0.91	0.14	42,42,42,42	0
3	MG	E	306	1/1	0.91	0.09	47,47,47,47	0
4	PGE	A	305	10/10	0.91	0.10	33,41,45,50	0
2	3VN	B	301	22/22	0.95	0.06	12,19,22,23	0
2	3VN	C	301	22/22	0.95	0.06	14,17,20,23	0
7	EDO	F	306	4/4	0.95	0.09	21,26,30,39	0
2	3VN	A	301	22/22	0.95	0.06	15,19,21,22	0
7	EDO	E	312	4/4	0.96	0.06	19,23,24,26	0
7	EDO	B	309	4/4	0.96	0.12	17,26,38,38	0
3	MG	C	303	1/1	0.98	0.03	19,19,19,19	0
3	MG	F	302	1/1	0.99	0.05	19,19,19,19	0
3	MG	E	301	1/1	0.99	0.12	29,29,29,29	0
3	MG	E	302	1/1	0.99	0.06	30,30,30,30	0
3	MG	A	302	1/1	0.99	0.05	20,20,20,20	0
3	MG	C	302	1/1	0.99	0.05	17,17,17,17	0
3	MG	D	303	1/1	0.99	0.03	17,17,17,17	0
3	MG	F	301	1/1	0.99	0.14	29,29,29,29	0
3	MG	E	304	1/1	1.00	0.05	17,17,17,17	0
3	MG	B	305	1/1	1.00	0.01	16,16,16,16	0
3	MG	A	304	1/1	1.00	0.03	16,16,16,16	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around 3VN B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 3VN C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.