



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 02:52 PM UTC

PDB ID : 6KLT / pdb_00006klt
EMDB ID : EMD-0717
Title : Troponin of cardiac thin filament in low-calcium state
Authors : Oda, T.; Yanagisawa, H.; Wakabayashi, T.
Deposited on : 2019-07-30
Resolution : 12.00 Å(reported)
Based on initial model : 4Y99

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 12.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	93 (11.50 - 12.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	145	
2	B	71	
3	C	115	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2535 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Troponin C, slow skeletal and cardiac muscles.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	138	Total	C	N	O	S	0	0
			1102	683	168	238	13		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLU	see sequence details	UNP P19123

- Molecule 2 is a protein called Troponin T, cardiac muscle.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	B	71	Total	C	N	O	0	0
			614	383	120	111		

- Molecule 3 is a protein called Troponin I, cardiac muscle.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	101	Total	C	N	O	S	0	0
			817	501	149	161	6		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
4	A	2	Total	Ca	0
			2	2	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	515775	Depositor
Resolution determination method	OTHER	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	1100	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.071	Depositor
Minimum map value	-0.023	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.009	Depositor
Map size (Å)	282.48, 282.48, 282.48	wwPDB
Map dimensions	264, 264, 264	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.72	19/1113 (1.7%)	1.69	38/1487 (2.6%)
2	B	0.60	0/620	0.76	0/821
3	C	2.50	41/820 (5.0%)	2.49	36/1094 (3.3%)
All	All	1.84	60/2553 (2.4%)	1.84	74/3402 (2.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
3	C	0	12
All	All	0	18

All (60) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	55	GLN	C-N	17.84	1.57	1.33
3	C	57	ALA	C-N	17.64	1.58	1.33
3	C	74	ARG	C-O	16.69	1.45	1.24
3	C	68	ARG	C-N	16.58	1.57	1.33
3	C	132	ILE	C-N	15.93	1.54	1.33
3	C	60	GLU	C-N	15.76	1.58	1.33
3	C	77	ARG	C-N	14.68	1.54	1.33
1	A	60	GLN	C-N	14.04	1.52	1.33
1	A	59	LEU	C-N	13.93	1.50	1.33
1	A	61	GLU	C-N	13.79	1.53	1.33
3	C	131	LYS	C-N	12.82	1.50	1.33
1	A	30	VAL	C-N	12.49	1.51	1.33
1	A	62	MET	C-N	12.43	1.50	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	79	ARG	C-N	12.10	1.56	1.34
3	C	70	GLY	C-N	12.07	1.50	1.33
3	C	54	LEU	C-N	11.99	1.52	1.33
3	C	74	ARG	CZ-NH2	11.89	1.49	1.33
3	C	66	GLU	C-N	11.57	1.49	1.33
3	C	64	GLU	C-N	11.07	1.47	1.33
3	C	65	ALA	C-N	10.20	1.48	1.33
1	A	38	ILE	C-N	10.19	1.47	1.33
3	C	56	ILE	C-N	10.00	1.59	1.33
3	C	71	GLU	C-N	9.93	1.47	1.33
1	A	76	PHE	C-N	9.69	1.46	1.33
3	C	72	LYS	C-N	9.65	1.47	1.33
3	C	76	LEU	C-N	8.82	1.46	1.33
3	C	67	GLU	C-N	8.81	1.46	1.33
3	C	65	ALA	CA-C	-8.53	1.42	1.52
3	C	58	LYS	N-CA	8.22	1.56	1.46
3	C	59	GLN	C-N	8.20	1.45	1.33
3	C	76	LEU	CA-C	-8.09	1.41	1.52
1	A	31	LEU	CA-C	-7.50	1.42	1.52
3	C	69	ARG	N-CA	7.38	1.55	1.46
3	C	78	THR	C-N	7.23	1.43	1.33
3	C	56	ILE	N-CA	7.16	1.55	1.46
1	A	62	MET	CA-C	-7.10	1.43	1.52
3	C	78	THR	CA-C	-6.93	1.43	1.52
3	C	132	ILE	N-CA	6.91	1.54	1.46
1	A	63	ILE	CA-CB	-6.74	1.45	1.54
3	C	78	THR	C-O	6.67	1.32	1.24
1	A	31	LEU	CB-CG	-6.61	1.40	1.53
3	C	55	GLN	CA-C	6.52	1.59	1.53
1	A	61	GLU	N-CA	6.48	1.54	1.46
1	A	77	ASP	N-CA	6.41	1.54	1.46
3	C	132	ILE	CA-CB	6.34	1.61	1.54
3	C	73	GLY	C-N	-6.26	1.25	1.33
1	A	38	ILE	CA-C	-6.16	1.45	1.53
3	C	79	ARG	CA-C	-6.10	1.44	1.52
3	C	56	ILE	CA-CB	-6.05	1.46	1.54
1	A	31	LEU	CA-CB	-6.03	1.43	1.53
3	C	66	GLU	N-CA	5.99	1.53	1.46
1	A	31	LEU	C-N	5.87	1.42	1.33
1	A	62	MET	N-CA	5.81	1.53	1.46
3	C	55	GLN	N-CA	5.78	1.54	1.47
1	A	28	ILE	CB-CG1	-5.70	1.42	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	71	GLU	C-O	5.43	1.30	1.24
3	C	59	GLN	CA-CB	-5.35	1.43	1.53
1	A	53	ASN	CA-C	5.11	1.58	1.52
3	C	69	ARG	C-N	5.09	1.40	1.33
3	C	77	ARG	CA-C	-5.02	1.46	1.52

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	74	ARG	NE-CZ-NH2	44.60	159.34	119.20
3	C	74	ARG	NH1-CZ-NH2	-30.01	80.28	119.30
3	C	71	GLU	N-CA-CB	14.37	134.78	110.49
3	C	73	GLY	CA-C-N	-12.78	97.13	121.54
3	C	73	GLY	C-N-CA	-12.78	97.13	121.54
3	C	77	ARG	N-CA-CB	12.11	130.96	110.49
1	A	18	GLN	OE1-CD-NE2	-11.11	111.49	122.60
1	A	75	ASP	CA-CB-CG	11.07	123.67	112.60
1	A	62	MET	N-CA-C	-10.97	98.19	111.69
3	C	74	ARG	CA-C-O	-9.44	107.01	120.51
3	C	70	GLY	CA-C-O	-9.25	110.12	120.30
1	A	53	ASN	CA-CB-CG	8.90	121.50	112.60
3	C	74	ARG	CA-C-N	-8.89	105.97	121.97
3	C	74	ARG	C-N-CA	-8.89	105.97	121.97
3	C	76	LEU	CA-C-O	8.57	129.94	119.31
3	C	77	ARG	CB-CA-C	-8.53	93.45	110.42
1	A	63	ILE	CB-CA-C	8.50	125.23	111.29
3	C	132	ILE	CA-C-N	-8.38	110.41	122.06
3	C	132	ILE	C-N-CA	-8.38	110.41	122.06
1	A	42	GLU	CB-CG-CD	8.29	126.69	112.60
3	C	64	GLU	O-C-N	8.02	130.45	122.19
1	A	63	ILE	CA-C-N	-7.93	106.09	121.94
1	A	63	ILE	C-N-CA	-7.93	106.09	121.94
3	C	57	ALA	CA-C-N	-7.80	108.95	122.36
3	C	57	ALA	C-N-CA	-7.80	108.95	122.36
3	C	70	GLY	O-C-N	7.52	130.48	122.28
3	C	73	GLY	O-C-N	-7.42	113.05	122.70
1	A	38	ILE	CA-C-O	7.36	128.78	121.72
1	A	18	GLN	CG-CD-NE2	7.30	127.35	116.40
3	C	63	ARG	CA-C-N	-7.18	111.00	121.98
3	C	63	ARG	C-N-CA	-7.18	111.00	121.98
3	C	76	LEU	N-CA-C	-7.10	104.08	112.89
1	A	38	ILE	O-C-N	-7.09	116.10	122.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	60	GLU	N-CA-C	-7.02	103.38	112.23
3	C	132	ILE	N-CA-C	6.69	116.85	110.42
1	A	75	ASP	CA-C-N	-6.69	113.55	122.85
1	A	75	ASP	C-N-CA	-6.69	113.55	122.85
1	A	63	ILE	N-CA-CB	6.50	121.96	111.23
1	A	61	GLU	CA-C-N	6.50	131.69	120.58
1	A	61	GLU	C-N-CA	6.50	131.69	120.58
3	C	58	LYS	N-CA-CB	-6.43	102.04	110.59
3	C	80	CYS	N-CA-C	6.29	119.11	107.60
3	C	65	ALA	N-CA-C	-6.28	104.13	110.97
3	C	80	CYS	CA-C-N	6.27	130.22	120.68
3	C	80	CYS	C-N-CA	6.27	130.22	120.68
1	A	63	ILE	CA-CB-CG2	6.08	120.84	110.50
3	C	58	LYS	N-CA-C	-5.92	106.60	113.88
1	A	59	LEU	CA-C-N	-5.89	112.87	120.65
1	A	59	LEU	C-N-CA	-5.89	112.87	120.65
1	A	42	GLU	N-CA-C	5.87	119.26	111.75
1	A	63	ILE	CA-C-O	-5.85	113.47	120.78
3	C	69	ARG	CA-C-O	-5.78	113.83	120.24
3	C	56	ILE	CA-C-O	-5.76	113.58	120.78
1	A	77	ASP	N-CA-C	5.76	120.81	113.55
1	A	18	GLN	CB-CG-CD	5.71	122.31	112.60
1	A	107	LYS	CG-CD-CE	5.66	124.31	111.30
3	C	71	GLU	O-C-N	-5.51	115.26	122.59
1	A	60	GLN	CA-C-N	-5.48	111.83	120.60
1	A	60	GLN	C-N-CA	-5.48	111.83	120.60
1	A	31	LEU	CA-C-N	-5.46	110.70	121.41
1	A	31	LEU	C-N-CA	-5.46	110.70	121.41
1	A	67	ASP	N-CA-C	5.41	117.51	110.43
3	C	81	GLN	CA-C-N	5.40	125.34	119.78
3	C	81	GLN	C-N-CA	5.40	125.34	119.78
1	A	60	GLN	N-CA-CB	-5.35	102.10	109.91
1	A	38	ILE	N-CA-C	-5.34	101.70	109.29
1	A	67	ASP	CA-CB-CG	5.34	117.94	112.60
1	A	40	THR	CB-CA-C	-5.23	102.67	110.88
1	A	79	PHE	CA-CB-CG	5.22	119.03	113.80
1	A	42	GLU	N-CA-CB	5.16	118.30	110.14
1	A	31	LEU	O-C-N	5.15	129.44	122.59
1	A	31	LEU	N-CA-CB	5.11	119.12	110.49
1	A	60	GLN	CB-CA-C	5.08	118.79	110.96
3	C	70	GLY	N-CA-C	-5.05	106.61	113.37

There are no chirality outliers.

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	27	ASP	Mainchain
1	A	30	VAL	Mainchain
1	A	62	MET	Mainchain
1	A	63	ILE	Peptide
1	A	76	PHE	Peptide,Mainchain
3	C	54	LEU	Mainchain
3	C	57	ALA	Mainchain
3	C	58	LYS	Mainchain
3	C	59	GLN	Mainchain
3	C	66	GLU	Mainchain
3	C	68	ARG	Mainchain
3	C	71	GLU	Mainchain
3	C	73	GLY	Mainchain
3	C	74	ARG	Mainchain
3	C	77	ARG	Sidechain,Mainchain
3	C	78	THR	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1102	0	1034	47	0
2	B	614	0	639	12	0
3	C	817	0	831	48	0
4	A	2	0	0	0	0
All	All	2535	0	2504	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:78:THR:C	3:C:80:CYS:H	1.39	1.30
1:A:45:LYS:HB2	1:A:45:LYS:NZ	1.20	1.26

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:78:THR:C	3:C:80:CYS:N	1.93	1.21
1:A:45:LYS:NZ	1:A:45:LYS:CB	2.05	1.17
3:C:78:THR:HG23	3:C:81:GLN:HB3	1.45	0.97
3:C:74:ARG:HB3	3:C:77:ARG:HG2	1.47	0.97
1:A:45:LYS:HB2	1:A:45:LYS:HZ3	1.25	0.93
3:C:93:LEU:O	3:C:97:CYS:SG	2.27	0.92
1:A:82:MET:O	1:A:86:CYS:SG	2.29	0.90
1:A:45:LYS:CB	1:A:45:LYS:HZ3	1.78	0.87
3:C:74:ARG:C	3:C:77:ARG:H	1.82	0.87
3:C:74:ARG:CZ	3:C:74:ARG:HB2	2.07	0.83
1:A:45:LYS:HB2	1:A:45:LYS:HZ2	0.89	0.77
1:A:24:ALA:O	1:A:28:ILE:HG13	1.84	0.76
1:A:15:THR:HG21	1:A:18:GLN:HE21	1.51	0.75
3:C:72:LYS:C	3:C:74:ARG:H	1.95	0.74
3:C:86:ASP:N	3:C:86:ASP:OD1	2.21	0.72
3:C:72:LYS:O	3:C:74:ARG:N	2.23	0.71
3:C:132:ILE:HD12	3:C:132:ILE:O	1.90	0.70
2:B:236:LEU:O	2:B:239:SER:OG	2.09	0.70
2:B:248:PHE:CE2	3:C:75:VAL:HG11	2.28	0.69
1:A:19:LYS:NZ	1:A:84:VAL:HG21	2.08	0.68
2:B:236:LEU:O	2:B:240:ILE:HG13	1.94	0.68
3:C:78:THR:HG23	3:C:81:GLN:CB	2.21	0.67
2:B:248:PHE:CD2	3:C:75:VAL:HG11	2.29	0.67
3:C:72:LYS:C	3:C:74:ARG:N	2.46	0.66
1:A:76:PHE:CD2	1:A:76:PHE:O	2.48	0.66
1:A:45:LYS:CB	1:A:45:LYS:HZ2	1.85	0.66
3:C:78:THR:O	3:C:80:CYS:N	2.12	0.65
1:A:62:MET:HE1	1:A:82:MET:HG2	1.79	0.65
1:A:45:LYS:HZ3	1:A:45:LYS:HB3	1.62	0.64
3:C:76:LEU:O	3:C:77:ARG:C	2.39	0.63
1:A:42:GLU:CB	1:A:45:LYS:HE3	2.29	0.63
1:A:109:ALA:HB1	2:B:263:VAL:HG22	1.81	0.63
1:A:59:LEU:O	1:A:63:ILE:HG22	1.99	0.62
1:A:76:PHE:O	1:A:76:PHE:CG	2.52	0.61
3:C:74:ARG:CB	3:C:77:ARG:HG2	2.25	0.61
1:A:42:GLU:HA	1:A:45:LYS:HE3	1.84	0.60
1:A:29:PHE:CD1	1:A:45:LYS:HE2	2.39	0.57
1:A:42:GLU:HG2	1:A:45:LYS:HE3	1.87	0.57
3:C:56:ILE:HA	3:C:59:GLN:HB2	1.86	0.56
1:A:55:THR:OG1	1:A:56:PRO:HD2	2.06	0.56
3:C:56:ILE:C	3:C:58:LYS:H	2.13	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:240:ILE:HG22	3:C:80:CYS:SG	2.47	0.55
1:A:27:ASP:C	1:A:30:VAL:HG12	2.32	0.55
3:C:78:THR:O	3:C:79:ARG:HB2	2.07	0.55
3:C:74:ARG:CA	3:C:77:ARG:H	2.20	0.54
2:B:265:ARG:NH2	3:C:124:GLU:OE1	2.40	0.54
1:A:42:GLU:CA	1:A:45:LYS:HE3	2.38	0.53
1:A:15:THR:CG2	1:A:18:GLN:HE21	2.19	0.53
1:A:55:THR:HG23	1:A:58:GLU:H	1.73	0.53
3:C:78:THR:HG22	3:C:81:GLN:OE1	2.09	0.53
2:B:237:TRP:HA	2:B:240:ILE:HD12	1.90	0.53
1:A:15:THR:HG21	1:A:18:GLN:NE2	2.20	0.52
1:A:19:LYS:CE	1:A:84:VAL:HG21	2.39	0.52
3:C:58:LYS:HA	3:C:61:MET:HG3	1.91	0.52
3:C:58:LYS:HG3	3:C:61:MET:HE3	1.92	0.51
3:C:151:ALA:O	3:C:155:MET:HG2	2.10	0.51
1:A:62:MET:CE	1:A:82:MET:HG2	2.39	0.51
1:A:40:THR:HG23	1:A:68:GLU:OE1	2.11	0.50
1:A:19:LYS:HE3	1:A:80:LEU:HD11	1.94	0.50
1:A:62:MET:SD	1:A:82:MET:SD	3.09	0.49
3:C:75:VAL:HG23	3:C:79:ARG:NE	2.27	0.49
2:B:241:HIS:CD2	2:B:241:HIS:C	2.91	0.49
1:A:15:THR:CB	1:A:18:GLN:HE21	2.26	0.48
3:C:74:ARG:C	3:C:76:LEU:N	2.70	0.48
2:B:250:LEU:HB3	3:C:114:VAL:HG22	1.96	0.48
3:C:111:ARG:O	3:C:114:VAL:HG13	2.13	0.48
1:A:37:CYS:HG	1:A:74:VAL:C	2.21	0.48
1:A:19:LYS:HD3	1:A:80:LEU:HD21	1.96	0.48
1:A:76:PHE:CD2	1:A:76:PHE:C	2.92	0.47
3:C:81:GLN:H	3:C:81:GLN:CD	2.21	0.47
3:C:75:VAL:CG2	3:C:79:ARG:CZ	2.93	0.47
3:C:65:ALA:O	3:C:67:GLU:N	2.47	0.47
1:A:29:PHE:HE1	3:C:155:MET:HE2	1.80	0.47
1:A:31:LEU:HD11	1:A:39:SER:CB	2.45	0.46
3:C:60:GLU:O	3:C:63:ARG:HB2	2.15	0.46
1:A:29:PHE:CE1	3:C:155:MET:HE2	2.50	0.46
1:A:42:GLU:HA	1:A:45:LYS:CD	2.47	0.45
1:A:42:GLU:HG2	1:A:45:LYS:CE	2.46	0.45
3:C:73:GLY:C	3:C:74:ARG:HG3	2.41	0.45
1:A:29:PHE:HE1	3:C:155:MET:CE	2.30	0.45
3:C:58:LYS:C	3:C:60:GLU:N	2.72	0.44
3:C:133:TYR:O	3:C:133:TYR:CG	2.70	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:56:ILE:C	3:C:58:LYS:N	2.75	0.44
2:B:240:ILE:HG13	2:B:240:ILE:H	1.49	0.44
3:C:78:THR:HA	3:C:81:GLN:N	2.32	0.43
1:A:42:GLU:CG	1:A:45:LYS:HE3	2.48	0.43
2:B:223:HIS:ND1	2:B:223:HIS:N	2.63	0.42
3:C:72:LYS:HA	3:C:75:VAL:HG12	2.01	0.42
3:C:77:ARG:NE	3:C:77:ARG:HA	2.35	0.42
1:A:15:THR:O	1:A:19:LYS:HG3	2.20	0.42
3:C:75:VAL:HG23	3:C:79:ARG:CZ	2.51	0.41
1:A:37:CYS:SG	1:A:74:VAL:O	2.74	0.41
3:C:76:LEU:O	3:C:78:THR:N	2.54	0.41
1:A:31:LEU:HD11	1:A:39:SER:N	2.35	0.40
1:A:30:VAL:HG21	1:A:33:ALA:HA	2.03	0.40
1:A:42:GLU:HB3	1:A:45:LYS:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	134/145 (92%)	119 (89%)	12 (9%)	3 (2%)	5	29
2	B	69/71 (97%)	69 (100%)	0	0	100	100
3	C	97/115 (84%)	83 (86%)	9 (9%)	5 (5%)	1	15
All	All	300/331 (91%)	271 (90%)	21 (7%)	8 (3%)	6	25

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	33	ALA
3	C	71	GLU
3	C	73	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	66	GLU
3	C	79	ARG
1	A	51	GLY
3	C	77	ARG
1	A	36	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	123/129 (95%)	110 (89%)	13 (11%)	6	21
2	B	65/65 (100%)	65 (100%)	0	100	100
3	C	88/101 (87%)	78 (89%)	10 (11%)	5	18
All	All	276/295 (94%)	253 (92%)	23 (8%)	12	30

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	THR
1	A	19	LYS
1	A	30	VAL
1	A	31	LEU
1	A	37	CYS
1	A	39	SER
1	A	40	THR
1	A	45	LYS
1	A	62	MET
1	A	63	ILE
1	A	64	ASP
1	A	76	PHE
1	A	77	ASP
3	C	60	GLU
3	C	61	MET
3	C	62	GLU
3	C	74	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	75	VAL
3	C	78	THR
3	C	81	GLN
3	C	86	ASP
3	C	114	VAL
3	C	161	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
2	B	241	HIS
3	C	48	GLN
3	C	55	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0717. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 132



Y Index: 132




Z Index: 132


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 176



Y Index: 141




Z Index: 107


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.009. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 36 nm^3 ; this corresponds to an approximate mass of 33 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.083 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.083 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)			
	0.143	0.5	Half-bit	Other
Reported by author	-	-	-	12.00
Author-provided FSC curve	5.76	7.01	5.84	-
Unmasked-calculated*	-	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-0717 and PDB model 6KLT. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.009 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.009).

9.4 Atom inclusion [i](#)



At the recommended contour level, 48% of all backbone atoms, 42% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.009) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4230	0.0340
A	0.3280	0.0170
B	0.4620	0.0100
C	0.5260	0.0760

