



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 11:54 AM UTC

PDB ID : 1KMO / pdb_00001kmo
Title : Crystal structure of the Outer Membrane Transporter FecA
Authors : Ferguson, A.D.; Chakraborty, R.; Smith, B.S.; Esser, L.; van der Helm, D.;
Deisenhofer, J.
Deposited on : 2001-12-17
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	774	3% 63% 20% • 15%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5862 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Iron(III) dicitrate transport protein fecA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	661	Total	C	N	O	S	0	0	0
			5184	3244	912	1014	14			

- Molecule 2 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: $C_{14}H_{31}NO$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		
2	A	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 3 is HEPTANE-1,2,3-TRIOL (CCD ID: HTO) (formula: $C_7H_{16}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	7	3		
3	A	1	Total	C	O	0	0
			10	7	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	386	Total	O	0	0
			386	386		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Iron(III) dicitrate transport protein fecA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	117.08Å 88.09Å 94.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.71 – 2.00 19.71 – 2.00	Depositor EDS
% Data completeness (in resolution range)	84.5 (19.71-2.00) 84.4 (19.71-2.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 1.94Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.207 , 0.245 0.212 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	19.3	Xtriage
Anisotropy	0.293	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 55.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5862	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HTO, LDA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	1/5315 (0.0%)	1.03	28/7220 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	284	MET	SD-CE	-5.27	1.66	1.79

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	717	SER	N-CA-C	-7.43	97.10	109.07
1	A	427	GLY	N-CA-C	-6.95	96.71	113.18
1	A	535	GLU	N-CA-C	-6.48	99.33	109.25
1	A	269	GLY	N-CA-C	6.27	119.88	110.97
1	A	515	PHE	N-CA-C	6.23	118.77	108.99
1	A	719	ASP	N-CA-C	6.17	121.09	113.50
1	A	464	PRO	N-CA-C	-6.12	101.46	111.68
1	A	471	ILE	N-CA-C	6.01	116.52	108.11
1	A	315	SER	N-CA-C	-5.99	103.04	110.41
1	A	612	TYR	N-CA-C	-5.84	99.00	108.52
1	A	219	ILE	N-CA-C	-5.78	103.66	108.63
1	A	455	ILE	N-CA-C	5.76	116.09	107.51
1	A	375	ILE	N-CA-C	-5.74	100.07	108.11
1	A	309	ASP	N-CA-C	-5.70	102.47	110.50
1	A	172	ALA	CA-C-N	5.49	125.58	119.32
1	A	172	ALA	C-N-CA	5.49	125.58	119.32
1	A	180	SER	N-CA-C	-5.47	105.71	112.38
1	A	238	SER	N-CA-C	-5.45	106.14	112.89
1	A	189	MET	N-CA-C	5.40	118.53	109.95
1	A	518	VAL	N-CA-C	-5.39	99.31	107.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	622	ASP	N-CA-C	5.38	119.59	113.19
1	A	85	VAL	N-CA-C	-5.37	105.61	110.82
1	A	274	GLU	N-CA-C	-5.33	103.49	110.53
1	A	428	GLN	N-CA-C	5.32	122.14	110.80
1	A	113	ALA	N-CA-C	5.23	118.92	112.54
1	A	175	GLY	N-CA-C	5.22	121.70	113.86
1	A	378	SER	N-CA-C	5.18	118.57	108.21
1	A	708	ILE	N-CA-C	5.03	116.36	110.62

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5184	0	4898	139	0
2	A	272	0	527	11	0
3	A	20	0	32	0	0
4	A	386	0	0	18	0
All	All	5862	0	5457	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:ARG:HG2	1:A:159:ARG:HH11	1.09	1.14
1:A:226:GLU:HG2	1:A:740:LYS:HG2	1.47	0.96
1:A:533:GLU:HG3	1:A:534:PRO:HD2	1.54	0.89
1:A:385:ARG:HH11	1:A:385:ARG:HB3	1.40	0.85
1:A:159:ARG:HG2	1:A:159:ARG:NH1	1.91	0.84
1:A:159:ARG:HH11	1:A:159:ARG:CG	1.92	0.82
1:A:701:LEU:HD13	2:A:745:LDA:HM11	1.60	0.82
1:A:176:GLN:NE2	1:A:178:GLN:OE1	2.13	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:VAL:HB	1:A:211:VAL:HG13	1.61	0.81
1:A:699:LEU:C	1:A:699:LEU:HD13	2.11	0.75
1:A:692:PHE:CD1	1:A:699:LEU:HD12	2.23	0.72
1:A:225:ILE:HG12	1:A:250:VAL:HG12	1.72	0.70
1:A:176:GLN:HE21	1:A:176:GLN:C	2.00	0.70
1:A:692:PHE:O	1:A:693:GLY:C	2.35	0.69
1:A:159:ARG:NH1	4:A:1013:HOH:O	2.24	0.69
1:A:296:THR:OG1	1:A:345:GLN:HB3	1.93	0.69
1:A:692:PHE:HD1	1:A:699:LEU:HD12	1.60	0.65
1:A:699:LEU:HD13	1:A:700:ASN:N	2.10	0.65
1:A:339:LEU:HD23	1:A:339:LEU:C	2.22	0.64
1:A:463:THR:HB	1:A:496:ASN:ND2	2.13	0.64
1:A:715:ILE:HG12	1:A:716:ARG:N	2.13	0.64
1:A:533:GLU:HG2	1:A:536:LYS:NZ	2.14	0.63
1:A:490:ALA:O	1:A:492:LEU:HD22	1.99	0.62
1:A:662:ASP:OD2	1:A:666:THR:HG23	1.99	0.62
1:A:239:GLN:HG2	1:A:271:ASP:O	2.00	0.62
1:A:350:SER:OG	1:A:351:GLN:NE2	2.33	0.62
1:A:463:THR:HB	1:A:496:ASN:HD21	1.66	0.61
1:A:715:ILE:HG12	1:A:716:ARG:H	1.66	0.60
1:A:698:ASP:HB2	1:A:740:LYS:HB2	1.83	0.60
1:A:176:GLN:HE21	1:A:176:GLN:CA	2.15	0.59
1:A:693:GLY:O	1:A:695:GLN:N	2.37	0.58
1:A:385:ARG:HB3	1:A:385:ARG:NH1	2.17	0.58
1:A:693:GLY:O	1:A:695:GLN:O	2.22	0.58
1:A:176:GLN:HE22	1:A:178:GLN:HB2	1.69	0.58
1:A:699:LEU:C	1:A:699:LEU:CD1	2.76	0.58
1:A:220:PRO:O	1:A:253:THR:HG23	2.04	0.57
1:A:83:THR:C	1:A:394:ILE:HD13	2.30	0.57
1:A:303:TYR:OH	1:A:336:ARG:NH1	2.39	0.56
1:A:175:GLY:HA3	1:A:520:TYR:CE2	2.41	0.56
1:A:470:HIS:ND1	1:A:489:ASN:ND2	2.53	0.56
1:A:496:ASN:HB3	4:A:1058:HOH:O	2.05	0.56
1:A:457:ILE:O	1:A:457:ILE:HG23	2.05	0.56
1:A:84:VAL:N	1:A:394:ILE:HD13	2.21	0.55
1:A:493:PRO:HB3	2:A:755:LDA:HM21	1.89	0.55
1:A:453:ASP:O	1:A:464:PRO:HD2	2.07	0.54
1:A:509:ALA:HB2	2:A:754:LDA:HM23	1.89	0.54
1:A:491:PRO:O	1:A:492:LEU:HD13	2.08	0.53
1:A:126:ARG:HD3	4:A:878:HOH:O	2.08	0.53
1:A:395:PHE:HE1	1:A:397:ILE:HD11	1.72	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:ASN:O	1:A:217:ARG:HG2	2.08	0.53
1:A:143:LEU:HD21	1:A:306:GLY:C	2.34	0.52
1:A:260:THR:HG22	1:A:287:SER:OG	2.10	0.52
1:A:287:SER:HB2	1:A:299:SER:OG	2.10	0.52
1:A:538:ARG:HD3	2:A:749:LDA:HM13	1.92	0.52
1:A:486:VAL:HB	1:A:532:VAL:HG11	1.93	0.51
1:A:533:GLU:CG	1:A:534:PRO:HD2	2.33	0.50
1:A:693:GLY:C	1:A:695:GLN:N	2.69	0.50
1:A:95:ASN:HD22	1:A:95:ASN:N	2.08	0.50
1:A:545:ARG:HH11	1:A:545:ARG:HG3	1.77	0.49
1:A:98:PHE:CD1	1:A:545:ARG:HD2	2.48	0.49
1:A:375:ILE:O	1:A:430:PRO:HG3	2.13	0.48
1:A:175:GLY:HA3	1:A:520:TYR:CZ	2.48	0.48
1:A:533:GLU:HG3	1:A:536:LYS:HE2	1.95	0.48
1:A:250:VAL:O	1:A:250:VAL:HG23	2.13	0.48
1:A:675:THR:HG21	4:A:1080:HOH:O	2.12	0.48
1:A:538:ARG:HD2	4:A:1070:HOH:O	2.13	0.48
1:A:470:HIS:HA	1:A:489:ASN:HD22	1.79	0.48
1:A:246:HIS:HB2	2:A:742:LDA:H61	1.96	0.47
1:A:169:VAL:N	1:A:170:PRO:CD	2.78	0.47
1:A:176:GLN:HG2	4:A:813:HOH:O	2.14	0.47
1:A:136:ASN:HA	1:A:726:TYR:CE2	2.50	0.47
1:A:394:ILE:HG22	1:A:403:GLU:CB	2.45	0.47
1:A:159:ARG:NH1	1:A:159:ARG:CG	2.62	0.46
1:A:695:GLN:HE21	1:A:695:GLN:HB3	1.51	0.46
1:A:504:SER:HB2	1:A:547:ASP:O	2.15	0.46
1:A:582:ARG:NH1	1:A:616:GLU:OE2	2.49	0.46
1:A:545:ARG:NH1	4:A:1017:HOH:O	2.48	0.46
1:A:159:ARG:NE	4:A:961:HOH:O	2.48	0.46
1:A:159:ARG:NH2	4:A:1013:HOH:O	2.47	0.46
1:A:394:ILE:HG22	1:A:403:GLU:HB2	1.98	0.46
1:A:525:LYS:NZ	1:A:573:ASP:OD1	2.49	0.45
1:A:222:ASP:O	1:A:223:PHE:C	2.59	0.45
1:A:548:ASP:OD1	1:A:548:ASP:C	2.59	0.45
1:A:511:THR:HA	1:A:539:THR:O	2.16	0.45
1:A:408:TYR:HB3	2:A:751:LDA:H92	1.99	0.45
1:A:275:HIS:HE1	4:A:936:HOH:O	1.99	0.45
1:A:400:SER:HB3	1:A:457:ILE:HD13	1.99	0.45
1:A:447:HIS:HE1	2:A:750:LDA:H123	1.82	0.45
1:A:226:GLU:OE1	1:A:740:LYS:HE2	2.17	0.45
1:A:741:PHE:CG	2:A:747:LDA:H52	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:ARG:CD	4:A:861:HOH:O	2.64	0.44
1:A:181:LEU:HD12	1:A:363:THR:CG2	2.48	0.44
1:A:634:HIS:O	1:A:656:GLN:HA	2.18	0.44
1:A:296:THR:HG1	1:A:345:GLN:HB3	1.81	0.44
1:A:693:GLY:O	1:A:694:PRO:C	2.61	0.44
1:A:89:LEU:HD22	1:A:203:TYR:CZ	2.53	0.44
1:A:691:ASP:OD1	1:A:691:ASP:C	2.60	0.44
1:A:120:MET:HG2	1:A:145:MET:HE1	1.99	0.43
1:A:253:THR:HA	1:A:259:GLY:HA2	2.00	0.43
1:A:559:LEU:HD13	1:A:584:THR:HG22	1.99	0.43
1:A:197:GLY:HA3	1:A:541:GLU:OE1	2.19	0.43
1:A:260:THR:HG22	1:A:287:SER:CB	2.48	0.43
1:A:198:GLY:H	1:A:512:GLU:CD	2.27	0.43
1:A:351:GLN:O	1:A:393:GLN:HA	2.19	0.43
1:A:305:ASP:OD1	1:A:336:ARG:CZ	2.66	0.43
1:A:176:GLN:NE2	1:A:176:GLN:CA	2.79	0.43
1:A:159:ARG:NH2	4:A:961:HOH:O	2.51	0.42
1:A:334:TRP:CZ3	1:A:367:GLY:HA2	2.55	0.42
1:A:715:ILE:HD11	4:A:930:HOH:O	2.18	0.42
1:A:305:ASP:OD1	1:A:336:ARG:NH2	2.53	0.42
1:A:533:GLU:HG2	1:A:536:LYS:HZ1	1.84	0.42
1:A:533:GLU:CG	1:A:536:LYS:NZ	2.82	0.42
1:A:159:ARG:CZ	4:A:1013:HOH:O	2.65	0.42
1:A:173:PRO:HD2	1:A:413:GLU:OE1	2.20	0.42
1:A:336:ARG:HH22	2:A:743:LDA:H123	1.85	0.42
1:A:695:GLN:O	1:A:696:MET:HB3	2.19	0.42
1:A:407:GLY:HA3	1:A:450:TYR:CE2	2.55	0.41
1:A:109:ARG:NH2	1:A:187:GLY:O	2.53	0.41
1:A:159:ARG:HD3	4:A:861:HOH:O	2.19	0.41
1:A:730:PRO:O	1:A:731:ARG:C	2.61	0.41
1:A:450:TYR:CD1	1:A:450:TYR:C	2.98	0.41
1:A:591:ARG:NH2	4:A:1135:HOH:O	2.53	0.41
1:A:586:LEU:C	1:A:586:LEU:HD23	2.46	0.41
1:A:93:ARG:HH11	1:A:93:ARG:HG2	1.86	0.41
1:A:98:PHE:HA	1:A:545:ARG:HD2	2.01	0.41
1:A:484:GLU:HG2	1:A:527:VAL:HG21	2.03	0.41
1:A:126:ARG:CD	4:A:878:HOH:O	2.66	0.41
1:A:217:ARG:HG2	1:A:217:ARG:H	1.63	0.41
1:A:415:THR:OG1	1:A:417:GLU:OE2	2.37	0.41
1:A:629:PRO:HG3	1:A:662:ASP:C	2.46	0.41
1:A:701:LEU:HD13	2:A:745:LDA:CM1	2.39	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:GLU:HG2	1:A:740:LYS:CG	2.34	0.41
1:A:339:LEU:C	1:A:339:LEU:CD2	2.93	0.40
1:A:395:PHE:HE1	1:A:397:ILE:CD1	2.33	0.40
1:A:120:MET:HG3	1:A:214:PHE:CE1	2.56	0.40
1:A:260:THR:HA	1:A:286:LYS:O	2.20	0.40
1:A:339:LEU:HD23	1:A:340:ALA:N	2.36	0.40
1:A:93:ARG:HG2	1:A:93:ARG:NH1	2.37	0.40
1:A:537:ALA:HA	1:A:561:ASN:O	2.22	0.40
2:A:743:LDA:H82	4:A:1118:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	659/774 (85%)	638 (97%)	15 (2%)	6 (1%)	14 9

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	82	LEU
1	A	428	GLN
1	A	223	PHE
1	A	693	GLY
1	A	694	PRO
1	A	698	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	544/636 (86%)	515 (95%)	29 (5%)	20	18

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	120	MET
1	A	121	ARG
1	A	159	ARG
1	A	176	GLN
1	A	181	LEU
1	A	211	VAL
1	A	244	GLU
1	A	337	ARG
1	A	339	LEU
1	A	364	LEU
1	A	365	ARG
1	A	385	ARG
1	A	484	GLU
1	A	496	ASN
1	A	507	LEU
1	A	514	SER
1	A	551	LEU
1	A	575	VAL
1	A	598	THR
1	A	602	ASP
1	A	638	LEU
1	A	675	THR
1	A	683	LEU
1	A	694	PRO
1	A	695	GLN
1	A	696	MET
1	A	699	LEU
1	A	701	LEU
1	A	719	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	ASN
1	A	176	GLN
1	A	240	ASN
1	A	275	HIS
1	A	351	GLN
1	A	489	ASN
1	A	563	ASN
1	A	570	GLN
1	A	603	ASN
1	A	695	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HTO	A	759	-	9,9,9	1.37	1 (11%)	10,10,10	0.38	0
2	LDA	A	756	-	13,15,15	1.88	1 (7%)	14,17,17	1.77	4 (28%)
2	LDA	A	754	-	13,15,15	1.91	1 (7%)	14,17,17	1.71	3 (21%)
2	LDA	A	744	-	13,15,15	1.96	1 (7%)	14,17,17	1.59	4 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HTO	A	760	-	9,9,9	1.58	2 (22%)	10,10,10	0.44	0
2	LDA	A	758	-	13,15,15	1.89	1 (7%)	14,17,17	1.75	4 (28%)
2	LDA	A	745	-	13,15,15	2.08	1 (7%)	14,17,17	1.58	4 (28%)
2	LDA	A	750	-	13,15,15	1.91	1 (7%)	14,17,17	1.75	5 (35%)
2	LDA	A	747	-	13,15,15	1.97	1 (7%)	14,17,17	1.65	4 (28%)
2	LDA	A	742	-	13,15,15	1.93	1 (7%)	14,17,17	1.76	4 (28%)
2	LDA	A	753	-	13,15,15	1.94	1 (7%)	14,17,17	1.69	4 (28%)
2	LDA	A	746	-	13,15,15	1.95	1 (7%)	14,17,17	1.69	4 (28%)
2	LDA	A	757	-	13,15,15	2.00	1 (7%)	14,17,17	1.67	4 (28%)
2	LDA	A	752	-	13,15,15	1.92	1 (7%)	14,17,17	1.71	4 (28%)
2	LDA	A	743	-	13,15,15	1.95	1 (7%)	14,17,17	1.73	4 (28%)
2	LDA	A	751	-	13,15,15	1.94	1 (7%)	14,17,17	1.76	5 (35%)
2	LDA	A	749	-	13,15,15	1.95	1 (7%)	14,17,17	1.66	4 (28%)
2	LDA	A	755	-	13,15,15	2.05	1 (7%)	14,17,17	1.66	4 (28%)
2	LDA	A	748	-	13,15,15	2.01	1 (7%)	14,17,17	1.63	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HTO	A	759	-	-	2/10/10/10	-
2	LDA	A	756	-	-	8/13/13/13	-
2	LDA	A	754	-	-	11/13/13/13	-
2	LDA	A	744	-	-	8/13/13/13	-
3	HTO	A	760	-	-	2/10/10/10	-
2	LDA	A	758	-	-	8/13/13/13	-
2	LDA	A	745	-	-	11/13/13/13	-
2	LDA	A	750	-	-	8/13/13/13	-
2	LDA	A	747	-	-	9/13/13/13	-
2	LDA	A	742	-	-	8/13/13/13	-
2	LDA	A	753	-	-	11/13/13/13	-
2	LDA	A	746	-	-	11/13/13/13	-
2	LDA	A	757	-	-	10/13/13/13	-
2	LDA	A	752	-	-	9/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LDA	A	743	-	-	8/13/13/13	-
2	LDA	A	751	-	-	11/13/13/13	-
2	LDA	A	749	-	-	8/13/13/13	-
2	LDA	A	755	-	-	7/13/13/13	-
2	LDA	A	748	-	-	10/13/13/13	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	745	LDA	O1-N1	-7.13	1.24	1.42
2	A	755	LDA	O1-N1	-6.94	1.25	1.42
2	A	757	LDA	O1-N1	-6.85	1.25	1.42
2	A	748	LDA	O1-N1	-6.81	1.25	1.42
2	A	744	LDA	O1-N1	-6.73	1.25	1.42
2	A	751	LDA	O1-N1	-6.72	1.25	1.42
2	A	743	LDA	O1-N1	-6.71	1.25	1.42
2	A	747	LDA	O1-N1	-6.71	1.25	1.42
2	A	749	LDA	O1-N1	-6.68	1.25	1.42
2	A	746	LDA	O1-N1	-6.64	1.25	1.42
2	A	753	LDA	O1-N1	-6.63	1.25	1.42
2	A	742	LDA	O1-N1	-6.61	1.26	1.42
2	A	752	LDA	O1-N1	-6.58	1.26	1.42
2	A	750	LDA	O1-N1	-6.55	1.26	1.42
2	A	754	LDA	O1-N1	-6.49	1.26	1.42
2	A	758	LDA	O1-N1	-6.47	1.26	1.42
2	A	756	LDA	O1-N1	-6.40	1.26	1.42
3	A	760	HTO	C3-C2	3.56	1.61	1.53
3	A	759	HTO	C3-C2	3.15	1.60	1.53
3	A	760	HTO	C4-C3	2.13	1.56	1.52

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	756	LDA	CM1-N1-C1	-3.75	102.35	110.23
2	A	742	LDA	CM1-N1-C1	-3.73	102.40	110.23
2	A	758	LDA	CM1-N1-C1	-3.69	102.47	110.23
2	A	751	LDA	CM1-N1-C1	-3.55	102.77	110.23
2	A	750	LDA	CM1-N1-C1	-3.55	102.77	110.23
2	A	754	LDA	CM1-N1-C1	-3.52	102.84	110.23
2	A	743	LDA	CM1-N1-C1	-3.51	102.86	110.23
2	A	752	LDA	CM1-N1-C1	-3.50	102.89	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	753	LDA	CM1-N1-C1	-3.46	102.95	110.23
2	A	747	LDA	CM1-N1-C1	-3.37	103.16	110.23
2	A	755	LDA	CM1-N1-C1	-3.35	103.20	110.23
2	A	746	LDA	CM1-N1-C1	-3.33	103.23	110.23
2	A	757	LDA	CM1-N1-C1	-3.32	103.25	110.23
2	A	749	LDA	CM1-N1-C1	-3.31	103.28	110.23
2	A	748	LDA	CM1-N1-C1	-3.27	103.37	110.23
2	A	758	LDA	O1-N1-C1	3.10	116.88	109.27
2	A	754	LDA	O1-N1-C1	3.04	116.73	109.27
2	A	756	LDA	O1-N1-C1	2.93	116.47	109.27
2	A	743	LDA	O1-N1-C1	2.90	116.38	109.27
2	A	744	LDA	CM1-N1-C1	-2.87	104.21	110.23
2	A	745	LDA	CM1-N1-C1	-2.84	104.28	110.23
2	A	753	LDA	O1-N1-C1	2.81	116.17	109.27
2	A	749	LDA	O1-N1-C1	2.77	116.08	109.27
2	A	748	LDA	O1-N1-C1	2.77	116.06	109.27
2	A	747	LDA	O1-N1-C1	2.77	116.06	109.27
2	A	750	LDA	O1-N1-C1	2.74	116.00	109.27
2	A	752	LDA	O1-N1-C1	2.73	115.98	109.27
2	A	751	LDA	O1-N1-C1	2.71	115.93	109.27
2	A	746	LDA	O1-N1-C1	2.71	115.91	109.27
2	A	745	LDA	O1-N1-C1	2.68	115.84	109.27
2	A	742	LDA	O1-N1-C1	2.63	115.73	109.27
2	A	755	LDA	O1-N1-C1	2.60	115.64	109.27
2	A	757	LDA	O1-N1-C1	2.59	115.64	109.27
2	A	755	LDA	CM2-N1-C1	2.57	115.64	110.23
2	A	744	LDA	O1-N1-C1	2.57	115.58	109.27
2	A	742	LDA	CM2-N1-C1	2.57	115.63	110.23
2	A	750	LDA	CM2-N1-C1	2.55	115.59	110.23
2	A	752	LDA	CM2-N1-C1	2.49	115.46	110.23
2	A	751	LDA	CM2-N1-C1	2.47	115.42	110.23
2	A	746	LDA	CM2-N1-C1	2.46	115.40	110.23
2	A	757	LDA	CM2-N1-C1	2.42	115.32	110.23
2	A	747	LDA	CM2-N1-C1	2.39	115.25	110.23
2	A	743	LDA	CM2-N1-C1	2.38	115.24	110.23
2	A	756	LDA	C9-C8-C7	-2.38	102.33	114.37
2	A	756	LDA	CM2-N1-C1	2.38	115.22	110.23
2	A	753	LDA	CM2-N1-C1	2.35	115.17	110.23
2	A	750	LDA	C9-C8-C7	-2.34	102.55	114.37
2	A	751	LDA	C9-C8-C7	-2.34	102.56	114.37
2	A	746	LDA	C9-C8-C7	-2.33	102.57	114.37
2	A	744	LDA	C9-C8-C7	-2.31	102.68	114.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	754	LDA	C9-C8-C7	-2.29	102.80	114.37
2	A	743	LDA	C9-C8-C7	-2.27	102.88	114.37
2	A	755	LDA	C9-C8-C7	-2.27	102.88	114.37
2	A	757	LDA	C9-C8-C7	-2.27	102.91	114.37
2	A	745	LDA	C9-C8-C7	-2.25	102.98	114.37
2	A	749	LDA	C9-C8-C7	-2.25	102.99	114.37
2	A	742	LDA	C9-C8-C7	-2.24	103.05	114.37
2	A	758	LDA	C9-C8-C7	-2.23	103.07	114.37
2	A	748	LDA	CM2-N1-C1	2.23	114.92	110.23
2	A	758	LDA	CM2-N1-C1	2.22	114.90	110.23
2	A	748	LDA	C9-C8-C7	-2.22	103.15	114.37
2	A	749	LDA	CM2-N1-C1	2.20	114.87	110.23
2	A	753	LDA	C9-C8-C7	-2.19	103.28	114.37
2	A	744	LDA	CM2-N1-C1	2.17	114.79	110.23
2	A	752	LDA	C9-C8-C7	-2.14	103.53	114.37
2	A	747	LDA	C9-C8-C7	-2.07	103.89	114.37
2	A	751	LDA	C6-C5-C4	-2.07	103.93	114.37
2	A	745	LDA	CM2-N1-C1	2.04	114.52	110.23
2	A	750	LDA	C6-C5-C4	-2.02	104.18	114.37

There are no chirality outliers.

All (160) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	753	LDA	C2-C3-C4-C5
2	A	753	LDA	C11-C10-C9-C8
2	A	748	LDA	C2-C3-C4-C5
2	A	749	LDA	C7-C8-C9-C10
2	A	750	LDA	C7-C8-C9-C10
2	A	745	LDA	C6-C7-C8-C9
2	A	754	LDA	C11-C10-C9-C8
2	A	756	LDA	C6-C7-C8-C9
2	A	744	LDA	C11-C10-C9-C8
2	A	752	LDA	C7-C8-C9-C10
2	A	753	LDA	C3-C4-C5-C6
2	A	746	LDA	C5-C6-C7-C8
2	A	754	LDA	C3-C4-C5-C6
2	A	743	LDA	C5-C6-C7-C8
2	A	748	LDA	C7-C8-C9-C10
2	A	742	LDA	C4-C5-C6-C7
2	A	752	LDA	C11-C10-C9-C8
2	A	757	LDA	C11-C10-C9-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	746	LDA	C2-C3-C4-C5
2	A	754	LDA	C5-C6-C7-C8
2	A	748	LDA	C6-C7-C8-C9
2	A	753	LDA	C4-C5-C6-C7
2	A	752	LDA	C6-C7-C8-C9
2	A	746	LDA	C4-C5-C6-C7
2	A	742	LDA	C11-C10-C9-C8
2	A	743	LDA	C11-C10-C9-C8
2	A	753	LDA	C6-C7-C8-C9
2	A	748	LDA	C4-C5-C6-C7
2	A	758	LDA	C5-C6-C7-C8
2	A	755	LDA	C4-C5-C6-C7
2	A	757	LDA	C4-C5-C6-C7
2	A	753	LDA	C1-C2-C3-C4
2	A	745	LDA	C5-C6-C7-C8
2	A	749	LDA	C6-C7-C8-C9
2	A	754	LDA	C4-C5-C6-C7
2	A	745	LDA	C7-C8-C9-C10
2	A	758	LDA	C7-C8-C9-C10
2	A	749	LDA	C4-C5-C6-C7
2	A	754	LDA	C7-C8-C9-C10
2	A	751	LDA	C1-C2-C3-C4
2	A	758	LDA	C11-C10-C9-C8
2	A	750	LDA	C11-C10-C9-C8
2	A	746	LDA	C6-C7-C8-C9
2	A	753	LDA	C5-C6-C7-C8
2	A	746	LDA	C11-C10-C9-C8
2	A	757	LDA	C3-C4-C5-C6
2	A	746	LDA	C3-C4-C5-C6
2	A	752	LDA	C2-C3-C4-C5
2	A	752	LDA	C5-C6-C7-C8
2	A	751	LDA	C5-C6-C7-C8
2	A	757	LDA	C5-C6-C7-C8
2	A	744	LDA	C7-C8-C9-C10
2	A	751	LDA	C2-C3-C4-C5
2	A	751	LDA	C9-C10-C11-C12
2	A	754	LDA	C9-C10-C11-C12
2	A	755	LDA	C9-C10-C11-C12
2	A	747	LDA	C7-C8-C9-C10
2	A	756	LDA	C3-C4-C5-C6
2	A	745	LDA	C4-C5-C6-C7
2	A	756	LDA	C9-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	743	LDA	C6-C7-C8-C9
2	A	758	LDA	C2-C3-C4-C5
2	A	744	LDA	C6-C7-C8-C9
2	A	750	LDA	C2-C3-C4-C5
2	A	746	LDA	C9-C10-C11-C12
2	A	748	LDA	C1-C2-C3-C4
2	A	747	LDA	C11-C10-C9-C8
3	A	760	HTO	C4-C5-C6-C7
2	A	743	LDA	C9-C10-C11-C12
2	A	754	LDA	C1-C2-C3-C4
2	A	750	LDA	C9-C10-C11-C12
2	A	755	LDA	C11-C10-C9-C8
2	A	743	LDA	C4-C5-C6-C7
2	A	748	LDA	C9-C10-C11-C12
2	A	742	LDA	C7-C8-C9-C10
2	A	745	LDA	C3-C4-C5-C6
3	A	759	HTO	C3-C4-C5-C6
2	A	744	LDA	C2-C3-C4-C5
2	A	744	LDA	C9-C10-C11-C12
2	A	756	LDA	C2-C3-C4-C5
2	A	747	LDA	C4-C5-C6-C7
2	A	754	LDA	C6-C7-C8-C9
2	A	752	LDA	C9-C10-C11-C12
2	A	742	LDA	C2-C1-N1-CM1
2	A	742	LDA	C2-C1-N1-CM2
2	A	743	LDA	C2-C1-N1-CM1
2	A	743	LDA	C2-C1-N1-CM2
2	A	744	LDA	C2-C1-N1-CM1
2	A	744	LDA	C2-C1-N1-CM2
2	A	745	LDA	C2-C1-N1-CM1
2	A	745	LDA	C2-C1-N1-CM2
2	A	746	LDA	C2-C1-N1-CM1
2	A	746	LDA	C2-C1-N1-CM2
2	A	747	LDA	C2-C1-N1-CM1
2	A	747	LDA	C2-C1-N1-CM2
2	A	748	LDA	C2-C1-N1-CM1
2	A	748	LDA	C2-C1-N1-CM2
2	A	749	LDA	C2-C1-N1-CM1
2	A	749	LDA	C2-C1-N1-CM2
2	A	750	LDA	C2-C1-N1-CM1
2	A	750	LDA	C2-C1-N1-CM2
2	A	751	LDA	C2-C1-N1-CM1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	751	LDA	C2-C1-N1-CM2
2	A	752	LDA	C2-C1-N1-CM1
2	A	752	LDA	C2-C1-N1-CM2
2	A	753	LDA	C2-C1-N1-CM1
2	A	753	LDA	C2-C1-N1-CM2
2	A	754	LDA	C2-C1-N1-CM1
2	A	754	LDA	C2-C1-N1-CM2
2	A	755	LDA	C2-C1-N1-CM1
2	A	755	LDA	C2-C1-N1-CM2
2	A	756	LDA	C2-C1-N1-CM1
2	A	756	LDA	C2-C1-N1-CM2
2	A	757	LDA	C2-C1-N1-CM1
2	A	757	LDA	C2-C1-N1-CM2
2	A	758	LDA	C2-C1-N1-CM1
2	A	758	LDA	C2-C1-N1-CM2
3	A	760	HTO	C1-C2-C3-O3
2	A	755	LDA	C1-C2-C3-C4
2	A	745	LDA	C11-C10-C9-C8
2	A	751	LDA	C3-C4-C5-C6
2	A	756	LDA	C1-C2-C3-C4
2	A	748	LDA	C3-C4-C5-C6
2	A	742	LDA	C2-C1-N1-O1
2	A	743	LDA	C2-C1-N1-O1
2	A	744	LDA	C2-C1-N1-O1
2	A	745	LDA	C2-C1-N1-O1
2	A	746	LDA	C2-C1-N1-O1
2	A	747	LDA	C2-C1-N1-O1
2	A	748	LDA	C2-C1-N1-O1
2	A	749	LDA	C2-C1-N1-O1
2	A	750	LDA	C2-C1-N1-O1
2	A	751	LDA	C2-C1-N1-O1
2	A	752	LDA	C2-C1-N1-O1
2	A	753	LDA	C2-C1-N1-O1
2	A	754	LDA	C2-C1-N1-O1
2	A	755	LDA	C2-C1-N1-O1
2	A	756	LDA	C2-C1-N1-O1
2	A	757	LDA	C2-C1-N1-O1
2	A	758	LDA	C2-C1-N1-O1
2	A	751	LDA	C11-C10-C9-C8
2	A	757	LDA	C7-C8-C9-C10
2	A	758	LDA	C3-C4-C5-C6
2	A	751	LDA	C4-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	757	LDA	C2-C3-C4-C5
2	A	745	LDA	C2-C3-C4-C5
2	A	747	LDA	C3-C4-C5-C6
2	A	745	LDA	C9-C10-C11-C12
2	A	747	LDA	C2-C3-C4-C5
2	A	753	LDA	C7-C8-C9-C10
2	A	749	LDA	C11-C10-C9-C8
2	A	742	LDA	C2-C3-C4-C5
2	A	750	LDA	C5-C6-C7-C8
2	A	746	LDA	C7-C8-C9-C10
2	A	757	LDA	C9-C10-C11-C12
2	A	751	LDA	C6-C7-C8-C9
3	A	759	HTO	C1-C2-C3-O3
2	A	747	LDA	C5-C6-C7-C8
2	A	749	LDA	C2-C3-C4-C5
2	A	742	LDA	C5-C6-C7-C8

There are no ring outliers.

9 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	754	LDA	1	0
2	A	745	LDA	2	0
2	A	750	LDA	1	0
2	A	747	LDA	1	0
2	A	742	LDA	1	0
2	A	743	LDA	2	0
2	A	751	LDA	1	0
2	A	749	LDA	1	0
2	A	755	LDA	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	661/774 (85%)	0.02	20 (3%)	52 51	13, 22, 39, 79	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	694	PRO	8.1
1	A	532	VAL	4.6
1	A	695	GLN	4.5
1	A	696	MET	4.2
1	A	693	GLY	4.2
1	A	427	GLY	3.9
1	A	698	ASP	3.5
1	A	296	THR	3.5
1	A	697	ALA	3.2
1	A	428	GLN	3.2
1	A	222	ASP	2.8
1	A	223	PHE	2.7
1	A	81	ALA	2.6
1	A	110	GLU	2.5
1	A	740	LYS	2.4
1	A	735	MET	2.2
1	A	95	ASN	2.1
1	A	531	ASN	2.0
1	A	449	TRP	2.0
1	A	253	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	LDA	A	753	16/16	0.51	0.33	81,82,85,85	0
3	HTO	A	759	10/10	0.52	0.32	60,62,63,65	0
2	LDA	A	755	16/16	0.62	0.31	64,71,74,74	0
2	LDA	A	746	16/16	0.62	0.29	71,72,75,75	0
2	LDA	A	747	16/16	0.64	0.31	80,81,84,84	0
2	LDA	A	758	16/16	0.65	0.31	76,77,80,80	0
2	LDA	A	748	16/16	0.65	0.29	64,65,67,67	0
3	HTO	A	760	10/10	0.65	0.24	67,67,69,71	0
2	LDA	A	757	16/16	0.68	0.27	74,75,79,79	0
2	LDA	A	750	16/16	0.69	0.25	57,62,71,72	0
2	LDA	A	744	16/16	0.72	0.30	66,69,73,73	0
2	LDA	A	752	16/16	0.72	0.28	85,85,85,86	0
2	LDA	A	756	16/16	0.73	0.27	59,62,67,67	0
2	LDA	A	743	16/16	0.74	0.28	60,62,67,67	0
2	LDA	A	749	16/16	0.75	0.22	58,62,67,67	0
2	LDA	A	754	16/16	0.76	0.24	66,67,68,69	0
2	LDA	A	751	16/16	0.78	0.26	56,64,75,75	0
2	LDA	A	745	16/16	0.78	0.25	66,70,72,72	0
2	LDA	A	742	16/16	0.82	0.20	53,64,72,72	0

6.5 Other polymers [i](#)

There are no such residues in this entry.