



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 11:25 PM UTC

PDB ID : 5KMQ / pdb_00005kmq
Title : The structure of I379E variant of type II NADH dehydrogenase from *Caldalibacillus thermarum*
Authors : Cook, G.M.; Aragao, D.; Nakatani, Y.
Deposited on : 2016-06-27
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	405	86%10% ..
1	B	405	7% 83%13% ..
1	C	405	22% 85%10%5%
1	D	405	5% 90%7% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11334 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FAD-dependent pyridine nucleotide-disulfide oxidoreductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	0	0	0
			2889	1851	490	539	9			
1	B	393	Total	C	N	O	S	0	0	0
			2855	1823	487	537	8			
1	C	384	Total	C	N	O	S	0	0	0
			2520	1594	441	478	7			
1	D	394	Total	C	N	O	S	0	0	0
			2785	1778	479	521	7			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	379	GLU	ILE	engineered mutation	UNP F5L3B8
A	400	HIS	-	expression tag	UNP F5L3B8
A	401	HIS	-	expression tag	UNP F5L3B8
A	402	HIS	-	expression tag	UNP F5L3B8
A	403	HIS	-	expression tag	UNP F5L3B8
A	404	HIS	-	expression tag	UNP F5L3B8
A	405	HIS	-	expression tag	UNP F5L3B8
B	379	GLU	ILE	engineered mutation	UNP F5L3B8
B	400	HIS	-	expression tag	UNP F5L3B8
B	401	HIS	-	expression tag	UNP F5L3B8
B	402	HIS	-	expression tag	UNP F5L3B8
B	403	HIS	-	expression tag	UNP F5L3B8
B	404	HIS	-	expression tag	UNP F5L3B8
B	405	HIS	-	expression tag	UNP F5L3B8
C	379	GLU	ILE	engineered mutation	UNP F5L3B8
C	400	HIS	-	expression tag	UNP F5L3B8
C	401	HIS	-	expression tag	UNP F5L3B8
C	402	HIS	-	expression tag	UNP F5L3B8
C	403	HIS	-	expression tag	UNP F5L3B8
C	404	HIS	-	expression tag	UNP F5L3B8
C	405	HIS	-	expression tag	UNP F5L3B8

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	379	GLU	ILE	engineered mutation	UNP F5L3B8
D	400	HIS	-	expression tag	UNP F5L3B8
D	401	HIS	-	expression tag	UNP F5L3B8
D	402	HIS	-	expression tag	UNP F5L3B8
D	403	HIS	-	expression tag	UNP F5L3B8
D	404	HIS	-	expression tag	UNP F5L3B8
D	405	HIS	-	expression tag	UNP F5L3B8

- # FAD

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	31	Total O 31 31	0	0
3	B	21	Total O 21 21	0	0

WORLDWIDE
PDB
PROTEIN DATA BANK


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	3	Total	O	0	0
			3	3		
3	D	18	Total	O	0	0
			18	18		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: FAD-dependent pyridine nucleotide-disulfide oxidoreductase




- Molecule 1: FAD-dependent pyridine nucleotide-disulfide oxidoreductase





- Molecule 1: FAD-dependent pyridine nucleotide-disulfide oxidoreductase





● Molecule 1: FAD-dependent pyridine nucleotide-disulfide oxidoreductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.38Å 114.37Å 130.46Å 90.00° 92.04° 90.00°	Depositor
Resolution (Å)	44.86 – 2.70 44.86 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.3 (44.86-2.70) 97.3 (44.86-2.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.81 (at 2.69Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.223 , 0.269 0.227 , 0.270	Depositor DCC
R_{free} test set	2808 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	61.4	Xtriage
Anisotropy	0.162	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.021 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11334	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/2948	0.87	2/4021 (0.0%)
1	B	0.45	0/2913	0.89	6/3979 (0.2%)
1	C	0.43	0/2565	0.91	3/3523 (0.1%)
1	D	0.42	0/2839	0.88	3/3883 (0.1%)
All	All	0.44	0/11265	0.88	14/15406 (0.1%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	27	ASN	N-CA-C	-7.57	103.84	113.23
1	B	340	THR	N-CA-C	6.91	119.84	110.31
1	D	310	ARG	CA-C-N	6.61	126.52	119.85
1	D	310	ARG	C-N-CA	6.61	126.52	119.85
1	B	208	ASP	CA-C-N	6.05	125.74	119.56
1	B	208	ASP	C-N-CA	6.05	125.74	119.56
1	A	96	GLY	N-CA-C	5.80	119.06	110.42
1	A	260	GLY	N-CA-C	5.63	119.98	112.77
1	D	33	ILE	N-CA-C	5.55	115.85	107.80
1	C	35	LEU	N-CA-C	5.47	117.44	108.52
1	B	146	PHE	N-CA-C	5.42	117.18	111.28
1	B	310	ARG	CA-C-N	-5.09	114.71	119.85
1	B	310	ARG	C-N-CA	-5.09	114.71	119.85
1	C	32	ASP	N-CA-C	5.01	116.76	108.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2889	0	2780	21	0
1	B	2855	0	2709	30	0
1	C	2520	0	2139	18	0
1	D	2785	0	2600	17	0
2	A	53	0	31	3	0
2	B	53	0	29	4	0
2	C	53	0	31	0	0
2	D	53	0	31	2	0
3	A	31	0	0	0	0
3	B	21	0	0	0	0
3	C	3	0	0	0	0
3	D	18	0	0	1	0
All	All	11334	0	10350	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:3:LYS:N	1:C:30:GLU:O	2.14	0.80
1:A:176:ASP:OD1	1:A:222:LYS:NZ	2.18	0.75
1:B:6:ILE:HD11	1:B:334:ILE:HD11	1.84	0.60
1:B:11:ALA:O	1:B:42:HIS:ND1	2.36	0.59
1:A:215:ALA:HB2	1:A:359:ILE:HD13	1.86	0.58
1:A:384:LEU:HD22	1:A:392:LEU:HD13	1.84	0.58
1:D:193:ARG:NH2	3:D:702:HOH:O	2.36	0.58
1:A:204:LEU:O	1:A:207:PHE:HB2	2.05	0.56
1:D:143:PHE:CE2	1:D:178:MET:HE1	2.40	0.56
1:A:86:ARG:HD2	1:A:291:HIS:CE1	2.41	0.55
1:D:302:LEU:HD11	1:D:311:PRO:HB3	1.89	0.55
1:D:178:MET:HE2	1:D:192:VAL:HG11	1.90	0.54
1:B:388:GLY:HA3	1:B:392:LEU:HD12	1.90	0.53
1:D:163:ALA:HB3	1:D:198:GLU:HG2	1.91	0.53
1:C:234:ARG:HG2	1:C:241:VAL:HB	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:VAL:HG11	1:B:375:LEU:HD12	1.92	0.51
1:D:125:SER:O	1:D:131:SER:OG	2.22	0.51
1:B:26:LEU:O	1:B:73:LYS:NZ	2.33	0.51
1:C:285:TYR:O	1:C:287:ARG:N	2.45	0.50
1:C:178:MET:SD	1:C:192:VAL:HG11	2.52	0.50
1:D:258:TRP:CZ2	1:D:260:GLY:HA3	2.47	0.49
1:A:258:TRP:CZ2	1:A:260:GLY:HA3	2.48	0.49
1:C:289:PRO:C	1:C:291:HIS:H	2.20	0.49
1:D:10:GLY:O	1:D:15:GLY:HA3	2.13	0.49
1:B:110:GLU:HG3	1:B:265:ASN:HA	1.96	0.48
1:B:266:SER:HB2	1:B:270:LYS:HE3	1.96	0.48
1:B:47:GLU:O	1:B:51:PRO:HD2	2.14	0.48
1:A:27:ASN:ND2	1:A:30:GLU:OE1	2.47	0.47
1:D:47:GLU:O	1:D:51:PRO:HD2	2.14	0.47
1:B:119:LEU:HD21	1:B:258:TRP:CE3	2.49	0.47
1:D:316:ALA:HB2	2:D:601:FAD:H2'	1.97	0.47
1:B:138:HIS:O	1:B:142:GLN:HG2	2.14	0.47
1:A:315:THR:HB	2:A:601:FAD:O2	2.15	0.47
1:B:258:TRP:CZ2	1:B:260:GLY:HA3	2.50	0.46
1:B:309:ASN:O	1:B:309:ASN:ND2	2.34	0.46
1:A:47:GLU:O	1:A:51:PRO:HD2	2.16	0.46
1:C:138:HIS:O	1:C:142:GLN:HG2	2.15	0.46
1:B:160:VAL:O	1:B:196:ASN:ND2	2.46	0.46
1:D:122:HIS:CE1	1:D:237:PRO:HG3	2.51	0.45
1:C:107:LEU:HB3	1:C:265:ASN:ND2	2.32	0.45
1:C:238:GLU:OE2	1:C:238:GLU:HA	2.17	0.45
1:B:177:ARG:NH1	1:B:180:GLU:OE1	2.50	0.44
1:A:45:THR:HA	1:A:48:LEU:HG	1.99	0.44
1:C:45:THR:HA	1:C:48:LEU:HG	1.98	0.44
1:A:46:THR:HG22	2:A:601:FAD:C10	2.48	0.44
1:A:316:ALA:O	1:A:320:ILE:HG13	2.18	0.44
1:B:146:PHE:HD2	1:B:187:VAL:HG22	1.83	0.44
1:C:178:MET:HE3	1:C:178:MET:HA	1.98	0.44
1:D:163:ALA:H	1:D:198:GLU:HG2	1.82	0.44
1:C:343:LYS:HA	1:C:344:PRO:HD2	1.92	0.44
1:A:317:GLN:NE2	1:A:347:ARG:H	2.15	0.44
1:A:379:GLU:HA	1:A:382:ARG:HD3	1.99	0.44
1:B:339:MET:HB3	1:B:340:THR:H	1.49	0.44
1:B:26:LEU:HD11	1:B:334:ILE:HD12	2.01	0.43
1:B:289:PRO:HA	1:B:290:GLY:HA2	1.69	0.43
1:B:299:ASP:OD1	2:B:601:FAD:H5'2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:110:GLU:HG3	1:D:265:ASN:HA	1.99	0.43
1:B:165:PHE:CE2	1:B:351:ALA:HB2	2.54	0.43
1:B:330:LEU:HD23	1:B:330:LEU:HA	1.86	0.43
1:B:299:ASP:CG	2:B:601:FAD:H5'2	2.44	0.43
1:C:100:TYR:CD1	1:C:103:LEU:HB2	2.54	0.43
1:C:45:THR:HG23	1:C:48:LEU:HD12	2.01	0.43
1:B:316:ALA:O	1:B:320:ILE:HG13	2.18	0.43
1:A:208:ASP:HB2	1:A:361:ILE:HD11	2.01	0.43
1:D:178:MET:HE2	1:D:192:VAL:HG21	2.01	0.43
1:D:315:THR:HB	2:D:601:FAD:O2	2.18	0.43
1:B:166:THR:HG23	2:B:601:FAD:HM71	2.00	0.42
1:A:138:HIS:O	1:A:142:GLN:HG2	2.20	0.42
1:B:389:GLY:O	1:B:393:VAL:HG23	2.20	0.42
1:A:316:ALA:HB2	2:A:601:FAD:H2'	2.00	0.42
1:B:340:THR:HA	1:B:341:PRO:HD3	1.86	0.42
1:C:329:ASN:CB	1:C:339:MET:HE3	2.49	0.42
1:A:283:ASP:HB2	1:A:284:PRO:HD2	2.01	0.42
1:A:384:LEU:HD23	1:A:384:LEU:HA	1.88	0.42
1:C:258:TRP:CZ2	1:C:260:GLY:HA3	2.55	0.42
2:B:601:FAD:H9	2:B:601:FAD:H1'1	1.86	0.41
1:A:68:LEU:HD11	1:A:387:ILE:HD12	2.02	0.41
1:B:388:GLY:HA3	1:B:392:LEU:HB2	2.01	0.41
1:C:308:ASN:C	1:C:310:ARG:H	2.28	0.41
1:A:310:ARG:HA	1:A:311:PRO:HD3	1.95	0.41
1:B:118:GLY:C	1:B:235:CYS:HB3	2.46	0.41
1:D:90:LYS:HG3	1:D:99:HIS:CE1	2.55	0.41
1:B:89:GLN:NE2	1:B:100:TYR:O	2.54	0.41
1:C:340:THR:HG22	1:C:341:PRO:O	2.20	0.41
1:C:28:TYR:C	1:C:30:GLU:H	2.27	0.40
1:D:51:PRO:HD3	1:D:56:MET:HE2	2.03	0.40
1:B:313:PRO:HA	1:B:314:PRO:HD3	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	391/405 (96%)	383 (98%)	7 (2%)	1 (0%)	36	60
1	B	391/405 (96%)	378 (97%)	11 (3%)	2 (0%)	24	48
1	C	378/405 (93%)	366 (97%)	10 (3%)	2 (0%)	24	48
1	D	392/405 (97%)	389 (99%)	3 (1%)	0	100	100
All	All	1552/1620 (96%)	1516 (98%)	31 (2%)	5 (0%)	36	60

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	28	TYR
1	C	286	LEU
1	B	364	GLY
1	C	309	ASN
1	B	28	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/329 (85%)	270 (96%)	10 (4%)	31	60
1	B	273/329 (83%)	261 (96%)	12 (4%)	25	53
1	C	192/329 (58%)	184 (96%)	8 (4%)	26	55
1	D	254/329 (77%)	249 (98%)	5 (2%)	48	76
All	All	999/1316 (76%)	964 (96%)	35 (4%)	32	61

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	196	ASN
1	A	202	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	207	PHE
1	A	244	VAL
1	A	263	ARG
1	A	381	MET
1	A	386	LEU
1	A	390	LEU
1	A	392	LEU
1	B	22	LEU
1	B	30	GLU
1	B	92	THR
1	B	125	SER
1	B	180	GLU
1	B	196	ASN
1	B	202	THR
1	B	238	GLU
1	B	309	ASN
1	B	339	MET
1	B	340	THR
1	B	392	LEU
1	C	34	THR
1	C	40	ASP
1	C	92	THR
1	C	98	LEU
1	C	109	SER
1	C	178	MET
1	C	238	GLU
1	C	280	ILE
1	D	121	GLU
1	D	131	SER
1	D	198	GLU
1	D	202	THR
1	D	340	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	88	GLN
1	A	89	GLN
1	A	142	GLN
1	A	196	ASN
1	A	317	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	39	ASN
1	B	95	ASN
1	B	196	ASN
1	C	50	GLN
1	C	89	GLN
1	C	122	HIS
1	C	142	GLN
1	D	325	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	A	601	-	58,58,58	2.80	19 (32%)	85,89,89	2.20	23 (27%)
2	FAD	C	601	-	58,58,58	2.83	20 (34%)	85,89,89	2.23	25 (29%)
2	FAD	D	601	-	58,58,58	2.80	21 (36%)	85,89,89	2.24	25 (29%)
2	FAD	B	601	-	58,58,58	2.79	21 (36%)	85,89,89	2.20	24 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	601	-	-	1/34/50/50	0/6/6/6
2	FAD	C	601	-	-	10/34/50/50	0/6/6/6
2	FAD	D	601	-	-	8/34/50/50	0/6/6/6
2	FAD	B	601	-	-	4/34/50/50	0/6/6/6

All (81) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	FAD	O4B-C1B	8.41	1.61	1.42
2	D	601	FAD	O4B-C1B	8.28	1.61	1.42
2	B	601	FAD	O4B-C1B	7.92	1.60	1.42
2	A	601	FAD	C2B-C1B	-7.91	1.28	1.53
2	C	601	FAD	O4B-C1B	7.87	1.60	1.42
2	B	601	FAD	C2B-C1B	-7.81	1.28	1.53
2	C	601	FAD	C2B-C1B	-7.67	1.29	1.53
2	D	601	FAD	C2B-C1B	-7.56	1.29	1.53
2	C	601	FAD	O4B-C4B	-7.01	1.29	1.45
2	A	601	FAD	O4B-C4B	-6.99	1.29	1.45
2	D	601	FAD	O4B-C4B	-6.98	1.29	1.45
2	B	601	FAD	O4B-C4B	-6.97	1.29	1.45
2	C	601	FAD	C4X-N5	5.84	1.43	1.30
2	B	601	FAD	C4X-N5	5.71	1.43	1.30
2	D	601	FAD	C4X-N5	5.63	1.42	1.30
2	A	601	FAD	C4X-N5	5.62	1.42	1.30
2	A	601	FAD	C5X-N5	5.31	1.49	1.39
2	C	601	FAD	C5X-N5	5.28	1.49	1.39
2	B	601	FAD	C5X-N5	5.21	1.49	1.39
2	D	601	FAD	C10-N1	5.10	1.43	1.33
2	C	601	FAD	C10-N1	5.02	1.43	1.33
2	D	601	FAD	C5X-N5	4.91	1.48	1.39
2	B	601	FAD	C10-N1	4.79	1.42	1.33
2	A	601	FAD	C10-N1	4.73	1.42	1.33
2	B	601	FAD	C6A-N6A	4.67	1.46	1.34
2	C	601	FAD	C6A-N6A	4.67	1.46	1.34
2	C	601	FAD	C2-N1	4.59	1.47	1.36
2	D	601	FAD	C6A-N6A	4.58	1.45	1.34
2	A	601	FAD	C6A-N6A	4.48	1.45	1.34
2	D	601	FAD	C2-N1	4.47	1.46	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	FAD	O2B-C2B	4.31	1.53	1.43
2	C	601	FAD	O4-C4	-4.27	1.15	1.23
2	B	601	FAD	O4-C4	-4.26	1.15	1.23
2	A	601	FAD	O4-C4	-4.23	1.15	1.23
2	B	601	FAD	O2B-C2B	4.20	1.53	1.43
2	D	601	FAD	O4-C4	-4.17	1.15	1.23
2	D	601	FAD	O2B-C2B	4.08	1.53	1.43
2	A	601	FAD	C2-N1	4.07	1.45	1.36
2	B	601	FAD	C2-N1	4.02	1.45	1.36
2	D	601	FAD	C10-N10	3.91	1.45	1.37
2	A	601	FAD	O2B-C2B	3.86	1.52	1.43
2	C	601	FAD	C10-N10	3.83	1.45	1.37
2	A	601	FAD	C2-N3	3.83	1.47	1.39
2	B	601	FAD	C10-N10	3.74	1.45	1.37
2	C	601	FAD	C2-N3	3.56	1.46	1.39
2	A	601	FAD	C10-N10	3.36	1.44	1.37
2	C	601	FAD	C8M-C8	3.34	1.57	1.51
2	B	601	FAD	O4'-C4'	-3.31	1.36	1.43
2	B	601	FAD	C2-N3	3.30	1.46	1.39
2	D	601	FAD	C2-N3	3.27	1.46	1.39
2	A	601	FAD	C8M-C8	3.18	1.57	1.51
2	B	601	FAD	C8M-C8	3.08	1.56	1.51
2	C	601	FAD	C7M-C7	3.08	1.56	1.51
2	A	601	FAD	C7M-C7	3.08	1.56	1.51
2	A	601	FAD	O4'-C4'	-3.05	1.36	1.43
2	D	601	FAD	C8M-C8	3.01	1.56	1.51
2	D	601	FAD	C7M-C7	2.92	1.56	1.51
2	D	601	FAD	C9A-N10	2.92	1.46	1.41
2	C	601	FAD	O4'-C4'	-2.90	1.37	1.43
2	C	601	FAD	C9A-N10	2.85	1.46	1.41
2	D	601	FAD	O4'-C4'	-2.77	1.37	1.43
2	A	601	FAD	C9A-N10	2.72	1.45	1.41
2	B	601	FAD	C7M-C7	2.70	1.56	1.51
2	A	601	FAD	C4-N3	2.60	1.43	1.38
2	C	601	FAD	C8A-N7A	2.57	1.36	1.31
2	A	601	FAD	C8A-N7A	2.49	1.36	1.31
2	C	601	FAD	C4-N3	2.44	1.43	1.38
2	B	601	FAD	C9A-N10	2.39	1.45	1.41
2	B	601	FAD	C8A-N7A	2.38	1.36	1.31
2	B	601	FAD	C4-N3	2.25	1.43	1.38
2	D	601	FAD	C8A-N7A	2.21	1.35	1.31
2	D	601	FAD	C2A-N1A	2.18	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	FAD	C5'-C4'	2.17	1.54	1.51
2	A	601	FAD	C5B-C4B	2.16	1.58	1.51
2	B	601	FAD	C5A-N7A	-2.14	1.35	1.39
2	B	601	FAD	C5B-C4B	2.14	1.58	1.51
2	D	601	FAD	C4-N3	2.13	1.42	1.38
2	B	601	FAD	C2A-N1A	2.12	1.37	1.33
2	D	601	FAD	C2A-N3A	2.09	1.37	1.33
2	D	601	FAD	C5'-C4'	2.05	1.54	1.51
2	C	601	FAD	C5B-C4B	2.05	1.57	1.51

All (97) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	FAD	C7M-C7-C6	-9.25	103.28	119.57
2	C	601	FAD	C7M-C7-C6	-9.14	103.47	119.57
2	D	601	FAD	C7M-C7-C6	-8.87	103.94	119.57
2	A	601	FAD	C7M-C7-C6	-8.84	103.99	119.57
2	C	601	FAD	C7M-C7-C8	7.69	136.46	120.76
2	B	601	FAD	C7M-C7-C8	7.62	136.31	120.76
2	D	601	FAD	C7M-C7-C8	7.56	136.19	120.76
2	A	601	FAD	C7M-C7-C8	7.53	136.14	120.76
2	A	601	FAD	N3A-C2A-N1A	-5.79	119.82	128.58
2	C	601	FAD	N6A-C6A-N1A	-5.52	106.08	118.38
2	D	601	FAD	N6A-C6A-N1A	-5.37	106.41	118.38
2	C	601	FAD	N3A-C2A-N1A	-5.29	120.57	128.58
2	D	601	FAD	C5A-C4A-N3A	-5.29	119.43	126.72
2	A	601	FAD	N6A-C6A-N1A	-5.27	106.64	118.38
2	D	601	FAD	N3A-C2A-N1A	-5.25	120.64	128.58
2	B	601	FAD	N3A-C2A-N1A	-5.23	120.67	128.58
2	C	601	FAD	C5A-C4A-N3A	-4.95	119.90	126.72
2	B	601	FAD	C5A-C4A-N3A	-4.62	120.36	126.72
2	B	601	FAD	N6A-C6A-N1A	-4.61	108.11	118.38
2	D	601	FAD	N9A-C8A-N7A	-4.43	107.65	113.94
2	C	601	FAD	C5A-C6A-N6A	4.40	134.19	123.29
2	A	601	FAD	C5A-C4A-N3A	-4.39	120.67	126.72
2	A	601	FAD	C5A-C6A-N6A	4.27	133.86	123.29
2	C	601	FAD	N9A-C8A-N7A	-4.21	107.97	113.94
2	D	601	FAD	C5A-C6A-N6A	4.18	133.63	123.29
2	B	601	FAD	N9A-C8A-N7A	-4.15	108.04	113.94
2	A	601	FAD	N9A-C8A-N7A	-4.03	108.21	113.94
2	B	601	FAD	C5A-C6A-N6A	3.82	132.75	123.29
2	C	601	FAD	C4'-C3'-C2'	-3.43	107.86	113.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	FAD	C8M-C8-C9	3.39	125.55	119.57
2	A	601	FAD	C4-N3-C2	-3.38	119.64	125.64
2	D	601	FAD	C2A-N3A-C4A	3.37	120.06	111.83
2	D	601	FAD	C4'-C3'-C2'	-3.34	108.02	113.57
2	D	601	FAD	C5A-N7A-C8A	3.32	108.66	103.45
2	D	601	FAD	C8M-C8-C9	3.29	125.37	119.57
2	C	601	FAD	C4-N3-C2	-3.27	119.84	125.64
2	D	601	FAD	C4-N3-C2	-3.19	119.97	125.64
2	C	601	FAD	C2A-N3A-C4A	3.18	119.60	111.83
2	D	601	FAD	N3A-C4A-N9A	3.16	132.54	127.17
2	A	601	FAD	C2A-N3A-C4A	3.13	119.47	111.83
2	D	601	FAD	C8M-C8-C7	-3.10	114.43	120.76
2	A	601	FAD	C8M-C8-C7	-3.09	114.46	120.76
2	A	601	FAD	C4'-C3'-C2'	-3.06	108.47	113.57
2	C	601	FAD	C5A-N7A-C8A	3.05	108.24	103.45
2	B	601	FAD	C8M-C8-C9	3.03	124.92	119.57
2	B	601	FAD	C4-N3-C2	-3.02	120.27	125.64
2	B	601	FAD	C8M-C8-C7	-2.94	114.76	120.76
2	C	601	FAD	C5X-C9A-N10	2.93	120.62	117.97
2	A	601	FAD	C4X-C10-N10	2.89	120.62	116.48
2	B	601	FAD	N3A-C4A-N9A	2.89	132.07	127.17
2	B	601	FAD	C4X-C10-N10	2.88	120.61	116.48
2	B	601	FAD	C2A-N3A-C4A	2.84	118.78	111.83
2	B	601	FAD	C5A-N7A-C8A	2.77	107.81	103.45
2	B	601	FAD	O4B-C1B-N9A	-2.73	102.85	108.09
2	C	601	FAD	N3A-C4A-N9A	2.73	131.81	127.17
2	A	601	FAD	O4-C4-C4X	-2.72	119.35	126.53
2	D	601	FAD	C4A-C5A-N7A	-2.69	107.50	110.58
2	C	601	FAD	C8M-C8-C9	2.64	124.22	119.57
2	D	601	FAD	C5X-C9A-N10	2.64	120.36	117.97
2	D	601	FAD	C9A-C5X-N5	-2.59	119.70	122.45
2	A	601	FAD	C10-C4X-N5	-2.57	119.56	124.81
2	C	601	FAD	C4A-C5A-N7A	-2.56	107.66	110.58
2	C	601	FAD	C4X-C4-N3	2.55	119.73	113.25
2	A	601	FAD	C5A-N7A-C8A	2.54	107.44	103.45
2	C	601	FAD	C4X-C10-N10	2.52	120.09	116.48
2	B	601	FAD	C6A-C5A-C4A	2.51	120.60	117.18
2	C	601	FAD	O4-C4-C4X	-2.50	119.94	126.53
2	B	601	FAD	C10-C4X-N5	-2.48	119.74	124.81
2	D	601	FAD	C6A-C5A-C4A	2.44	120.52	117.18
2	B	601	FAD	C5X-C9A-N10	2.44	120.18	117.97
2	D	601	FAD	C4X-C4-N3	2.44	119.45	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	FAD	C4X-C4-N3	2.43	119.44	113.25
2	B	601	FAD	C4A-N9A-C8A	2.39	108.25	105.74
2	A	601	FAD	N3A-C4A-N9A	2.39	131.23	127.17
2	A	601	FAD	O2-C2-N1	-2.38	117.85	121.80
2	D	601	FAD	C10-C4X-N5	-2.35	120.00	124.81
2	D	601	FAD	O4-C4-C4X	-2.33	120.37	126.53
2	A	601	FAD	C4X-C4-N3	2.33	119.19	113.25
2	C	601	FAD	C10-C4X-N5	-2.33	120.05	124.81
2	C	601	FAD	C8M-C8-C7	-2.33	116.01	120.76
2	B	601	FAD	O4-C4-C4X	-2.32	120.42	126.53
2	D	601	FAD	C4A-N9A-C8A	2.30	108.15	105.74
2	C	601	FAD	C9A-C5X-N5	-2.30	120.02	122.45
2	C	601	FAD	C5A-C4A-N9A	2.28	108.29	105.81
2	A	601	FAD	C5X-C9A-N10	2.26	120.01	117.97
2	B	601	FAD	C5'-C4'-C3'	-2.25	107.97	112.22
2	D	601	FAD	C4X-C10-N10	2.22	119.66	116.48
2	A	601	FAD	C9A-C5X-N5	-2.18	120.14	122.45
2	B	601	FAD	C9-C9A-N10	-2.18	118.93	121.85
2	A	601	FAD	O5'-C5'-C4'	-2.17	103.56	109.36
2	C	601	FAD	C6A-C5A-C4A	2.16	120.12	117.18
2	C	601	FAD	C9-C9A-N10	-2.15	118.97	121.85
2	A	601	FAD	C5A-C4A-N9A	2.10	108.10	105.81
2	D	601	FAD	C4-C4X-C10	2.04	120.44	116.93
2	B	601	FAD	C9A-C5X-N5	-2.04	120.29	122.45
2	D	601	FAD	C5A-C4A-N9A	2.04	108.03	105.81
2	C	601	FAD	C4A-N9A-C8A	2.01	107.85	105.74

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	FAD	C5'-O5'-P-O2P
2	C	601	FAD	C2'-C3'-C4'-O4'
2	C	601	FAD	C2'-C3'-C4'-C5'
2	C	601	FAD	O3'-C3'-C4'-O4'
2	C	601	FAD	O3'-C3'-C4'-C5'
2	D	601	FAD	C2'-C3'-C4'-O4'
2	D	601	FAD	C2'-C3'-C4'-C5'
2	C	601	FAD	C3B-C4B-C5B-O5B
2	D	601	FAD	O3'-C3'-C4'-C5'
2	C	601	FAD	O4B-C4B-C5B-O5B
2	D	601	FAD	O3'-C3'-C4'-O4'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	601	FAD	C3B-C4B-C5B-O5B
2	D	601	FAD	O4B-C4B-C5B-O5B
2	C	601	FAD	P-O3P-PA-O5B
2	D	601	FAD	P-O3P-PA-O5B
2	C	601	FAD	C4'-C5'-O5'-P
2	B	601	FAD	C5'-O5'-P-O1P
2	B	601	FAD	C5'-O5'-P-O3P
2	C	601	FAD	C5B-O5B-PA-O1A
2	D	601	FAD	C4'-C5'-O5'-P
2	A	601	FAD	O4B-C4B-C5B-O5B
2	C	601	FAD	PA-O3P-P-O2P
2	B	601	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.


3 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	FAD	3	0
2	D	601	FAD	2	0
2	B	601	FAD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	393/405 (97%)	0.20	4 (1%) 79 78	27, 51, 77, 93	0
1	B	393/405 (97%)	0.57	28 (7%) 22 19	28, 57, 82, 90	0
1	C	384/405 (94%)	1.24	89 (23%) 2 2	39, 75, 98, 111	0
1	D	394/405 (97%)	0.44	21 (5%) 32 28	38, 59, 87, 122	0
All	All	1564/1620 (96%)	0.61	142 (9%) 15 12	27, 60, 91, 122	0

All (142) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	329	ASN	5.0
1	D	245	ASP	4.8
1	C	31	ALA	4.8
1	B	338	SER	4.7
1	C	370	HIS	4.6
1	C	286	LEU	4.5
1	B	348	GLY	4.3
1	C	295	PHE	4.2
1	B	307	GLU	4.1
1	C	393	VAL	4.0
1	C	377	LYS	3.9
1	C	64	GLY	3.9
1	B	339	MET	3.7
1	C	23	GLN	3.7
1	C	283	ASP	3.7
1	C	85	ASP	3.7
1	C	332	ALA	3.7
1	A	95	ASN	3.6
1	C	19	ALA	3.6
1	C	340	THR	3.5
1	C	271	SER	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	84	ILE	3.4
1	C	161	GLY	3.4
1	D	27	ASN	3.4
1	C	303	ILE	3.4
1	C	285	TYR	3.4
1	C	102	TYR	3.4
1	C	35	LEU	3.3
1	C	282	VAL	3.3
1	C	334	ILE	3.3
1	D	306	GLU	3.2
1	C	293	ASN	3.2
1	D	243	GLU	3.2
1	C	260	GLY	3.2
1	B	295	PHE	3.2
1	D	28	TYR	3.2
1	D	338	SER	3.1
1	B	290	GLY	3.1
1	C	300	CYS	3.1
1	C	330	LEU	3.0
1	C	34	THR	3.0
1	C	27	ASN	3.0
1	C	325	ASN	3.0
1	B	96	GLY	3.0
1	C	396	LYS	2.9
1	C	267	ILE	2.9
1	C	17	VAL	2.9
1	D	238	GLU	2.9
1	C	88	GLN	2.9
1	C	368	TYR	2.9
1	B	289	PRO	2.8
1	C	367	VAL	2.8
1	C	331	ALA	2.8
1	B	83	ALA	2.7
1	C	342	PHE	2.7
1	C	380	ASP	2.7
1	C	344	PRO	2.7
1	B	28	TYR	2.7
1	B	349	THR	2.7
1	C	273	PHE	2.6
1	C	341	PRO	2.6
1	C	117	GLU	2.6
1	C	83	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	207	PHE	2.6
1	D	373	SER	2.6
1	B	334	ILE	2.6
1	C	87	GLU	2.6
1	D	374	TRP	2.5
1	A	245	ASP	2.5
1	C	310	ARG	2.5
1	D	307	GLU	2.5
1	C	290	GLY	2.5
1	B	310	ARG	2.5
1	C	234	ARG	2.5
1	C	386	LEU	2.5
1	C	7	VAL	2.5
1	C	328	ALA	2.5
1	C	339	MET	2.5
1	C	105	VAL	2.5
1	D	246	GLY	2.4
1	B	381	MET	2.4
1	C	108	GLY	2.4
1	C	284	PRO	2.4
1	C	32	ASP	2.4
1	B	3	LYS	2.4
1	C	106	GLY	2.4
1	A	68	LEU	2.4
1	B	68	LEU	2.4
1	C	311	PRO	2.4
1	C	29	ASN	2.3
1	C	373	SER	2.3
1	C	391	SER	2.3
1	C	308	ASN	2.3
1	C	248	GLU	2.3
1	B	271	SER	2.3
1	C	350	VAL	2.3
1	C	211	LEU	2.3
1	D	361	ILE	2.3
1	B	21	GLY	2.3
1	C	14	GLY	2.3
1	C	392	LEU	2.3
1	B	19	ALA	2.3
1	C	349	THR	2.3
1	C	357	ASP	2.3
1	C	202	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	60	GLN	2.2
1	C	304	ILE	2.2
1	B	274	GLU	2.2
1	D	365	ARG	2.2
1	D	26	LEU	2.2
1	B	288	ALA	2.2
1	A	355	ARG	2.2
1	B	103	LEU	2.2
1	B	188	ASP	2.2
1	C	306	GLU	2.2
1	C	289	PRO	2.2
1	D	308	ASN	2.2
1	C	33	ILE	2.2
1	C	287	ARG	2.1
1	D	309	ASN	2.1
1	C	103	LEU	2.1
1	C	384	LEU	2.1
1	C	394	LEU	2.1
1	B	17	VAL	2.1
1	B	374	TRP	2.1
1	D	249	GLU	2.1
1	B	329	ASN	2.1
1	D	362	VAL	2.1
1	C	305	ASN	2.1
1	C	388	GLY	2.1
1	B	6	ILE	2.1
1	D	346	ILE	2.1
1	C	379	GLU	2.1
1	C	104	VAL	2.1
1	C	326	VAL	2.1
1	C	269	GLU	2.0
1	C	24	LYS	2.0
1	C	268	VAL	2.0
1	C	121	GLU	2.0
1	C	309	ASN	2.0
1	D	348	GLY	2.0
1	C	28	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FAD	C	601	53/53	0.91	0.11	51,62,71,86	0
2	FAD	B	601	53/53	0.95	0.08	32,40,46,51	0
2	FAD	A	601	53/53	0.95	0.09	31,39,45,46	0
2	FAD	D	601	53/53	0.96	0.08	34,45,57,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around FAD B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.