



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:07 AM UTC

PDB ID : 5KN4 / pdb_00005kn4
Title : Pavine N-methyltransferase apoenzyme pH 6.0
Authors : Torres, M.A.; Hoffarth, E.; Eugenio, L.; Savtchouk, J.; Chen, X.; Morris, J.;
Facchini, P.J.; Ng, K.K.S.
Deposited on : 2016-06-27
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	397	10% 69% 10% 20%
1	B	397	9% 65% 14% 20%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5420 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pavine N-methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	0	0
			2615	1684	426	485	20			
1	B	317	Total	C	N	O	S	0	0	0
			2602	1677	424	481	20			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-40	MET	-	expression tag	UNP C3SBW0
A	-39	ARG	-	expression tag	UNP C3SBW0
A	-38	GLY	-	expression tag	UNP C3SBW0
A	-37	SER	-	expression tag	UNP C3SBW0
A	-36	HIS	-	expression tag	UNP C3SBW0
A	-35	HIS	-	expression tag	UNP C3SBW0
A	-34	HIS	-	expression tag	UNP C3SBW0
A	-33	HIS	-	expression tag	UNP C3SBW0
A	-32	HIS	-	expression tag	UNP C3SBW0
A	-31	HIS	-	expression tag	UNP C3SBW0
A	-30	GLY	-	expression tag	UNP C3SBW0
A	-29	MET	-	expression tag	UNP C3SBW0
A	-28	ALA	-	expression tag	UNP C3SBW0
A	-27	SER	-	expression tag	UNP C3SBW0
A	-26	MET	-	expression tag	UNP C3SBW0
A	-25	THR	-	expression tag	UNP C3SBW0
A	-24	GLY	-	expression tag	UNP C3SBW0
A	-23	GLY	-	expression tag	UNP C3SBW0
A	-22	GLN	-	expression tag	UNP C3SBW0
A	-21	GLN	-	expression tag	UNP C3SBW0
A	-20	MET	-	expression tag	UNP C3SBW0
A	-19	GLY	-	expression tag	UNP C3SBW0
A	-18	ARG	-	expression tag	UNP C3SBW0
A	-17	ASP	-	expression tag	UNP C3SBW0
A	-16	LEU	-	expression tag	UNP C3SBW0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	TYR	-	expression tag	UNP C3SBW0
A	-14	ASP	-	expression tag	UNP C3SBW0
A	-13	ASP	-	expression tag	UNP C3SBW0
A	-12	ASP	-	expression tag	UNP C3SBW0
A	-11	ASP	-	expression tag	UNP C3SBW0
A	-10	LYS	-	expression tag	UNP C3SBW0
A	-9	ASP	-	expression tag	UNP C3SBW0
A	-8	ARG	-	expression tag	UNP C3SBW0
A	-7	TRP	-	expression tag	UNP C3SBW0
A	-6	ILE	-	expression tag	UNP C3SBW0
A	-5	ARG	-	expression tag	UNP C3SBW0
A	-4	PRO	-	expression tag	UNP C3SBW0
A	-3	ARG	-	expression tag	UNP C3SBW0
A	-2	ASP	-	expression tag	UNP C3SBW0
A	-1	LEU	-	expression tag	UNP C3SBW0
A	0	GLN	-	expression tag	UNP C3SBW0
A	224	ASP	TYR	conflict	UNP C3SBW0
B	-40	MET	-	expression tag	UNP C3SBW0
B	-39	ARG	-	expression tag	UNP C3SBW0
B	-38	GLY	-	expression tag	UNP C3SBW0
B	-37	SER	-	expression tag	UNP C3SBW0
B	-36	HIS	-	expression tag	UNP C3SBW0
B	-35	HIS	-	expression tag	UNP C3SBW0
B	-34	HIS	-	expression tag	UNP C3SBW0
B	-33	HIS	-	expression tag	UNP C3SBW0
B	-32	HIS	-	expression tag	UNP C3SBW0
B	-31	HIS	-	expression tag	UNP C3SBW0
B	-30	GLY	-	expression tag	UNP C3SBW0
B	-29	MET	-	expression tag	UNP C3SBW0
B	-28	ALA	-	expression tag	UNP C3SBW0
B	-27	SER	-	expression tag	UNP C3SBW0
B	-26	MET	-	expression tag	UNP C3SBW0
B	-25	THR	-	expression tag	UNP C3SBW0
B	-24	GLY	-	expression tag	UNP C3SBW0
B	-23	GLY	-	expression tag	UNP C3SBW0
B	-22	GLN	-	expression tag	UNP C3SBW0
B	-21	GLN	-	expression tag	UNP C3SBW0
B	-20	MET	-	expression tag	UNP C3SBW0
B	-19	GLY	-	expression tag	UNP C3SBW0
B	-18	ARG	-	expression tag	UNP C3SBW0
B	-17	ASP	-	expression tag	UNP C3SBW0
B	-16	LEU	-	expression tag	UNP C3SBW0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	TYR	-	expression tag	UNP C3SBW0
B	-14	ASP	-	expression tag	UNP C3SBW0
B	-13	ASP	-	expression tag	UNP C3SBW0
B	-12	ASP	-	expression tag	UNP C3SBW0
B	-11	ASP	-	expression tag	UNP C3SBW0
B	-10	LYS	-	expression tag	UNP C3SBW0
B	-9	ASP	-	expression tag	UNP C3SBW0
B	-8	ARG	-	expression tag	UNP C3SBW0
B	-7	TRP	-	expression tag	UNP C3SBW0
B	-6	ILE	-	expression tag	UNP C3SBW0
B	-5	ARG	-	expression tag	UNP C3SBW0
B	-4	PRO	-	expression tag	UNP C3SBW0
B	-3	ARG	-	expression tag	UNP C3SBW0
B	-2	ASP	-	expression tag	UNP C3SBW0
B	-1	LEU	-	expression tag	UNP C3SBW0
B	0	GLN	-	expression tag	UNP C3SBW0
B	224	ASP	TYR	conflict	UNP C3SBW0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	108	Total O 108 108	0	0
2	B	95	Total O 95 95	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pavine N-methyltransferase



• Molecule 1: Pavine N-methyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.74Å 72.30Å 97.14Å 90.00° 99.75° 90.00°	Depositor
Resolution (Å)	38.95 – 1.99 38.95 – 1.99	Depositor EDS
% Data completeness (in resolution range)	93.7 (38.95-1.99) 87.2 (38.95-1.99)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.55 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.196 , 0.253 0.199 , 0.252	Depositor DCC
R_{free} test set	2398 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.616	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5420	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/2674	0.84	1/3601 (0.0%)
1	B	0.63	0/2660	0.87	3/3580 (0.1%)
All	All	0.62	0/5334	0.86	4/7181 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	19	GLU	CA-C-N	-5.78	112.62	122.56
1	B	19	GLU	C-N-CA	-5.78	112.62	122.56
1	B	20	HIS	N-CA-CB	5.31	118.17	110.47
1	A	162	SER	N-CA-C	5.10	117.82	111.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2615	0	2582	28	0
1	B	2602	0	2566	53	0
2	A	108	0	0	3	0
2	B	95	0	0	0	0
All	All	5420	0	5148	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 8.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:16:LYS:NZ	1:B:20:HIS:CE1	2.31	0.99
1:B:16:LYS:HA	1:B:19:GLU:HB2	1.51	0.90
1:B:67:MET:HE3	1:B:213:PHE:HD1	1.41	0.85
1:B:16:LYS:HZ2	1:B:20:HIS:CE1	1.89	0.84
1:B:83:LEU:HD21	1:B:165:GLU:HG3	1.58	0.83
1:B:321:MET:HG3	1:B:322:LYS:HZ3	1.40	0.83
1:B:67:MET:HE2	1:B:187:THR:HG22	1.59	0.82
1:B:83:LEU:CD2	1:B:165:GLU:HG3	2.13	0.78
1:B:19:GLU:HB3	1:B:322:LYS:HZ2	1.48	0.78
1:B:16:LYS:NZ	1:B:20:HIS:ND1	2.28	0.74
1:B:16:LYS:HZ1	1:B:20:HIS:CE1	2.07	0.73
1:B:19:GLU:HB3	1:B:322:LYS:NZ	2.03	0.72
1:A:90:CYS:SG	1:A:138:HIS:HD2	2.18	0.66
1:B:147:GLN:HE21	1:B:176:LEU:HD11	1.60	0.66
1:A:67:MET:HE3	1:A:213:PHE:HD1	1.59	0.66
1:A:160:SER:HB3	1:A:163:GLN:HE21	1.60	0.65
1:B:169:ASP:O	1:B:173:LYS:HD3	1.97	0.65
1:A:139:GLY:HA3	1:A:167:ILE:HG12	1.80	0.63
1:B:190:GLU:HG3	1:B:220:TRP:HE1	1.63	0.62
1:B:89:MET:HA	1:B:298:ARG:HD3	1.81	0.62
1:B:19:GLU:HG2	1:B:325:THR:HG21	1.80	0.62
1:B:15:ILE:HG22	1:B:19:GLU:CD	2.25	0.62
1:B:173:LYS:N	1:B:173:LYS:HD2	2.16	0.61
1:B:16:LYS:HG3	1:B:20:HIS:CE1	2.38	0.59
1:A:160:SER:HB3	1:A:163:GLN:NE2	2.17	0.59
1:A:356:LYS:NZ	1:B:356:LYS:O	2.26	0.57
1:B:321:MET:HG3	1:B:322:LYS:NZ	2.16	0.57
1:B:240:GLN:HG2	1:B:261:VAL:HG22	1.87	0.56
1:A:15:ILE:O	1:A:19:GLU:HG3	2.09	0.53
1:B:191:THR:HG22	1:B:193:ILE:H	1.74	0.53
1:B:16:LYS:O	1:B:20:HIS:N	2.40	0.52
1:A:20:HIS:HE1	1:A:318:GLU:OE2	1.94	0.51
1:B:166:PHE:O	1:B:170:GLN:HG2	2.10	0.50
1:B:185:ASP:OD1	1:B:187:THR:OG1	2.26	0.49
1:B:67:MET:HE3	1:B:213:PHE:CD1	2.33	0.49
1:B:15:ILE:H	1:B:15:ILE:HD12	1.78	0.48
1:A:243:PRO:HA	1:A:248:ASP:OD2	2.13	0.48
1:B:241:TYR:OH	1:B:262:MET:HE2	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:243:PRO:HA	1:B:248:ASP:OD2	2.14	0.48
1:A:165:GLU:HA	1:A:168:MET:HB2	1.96	0.47
1:A:90:CYS:SG	1:A:138:HIS:CD2	3.05	0.47
1:B:283:LEU:O	1:B:347:MET:HB2	2.14	0.47
1:A:17:ARG:O	1:A:22:GLU:HG2	2.15	0.47
1:B:28:ILE:HD13	1:B:329:VAL:HG22	1.97	0.47
1:A:250:TYR:CE1	1:A:254:ILE:HD12	2.50	0.46
1:A:35:GLN:NE2	2:A:407:HOH:O	2.47	0.46
1:A:26:GLU:OE1	1:A:29:ARG:NH1	2.43	0.46
1:B:16:LYS:NZ	1:B:20:HIS:HE1	2.05	0.46
1:B:139:GLY:HA3	1:B:167:ILE:HG12	1.98	0.46
1:A:160:SER:CB	1:A:163:GLN:HE21	2.28	0.46
1:B:297:LYS:HD3	1:B:297:LYS:HA	1.63	0.46
1:A:160:SER:O	1:A:183:LEU:HD21	2.15	0.45
1:A:293:LYS:HG3	1:A:335:SER:OG	2.17	0.45
1:A:240:GLN:OE1	1:A:259:THR:OG1	2.35	0.45
1:B:322:LYS:HD3	1:B:322:LYS:HA	1.38	0.45
1:B:355:LYS:O	1:B:356:LYS:HB2	2.17	0.45
1:B:141:LEU:O	1:B:145:VAL:HG23	2.18	0.44
1:B:153:LYS:HZ1	1:B:180:GLU:N	2.16	0.44
1:B:191:THR:HG21	1:B:193:ILE:HD12	1.99	0.44
1:B:112:GLU:O	1:B:116:MET:HG3	2.18	0.44
1:A:232:HIS:HB3	1:A:338:TYR:OH	2.18	0.43
1:B:172:LYS:HD2	1:B:172:LYS:HA	1.78	0.43
1:B:10:ALA:C	1:B:12:ALA:H	2.26	0.43
1:B:83:LEU:HD22	1:B:165:GLU:HG3	1.96	0.43
1:B:143:LEU:HB3	1:B:147:GLN:HE22	1.83	0.43
1:A:136:CYS:SG	1:A:158:THR:HG23	2.59	0.42
1:B:16:LYS:CA	1:B:19:GLU:HB2	2.36	0.42
1:B:256:PRO:O	1:B:258:GLY:N	2.52	0.42
1:A:204:ILE:HD13	1:A:204:ILE:HA	1.86	0.42
1:B:311:GLU:HG2	1:B:317:LYS:HA	2.01	0.42
1:A:272:GLN:O	1:A:356:LYS:HE3	2.20	0.42
1:B:18:ILE:HA	1:B:23:VAL:HB	2.01	0.42
1:A:54:GLN:HG2	2:A:418:HOH:O	2.20	0.41
1:A:137:GLY:HA2	1:A:163:GLN:OE1	2.20	0.41
1:A:211:GLU:OE1	2:A:401:HOH:O	2.21	0.41
1:A:300:ASP:O	1:A:303:ILE:HG12	2.20	0.41
1:A:161:VAL:O	1:A:165:GLU:OE2	2.38	0.41
1:B:18:ILE:HG23	1:B:28:ILE:HD11	2.03	0.41
1:B:165:GLU:OE1	1:B:169:ASP:OD2	2.39	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:16:LYS:CE	1:B:20:HIS:HE1	2.34	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/397 (79%)	303 (97%)	10 (3%)	0	100	100
1	B	309/397 (78%)	296 (96%)	13 (4%)	0	100	100
All	All	622/794 (78%)	599 (96%)	23 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	291/359 (81%)	282 (97%)	9 (3%)	35	37
1	B	288/359 (80%)	284 (99%)	4 (1%)	59	66
All	All	579/718 (81%)	566 (98%)	13 (2%)	45	50

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	142	THR
1	A	147	GLN
1	A	158	THR
1	A	162	SER
1	A	165	GLU
1	A	183	LEU
1	A	246	GLU
1	A	284	SER
1	A	303	ILE
1	B	83	LEU
1	B	160	SER
1	B	186	VAL
1	B	297	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	HIS
1	A	50	GLN
1	A	138	HIS
1	A	163	GLN
1	B	20	HIS
1	B	147	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	319/397 (80%)	0.73	38 (11%) 9 8	24, 39, 70, 78	0
1	B	317/397 (79%)	0.67	37 (11%) 9 8	24, 42, 67, 75	0
All	All	636/794 (80%)	0.70	75 (11%) 9 8	24, 41, 69, 78	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	10	ALA	5.1
1	A	161	VAL	4.4
1	B	11	VAL	4.2
1	A	138	HIS	4.1
1	A	323	PHE	4.0
1	A	12	ALA	4.0
1	A	310	PHE	3.9
1	A	137	GLY	3.7
1	B	138	HIS	3.5
1	A	136	CYS	3.3
1	B	12	ALA	3.3
1	B	21	GLY	3.3
1	A	18	ILE	3.2
1	A	258	GLY	3.2
1	B	147	GLN	3.1
1	B	139	GLY	3.1
1	B	259	THR	3.1
1	B	114	TYR	3.0
1	B	190	GLU	3.0
1	B	168	MET	3.0
1	B	258	GLY	2.9
1	A	321	MET	2.9
1	B	159	ASN	2.9
1	A	106	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	15	ILE	2.9
1	A	315	GLY	2.9
1	A	183	LEU	2.9
1	A	159	ASN	2.8
1	B	174	LEU	2.8
1	B	169	ASP	2.8
1	A	83	LEU	2.8
1	A	139	GLY	2.7
1	B	165	GLU	2.7
1	A	314	TYR	2.6
1	A	105	SER	2.6
1	A	322	LYS	2.6
1	B	183	LEU	2.6
1	A	166	PHE	2.6
1	B	112	GLU	2.6
1	B	247	ASP	2.5
1	A	249	TRP	2.5
1	A	223	GLN	2.5
1	A	90	CYS	2.5
1	A	160	SER	2.5
1	A	167	ILE	2.4
1	A	303	ILE	2.4
1	B	137	GLY	2.4
1	B	189	PHE	2.4
1	B	322	LYS	2.4
1	B	90	CYS	2.4
1	A	174	LEU	2.3
1	B	18	ILE	2.3
1	A	81	ILE	2.3
1	A	162	SER	2.3
1	B	246	GLU	2.3
1	B	87	HIS	2.3
1	A	246	GLU	2.2
1	B	81	ILE	2.2
1	A	250	TYR	2.2
1	B	15	ILE	2.2
1	B	20	HIS	2.2
1	B	318	GLU	2.2
1	A	163	GLN	2.2
1	B	113	VAL	2.2
1	B	178	ASN	2.1
1	A	257	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	114	TYR	2.1
1	A	259	THR	2.1
1	B	323	PHE	2.1
1	B	109	ASP	2.1
1	A	187	THR	2.1
1	B	173	LYS	2.1
1	A	302	ASN	2.1
1	B	68	ALA	2.1
1	B	111	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.