



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 08:34 PM UTC

PDB ID : 6KP2 / pdb_00006kp2
Title : Quadruple mutant plasmodium falciparum dihydrofolate reductase complexed with B10042
Authors : Vanichtanankul, J.; Vitsupakorn, D.
Deposited on : 2019-08-14
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	608	4% 77% 8% 14%
1	B	608	14% 74% 11% 12%

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 9649 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	520	Total	C	N	O	S	0	2	0
			4341	2819	715	782	25			
1	B	532	Total	C	N	O	S	0	0	0
			4424	2863	729	807	25			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 5-(3-chlorophenyl)-6-(3-phenoxypropyl)pyrimidine-2,4-diamine (CCD ID: DQ3) (formula: $C_{19}H_{19}ClN_4O$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0
			25	19	1	4	1	
3	B	1	Total	C	Cl	N	O	0
			25	19	1	4	1	

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	381	Total	O	0	0
			381	381		
6	B	335	Total	O	0	0
			335	335		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	56.99Å 155.94Å 165.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	32.20 – 1.97 32.20 – 1.97	Depositor EDS
% Data completeness (in resolution range)	99.4 (32.20-1.97) 99.4 (32.20-1.97)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 1.97Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.173 , 0.213 0.183 , 0.222	Depositor DCC
R_{free} test set	5079 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	22.8	Xtriage
Anisotropy	0.056	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9649	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, DQ3, NDP, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.11	3/4449 (0.1%)	1.29	8/6007 (0.1%)
1	B	1.13	4/4527 (0.1%)	1.34	12/6116 (0.2%)
All	All	1.12	7/8976 (0.1%)	1.32	20/12123 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	395	THR	C-O	6.64	1.31	1.24
1	A	343	SER	C-O	6.52	1.32	1.23
1	A	224	ILE	C-O	6.36	1.31	1.23
1	B	432	PHE	C-O	5.66	1.30	1.24
1	B	431	GLY	C-O	5.33	1.30	1.23
1	A	181	LYS	C-O	5.32	1.30	1.23
1	B	212	ASP	C-O	5.14	1.30	1.24

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	455	GLN	CB-CA-C	-7.77	97.64	110.85
1	B	327	GLN	CB-CG-CD	-6.86	100.94	112.60
1	A	472	ILE	CA-C-O	-6.21	117.23	122.63
1	A	343	SER	CA-C-N	6.18	132.82	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	343	SER	C-N-CA	6.18	132.82	121.70
1	A	386	PHE	CA-CB-CG	5.87	119.67	113.80
1	A	472	ILE	O-C-N	5.84	126.87	121.96
1	B	386	PHE	CA-CB-CG	5.50	119.30	113.80
1	B	143	ILE	CA-C-O	-5.49	116.19	121.63
1	A	117	LYS	CB-CA-C	-5.38	100.81	108.88
1	B	571	PHE	CA-CB-CG	5.32	119.12	113.80
1	B	218	ASN	CA-CB-CG	-5.29	107.31	112.60
1	B	532	ILE	N-CA-C	-5.21	105.46	110.72
1	A	39	GLY	CA-C-O	-5.20	115.98	120.30
1	B	201	ASN	CA-C-N	5.19	127.23	120.28
1	B	201	ASN	C-N-CA	5.19	127.23	120.28
1	B	164	LEU	CA-C-N	5.15	126.24	120.42
1	B	164	LEU	C-N-CA	5.15	126.24	120.42
1	A	543	PHE	CA-CB-CG	-5.06	108.74	113.80
1	B	331	ILE	CA-C-O	-5.04	115.46	121.05

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	165	GLY	Peptide
1	B	304	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4341	0	4316	29	0
1	B	4424	0	4373	40	0
2	A	48	0	26	2	0
2	B	48	0	26	1	0
3	A	25	0	0	0	0
3	B	25	0	0	0	0
4	A	6	0	8	0	0
4	B	6	0	8	0	0
5	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	5	0	0	0	0
6	A	381	0	0	6	0
6	B	335	0	0	12	0
All	All	9649	0	8757	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:82:ASN:HB3	6:B:1052:HOH:O	1.62	0.98
1:B:4:GLN:HE21	1:B:4:GLN:HA	1.23	0.97
1:A:349:GLY:HA3	1:A:554:ASN:ND2	1.81	0.95
1:B:573:THR:HG22	6:B:1079:HOH:O	1.70	0.91
1:B:4:GLN:HE21	1:B:4:GLN:CA	1.92	0.83
1:A:573:THR:HG22	6:A:1126:HOH:O	1.86	0.76
1:B:603:SER:H	1:B:608:ALA:HB3	1.50	0.75
1:A:573:THR:HG23	6:A:1021:HOH:O	1.86	0.75
1:B:4:GLN:HA	1:B:4:GLN:NE2	1.99	0.74
1:B:50:CYS:SG	6:B:1088:HOH:O	2.45	0.74
1:A:349:GLY:HA3	1:A:554:ASN:HD21	1.54	0.69
1:B:139:ASP:N	1:B:139:ASP:OD1	2.25	0.67
1:B:210:VAL:HB	6:B:953:HOH:O	1.95	0.66
1:B:109:TRP:CZ2	1:B:117:LYS:HD2	2.32	0.65
1:B:166:GLY:HA3	2:B:701:NDP:PA	2.39	0.63
1:A:375:PHE:HD1	6:A:1093:HOH:O	1.82	0.62
1:B:407:ASN:ND2	6:B:805:HOH:O	2.32	0.62
1:B:294:ASN:ND2	6:B:807:HOH:O	2.34	0.61
1:A:109:TRP:CZ2	1:A:117:LYS:HD2	2.36	0.60
1:A:332:ILE:CD1	1:A:514:LEU:HB3	2.34	0.57
1:B:136:PHE:CD2	1:B:142:ILE:HD11	2.41	0.56
1:B:165:GLY:HA3	1:B:170:TYR:CZ	2.43	0.54
1:B:461:ASN:OD1	6:B:801:HOH:O	2.19	0.53
1:A:102:VAL:HB	1:A:164:LEU:HD11	1.91	0.52
1:A:344:ASP:HA	6:B:1065:HOH:O	2.08	0.52
1:B:51:ILE:HD13	1:B:187:ILE:HD12	1.92	0.52
1:A:210:VAL:HB	6:A:1043:HOH:O	2.10	0.52
1:A:487:LEU:HD23	1:A:487:LEU:N	2.26	0.51
1:B:345:ARG:HG2	1:B:345:ARG:HH11	1.76	0.51
1:B:297:LYS:HA	1:B:297:LYS:HE2	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:582:ASN:HB3	6:B:948:HOH:O	2.12	0.49
1:B:297:LYS:HA	1:B:297:LYS:CE	2.43	0.49
1:B:147:GLU:N	1:B:147:GLU:OE1	2.45	0.49
1:A:308:HIS:C	6:A:818:HOH:O	2.56	0.48
1:A:308:HIS:O	1:A:311:ASP:HB2	2.14	0.48
1:A:206:GLN:HE21	1:A:206:GLN:CA	2.28	0.47
1:B:321:LYS:CE	6:B:818:HOH:O	2.62	0.47
1:B:109:TRP:CE2	1:B:117:LYS:HD2	2.51	0.46
1:B:171:GLN:NE2	1:B:175:GLU:HG3	2.31	0.46
1:B:59:ARG:O	1:B:63:THR:HG23	2.16	0.46
1:A:174:LEU:HD12	1:A:198:PRO:HG2	1.97	0.45
1:A:600:GLU:HG3	6:A:812:HOH:O	2.16	0.45
1:A:195:VAL:HG21	2:A:701:NDP:H4D	1.97	0.45
1:B:133:LYS:O	1:B:133:LYS:HD3	2.17	0.45
1:A:349:GLY:CA	1:A:554:ASN:ND2	2.67	0.44
1:A:40:LEU:O	2:A:701:NDP:H2N	2.17	0.44
1:B:311:ASP:OD2	1:B:561:LYS:NZ	2.44	0.44
1:B:20:VAL:HG21	1:B:38:ARG:NH2	2.32	0.44
1:A:17:CYS:HA	1:A:39:GLY:O	2.18	0.44
1:B:20:VAL:HG22	6:B:876:HOH:O	2.18	0.43
1:B:197:PHE:CD1	1:B:198:PRO:HD2	2.54	0.43
1:B:345:ARG:HH11	1:B:345:ARG:CG	2.31	0.43
1:B:379:ILE:HD13	1:B:520:PHE:CD1	2.54	0.43
1:A:109:TRP:CE2	1:A:117:LYS:HD2	2.54	0.43
1:A:559:SER:OG	1:A:606:MET:HE3	2.18	0.42
1:A:287:GLU:HB2	1:B:69:LYS:NZ	2.34	0.42
1:B:102:VAL:HB	1:B:164:LEU:HD11	2.00	0.42
1:A:487:LEU:N	1:A:487:LEU:CD2	2.83	0.42
1:A:516:LEU:HD23	1:A:516:LEU:HA	1.93	0.42
1:A:197:PHE:CG	1:A:198:PRO:HD2	2.55	0.42
1:B:124:ASN:N	1:B:124:ASN:HD22	2.18	0.42
1:B:605:ASP:C	1:B:606:MET:HG2	2.45	0.42
1:A:487:LEU:HD23	1:A:487:LEU:H	1.86	0.41
1:B:165:GLY:HA3	1:B:170:TYR:CE2	2.56	0.41
1:A:143:ILE:CD1	1:A:149:LEU:HB2	2.51	0.40
1:B:102:VAL:HG23	1:B:104:MET:HE2	2.02	0.40
1:A:214:TYR:O	1:A:220:THR:HA	2.21	0.40
1:B:309:PRO:HA	6:B:851:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	510/608 (84%)	494 (97%)	16 (3%)	0	100	100
1	B	522/608 (86%)	496 (95%)	22 (4%)	4 (1%)	16	7
All	All	1032/1216 (85%)	990 (96%)	38 (4%)	4 (0%)	30	20

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	50	CYS
1	B	607	ALA
1	B	309	PRO
1	B	347	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	488/570 (86%)	476 (98%)	12 (2%)	42	33
1	B	496/570 (87%)	466 (94%)	30 (6%)	17	7
All	All	984/1140 (86%)	942 (96%)	42 (4%)	26	14

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LYS
1	A	55	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	67	GLU
1	A	72	LYS
1	A	79	LYS
1	A	81	LEU
1	A	97	LYS
1	A	114	LYS
1	A	206	GLN
1	A	227	LYS
1	A	348	VAL
1	A	379	ILE
1	B	4	GLN
1	B	8	VAL
1	B	49	LYS
1	B	50	CYS
1	B	72	LYS
1	B	79	LYS
1	B	97	LYS
1	B	107	THR
1	B	124	ASN
1	B	132	LYS
1	B	137	ASP
1	B	139	ASP
1	B	140	VAL
1	B	144	ASN
1	B	145	LYS
1	B	147	GLU
1	B	151	VAL
1	B	201	ASN
1	B	202	GLU
1	B	285	GLU
1	B	294	ASN
1	B	297	LYS
1	B	298	GLU
1	B	303	ASN
1	B	307	ILE
1	B	345	ARG
1	B	346	THR
1	B	348	VAL
1	B	379	ILE
1	B	606	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	206	GLN
1	A	310	ASN
1	A	340	ASN
1	A	394	ASN
1	A	400	ASN
1	A	407	ASN
1	A	424	ASN
1	A	554	ASN
1	A	582	ASN
1	B	4	GLN
1	B	88	ASN
1	B	99	GLN
1	B	144	ASN
1	B	171	GLN
1	B	303	ASN
1	B	338	ASN
1	B	398	ASN
1	B	407	ASN
1	B	415	ASN
1	B	424	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	703	-	5,5,5	0.10	0	5,5,5	0.17	0
5	PO4	A	704	-	4,4,4	1.64	2 (50%)	6,6,6	0.52	0
3	DQ3	A	702	-	27,27,27	1.55	4 (14%)	36,36,36	2.35	11 (30%)
4	GOL	B	703	-	5,5,5	0.13	0	5,5,5	0.79	0
2	NDP	A	701	-	51,52,52	2.28	12 (23%)	71,80,80	1.96	19 (26%)
3	DQ3	B	702	-	27,27,27	1.35	4 (14%)	36,36,36	2.06	6 (16%)
5	PO4	B	704	-	4,4,4	0.93	0	6,6,6	0.82	0
2	NDP	B	701	-	51,52,52	2.82	21 (41%)	71,80,80	1.95	20 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	703	-	-	0/4/4/4	-
3	DQ3	A	702	-	-	2/11/11/11	0/3/3/3
4	GOL	B	703	-	-	3/4/4/4	-
2	NDP	A	701	-	-	3/34/77/77	0/5/5/5
3	DQ3	B	702	-	-	0/11/11/11	0/3/3/3
2	NDP	B	701	-	-	6/34/77/77	0/5/5/5

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	NDP	PA-O3	14.73	1.75	1.59
2	A	701	NDP	PN-O3	8.52	1.68	1.59
2	A	701	NDP	O4D-C1D	4.65	1.52	1.42
2	B	701	NDP	PN-O3	4.65	1.64	1.59
2	A	701	NDP	C3B-C4B	4.49	1.64	1.53
2	A	701	NDP	C2A-N1A	4.39	1.41	1.33
2	A	701	NDP	C2A-N3A	4.33	1.41	1.33
3	A	702	DQ3	C5-CAI	-4.27	1.42	1.50
2	B	701	NDP	PA-O5B	4.24	1.76	1.59
2	A	701	NDP	P2B-O2B	4.10	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	NDP	PA-O3	3.98	1.63	1.59
2	B	701	NDP	C2A-N1A	3.91	1.40	1.33
3	B	702	DQ3	C5-CAI	-3.58	1.43	1.50
2	B	701	NDP	C4N-C3N	-3.56	1.43	1.50
3	A	702	DQ3	C4-N3	3.54	1.40	1.34
2	A	701	NDP	O3D-C3D	3.43	1.51	1.43
2	B	701	NDP	C8A-N9A	-3.14	1.32	1.37
2	A	701	NDP	C4N-C3N	-3.11	1.44	1.50
2	B	701	NDP	PN-O5D	3.04	1.71	1.59
3	A	702	DQ3	CAL-CAK	3.03	1.43	1.38
2	B	701	NDP	O4D-C4D	2.83	1.51	1.45
3	A	702	DQ3	C6-N1	2.80	1.38	1.35
3	B	702	DQ3	CAJ-C4	-2.77	1.44	1.51
2	B	701	NDP	C5A-N7A	-2.73	1.34	1.39
2	B	701	NDP	C4N-C5N	-2.62	1.42	1.49
2	B	701	NDP	C2A-N3A	2.51	1.38	1.33
2	B	701	NDP	C4A-N9A	-2.40	1.32	1.37
2	A	701	NDP	C4A-N9A	-2.35	1.32	1.37
2	B	701	NDP	C2N-C3N	2.34	1.41	1.35
5	A	704	PO4	P-O1	2.33	1.56	1.50
2	A	701	NDP	P2B-O3X	-2.29	1.46	1.54
3	B	702	DQ3	CAK-CL	2.28	1.79	1.74
2	B	701	NDP	C6N-C5N	2.25	1.40	1.33
2	B	701	NDP	C5A-C4A	-2.23	1.35	1.39
2	B	701	NDP	P2B-O3X	-2.22	1.46	1.54
2	B	701	NDP	PN-O2N	-2.18	1.45	1.55
2	A	701	NDP	O4B-C1B	2.17	1.47	1.42
2	B	701	NDP	O4D-C1D	2.14	1.47	1.42
2	B	701	NDP	O4B-C1B	2.09	1.46	1.42
2	B	701	NDP	O3D-C3D	2.08	1.48	1.43
2	B	701	NDP	C5A-C6A	-2.07	1.35	1.41
3	B	702	DQ3	C5-C4	2.04	1.45	1.40
5	A	704	PO4	P-O3	-2.00	1.48	1.54

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	702	DQ3	C2-N3-C4	8.87	122.73	116.26
3	B	702	DQ3	C2-N3-C4	8.32	122.33	116.26
2	A	701	NDP	O3-PN-O1N	-6.37	91.56	110.70
2	B	701	NDP	N3A-C2A-N1A	-5.49	120.27	128.58
2	B	701	NDP	O3-PN-O1N	-5.03	95.56	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	NDP	O2N-PN-O3	-4.73	94.48	107.27
2	B	701	NDP	N9A-C8A-N7A	-4.23	107.93	113.94
2	A	701	NDP	O2N-PN-O1N	4.22	132.07	112.44
3	A	702	DQ3	N3-C2-N1	-4.18	119.08	125.48
2	A	701	NDP	O4D-C1D-N1N	-4.05	100.37	108.08
3	A	702	DQ3	C5-C4-N3	-3.86	119.04	123.47
3	B	702	DQ3	C5-C4-N3	-3.85	119.06	123.47
3	A	702	DQ3	C5-C6-N1	-3.85	120.32	122.55
2	A	701	NDP	N3A-C2A-N1A	-3.84	122.78	128.58
3	B	702	DQ3	N3-C2-N1	-3.61	119.94	125.48
2	A	701	NDP	C5A-C4A-N3A	-3.56	121.81	126.72
2	B	701	NDP	O2A-PA-O1A	3.46	128.52	112.44
2	A	701	NDP	N9A-C8A-N7A	-3.44	109.05	113.94
2	B	701	NDP	C5A-C4A-N3A	-3.41	122.03	126.72
2	B	701	NDP	O2N-PN-O5D	3.40	122.98	107.57
3	B	702	DQ3	C2-N1-C6	3.38	121.34	117.28
2	A	701	NDP	O2N-PN-O3	-3.29	98.39	107.27
2	A	701	NDP	C4A-C5A-N7A	-3.17	106.95	110.58
2	B	701	NDP	O3X-P2B-O2X	3.15	119.63	107.80
2	B	701	NDP	C4A-C5A-N7A	-3.15	106.98	110.58
2	B	701	NDP	C5A-N7A-C8A	3.15	108.39	103.45
2	B	701	NDP	C4A-N9A-C8A	3.09	108.98	105.74
2	A	701	NDP	C5A-C4A-N9A	3.01	109.09	105.81
3	A	702	DQ3	NAG-C6-N1	2.97	121.03	117.03
3	A	702	DQ3	C6-C5-C4	2.95	118.10	115.97
2	A	701	NDP	O4B-C4B-C5B	2.95	118.77	109.33
2	A	701	NDP	O3X-P2B-O2X	2.91	118.71	107.80
2	A	701	NDP	C4A-N9A-C1B	-2.87	119.92	126.63
3	A	702	DQ3	CAU-CAV-CAT	2.86	123.30	118.98
3	A	702	DQ3	C2-N1-C6	2.80	120.64	117.28
3	B	702	DQ3	C5-C6-N1	-2.74	120.97	122.55
2	B	701	NDP	O2N-PN-O1N	2.72	125.10	112.44
2	B	701	NDP	O2A-PA-O5B	-2.68	95.43	107.57
2	A	701	NDP	C5A-N7A-C8A	2.64	107.60	103.45
3	A	702	DQ3	CAR-OAS-CAT	-2.64	111.07	117.93
3	B	702	DQ3	CAI-CAL-CAK	2.62	122.44	119.33
2	B	701	NDP	C6N-N1N-C2N	-2.58	116.56	119.32
2	A	701	NDP	C1B-N9A-C8A	2.47	132.59	127.09
2	A	701	NDP	C2B-C3B-C4B	-2.39	96.84	101.99
2	B	701	NDP	C6A-C5A-C4A	2.38	120.43	117.18
2	B	701	NDP	C2A-N3A-C4A	2.34	117.53	111.83
3	A	702	DQ3	NAH-C2-N3	2.32	120.70	117.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	NDP	O3X-P2B-O2B	-2.32	96.82	105.85
2	B	701	NDP	O2B-P2B-O1X	-2.28	101.22	109.33
2	B	701	NDP	C5D-C4D-C3D	-2.17	107.42	115.21
2	A	701	NDP	O2A-PA-O5B	-2.14	97.87	107.57
3	A	702	DQ3	CAX-CAT-CAV	-2.12	117.06	120.16
2	A	701	NDP	C5B-C4B-C3B	-2.06	107.78	115.21
2	B	701	NDP	C4A-N9A-C1B	-2.05	121.83	126.63
2	A	701	NDP	C5A-C6A-N6A	-2.03	118.26	123.29
2	B	701	NDP	C5A-C6A-N6A	-2.01	118.32	123.29

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	NDP	C5D-O5D-PN-O1N
2	B	701	NDP	C5D-O5D-PN-O1N
4	B	703	GOL	C1-C2-C3-O3
4	B	703	GOL	O2-C2-C3-O3
3	A	702	DQ3	CAV-CAT-OAS-CAR
3	A	702	DQ3	CAX-CAT-OAS-CAR
4	B	703	GOL	O1-C1-C2-O2
2	B	701	NDP	C4D-C5D-O5D-PN
2	A	701	NDP	O4D-C1D-N1N-C2N
2	B	701	NDP	O4D-C1D-N1N-C2N
2	B	701	NDP	C2N-C3N-C7N-N7N
2	B	701	NDP	C2B-O2B-P2B-O1X
2	B	701	NDP	C2D-C1D-N1N-C2N
2	A	701	NDP	C2D-C1D-N1N-C2N


There are no ring outliers.


2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	NDP	2	0
2	B	701	NDP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	520/608 (85%)	0.10	22 (4%) 40 50	11, 24, 54, 82	2 (0%)
1	B	532/608 (87%)	0.57	83 (15%) 5 6	13, 28, 73, 118	0
All	All	1052/1216 (86%)	0.34	105 (9%) 12 18	11, 25, 67, 118	2 (0%)

All (105) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	608	ALA	7.5
1	A	607	ALA	6.5
1	B	136	PHE	6.1
1	B	607	ALA	5.5
1	B	131	LEU	5.0
1	B	348	VAL	4.8
1	A	309	PRO	4.8
1	B	127	LEU	4.4
1	B	307	ILE	4.4
1	B	346	THR	4.4
1	B	166	GLY	4.3
1	B	75	TYR	4.3
1	B	116	PHE	4.1
1	B	9	PHE	4.0
1	B	309	PRO	3.9
1	B	345	ARG	3.8
1	B	347	GLY	3.8
1	B	140	VAL	3.7
1	B	285	GLU	3.7
1	B	151	VAL	3.7
1	B	5	VAL	3.6
1	B	306	SER	3.5
1	B	308	HIS	3.4
1	B	113	PRO	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	344	ASP	3.2
1	A	96	LYS	3.1
1	A	348	VAL	3.1
1	B	73	LEU	3.1
1	B	303	ASN	3.1
1	A	344	ASP	3.0
1	B	70	TYR	3.0
1	A	307	ILE	3.0
1	B	168	VAL	3.0
1	A	306	SER	3.0
1	B	132	LYS	3.0
1	B	105	GLY	2.9
1	B	130	THR	2.9
1	B	112	ILE	2.9
1	B	8	VAL	2.9
1	B	109	TRP	2.9
1	B	126	ILE	2.9
1	B	128	SER	2.8
1	B	606	MET	2.8
1	B	144	ASN	2.8
1	B	107	THR	2.8
1	B	133	LYS	2.8
1	B	286	GLU	2.7
1	B	129	ARG	2.7
1	B	157	ASN	2.7
1	B	35	TYR	2.7
1	B	229	THR	2.7
1	B	141	TYR	2.6
1	B	108	ASN	2.6
1	B	149	LEU	2.6
1	B	45	VAL	2.6
1	A	286	GLU	2.6
1	B	138	GLU	2.6
1	B	114	LYS	2.6
1	A	4	GLN	2.6
1	A	606	MET	2.5
1	B	74	LYS	2.5
1	B	145	LYS	2.5
1	B	150	ILE	2.5
1	A	305	ASN	2.5
1	B	142	ILE	2.5
1	B	298	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	97	LYS	2.4
1	B	605	ASP	2.4
1	B	80	TYR	2.4
1	B	205	TYR	2.4
1	B	49	LYS	2.4
1	A	75	TYR	2.4
1	B	555	ASN	2.4
1	B	125	VAL	2.4
1	A	97	LYS	2.4
1	B	6	CYS	2.4
1	B	143	ILE	2.3
1	A	72	LYS	2.3
1	B	137	ASP	2.3
1	A	304	LYS	2.3
1	A	312	PHE	2.2
1	B	146	VAL	2.2
1	B	165	GLY	2.2
1	B	148	ASP	2.2
1	A	310	ASN	2.2
1	B	174	LEU	2.2
1	B	178	LEU	2.2
1	B	68	SER	2.2
1	B	208	ILE	2.2
1	A	308	HIS	2.2
1	B	228	LYS	2.2
1	B	284	ASP	2.2
1	A	555	ASN	2.1
1	B	69	LYS	2.1
1	B	55	MET	2.1
1	B	118	PRO	2.1
1	B	11	ILE	2.1
1	A	343	SER	2.1
1	B	111	SER	2.1
1	B	66	ASN	2.1
1	A	35	TYR	2.0
1	B	159	TYR	2.0
1	A	29	ASN	2.0
1	B	115	LYS	2.0
1	B	86	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NDP	B	701	48/48	0.88	0.13	30,50,73,76	0
5	PO4	B	704	5/5	0.90	0.17	44,45,52,55	0
4	GOL	B	703	6/6	0.92	0.10	24,29,32,35	0
5	PO4	A	704	5/5	0.93	0.12	34,37,47,56	0
4	GOL	A	703	6/6	0.94	0.10	22,27,30,32	0
3	DQ3	B	702	25/25	0.94	0.11	30,39,70,76	0
3	DQ3	A	702	25/25	0.97	0.08	15,20,48,49	0
2	NDP	A	701	48/48	0.97	0.06	18,23,28,31	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NDP B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQ3 B 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQ3 A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.