



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:20 AM UTC

PDB ID : 7KPJ / pdb_00007kpj
Title : Crystal structure of Ruminococcus gnavus immunoglobulin binding protein in complex with 338E6 Fab
Authors : Borowska, M.T.; Adams, E.J.
Deposited on : 2020-11-11
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	214	9% 79% 17% .
1	D	214	20% 71% 21% 6%
2	E	272	2% 62% 17% 20%
2	F	272	12% 61% 15% 21%
3	A	224	3% 82% 11% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	224	9% 74% 17% • 7%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9999 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 338E6 Fab light chain kappa.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	213	Total	C	N	O	S	0	0	0
			1643	1024	276	338	5			
1	D	201	Total	C	N	O	S	0	0	0
			1535	959	253	318	5			

- Molecule 2 is a protein called GRAM_POS_ANCHORING domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	218	Total	C	N	O	S	0	0	0
			1699	1070	269	355	5			
2	F	215	Total	C	N	O	S	0	0	0
			1674	1054	265	350	5			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-6	HIS	-	expression tag	UNP A0A2N5NGA8
E	-5	HIS	-	expression tag	UNP A0A2N5NGA8
E	-4	HIS	-	expression tag	UNP A0A2N5NGA8
E	-3	HIS	-	expression tag	UNP A0A2N5NGA8
E	-2	HIS	-	expression tag	UNP A0A2N5NGA8
E	-1	HIS	-	expression tag	UNP A0A2N5NGA8
E	1	ALA	SER	conflict	UNP A0A2N5NGA8
E	2	GLU	VAL	conflict	UNP A0A2N5NGA8
F	-6	HIS	-	expression tag	UNP A0A2N5NGA8
F	-5	HIS	-	expression tag	UNP A0A2N5NGA8
F	-4	HIS	-	expression tag	UNP A0A2N5NGA8
F	-3	HIS	-	expression tag	UNP A0A2N5NGA8
F	-2	HIS	-	expression tag	UNP A0A2N5NGA8
F	-1	HIS	-	expression tag	UNP A0A2N5NGA8
F	1	ALA	SER	conflict	UNP A0A2N5NGA8
F	2	GLU	VAL	conflict	UNP A0A2N5NGA8

- Molecule 3 is a protein called 338E6 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	210	Total	C	N	O	S	0	0	0
			1593	1012	261	313	7			
3	C	208	Total	C	N	O	S	0	0	0
			1580	1004	258	311	7			

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	1	Total	Ca	0	0
			1	1		
4	F	1	Total	Ca	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	50	Total	O	0	0
			50	50		
5	E	85	Total	O	0	0
			85	85		
5	F	22	Total	O	0	0
			22	22		
5	A	86	Total	O	0	0
			86	86		
5	C	14	Total	O	0	0
			14	14		
5	D	16	Total	O	0	0
			16	16		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 338E6 Fab light chain kappa




- Molecule 1: 338E6 Fab light chain kappa




- Molecule 2: GRAM_POS_ANCHORING domain-containing protein




- Molecule 2: GRAM_POS_ANCHORING domain-containing protein



- Molecule 3: 338E6 Fab heavy chain



- Molecule 3: 338E6 Fab heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.24Å 102.19Å 118.28Å 90.00° 102.05° 90.00°	Depositor
Resolution (Å)	83.36 – 2.10 83.36 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.1 (83.36-2.10) 99.1 (83.36-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.26 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.229 , 0.266 0.231 , 0.267	Depositor DCC
R_{free} test set	2000 reflections (1.73%)	wwPDB-VP
Wilson B-factor (Å ²)	34.9	Xtriage
Anisotropy	0.287	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9999	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.37	0/1677	0.61	0/2276
1	D	0.41	0/1566	0.61	0/2128
2	E	0.56	2/1728 (0.1%)	0.70	0/2351
2	F	0.46	1/1703 (0.1%)	0.61	0/2318
3	A	0.39	0/1633	0.66	0/2219
3	C	0.40	1/1620 (0.1%)	0.55	0/2203
All	All	0.44	4/9927 (0.0%)	0.63	0/13495

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
3	A	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	111	LEU	C-O	-6.30	1.16	1.24
2	E	124	SER	CA-CB	-6.28	1.42	1.53
3	C	205	PRO	C-O	-6.12	1.16	1.24
2	E	127	ARG	C-O	-5.37	1.18	1.23

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	A	150	PRO	Peptide
1	B	140	TYR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1643	0	1583	26	0
1	D	1535	0	1459	28	0
2	E	1699	0	1628	28	0
2	F	1674	0	1600	32	0
3	A	1593	0	1559	13	0
3	C	1580	0	1543	26	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
5	A	86	0	0	1	0
5	B	50	0	0	1	0
5	C	14	0	0	0	0
5	D	16	0	0	0	0
5	E	85	0	0	1	0
5	F	22	0	0	1	0
All	All	9999	0	9372	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:202:GLU:HG3	2:F:219:SER:H	1.51	0.76
2:F:39:ASN:HB3	2:F:113:VAL:HG12	1.69	0.74
3:C:9:GLY:H	3:C:110:THR:HG21	1.53	0.71
2:E:8:VAL:HG22	2:E:31:VAL:O	1.90	0.71
1:B:163:VAL:HG22	1:B:175:LEU:HD12	1.74	0.69
2:F:37:CYS:SG	2:F:113:VAL:HG21	2.31	0.69
1:B:72:THR:HG21	2:E:59:ILE:HD13	1.76	0.67
2:F:38:VAL:HB	2:F:42:ILE:HD11	1.76	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:79:VAL:HG22	2:E:140:THR:HG23	1.81	0.63
2:F:111:LEU:HD12	2:F:111:LEU:O	2.00	0.61
1:B:3:THR:HG22	1:B:26:SER:HB3	1.83	0.61
2:F:10:ASN:OD1	2:F:30:GLN:NE2	2.33	0.61
1:B:148:TRP:CD1	1:B:159:SER:HG	2.19	0.61
3:A:204:LYS:HA	3:A:204:LYS:HE2	1.82	0.61
1:D:148:TRP:HZ3	1:D:192:TYR:HA	1.66	0.61
3:A:202:ASN:OD1	3:A:204:LYS:HE3	2.02	0.60
3:C:13:LYS:NZ	3:C:116:SER:O	2.35	0.60
1:B:83:LEU:HB3	1:B:106:ILE:HD12	1.84	0.60
1:D:115:VAL:HG21	1:D:196:VAL:HG11	1.82	0.60
3:C:106:TRP:CE3	1:D:44:PRO:HG2	2.37	0.59
1:D:113:PRO:HB3	1:D:139:PHE:HB3	1.85	0.59
3:C:83:MET:HE1	3:C:112:LEU:HD22	1.85	0.59
3:C:204:LYS:N	3:C:205:PRO:HD2	2.18	0.59
2:F:39:ASN:CB	2:F:113:VAL:HG12	2.33	0.58
1:D:167:ASP:OD1	1:D:169:LYS:HG3	2.03	0.57
3:C:153:VAL:HG13	3:C:203:HIS:HD2	1.70	0.57
2:F:70:LYS:HD3	2:F:73:VAL:HG11	1.86	0.56
3:A:10:ASP:OD1	3:A:11:LEU:N	2.38	0.56
1:D:94:TYR:O	1:D:96:LEU:N	2.38	0.56
1:B:138:ASN:HD21	3:A:167:HIS:HE1	1.54	0.55
2:E:39:ASN:HB3	2:E:113:VAL:HG22	1.87	0.55
3:C:83:MET:HE2	3:C:86:LEU:HD21	1.89	0.55
2:E:222:LYS:H	2:E:222:LYS:NZ	2.04	0.55
1:D:108:ARG:HG2	1:D:109:THR:H	1.72	0.55
2:F:201:GLN:HG3	2:F:221:THR:HG23	1.89	0.55
2:E:107:ALA:HB2	2:E:137:PHE:CE1	2.42	0.54
2:F:187:THR:HG21	2:F:203:VAL:HA	1.88	0.54
2:F:110:ARG:HG2	2:F:132:GLU:HG2	1.90	0.53
2:F:198:TYR:HB3	2:F:220:VAL:HG22	1.90	0.53
2:E:156:VAL:HG22	2:E:211:TYR:HB2	1.90	0.53
1:D:141:PRO:HG2	1:D:198:HIS:CE1	2.44	0.53
1:B:1:GLU:OE1	1:B:1:GLU:N	2.40	0.53
2:E:80:LEU:HG	2:E:82:ILE:HG13	1.90	0.53
1:D:158:ASN:OD1	1:D:158:ASN:N	2.40	0.53
2:E:154:SER:HB3	2:E:212:LYS:NZ	2.24	0.53
1:D:40:PRO:HB3	1:D:165:GLU:HG3	1.89	0.52
1:D:161:GLU:HG2	1:D:177:SER:HB2	1.91	0.52
1:D:181:LEU:HD13	1:D:185:ASP:HB2	1.91	0.51
3:C:40:THR:OG1	3:C:42:ASP:OD2	2.23	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:110:VAL:HG13	1:D:141:PRO:HG3	1.92	0.51
3:C:10:ASP:OD1	3:C:11:LEU:N	2.41	0.51
3:A:108:GLN:HB2	5:A:338:HOH:O	2.09	0.51
2:E:7:GLU:HG2	2:E:33:ILE:HD13	1.92	0.51
1:B:10:PHE:HE1	1:B:103:LYS:HD2	1.76	0.51
3:C:6:GLU:CD	3:C:109:GLY:H	2.19	0.50
3:C:91:THR:HG23	3:C:113:THR:HA	1.93	0.49
2:E:70:LYS:HD3	2:E:73:VAL:HG11	1.94	0.49
2:F:171:ALA:HB3	2:F:195:PRO:HG3	1.94	0.49
2:E:87:PRO:HD3	2:E:147:VAL:O	2.13	0.48
2:E:110:ARG:HB2	2:E:113:VAL:HG12	1.94	0.48
2:E:209:GLU:HG2	5:E:415:HOH:O	2.13	0.48
3:A:196:THR:HG23	3:A:213:LYS:HD2	1.96	0.48
3:C:153:VAL:CG1	3:C:203:HIS:HD2	2.27	0.48
1:B:50:SER:HB2	5:B:313:HOH:O	2.13	0.47
2:F:23:GLN:OE1	2:F:26:GLU:HB2	2.14	0.47
3:A:198:ILE:HD13	3:A:213:LYS:HA	1.95	0.47
2:F:162:ASP:O	2:F:167:ASP:HA	2.15	0.47
3:C:53:SER:HA	3:C:72:ARG:NH1	2.30	0.47
3:C:147:ASP:HB3	3:C:178:LEU:HD13	1.96	0.47
1:B:35:TRP:CZ3	1:B:88:CYS:HB3	2.50	0.47
2:F:186:HIS:ND1	2:F:188:ARG:HB2	2.29	0.47
2:F:107:ALA:HB2	2:F:137:PHE:CE1	2.50	0.47
3:C:129:PRO:HG2	3:C:216:PRO:HB3	1.97	0.47
2:E:14:ASN:ND2	2:E:23:GLN:HG3	2.30	0.46
2:F:34:ASP:OD2	2:F:34:ASP:N	2.47	0.46
2:F:188:ARG:HD3	5:F:419:HOH:O	2.13	0.46
3:C:146:LYS:HG2	3:C:147:ASP:OD2	2.16	0.46
3:C:153:VAL:HG13	3:C:203:HIS:CD2	2.50	0.46
3:C:203:HIS:CE1	3:C:205:PRO:HG2	2.51	0.46
3:A:147:ASP:HB3	3:A:178:LEU:HD13	1.97	0.46
1:B:142:ARG:HB2	1:B:173:TYR:CE1	2.51	0.46
1:D:8:GLN:O	1:D:102:THR:OG1	2.31	0.45
1:D:46:ALA:HB1	1:D:55:TYR:CE2	2.51	0.45
2:E:57:ASP:O	2:E:58:CYS:SG	2.74	0.45
2:F:59:ILE:HD13	1:D:72:THR:HG21	1.99	0.45
3:A:60:TYR:HB2	3:A:65:LYS:HE3	1.98	0.45
1:D:108:ARG:HG2	1:D:109:THR:N	2.31	0.45
2:F:187:THR:HA	2:F:190:ILE:HD13	2.00	0.44
3:C:153:VAL:CG1	3:C:203:HIS:CD2	3.00	0.44
1:D:195:GLU:HG2	1:D:206:THR:HB	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:155:GLN:HE21	1:D:155:GLN:N	2.15	0.44
3:C:147:ASP:OD1	3:C:174:GLN:NE2	2.51	0.44
1:B:167:ASP:OD1	1:B:169:LYS:HG3	2.18	0.44
2:E:110:ARG:O	2:E:113:VAL:HG12	2.18	0.44
2:F:9:GLN:N	2:F:31:VAL:O	2.51	0.44
3:C:204:LYS:HD2	3:C:204:LYS:HA	1.59	0.44
1:D:141:PRO:HG2	1:D:198:HIS:NE2	2.33	0.44
3:A:176:SER:HA	3:C:176:SER:HA	1.99	0.44
2:F:57:ASP:O	2:F:58:CYS:SG	2.76	0.43
2:E:12:LYS:HD3	2:E:26:GLU:OE2	2.18	0.43
1:B:154:LEU:HD12	1:B:155:GLN:H	1.83	0.43
3:C:3:LYS:HD3	3:C:3:LYS:HA	1.53	0.43
1:D:118:PHE:HB2	1:D:133:VAL:HB	2.01	0.42
1:B:189:HIS:O	1:B:211:ARG:NH2	2.49	0.42
3:C:97:ALA:HB1	3:C:103:PHE:HB3	2.01	0.42
2:F:39:ASN:CA	2:F:113:VAL:HG12	2.49	0.42
2:F:111:LEU:O	2:F:111:LEU:CD1	2.68	0.42
1:D:148:TRP:CZ3	1:D:192:TYR:HA	2.49	0.42
1:B:83:LEU:HB3	1:B:106:ILE:CD1	2.49	0.42
3:A:217:LYS:HA	3:A:217:LYS:HD2	1.90	0.42
1:B:190:LYS:NZ	1:B:211:ARG:HH22	2.18	0.42
2:E:77:GLU:HA	2:E:99:ALA:O	2.19	0.42
1:B:113:PRO:HB3	1:B:139:PHE:CD1	2.54	0.42
2:F:111:LEU:O	2:F:111:LEU:CG	2.68	0.42
1:B:108:ARG:HG3	1:B:140:TYR:CD2	2.54	0.41
2:E:85:GLU:O	2:E:146:VAL:HA	2.20	0.41
2:F:47:MET:HE1	2:F:69:VAL:CG1	2.50	0.41
2:F:97:VAL:HG21	2:F:115:PHE:HB3	2.01	0.41
2:E:113:VAL:HG13	2:E:114:ASP:N	2.35	0.41
2:E:222:LYS:HE2	2:E:222:LYS:HB2	1.86	0.41
2:F:14:ASN:OD1	2:F:23:GLN:NE2	2.54	0.41
2:F:202:GLU:CG	2:F:219:SER:H	2.25	0.41
1:D:107:LYS:HA	1:D:140:TYR:OH	2.21	0.41
1:B:115:VAL:O	1:B:207:LYS:HE3	2.20	0.41
2:E:154:SER:HB3	2:E:212:LYS:HZ3	1.85	0.41
2:E:155:ILE:CG1	2:E:174:ASP:HB3	2.50	0.41
1:D:50:SER:HB3	1:D:53:TYR:HD1	1.85	0.41
3:C:42:ASP:OD1	3:C:44:ARG:HG3	2.20	0.41
1:B:72:THR:HG21	2:E:59:ILE:CD1	2.48	0.41
1:B:160:GLN:NE2	3:A:173:LEU:O	2.52	0.41
2:E:57:ASP:O	2:E:59:ILE:HG13	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:20:LEU:HD12	3:C:81:LEU:HD23	2.02	0.41
1:B:76:SER:O	1:B:77:ASN:C	2.64	0.41
1:B:140:TYR:CD2	1:B:141:PRO:CD	3.04	0.41
2:E:33:ILE:O	2:E:33:ILE:HG13	2.20	0.41
2:E:170:VAL:HG11	2:E:198:TYR:CE2	2.56	0.41
2:F:38:VAL:O	2:F:58:CYS:HB2	2.20	0.41
1:D:125:LEU:HD21	1:D:130:ALA:HB2	2.03	0.41
1:B:138:ASN:HD21	3:A:167:HIS:CE1	2.38	0.40
1:B:186:TYR:O	1:B:192:TYR:OH	2.36	0.40
2:F:12:LYS:HD2	2:F:26:GLU:OE2	2.21	0.40
1:D:54:ARG:HH11	1:D:54:ARG:HD2	1.75	0.40
1:B:29:VAL:HB	1:B:92:ASN:HB2	2.04	0.40
1:D:38:GLN:NE2	1:D:44:PRO:HD3	2.37	0.40
1:D:163:VAL:HG12	1:D:164:THR:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	211/214 (99%)	200 (95%)	10 (5%)	1 (0%)	24	22
1	D	195/214 (91%)	184 (94%)	9 (5%)	2 (1%)	12	9
2	E	216/272 (79%)	208 (96%)	8 (4%)	0	100	100
2	F	213/272 (78%)	205 (96%)	8 (4%)	0	100	100
3	A	206/224 (92%)	200 (97%)	5 (2%)	1 (0%)	24	22
3	C	204/224 (91%)	193 (95%)	10 (5%)	1 (0%)	24	22
All	All	1245/1420 (88%)	1190 (96%)	50 (4%)	5 (0%)	30	28

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	141	PRO
3	A	149	PHE
1	D	95	PRO
3	C	152	PRO
1	D	140	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	188/189 (100%)	178 (95%)	10 (5%)	20	19
1	D	175/189 (93%)	164 (94%)	11 (6%)	16	14
2	E	190/241 (79%)	178 (94%)	12 (6%)	16	14
2	F	187/241 (78%)	175 (94%)	12 (6%)	16	14
3	A	179/192 (93%)	170 (95%)	9 (5%)	22	22
3	C	178/192 (93%)	168 (94%)	10 (6%)	19	18
All	All	1097/1244 (88%)	1033 (94%)	64 (6%)	18	16

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	3	THR
1	B	4	VAL
1	B	76	SER
1	B	105	GLU
1	B	106	ILE
1	B	123	SER
1	B	160	GLN
1	B	169	LYS
1	B	181	LEU
1	B	213	GLU
2	E	21	GLU
2	E	24	VAL
2	E	33	ILE
2	E	79	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	86	THR
2	E	156	VAL
2	E	161	VAL
2	E	168	GLU
2	E	184	ILE
2	E	196	GLU
2	E	220	VAL
2	E	222	LYS
2	F	9	GLN
2	F	34	ASP
2	F	42	ILE
2	F	49	GLU
2	F	62	ASP
2	F	76	ARG
2	F	113	VAL
2	F	161	VAL
2	F	188	ARG
2	F	190	ILE
2	F	192	GLU
2	F	209	GLU
3	A	3	LYS
3	A	40	THR
3	A	44	ARG
3	A	65	LYS
3	A	118	SER
3	A	138	THR
3	A	141	LEU
3	A	153	VAL
3	A	181	LEU
3	C	3	LYS
3	C	6	GLU
3	C	7	SER
3	C	44	ARG
3	C	69	THR
3	C	85	SER
3	C	112	LEU
3	C	141	LEU
3	C	144	LEU
3	C	182	SER
1	D	43	SER
1	D	60	ASP
1	D	81	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	83	LEU
1	D	94	TYR
1	D	132	VAL
1	D	154	LEU
1	D	155	GLN
1	D	169	LYS
1	D	177	SER
1	D	195	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	27	GLN
1	B	38	GLN
1	B	79	GLN
1	B	138	ASN
1	B	155	GLN
2	E	9	GLN
2	E	14	ASN
2	E	30	GLN
2	E	125	ASN
2	F	10	ASN
2	F	23	GLN
2	F	30	GLN
2	F	143	HIS
2	F	201	GLN
3	A	39	GLN
3	A	167	HIS
3	A	174	GLN
3	C	174	GLN
1	D	79	GLN
1	D	155	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	213/214 (99%)	0.62	19 (8%) 15 16	23, 43, 76, 97	0
1	D	201/214 (93%)	1.26	43 (21%) 2 2	36, 56, 93, 107	0
2	E	218/272 (80%)	0.22	5 (2%) 61 64	26, 35, 52, 86	0
2	F	215/272 (79%)	1.16	33 (15%) 5 5	41, 56, 83, 99	0
3	A	210/224 (93%)	0.32	7 (3%) 49 51	23, 34, 53, 75	0
3	C	208/224 (92%)	0.91	20 (9%) 13 14	37, 52, 72, 96	0
All	All	1265/1420 (89%)	0.74	127 (10%) 12 13	23, 46, 82, 107	0

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	148	TRP	6.9
2	F	33	ILE	6.2
1	D	154	LEU	5.5
1	D	191	VAL	4.5
1	D	186	TYR	4.3
3	C	151	GLU	4.3
2	F	223	ILE	4.2
1	D	141	PRO	3.9
1	D	146	VAL	3.8
1	D	184	ALA	3.8
1	D	193	ALA	3.8
3	A	149	PHE	3.8
2	F	220	VAL	3.7
3	A	150	PRO	3.7
3	C	129	PRO	3.7
3	C	152	PRO	3.7
2	F	161	VAL	3.6
2	F	171	ALA	3.6
1	D	210	ASN	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	A	193	GLY	3.5
1	D	205	VAL	3.4
1	D	125	LEU	3.3
1	D	192	TYR	3.3
1	D	179	LEU	3.2
3	C	146	LYS	3.2
1	D	209	PHE	3.2
3	C	173	LEU	3.2
2	F	170	VAL	3.2
3	C	181	LEU	3.2
3	A	152	PRO	3.2
1	D	194	CYS	3.2
2	F	196	GLU	3.1
1	D	11	MET	3.1
2	E	197	GLY	3.0
2	F	165	ASN	3.0
2	F	160	PHE	3.0
3	C	193	GLY	3.0
1	D	201	LEU	3.0
1	D	95	PRO	3.0
2	E	224	LYS	3.0
1	D	181	LEU	2.9
1	D	197	THR	2.9
1	D	140	TYR	2.9
2	F	42	ILE	2.8
1	D	94	TYR	2.8
2	F	198	TYR	2.8
3	C	75	ALA	2.8
3	C	149	PHE	2.8
1	B	190	LYS	2.8
2	F	31	VAL	2.8
2	F	158	ILE	2.8
1	D	155	GLN	2.7
1	D	128	GLY	2.7
3	C	117	ALA	2.7
1	B	154	LEU	2.7
1	D	129	THR	2.7
1	B	152	ASN	2.7
1	B	191	VAL	2.7
1	B	212	GLY	2.7
1	D	208	SER	2.7
2	F	11	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	168	GLU	2.6
1	D	202	SER	2.6
3	A	217	LYS	2.6
2	E	33	ILE	2.6
2	F	62	ASP	2.6
1	D	147	GLN	2.6
2	F	190	ILE	2.6
3	A	151	GLU	2.6
2	F	197	GLY	2.6
1	D	119	PRO	2.6
2	F	173	GLY	2.5
3	C	216	PRO	2.5
3	A	153	VAL	2.5
1	D	127	SER	2.5
2	F	199	GLU	2.5
3	C	171	ALA	2.5
1	D	133	VAL	2.5
1	B	186	TYR	2.5
1	B	205	VAL	2.4
1	D	178	THR	2.4
1	D	206	THR	2.4
1	B	141	PRO	2.4
1	B	143	GLU	2.4
1	D	131	SER	2.4
2	F	96	THR	2.4
3	C	172	VAL	2.4
3	C	118	SER	2.4
2	F	221	THR	2.4
2	F	9	GLN	2.3
1	D	132	VAL	2.3
1	D	195	GLU	2.3
1	B	184	ALA	2.3
2	F	34	ASP	2.3
2	F	169	VAL	2.3
1	D	126	LYS	2.3
2	F	194	VAL	2.3
2	F	20	ALA	2.3
1	B	129	THR	2.2
1	D	180	THR	2.2
1	D	161	GLU	2.2
1	B	156	SER	2.2
1	D	130	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	143	CYS	2.2
1	D	160	GLN	2.2
3	C	210	VAL	2.2
1	B	181	LEU	2.2
1	B	192	TYR	2.2
2	F	193	TRP	2.2
3	C	189	SER	2.1
1	B	187	GLU	2.1
2	F	49	GLU	2.1
2	F	46	TYR	2.1
2	F	214	THR	2.1
2	F	212	LYS	2.1
2	F	29	VAL	2.1
1	B	153	ALA	2.1
1	B	213	GLU	2.0
1	D	65	SER	2.1
3	C	150	PRO	2.0
2	E	223	ILE	2.0
1	B	130	ALA	2.0
1	D	142	ARG	2.0
1	B	194	CYS	2.0
2	F	28	PRO	2.0
3	C	119	THR	2.0
3	C	138	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	F	301	1/1	0.96	0.07	53,53,53,53	0
4	CA	E	301	1/1	0.98	0.03	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.