



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:40 AM UTC

PDB ID : 5KQQ / pdb_00005kqq
Title : Crystal structure of the W153F variant of catalase-peroxidase from *B. pseudomallei* treated
Authors : Loewen, P.C.
Deposited on : 2016-07-06
Resolution : 1.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	% 91% 7% ..
1	B	728	% 89% 8% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PO4	A	804	-	X	-	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12673 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Catalase-peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	713	Total	C	N	O	S	0	6	0
			5547	3500	989	1044	14			
1	B	713	Total	C	N	O	S	0	11	0
			5586	3523	993	1056	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	153	PHE	TRP	engineered mutation	UNP Q3JNW6
B	153	PHE	TRP	engineered mutation	UNP Q3JNW6

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
							0	0

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na		
			1	1	0	0
3	B	1	Total	Na		
			1	1	0	0

- Molecule 4 is OXYGEN MOLECULE (CCD ID: OXY) (formula: O₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O		
			2	2	0	0
4	B	1	Total	O		
			2	2	0	0

- Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			8	6	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	710	Total	O	0	1
			710	710		
7	B	704	Total	O	0	2
			704	704		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Catalase-peroxidase



• Molecule 1: Catalase-peroxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	100.92Å 116.13Å 175.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	96.90 – 1.87 96.90 – 1.87	Depositor EDS
% Data completeness (in resolution range)	90.2 (96.90-1.87) 90.2 (96.90-1.87)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 1.87Å)	Xtriage
Refinement program	REFMAC 5.8.0151	Depositor
R, R_{free}	0.143 , 0.175 (Not available) , 0.178	Depositor DCC
R_{free} test set	7600 reflections (4.46%)	wwPDB-VP
Wilson B-factor (Å ²)	22.8	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12673	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, OXY, PO4, NA, MPD, TOX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.57	26/5671 (0.5%)	1.23	11/7705 (0.1%)
1	B	1.60	40/5716 (0.7%)	1.23	11/7765 (0.1%)
All	All	1.59	66/11387 (0.6%)	1.23	22/15470 (0.1%)

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	448	ASP	C-O	11.91	1.29	1.23
1	B	448	ASP	N-CA	11.04	1.54	1.46
1	A	544	GLN	CD-OE1	9.54	1.41	1.23
1	A	725	GLN	CD-NE2	9.28	1.52	1.33
1	B	448	ASP	C-O	8.69	1.28	1.23
1	B	512	ASP	CG-OD2	8.31	1.41	1.25
1	B	63	GLY	N-CA	8.30	1.56	1.45
1	B	725	GLN	CD-NE2	7.90	1.49	1.33
1	A	63	GLY	N-CA	7.65	1.54	1.45
1	B	197	PRO	N-CA	-7.49	1.38	1.47
1	B	730	ARG	CZ-NH1	7.38	1.43	1.32
1	A	161	ARG	CD-NE	-6.74	1.36	1.46
1	B	573	PRO	CA-C	6.68	1.60	1.52
1	A	692	THR	CA-C	-6.49	1.44	1.52
1	A	102	TYR	N-CA	6.42	1.54	1.46
1	B	540	ARG	C-O	6.42	1.32	1.23
1	B	105	LEU	CA-C	6.33	1.61	1.52
1	B	686	GLU	C-N	-6.26	1.30	1.33
1	A	725	GLN	CD-OE1	6.15	1.35	1.23
1	B	47	LEU	CB-CG	-6.12	1.41	1.53
1	B	115	GLY	C-O	-6.07	1.17	1.24
1	B	192	ALA	N-CA	6.04	1.53	1.46
1	B	544	GLN	CD-NE2	6.00	1.45	1.33
1	A	161	ARG	CZ-NH1	6.00	1.41	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	431	ARG	CD-NE	6.00	1.54	1.46
1	B	82	ARG	CZ-NH2	-5.99	1.25	1.33
1	B	687	GLY	CA-C	5.94	1.56	1.51
1	B	499	GLY	N-CA	5.87	1.51	1.45
1	B	450	ILE	C-O	-5.82	1.18	1.24
1	B	591	MET	SD-CE	-5.80	1.65	1.79
1	B	659	ALA	N-CA	-5.77	1.39	1.46
1	B	382	ARG	CA-C	5.74	1.60	1.53
1	B	457	LEU	C-O	5.73	1.31	1.23
1	B	679	ALA	N-CA	5.68	1.53	1.46
1	B	692	THR	C-O	-5.67	1.16	1.24
1	B	532	ARG	CD-NE	-5.66	1.38	1.46
1	B	596	PRO	CA-CB	-5.65	1.48	1.54
1	A	699	GLY	N-CA	5.65	1.51	1.45
1	A	103	GLY	N-CA	5.56	1.52	1.45
1	A	733	VAL	CA-C	5.50	1.59	1.52
1	B	730	ARG	CZ-NH2	5.49	1.40	1.33
1	A	725	GLN	CG-CD	5.44	1.65	1.52
1	B	596	PRO	C-N	-5.42	1.26	1.33
1	A	105	LEU	CA-C	5.42	1.59	1.52
1	B	367	ALA	C-O	-5.38	1.16	1.23
1	B	461	ALA	CA-C	5.36	1.59	1.52
1	B	577	GLY	C-O	-5.35	1.18	1.24
1	A	556	CYS	CA-C	5.32	1.59	1.52
1	A	347	GLY	N-CA	5.29	1.52	1.45
1	B	452	ALA	C-O	-5.25	1.17	1.23
1	B	656	ARG	C-O	5.24	1.30	1.23
1	A	725	GLN	N-CA	5.20	1.52	1.46
1	A	198	GLU	CG-CD	5.20	1.65	1.52
1	A	410	GLU	CA-C	5.18	1.59	1.52
1	A	679	ALA	N-CA	5.17	1.52	1.46
1	A	127	GLY	C-O	5.16	1.30	1.24
1	B	335	THR	N-CA	-5.14	1.40	1.46
1	B	352	LEU	CA-C	-5.13	1.46	1.52
1	A	742	LEU	N-CA	5.10	1.52	1.46
1	B	182	PHE	N-CA	5.08	1.52	1.46
1	A	95	TRP	N-CA	5.07	1.53	1.46
1	A	617	LEU	C-O	-5.05	1.18	1.24
1	B	680	ALA	N-CA	5.04	1.52	1.46
1	B	746	ASP	C-O	-5.03	1.17	1.24
1	A	571	THR	N-CA	-5.02	1.40	1.46
1	B	163	ILE	CA-CB	-5.00	1.47	1.54

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	161	ARG	NE-CZ-NH2	-9.15	110.96	119.20
1	B	725	GLN	CB-CG-CD	7.19	124.82	112.60
1	A	47	LEU	N-CA-CB	-6.34	100.49	110.06
1	B	47	LEU	N-CA-CB	-6.03	100.95	110.06
1	A	161	ARG	NE-CZ-NH1	5.95	127.45	121.50
1	A	198	GLU	CG-CD-OE1	5.91	131.99	118.40
1	B	541	GLY	N-CA-C	-5.87	99.49	112.17
1	B	62	MET	CA-C-N	-5.81	113.96	120.53
1	B	62	MET	C-N-CA	-5.81	113.96	120.53
1	A	46	GLN	N-CA-C	-5.71	102.99	110.53
1	A	541	GLY	N-CA-C	-5.64	107.53	115.32
1	B	48	ASP	N-CA-C	5.42	117.83	107.75
1	A	725	GLN	CB-CG-CD	5.39	121.77	112.60
1	A	395	ASP	N-CA-C	-5.33	102.93	109.65
1	B	198	GLU	CG-CD-OE1	5.33	130.66	118.40
1	B	395	ASP	N-CA-C	-5.30	102.97	109.65
1	A	46	GLN	CA-CB-CG	5.15	124.41	114.10
1	B	450	ILE	CA-CB-CG1	-5.09	101.75	110.40
1	A	403	ARG	CG-CD-NE	-5.08	100.82	112.00
1	A	403	ARG	N-CA-C	5.08	116.81	111.28
1	B	520	GLN	CB-CG-CD	5.06	121.21	112.60
1	B	608	LYS	CA-CB-CG	5.01	124.12	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5547	0	5352	16	0
1	B	5586	0	5381	18	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	2	0	0	0	0
4	B	2	0	0	1	0
5	A	5	0	0	0	0
5	B	5	0	0	0	0
6	A	16	0	28	3	0
6	B	8	0	14	1	0
7	A	710	0	0	6	1
7	B	704	0	0	10	1
All	All	12673	0	10835	39	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (39) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119[B]:THR:HG21	7:B:1169:HOH:O	1.63	0.96
1:A:119[B]:THR:HG21	7:A:1149:HOH:O	1.64	0.96
1:B:726[B]:GLU:CD	7:B:911:HOH:O	2.16	0.88
1:B:255[B]:ARG:HG2	7:B:1531:HOH:O	1.73	0.88
1:B:520:GLN:HG3	7:B:916:HOH:O	1.78	0.83
1:B:46:GLN:NE2	7:B:901:HOH:O	2.03	0.67
1:A:711:GLN:OE1	7:A:902:HOH:O	2.15	0.64
6:A:805:MPD:CM	6:A:805:MPD:O4	2.46	0.63
1:B:647:GLN:HG2	7:B:918:HOH:O	1.97	0.63
6:A:805:MPD:O4	6:A:805:MPD:HM1	2.00	0.61
1:B:76:ASP:OD1	7:B:902:HOH:O	2.16	0.60
1:A:255[A]:ARG:NH2	7:A:903:HOH:O	2.20	0.56
1:A:593:VAL:HG13	7:A:918:HOH:O	2.06	0.55
1:B:54:ARG:HB3	1:B:55:HIS:CD2	2.43	0.54
1:A:633[A]:VAL:CG2	1:A:719:TYR:CZ	2.92	0.53
1:B:540:ARG:CZ	1:B:540:ARG:HA	2.42	0.50
1:A:161:ARG:NH2	7:A:908:HOH:O	2.39	0.50
1:B:633[A]:VAL:CG2	1:B:719:TYR:CZ	2.94	0.50
1:B:647:GLN:NE2	7:B:918:HOH:O	2.45	0.49
1:B:649:ARG:HH22	1:B:657[B]:GLU:CD	2.21	0.48
4:B:803:OXY:O2	7:B:904:HOH:O	2.20	0.48
1:A:69:ALA:O	1:A:73:GLU:HG3	2.13	0.47
1:A:726[B]:GLU:HG2	1:A:730:ARG:HH12	1.80	0.46
1:B:591:MET:SD	1:B:594:LEU:HD12	2.55	0.46
1:A:696:LYS:HE2	7:A:1080:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:591:MET:SD	1:A:594:LEU:HD12	2.56	0.46
1:A:144:ASN:HA	1:A:146:ASP:OD1	2.17	0.45
6:A:806:MPD:H11	6:A:806:MPD:C5	2.46	0.45
1:A:70:GLN:HE21	1:A:70:GLN:HB2	1.59	0.44
1:B:540:ARG:HA	1:B:540:ARG:NH1	2.32	0.44
1:A:119[A]:THR:CG2	1:A:265:ALA:HB2	2.48	0.44
1:B:119[A]:THR:CG2	1:B:265:ALA:HB2	2.47	0.44
1:B:223:ARG:HH11	1:B:223:ARG:HD2	1.67	0.43
6:B:805:MPD:O4	6:B:805:MPD:H12	2.19	0.43
1:B:725:GLN:CD	7:B:921:HOH:O	2.62	0.42
1:B:426[B]:ARG:HA	1:B:426[B]:ARG:HD2	1.82	0.42
1:A:112:HIS:CE1	1:A:141:ASP:O	2.73	0.41
1:A:428:MET:O	1:A:433:ARG:HD3	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1151:HOH:O	7:B:1290:HOH:O[2_444]	1.99	0.21

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	715/728 (98%)	705 (99%)	10 (1%)	0	100	100
1	B	720/728 (99%)	711 (99%)	9 (1%)	0	100	100
All	All	1435/1456 (99%)	1416 (99%)	19 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	554/560 (99%)	548 (99%)	6 (1%)	65	56
1	B	559/560 (100%)	554 (99%)	5 (1%)	70	63
All	All	1113/1120 (99%)	1102 (99%)	11 (1%)	68	60

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ARG
1	A	46	GLN
1	A	141	ASP
1	A	379	LYS
1	A	544	GLN
1	A	608	LYS
1	B	40	ARG
1	B	54	ARG
1	B	141	ASP
1	B	183	LYS
1	B	608	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	GLN
1	A	85	HIS
1	A	227	ASN
1	A	520	GLN
1	B	70	GLN
1	B	406	HIS
1	B	520	GLN
1	B	737	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TOX	A	111[A]	2	14,17,18	2.31	6 (42%)	12,23,25	3.03	6 (50%)
1	TOX	B	111[B]	-	14,17,18	2.69	8 (57%)	12,23,25	2.27	3 (25%)
1	TOX	B	111[A]	2	14,17,18	2.69	8 (57%)	12,23,25	2.27	3 (25%)
1	TOX	A	111[B]	-	14,17,18	2.31	6 (42%)	12,23,25	3.03	6 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TOX	A	111[A]	2	-	2/5/8/10	0/2/2/2
1	TOX	B	111[B]	-	-	2/5/8/10	0/2/2/2
1	TOX	B	111[A]	2	-	2/5/8/10	0/2/2/2
1	TOX	A	111[B]	-	-	2/5/8/10	0/2/2/2

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	111[A]	TOX	O-C	4.77	1.38	1.20
1	B	111[B]	TOX	O-C	4.77	1.38	1.20
1	B	111[A]	TOX	CD2-CE2	4.61	1.47	1.41
1	B	111[B]	TOX	CD2-CE2	4.61	1.47	1.41
1	A	111[A]	TOX	O-C	4.06	1.35	1.20
1	A	111[B]	TOX	O-C	4.06	1.35	1.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	111[A]	TOX	CD2-CG	3.78	1.50	1.44
1	A	111[B]	TOX	CD2-CG	3.78	1.50	1.44
1	A	111[A]	TOX	CE2-NE1	-3.54	1.33	1.39
1	A	111[B]	TOX	CE2-NE1	-3.54	1.33	1.39
1	B	111[A]	TOX	CH2-CZ3	3.42	1.45	1.38
1	B	111[B]	TOX	CH2-CZ3	3.42	1.45	1.38
1	B	111[A]	TOX	CZ2-CE2	-3.21	1.34	1.39
1	B	111[B]	TOX	CZ2-CE2	-3.21	1.34	1.39
1	B	111[A]	TOX	CD2-CG	3.18	1.49	1.44
1	B	111[B]	TOX	CD2-CG	3.18	1.49	1.44
1	A	111[A]	TOX	CD2-CE2	3.16	1.45	1.41
1	A	111[B]	TOX	CD2-CE2	3.16	1.45	1.41
1	B	111[A]	TOX	CA-N	-2.96	1.39	1.48
1	B	111[B]	TOX	CA-N	-2.96	1.39	1.48
1	B	111[A]	TOX	O1-NE1	-2.56	1.35	1.39
1	B	111[B]	TOX	O1-NE1	-2.56	1.35	1.39
1	A	111[A]	TOX	O1-NE1	2.38	1.42	1.39
1	A	111[B]	TOX	O1-NE1	2.38	1.42	1.39
1	A	111[A]	TOX	CA-N	-2.36	1.41	1.48
1	A	111[B]	TOX	CA-N	-2.36	1.41	1.48
1	B	111[A]	TOX	CD1-CG	2.20	1.41	1.36
1	B	111[B]	TOX	CD1-CG	2.20	1.41	1.36

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	111[A]	TOX	CZ2-CE2-CD2	-5.79	115.49	121.95
1	A	111[B]	TOX	CZ2-CE2-CD2	-5.79	115.49	121.95
1	A	111[A]	TOX	CZ2-CE2-NE1	5.43	138.02	129.37
1	A	111[B]	TOX	CZ2-CE2-NE1	5.43	138.02	129.37
1	B	111[A]	TOX	CD2-CG-CD1	-4.38	102.36	106.34
1	B	111[B]	TOX	CD2-CG-CD1	-4.38	102.36	106.34
1	B	111[A]	TOX	CZ2-CE2-NE1	3.94	135.64	129.37
1	B	111[B]	TOX	CZ2-CE2-NE1	3.94	135.64	129.37
1	B	111[A]	TOX	CZ2-CE2-CD2	-3.46	118.08	121.95
1	B	111[B]	TOX	CZ2-CE2-CD2	-3.46	118.08	121.95
1	A	111[A]	TOX	CB-CG-CD1	3.17	131.09	126.67
1	A	111[B]	TOX	CB-CG-CD1	3.17	131.09	126.67
1	A	111[A]	TOX	CH2-CZ2-CE2	3.13	124.60	118.28
1	A	111[B]	TOX	CH2-CZ2-CE2	3.13	124.60	118.28
1	A	111[A]	TOX	CE3-CD2-CE2	2.79	122.46	119.24
1	A	111[B]	TOX	CE3-CD2-CE2	2.79	122.46	119.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	111[A]	TOX	CD2-CG-CD1	-2.40	104.16	106.34
1	A	111[B]	TOX	CD2-CG-CD1	-2.40	104.16	106.34

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	111[A]	TOX	N-CA-CB-CG
1	A	111[A]	TOX	C-CA-CB-CG
1	A	111[B]	TOX	N-CA-CB-CG
1	A	111[B]	TOX	C-CA-CB-CG
1	B	111[A]	TOX	N-CA-CB-CG
1	B	111[A]	TOX	C-CA-CB-CG
1	B	111[B]	TOX	N-CA-CB-CG
1	B	111[B]	TOX	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	MPD	B	805	-	7,7,7	0.73	0	9,10,10	1.49	2 (22%)
5	PO4	B	804	-	4,4,4	0.75	0	6,6,6	2.24	2 (33%)
6	MPD	A	805	-	7,7,7	0.61	0	9,10,10	0.92	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	OXY	B	803	-	1,1,1	0.84	0	-		
2	HEM	B	801	1	50,50,50	1.55	9 (18%)	67,82,82	1.64	16 (23%)
5	PO4	A	804	-	4,4,4	1.35	1 (25%)	6,6,6	2.81	3 (50%)
4	OXY	A	803	-	1,1,1	0.33	0	-		
2	HEM	A	801	1	50,50,50	1.65	9 (18%)	67,82,82	1.59	16 (23%)
6	MPD	A	806	-	7,7,7	0.67	0	9,10,10	1.78	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MPD	B	805	-	-	3/5/5/5	-
6	MPD	A	805	-	-	0/5/5/5	-
2	HEM	B	801	1	-	2/14/54/54	-
2	HEM	A	801	1	-	2/14/54/54	-
6	MPD	A	806	-	-	4/5/5/5	-

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	HEM	C1B-NB	-4.52	1.32	1.40
2	A	801	HEM	FE-NB	4.50	2.08	1.94
2	B	801	HEM	FE-NB	4.44	2.08	1.94
2	A	801	HEM	C1B-NB	-3.56	1.34	1.40
2	B	801	HEM	CHB-C1B	3.11	1.44	1.38
2	A	801	HEM	FE-NC	3.08	2.05	1.95
2	A	801	HEM	CHB-C1B	2.84	1.44	1.38
2	A	801	HEM	FE-NA	2.59	2.03	1.95
2	A	801	HEM	C2A-C3A	-2.59	1.32	1.38
2	A	801	HEM	CHB-C4A	2.58	1.45	1.39
2	A	801	HEM	CMD-C2D	-2.54	1.45	1.50
2	B	801	HEM	C4B-NB	-2.46	1.34	1.38
2	B	801	HEM	O1D-CGD	2.36	1.29	1.22
2	A	801	HEM	C3C-C4C	-2.32	1.42	1.46
2	B	801	HEM	CBA-CGA	2.31	1.55	1.50
2	B	801	HEM	C3D-C2D	2.17	1.41	1.36
2	B	801	HEM	CMB-C2B	2.07	1.55	1.50
5	A	804	PO4	P-O1	2.04	1.55	1.50
2	B	801	HEM	C1A-NA	2.03	1.43	1.39

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	804	PO4	O3-P-O1	-5.20	92.56	110.95
2	B	801	HEM	CAA-CBA-CGA	-4.74	101.08	113.67
2	B	801	HEM	C4B-C3B-C2B	-4.21	103.41	107.28
5	B	804	PO4	O3-P-O2	3.99	120.31	107.91
2	A	801	HEM	CHC-C4B-NB	3.86	128.57	124.42
6	A	806	MPD	C5-C4-C3	3.70	128.86	111.67
5	B	804	PO4	O2-P-O1	-3.50	98.58	110.95
2	A	801	HEM	O1A-CGA-CBA	-3.27	112.73	123.09
2	A	801	HEM	C1B-NB-C4B	3.13	108.91	105.21
2	A	801	HEM	O2D-CGD-CBD	3.10	123.78	114.00
5	A	804	PO4	O4-P-O1	3.09	121.86	110.95
2	B	801	HEM	CHA-C4D-ND	3.01	128.09	124.37
6	B	805	MPD	C1-C2-C3	2.99	123.08	110.20
2	B	801	HEM	CHB-C1B-NB	2.94	128.01	124.37
5	A	804	PO4	O4-P-O3	2.94	117.06	107.91
2	A	801	HEM	C4A-C3A-C2A	2.86	110.09	106.82
2	A	801	HEM	CAA-C2A-C1A	2.75	130.31	124.94
2	B	801	HEM	C3B-C4B-NB	2.71	111.42	109.47
2	A	801	HEM	CMA-C3A-C4A	-2.65	121.38	125.42
6	A	806	MPD	CM-C2-C1	-2.63	104.74	110.63
2	B	801	HEM	CHC-C1C-NC	2.62	127.31	124.45
2	A	801	HEM	CAA-CBA-CGA	-2.59	106.78	113.67
2	A	801	HEM	O1D-CGD-CBD	-2.54	115.04	123.09
2	A	801	HEM	CAD-C3D-C4D	2.54	129.12	124.70
2	A	801	HEM	C3B-C4B-NB	-2.53	107.65	109.47
6	B	805	MPD	O2-C2-C1	-2.51	100.16	107.99
2	A	801	HEM	C3B-C2B-C1B	2.50	108.29	106.41
2	A	801	HEM	CHB-C1B-NB	2.49	127.45	124.37
2	B	801	HEM	C2D-C1D-ND	2.41	112.69	109.90
2	A	801	HEM	O2A-CGA-CBA	2.38	121.52	114.00
2	B	801	HEM	CAD-CBD-CGD	2.37	119.96	113.67
2	A	801	HEM	CBD-CAD-C3D	2.27	118.81	112.53
2	B	801	HEM	CHA-C4D-C3D	-2.25	121.08	125.23
2	B	801	HEM	CHD-C4C-NC	-2.18	122.08	124.45
2	B	801	HEM	CBB-CAB-C3B	-2.11	116.99	127.53
2	B	801	HEM	CHC-C1C-C2C	-2.09	121.14	125.49
2	A	801	HEM	CAC-C3C-C4C	-2.08	119.85	124.82
2	B	801	HEM	CBD-CAD-C3D	2.07	118.26	112.53
2	B	801	HEM	CHB-C1B-C2B	-2.06	121.09	126.95
2	B	801	HEM	CAD-C3D-C4D	2.01	128.21	124.70
2	B	801	HEM	CMB-C2B-C1B	-2.01	121.89	125.03

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	A	806	MPD	C2-C3-C4-C5
6	B	805	MPD	C1-C2-C3-C4
6	B	805	MPD	O2-C2-C3-C4
6	A	806	MPD	C1-C2-C3-C4
6	B	805	MPD	CM-C2-C3-C4
2	A	801	HEM	CAA-CBA-CGA-O2A
2	B	801	HEM	CAA-CBA-CGA-O2A
2	B	801	HEM	CAA-CBA-CGA-O1A
2	A	801	HEM	CAA-CBA-CGA-O1A
6	A	806	MPD	C2-C3-C4-O4
6	A	806	MPD	CM-C2-C3-C4


There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	805	MPD	1	0
6	A	805	MPD	2	0
4	B	803	OXY	1	0
6	A	806	MPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	712/728 (97%)	-0.37	9 (1%) 75 80	8, 23, 40, 87	5 (0%)
1	B	712/728 (97%)	-0.39	9 (1%) 75 80	9, 22, 40, 84	10 (1%)
All	All	1424/1456 (97%)	-0.38	18 (1%) 75 80	8, 22, 40, 87	15 (1%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	748	ALA	4.9
1	B	748	ALA	4.6
1	B	657[A]	GLU	4.1
1	B	55	HIS	3.5
1	B	36	GLY	3.1
1	B	46	GLN	2.7
1	A	541	GLY	2.6
1	A	55	HIS	2.6
1	B	64	LYS	2.3
1	A	608	LYS	2.2
1	A	610	ARG	2.2
1	A	379	LYS	2.2
1	B	65	ASP	2.2
1	A	64	LYS	2.2
1	B	541	GLY	2.0
1	A	40	ARG	2.0
1	A	540	ARG	2.0
1	B	40	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	TOX	A	111[A]	16/17	0.98	0.05	15,17,22,22	2
1	TOX	A	111[B]	16/17	0.98	0.05	15,17,18,22	2
1	TOX	B	111[A]	16/17	0.98	0.04	15,16,23,23	1
1	TOX	B	111[B]	16/17	0.98	0.04	15,16,19,23	1

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	MPD	A	805	8/8	0.86	0.21	57,67,71,73	0
5	PO4	A	804	5/5	0.88	0.11	45,58,63,68	0
5	PO4	B	804	5/5	0.90	0.08	46,55,64,67	0
6	MPD	A	806	8/8	0.90	0.14	43,45,52,57	0
4	OXY	A	803	2/2	0.91	0.25	34,34,34,39	0
6	MPD	B	805	8/8	0.91	0.15	54,59,62,63	0
4	OXY	B	803	2/2	0.93	0.19	32,32,32,35	0
3	NA	B	802	1/1	0.99	0.03	20,20,20,20	0
2	HEM	A	801	43/43	0.99	0.04	15,17,20,21	0
2	HEM	B	801	43/43	0.99	0.05	15,17,19,21	0
3	NA	A	802	1/1	0.99	0.02	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HEM A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.