



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 05:08 PM UTC

PDB ID : 3KRA / pdb_00003kra
Title : Mint heterotetrameric geranyl pyrophosphate synthase in complex with magnesium
Authors : Chang, T.-H.; Ko, T.-P.; Hsieh, F.-L.; Wang, A.H.-J.
Deposited on : 2009-11-18
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	295	% 80% 12% • 5%
1	D	295	10% 64% 25% • 6%
2	B	274	12% 74% 18% •• 5%
2	C	274	8% 69% 27% ••

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9540 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Geranyl diphosphate synthase large subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	279	Total	C	N	O	S	0	0	0
			2120	1338	372	392	18			
1	D	277	Total	C	N	O	S	0	0	0
			2102	1326	368	390	18			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q9SBR3
D	1	MET	-	expression tag	UNP Q9SBR3

- Molecule 2 is a protein called Geranyl diphosphate synthase small subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	259	Total	C	N	O	S	0	0	0
			1954	1233	339	368	14			
2	C	271	Total	C	N	O	S	0	0	0
			2056	1297	361	384	14			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	expression tag	UNP Q9SBR4
B	267	HIS	-	expression tag	UNP Q9SBR4
B	268	HIS	-	expression tag	UNP Q9SBR4
B	269	HIS	-	expression tag	UNP Q9SBR4
B	270	HIS	-	expression tag	UNP Q9SBR4
B	271	HIS	-	expression tag	UNP Q9SBR4
B	272	HIS	-	expression tag	UNP Q9SBR4
B	273	HIS	-	expression tag	UNP Q9SBR4
B	274	HIS	-	expression tag	UNP Q9SBR4
C	1	MET	-	expression tag	UNP Q9SBR4

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	267	HIS	-	expression tag	UNP Q9SBR4
C	268	HIS	-	expression tag	UNP Q9SBR4
C	269	HIS	-	expression tag	UNP Q9SBR4
C	270	HIS	-	expression tag	UNP Q9SBR4
C	271	HIS	-	expression tag	UNP Q9SBR4
C	272	HIS	-	expression tag	UNP Q9SBR4
C	273	HIS	-	expression tag	UNP Q9SBR4
C	274	HIS	-	expression tag	UNP Q9SBR4

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Mg 2 2	0	0
3	D	1	Total Mg 1 1	0	0

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	383	Total 383	O 383	0	0
5	B	319	Total 319	O 319	0	0
5	C	287	Total 287	O 287	0	0
5	D	312	Total 312	O 312	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Geranyl diphosphate synthase large subunit




- Molecule 1: Geranyl diphosphate synthase large subunit



- Molecule 2: Geranyl diphosphate synthase small subunit



- Molecule 2: Geranyl diphosphate synthase small subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.28Å 109.25Å 182.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.90 30.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	93.4 (30.00-1.90) 93.3 (30.00-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.99 (at 1.89Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.176 , 0.216 0.176 , 0.216	Depositor DCC
R_{free} test set	4074 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	23.5	Xtriage
Anisotropy	0.622	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 54.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9540	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.19	4/2155 (0.2%)	1.15	5/2903 (0.2%)
1	D	1.08	1/2137 (0.0%)	1.15	3/2881 (0.1%)
2	B	1.02	3/1993 (0.2%)	1.19	9/2695 (0.3%)
2	C	1.05	3/2102 (0.1%)	1.13	9/2845 (0.3%)
All	All	1.09	11/8387 (0.1%)	1.15	26/11324 (0.2%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	182	MET	SD-CE	-9.34	1.56	1.79
1	A	66	MET	SD-CE	7.31	1.97	1.79
2	B	140	ILE	CA-CB	6.79	1.62	1.54
2	B	151	MET	SD-CE	-6.09	1.64	1.79
1	A	25	MET	SD-CE	5.96	1.94	1.79
2	C	151	MET	SD-CE	-5.38	1.66	1.79
1	A	82	HIS	CA-C	5.34	1.59	1.52
2	C	80	GLU	CA-C	5.32	1.59	1.52
1	A	8	MET	SD-CE	5.23	1.92	1.79
2	C	68	ALA	CA-CB	5.23	1.61	1.53
1	D	8	MET	SD-CE	5.14	1.92	1.79

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	93	LYS	CA-C-N	-13.19	105.23	120.13
2	B	93	LYS	C-N-CA	-13.19	105.23	120.13
2	B	253	LEU	N-CA-C	-9.30	100.52	112.23
1	D	222	ASP	N-CA-C	-8.40	102.06	111.14
2	C	101	GLY	CA-C-N	7.86	128.28	119.32
2	C	101	GLY	C-N-CA	7.86	128.28	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	43	GLY	N-CA-C	-7.27	104.63	112.04
1	A	292	TYR	N-CA-C	7.20	122.17	112.88
2	B	165	ASN	N-CA-C	7.14	121.51	111.30
1	D	29	LEU	N-CA-C	6.51	118.38	111.28
2	C	95	ALA	N-CA-C	-6.39	99.23	109.96
2	C	85	THR	N-CA-C	6.37	121.05	113.28
2	B	28	VAL	CB-CA-C	-6.34	103.61	111.92
1	A	273	LEU	N-CA-C	6.08	118.69	111.33
2	B	254	MET	N-CA-C	-5.97	104.85	111.36
2	C	125	ASP	CA-C-N	5.63	125.09	119.24
2	C	125	ASP	C-N-CA	5.63	125.09	119.24
1	D	220	VAL	N-CA-C	-5.53	105.14	110.72
1	A	185	LEU	N-CA-C	-5.48	105.39	111.36
2	C	2	GLN	CA-C-N	5.43	124.89	119.24
2	C	2	GLN	C-N-CA	5.43	124.89	119.24
2	B	2	GLN	CA-C-N	-5.38	113.07	119.05
2	B	2	GLN	C-N-CA	-5.38	113.07	119.05
2	C	109	GLY	N-CA-C	-5.36	106.30	112.73
1	A	3	ASP	N-CA-C	5.13	118.32	111.24
2	B	109	GLY	N-CA-C	-5.01	106.72	112.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2120	0	2146	37	0
1	D	2102	0	2120	93	0
2	B	1954	0	1948	82	0
2	C	2056	0	2031	74	0
3	A	2	0	0	0	0
3	D	1	0	0	0	0
4	C	4	0	6	0	0
5	A	383	0	0	10	1
5	B	319	0	0	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	287	0	0	13	1
5	D	312	0	0	10	1
All	All	9540	0	8251	284	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (284) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:138:ARG:HD2	5:A:862:HOH:O	1.39	1.20
2:B:200:GLU:HG3	5:B:890:HOH:O	1.46	1.16
1:D:286:LEU:HD13	5:D:1297:HOH:O	1.46	1.11
2:C:236:LYS:HD2	5:C:1191:HOH:O	1.53	1.07
2:B:54:LEU:HG	2:B:250:ASN:HB3	1.41	0.99
2:C:125:ASP:HB3	2:C:128:ARG:HG3	1.49	0.92
2:B:54:LEU:HG	2:B:250:ASN:CB	2.01	0.90
2:B:249:LYS:O	2:B:253:LEU:N	2.04	0.90
2:B:93:LYS:HB3	2:B:94:PRO:HD3	1.52	0.90
2:B:214:LEU:HG	2:B:218:MET:HE3	1.54	0.89
1:D:211:ASN:HB3	5:D:942:HOH:O	1.73	0.88
2:C:58:ASP:O	2:C:61:GLN:HG2	1.77	0.84
1:D:8:MET:CE	1:D:49:MET:HE1	2.06	0.84
2:B:54:LEU:HD12	2:B:254:MET:HE3	1.60	0.83
1:D:216:LEU:C	1:D:218:GLN:H	1.85	0.83
2:C:58:ASP:OD2	2:C:60:SER:HB3	1.79	0.82
2:C:230:ASN:O	2:C:234:LYS:HG3	1.78	0.81
1:D:222:ASP:O	1:D:226:VAL:HG22	1.80	0.81
2:B:17:LYS:HE3	5:B:1044:HOH:O	1.80	0.79
2:C:262:SER:O	2:C:263:LEU:HD23	1.83	0.79
2:B:249:LYS:HG3	2:B:253:LEU:HB3	1.64	0.79
1:A:227:THR:O	5:A:1255:HOH:O	2.00	0.79
1:D:279:ARG:HH11	1:D:279:ARG:HB3	1.45	0.79
2:B:250:ASN:HA	2:B:253:LEU:HG	1.64	0.79
2:B:1:MET:CE	2:B:3:PRO:HG2	2.11	0.78
2:C:179:TYR:OH	5:C:1036:HOH:O	2.03	0.77
1:A:227:THR:HB	1:A:228:LYS:HD2	1.66	0.76
1:D:279:ARG:HH11	1:D:279:ARG:CB	1.97	0.76
1:A:165:MET:CG	1:A:166:ALA:H	1.99	0.75
1:D:221:ASP:HA	1:D:224:LEU:HB2	1.68	0.75
1:D:279:ARG:HH11	1:D:279:ARG:CG	1.99	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:8:MET:HE1	1:D:49:MET:HE1	1.66	0.75
2:C:221:LYS:HE2	2:C:227:ILE:HG21	1.68	0.75
2:B:93:LYS:HB3	2:B:94:PRO:CD	2.17	0.74
2:C:43:ALA:O	2:C:47:LEU:HB2	1.88	0.74
2:C:268:HIS:O	2:C:271:HIS:HB3	1.87	0.74
1:D:186:GLN:HE21	1:D:211:ASN:HD21	1.36	0.73
1:D:292:TYR:CD2	5:D:1304:HOH:O	2.41	0.72
1:A:165:MET:HG2	1:A:166:ALA:H	1.55	0.71
2:B:1:MET:HE2	2:B:3:PRO:HG2	1.72	0.71
1:A:228:LYS:HD2	1:A:228:LYS:H	1.55	0.71
2:C:125:ASP:CB	2:C:128:ARG:HG3	2.21	0.70
1:D:44:LYS:HG3	5:D:724:HOH:O	1.91	0.70
2:B:249:LYS:HE2	2:B:253:LEU:HA	1.74	0.69
1:D:8:MET:SD	1:D:49:MET:SD	2.90	0.68
1:D:292:TYR:CE2	5:D:1304:HOH:O	2.47	0.68
2:B:54:LEU:HG	2:B:250:ASN:ND2	2.08	0.68
1:D:218:GLN:HA	1:D:221:ASP:HB3	1.74	0.68
2:B:253:LEU:HD11	2:B:254:MET:HE2	1.76	0.68
1:D:222:ASP:C	1:D:224:LEU:H	2.02	0.68
1:A:208:LYS:HE3	5:A:912:HOH:O	1.94	0.67
2:B:252:GLU:HA	2:B:255:SER:OG	1.95	0.67
2:C:221:LYS:HE2	2:C:227:ILE:HG12	1.75	0.67
1:D:246:THR:N	1:D:250:LYS:HD2	2.10	0.67
1:D:256:LYS:HB3	5:D:378:HOH:O	1.93	0.66
1:D:202:GLU:OE2	5:D:1230:HOH:O	2.14	0.66
2:B:229:GLU:HA	2:B:232:ILE:HD12	1.75	0.66
2:C:55:VAL:O	5:C:1157:HOH:O	2.14	0.65
2:B:218:MET:HA	2:B:221:LYS:HG3	1.79	0.65
2:C:49:LEU:HD13	2:C:59:ARG:HD3	1.78	0.65
2:B:54:LEU:HG	2:B:250:ASN:CG	2.21	0.65
1:D:254:VAL:HA	1:D:257:SER:HB2	1.79	0.64
2:C:221:LYS:CE	2:C:227:ILE:HG21	2.27	0.64
2:B:54:LEU:CG	2:B:250:ASN:HB3	2.24	0.64
2:B:228:ASP:OD2	2:B:230:ASN:HB2	1.97	0.63
2:B:1:MET:HE3	2:B:3:PRO:HG2	1.79	0.63
2:B:250:ASN:HA	2:B:253:LEU:CG	2.29	0.62
2:B:253:LEU:C	2:B:253:LEU:HD12	2.24	0.62
1:D:216:LEU:C	1:D:218:GLN:N	2.54	0.62
1:A:95:ARG:HH11	1:A:95:ARG:HG2	1.64	0.62
1:D:217:PHE:HA	1:D:293:ARG:HH11	1.66	0.61
2:C:97:GLN:NE2	5:C:326:HOH:O	2.33	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:217:MET:HE2	2:C:231:ILE:HG21	1.81	0.61
2:C:267:HIS:H	2:C:267:HIS:CD2	2.19	0.60
2:B:171:ILE:HG22	2:B:217:MET:HE1	1.83	0.60
1:D:221:ASP:O	1:D:225:ASP:N	2.35	0.60
2:C:217:MET:CE	2:C:231:ILE:HG21	2.32	0.60
2:B:93:LYS:CB	2:B:94:PRO:HD3	2.27	0.60
2:B:250:ASN:C	2:B:252:GLU:N	2.58	0.60
2:C:234:LYS:NZ	5:C:332:HOH:O	2.35	0.60
2:B:171:ILE:HG22	2:B:217:MET:CE	2.32	0.60
2:C:221:LYS:NZ	2:C:227:ILE:HG21	2.18	0.59
1:D:289:TYR:O	1:D:291:ALA:N	2.36	0.59
1:A:165:MET:CG	1:A:166:ALA:N	2.66	0.59
2:B:250:ASN:C	2:B:252:GLU:H	2.10	0.59
2:C:8:ILE:HG23	2:C:49:LEU:HD12	1.85	0.59
2:C:168:LEU:HB3	2:C:231:ILE:HD11	1.83	0.59
2:C:246:PHE:O	2:C:247:HIS:O	2.21	0.59
2:C:137:ARG:HD3	2:C:192:ILE:HD13	1.84	0.58
2:B:163:ASP:HA	2:B:224:HIS:CE1	2.38	0.58
1:D:279:ARG:CG	1:D:279:ARG:NH1	2.62	0.58
1:A:166:ALA:C	1:A:168:VAL:H	2.11	0.58
1:D:216:LEU:O	1:D:218:GLN:N	2.37	0.58
2:B:214:LEU:HG	2:B:218:MET:CE	2.32	0.57
2:C:267:HIS:CD2	2:C:267:HIS:N	2.70	0.57
1:D:248:TYR:O	1:D:252:ILE:HG12	2.04	0.57
1:D:253:GLY:O	1:D:255:GLU:N	2.36	0.57
1:A:221:ASP:HB3	5:A:917:HOH:O	2.03	0.57
2:B:250:ASN:ND2	2:B:253:LEU:HD21	2.19	0.57
1:D:252:ILE:HD12	1:D:256:LYS:O	2.04	0.57
1:D:253:GLY:C	1:D:255:GLU:H	2.12	0.57
2:C:221:LYS:HB2	2:C:227:ILE:HB	1.87	0.56
2:C:21:THR:HG22	5:C:378:HOH:O	2.05	0.56
2:B:2:GLN:H	2:B:3:PRO:HD2	1.70	0.56
2:B:182:MET:HE3	2:B:185:CYS:HB3	1.88	0.56
2:C:227:ILE:HG23	2:C:227:ILE:O	2.06	0.56
1:D:186:GLN:NE2	1:D:211:ASN:HD21	2.01	0.56
1:D:279:ARG:NH1	1:D:279:ARG:HG2	2.21	0.56
1:A:228:LYS:HD2	1:A:228:LYS:N	2.21	0.55
1:A:162:SER:C	1:A:164:GLY:H	2.13	0.55
2:B:221:LYS:HB3	2:B:227:ILE:HD11	1.88	0.55
2:C:55:VAL:HG11	2:C:196:ALA:HB2	1.89	0.55
1:D:160:VAL:O	1:D:163:GLU:HG3	2.06	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:223:ILE:HD13	1:D:258:LYS:HG3	1.88	0.54
2:B:228:ASP:O	2:B:232:ILE:HG13	2.06	0.54
1:D:8:MET:HE1	1:D:49:MET:CE	2.34	0.54
1:D:292:TYR:HD2	5:D:1304:HOH:O	1.85	0.54
1:D:176:ILE:O	1:D:180:LYS:HG2	2.07	0.54
1:D:168:VAL:O	1:D:168:VAL:HG23	2.07	0.54
1:D:186:GLN:HA	1:D:210:ALA:CB	2.38	0.54
1:D:50:LEU:CD2	1:D:286:LEU:HD22	2.38	0.54
2:B:221:LYS:HB3	2:B:227:ILE:CD1	2.38	0.54
2:B:249:LYS:O	2:B:253:LEU:HB3	2.07	0.54
2:B:226:LEU:O	2:B:228:ASP:N	2.41	0.53
2:C:91:VAL:O	2:C:92:SER:C	2.50	0.53
2:C:218:MET:HA	2:C:221:LYS:HD2	1.90	0.53
1:A:165:MET:HG2	1:A:166:ALA:N	2.21	0.53
1:D:50:LEU:HD21	1:D:286:LEU:CD2	2.39	0.53
1:D:68:ALA:HA	1:D:124:VAL:HG22	1.90	0.53
2:B:131:ASP:O	2:B:135:ILE:HG12	2.09	0.53
2:B:54:LEU:HD23	2:B:54:LEU:O	2.08	0.52
2:B:237:GLU:O	2:B:241:GLU:HB2	2.09	0.52
1:D:8:MET:HE3	1:D:49:MET:HE1	1.88	0.52
2:B:253:LEU:HD11	2:B:254:MET:CE	2.38	0.52
2:C:168:LEU:HD22	2:C:231:ILE:HD12	1.91	0.52
2:C:182:MET:HE3	2:C:182:MET:HA	1.90	0.52
2:B:249:LYS:HE2	2:B:253:LEU:CA	2.39	0.52
1:D:213:ILE:HD12	1:D:290:ILE:CD1	2.40	0.52
2:B:1:MET:CG	2:B:2:GLN:N	2.72	0.52
1:D:187:GLY:O	1:D:191:LEU:HG	2.10	0.52
2:B:1:MET:HE2	2:B:4:TYR:H	1.75	0.51
1:D:8:MET:CE	1:D:49:MET:CE	2.86	0.51
1:A:83:ASP:O	1:A:89:ASP:HB2	2.10	0.51
1:A:165:MET:HG2	1:A:167:GLU:H	1.75	0.51
2:C:256:SER:HB2	2:C:261:PRO:HD3	1.92	0.51
2:B:233:GLY:O	2:B:236:LYS:HG2	2.10	0.51
1:D:4:PHE:CZ	1:D:8:MET:HE2	2.46	0.51
2:B:224:HIS:O	2:B:226:LEU:N	2.43	0.51
1:D:249:PRO:O	1:D:253:GLY:HA2	2.11	0.51
1:D:185:LEU:HD12	1:D:214:GLY:HA2	1.92	0.51
2:B:54:LEU:HG	2:B:250:ASN:HD22	1.76	0.51
1:D:253:GLY:C	1:D:255:GLU:N	2.66	0.51
2:C:218:MET:O	2:C:221:LYS:HG2	2.11	0.50
2:C:238:LEU:HD22	5:C:773:HOH:O	2.09	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:44:LYS:HE3	5:D:724:HOH:O	2.11	0.50
2:C:228:ASP:CG	2:C:230:ASN:HD22	2.20	0.50
1:D:219:VAL:HG21	1:D:260:PHE:CD2	2.46	0.50
1:D:158:VAL:HG12	1:D:176:ILE:HD11	1.92	0.50
2:C:17:LYS:HG3	2:C:37:PHE:CZ	2.47	0.50
1:D:139:VAL:HG21	1:D:195:LEU:HG	1.93	0.49
1:D:246:THR:N	1:D:250:LYS:CD	2.74	0.49
1:D:71:ALA:HB2	1:D:124:VAL:HG23	1.94	0.49
1:A:228:LYS:H	1:A:228:LYS:CD	2.25	0.49
2:B:210:TYR:CE2	2:B:238:LEU:HD13	2.48	0.49
1:A:276:HIS:HD2	1:A:279:ARG:CZ	2.26	0.49
2:C:24:PRO:HD2	5:C:1132:HOH:O	2.11	0.49
1:D:223:ILE:O	1:D:223:ILE:HG22	2.13	0.49
1:D:223:ILE:HG21	1:D:258:LYS:HE3	1.95	0.49
2:B:217:MET:HE3	2:B:217:MET:HA	1.94	0.48
1:D:57:LEU:HD22	1:D:283:LEU:HD12	1.95	0.48
1:D:49:MET:HB3	5:D:1297:HOH:O	2.12	0.48
1:D:149:SER:O	1:D:154:ALA:HB2	2.14	0.48
1:D:286:LEU:O	1:D:286:LEU:HG	2.13	0.48
1:A:166:ALA:O	1:A:168:VAL:N	2.46	0.48
2:B:8:ILE:HG23	2:B:49:LEU:HD12	1.94	0.47
2:B:54:LEU:HA	2:B:250:ASN:ND2	2.29	0.47
2:C:196:ALA:HB1	2:C:200:GLU:HB2	1.95	0.47
2:C:238:LEU:CD2	5:C:773:HOH:O	2.62	0.47
1:D:189:VAL:CG1	1:D:206:LEU:HB3	2.45	0.47
1:D:186:GLN:HE21	1:D:211:ASN:ND2	2.09	0.47
1:D:247:THR:O	1:D:251:LEU:HG	2.14	0.47
1:A:95:ARG:N	1:A:95:ARG:HD2	2.29	0.47
1:A:138:ARG:HB2	5:A:862:HOH:O	2.14	0.47
2:B:93:LYS:CB	2:B:94:PRO:CD	2.89	0.47
2:B:252:GLU:O	2:B:255:SER:HB2	2.15	0.47
2:C:103:ASN:HB3	1:D:87:CYS:O	2.14	0.47
1:D:224:LEU:HD22	1:D:294:ASP:HA	1.97	0.47
2:C:92:SER:O	2:C:93:LYS:C	2.57	0.47
1:D:248:TYR:HB2	1:D:249:PRO:HD3	1.96	0.47
2:B:165:ASN:CG	2:B:165:ASN:O	2.57	0.46
2:B:226:LEU:HD12	5:B:1105:HOH:O	2.15	0.46
2:C:74:ALA:O	2:C:78:VAL:HG23	2.16	0.46
2:B:247:HIS:ND1	5:B:1272:HOH:O	2.36	0.46
2:C:1:MET:HE2	2:C:5:TRP:CB	2.46	0.46
2:C:221:LYS:HE2	2:C:227:ILE:CG1	2.44	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:128:THR:O	1:D:129:LYS:HD3	2.16	0.46
2:B:233:GLY:HA2	2:B:236:LYS:HG2	1.98	0.46
2:C:47:LEU:HD13	2:C:257:LEU:CD2	2.46	0.46
2:C:256:SER:HA	2:C:259:ALA:O	2.15	0.46
1:A:177:HIS:HD2	1:A:248:TYR:OH	1.99	0.46
2:B:252:GLU:O	2:B:252:GLU:HG2	2.16	0.46
2:C:62:ALA:HA	2:C:193:LEU:HD13	1.97	0.46
2:C:271:HIS:ND1	2:C:271:HIS:C	2.73	0.45
2:B:1:MET:SD	5:B:1263:HOH:O	2.61	0.45
2:C:204:LEU:HD23	2:C:204:LEU:HA	1.76	0.45
1:A:152:LEU:C	1:A:152:LEU:HD23	2.41	0.45
2:C:125:ASP:CG	2:C:128:ARG:HG3	2.41	0.45
2:C:226:LEU:O	2:C:228:ASP:N	2.49	0.45
2:C:181:GLU:OE2	2:C:181:GLU:HA	2.16	0.45
1:A:227:THR:CB	1:A:228:LYS:HD2	2.43	0.45
2:C:5:TRP:CZ2	2:C:257:LEU:HB2	2.52	0.45
2:C:89:ARG:NH1	5:C:1034:HOH:O	2.48	0.45
1:D:259:GLU:C	1:D:259:GLU:CD	2.85	0.45
1:D:289:TYR:C	1:D:291:ALA:N	2.75	0.45
1:A:177:HIS:HE1	5:A:833:HOH:O	1.98	0.44
2:C:92:SER:O	2:C:94:PRO:N	2.49	0.44
1:D:223:ILE:HD13	1:D:258:LYS:CG	2.47	0.44
1:A:217:PHE:CE2	1:A:221:ASP:OD1	2.71	0.44
2:B:218:MET:HA	2:B:221:LYS:CD	2.47	0.44
1:A:162:SER:C	1:A:164:GLY:N	2.75	0.44
2:B:253:LEU:CD1	2:B:254:MET:HE2	2.45	0.44
2:C:3:PRO:HG2	5:C:1129:HOH:O	2.17	0.44
2:C:197:ALA:HB1	2:C:199:GLU:OE2	2.17	0.44
2:B:206:ASN:HB3	2:B:242:GLU:HG3	2.00	0.43
1:A:138:ARG:NH2	5:A:584:HOH:O	2.45	0.43
2:C:124:VAL:HG22	2:C:135:ILE:HD12	2.00	0.43
2:B:210:TYR:CE1	2:B:238:LEU:HB3	2.53	0.43
2:C:1:MET:HE2	2:C:5:TRP:C	2.44	0.43
1:D:50:LEU:CD2	1:D:286:LEU:CD2	2.96	0.43
1:A:57:LEU:HD12	1:A:279:ARG:HB3	2.01	0.43
2:B:206:ASN:HD22	2:B:242:GLU:CD	2.26	0.43
2:B:250:ASN:ND2	2:B:253:LEU:CD2	2.80	0.43
2:C:93:LYS:HB3	2:C:94:PRO:HD3	2.01	0.43
1:D:66:MET:HB3	1:D:67:PRO:HD3	2.01	0.43
2:C:221:LYS:HE2	2:C:227:ILE:CG2	2.42	0.43
2:B:1:MET:HE2	2:B:4:TYR:N	2.34	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ARG:HG3	5:A:491:HOH:O	2.19	0.43
2:B:217:MET:O	2:B:221:LYS:HG3	2.19	0.43
1:A:246:THR:CG2	1:A:251:LEU:HD11	2.49	0.42
2:B:182:MET:HE3	2:B:182:MET:HA	2.00	0.42
2:C:175:CYS:SG	2:C:220:MET:HE3	2.59	0.42
2:B:250:ASN:O	2:B:252:GLU:N	2.52	0.42
1:A:218:GLN:NE2	5:A:607:HOH:O	2.51	0.42
2:B:14:ARG:HB2	2:B:14:ARG:NH1	2.34	0.42
5:A:768:HOH:O	2:C:241:GLU:HG3	2.18	0.42
2:B:92:SER:O	2:B:93:LYS:C	2.63	0.42
2:C:92:SER:HB2	2:C:94:PRO:HD2	1.99	0.42
1:D:138:ARG:NH2	1:D:200:GLU:OE2	2.50	0.42
2:B:1:MET:HG3	2:B:2:GLN:H	1.82	0.42
1:D:222:ASP:C	1:D:224:LEU:N	2.71	0.42
1:D:290:ILE:HA	1:D:293:ARG:HD3	2.00	0.42
1:D:131:ALA:HB1	1:D:135:ARG:HD2	2.01	0.42
1:D:220:VAL:HG11	1:D:291:ALA:O	2.19	0.42
1:A:68:ALA:HA	1:A:124:VAL:HG22	2.02	0.42
2:B:218:MET:HA	2:B:221:LYS:CG	2.46	0.42
1:D:292:TYR:CD2	1:D:292:TYR:N	2.87	0.42
5:C:288:HOH:O	1:D:149:SER:HB2	2.18	0.42
1:A:33:GLU:OE2	2:C:167:SER:OG	2.32	0.41
2:B:203:LYS:NZ	5:B:1101:HOH:O	2.52	0.41
2:C:125:ASP:OD1	2:C:126:PRO:HD2	2.20	0.41
2:C:125:ASP:OD1	2:C:125:ASP:C	2.62	0.41
2:B:227:ILE:O	2:B:227:ILE:HG22	2.20	0.41
2:C:168:LEU:HB3	2:C:231:ILE:CD1	2.49	0.41
1:D:4:PHE:CE1	1:D:8:MET:SD	3.13	0.41
1:D:213:ILE:HD12	1:D:290:ILE:HD13	2.03	0.41
1:D:289:TYR:C	1:D:291:ALA:H	2.29	0.41
1:D:218:GLN:O	1:D:221:ASP:N	2.53	0.41
2:B:236:LYS:O	2:B:240:LEU:HG	2.21	0.41
2:C:5:TRP:CH2	2:C:257:LEU:HD22	2.56	0.41
2:C:130:ASP:HA	5:C:1175:HOH:O	2.20	0.41
1:D:226:VAL:HG23	1:D:227:THR:N	2.35	0.41
2:B:254:MET:O	2:B:257:LEU:HB2	2.20	0.41
1:D:215:LEU:O	1:D:218:GLN:HB2	2.21	0.41
1:D:220:VAL:CG2	1:D:261:ALA:HB1	2.51	0.41
1:D:220:VAL:O	1:D:223:ILE:N	2.54	0.41
2:B:47:LEU:HD13	2:B:257:LEU:HD13	2.03	0.41
1:D:262:ASP:O	1:D:266:ARG:HG3	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:SER:HB2	5:B:596:HOH:O	2.21	0.40
1:A:166:ALA:C	1:A:168:VAL:N	2.78	0.40
1:D:75:ILE:HG21	1:D:147:ILE:HG21	2.03	0.40
2:C:146:GLY:HA2	2:C:151:MET:HE2	2.04	0.40
1:A:248:TYR:HB2	1:A:249:PRO:HD3	2.02	0.40
2:B:237:GLU:O	2:B:241:GLU:CB	2.70	0.40
1:D:226:VAL:CG2	1:D:227:THR:N	2.84	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:D:1138:HOH:O	5:D:1229:HOH:O[1_455]	2.16	0.04
5:A:861:HOH:O	5:C:297:HOH:O[4_555]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/295 (93%)	267 (97%)	5 (2%)	3 (1%)	11	4
1	D	273/295 (92%)	250 (92%)	16 (6%)	7 (3%)	4	1
2	B	257/274 (94%)	243 (95%)	9 (4%)	5 (2%)	6	1
2	C	269/274 (98%)	249 (93%)	13 (5%)	7 (3%)	4	1
All	All	1074/1138 (94%)	1009 (94%)	43 (4%)	22 (2%)	6	1

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	93	LYS
2	B	227	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	247	HIS
2	C	227	ILE
2	C	247	HIS
1	D	247	THR
1	D	290	ILE
1	A	167	GLU
2	B	225	GLN
2	C	225	GLN
1	D	217	PHE
1	D	254	VAL
1	A	227	THR
2	B	2	GLN
2	C	226	LEU
2	C	163	ASP
2	C	165	ASN
1	D	166	ALA
1	A	163	GLU
1	D	223	ILE
1	D	252	ILE
2	C	93	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/234 (95%)	216 (97%)	6 (3%)	39	34
1	D	220/234 (94%)	211 (96%)	9 (4%)	27	19
2	B	201/214 (94%)	195 (97%)	6 (3%)	36	30
2	C	211/214 (99%)	207 (98%)	4 (2%)	50	47
All	All	854/896 (95%)	829 (97%)	25 (3%)	37	31

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	95	ARG
1	A	135	ARG
1	A	201	GLU
1	A	221	ASP
1	A	228	LYS
2	B	2	GLN
2	B	54	LEU
2	B	93	LYS
2	B	211	GLN
2	B	246	PHE
2	B	253	LEU
2	C	92	SER
2	C	182	MET
2	C	258	VAL
2	C	262	SER
1	D	9	LEU
1	D	44	LYS
1	D	86	PRO
1	D	139	VAL
1	D	263	ARG
1	D	270	GLU
1	D	279	ARG
1	D	286	LEU
1	D	290	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	ASN
1	A	100	ASN
1	A	177	HIS
1	A	271	GLN
1	A	274	HIS
1	A	276	HIS
1	A	278	HIS
2	B	224	HIS
2	B	250	ASN
2	C	34	HIS
2	C	165	ASN
2	C	225	GLN
2	C	230	ASN
2	C	250	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	267	HIS
1	D	100	ASN
1	D	211	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	C	2001	-	3,3,3	0.82	0	2,2,2	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	C	2001	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	279/295 (94%)	-0.41	2 (0%) 84 86	15, 23, 44, 78	0
1	D	277/295 (93%)	0.21	29 (10%) 11 12	16, 28, 90, 100	0
2	B	259/274 (94%)	0.27	32 (12%) 8 8	18, 28, 103, 117	0
2	C	271/274 (98%)	0.24	21 (7%) 19 21	16, 31, 72, 101	0
All	All	1086/1138 (95%)	0.07	84 (7%) 19 21	15, 28, 89, 117	0

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	250	ASN	7.1
2	B	231	ILE	6.3
2	B	251	ALA	6.1
2	B	254	MET	5.0
2	B	227	ILE	4.7
2	B	246	PHE	4.7
1	D	168	VAL	4.4
2	C	267	HIS	4.3
2	B	232	ILE	4.2
1	D	286	LEU	4.2
1	D	226	VAL	4.1
2	C	227	ILE	4.1
1	D	217	PHE	4.1
1	D	252	ILE	4.0
1	D	227	THR	3.9
1	D	223	ILE	3.9
2	B	226	LEU	3.8
2	B	257	LEU	3.7
2	B	253	LEU	3.7
2	B	249	LYS	3.7
2	B	248	GLY	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	240	LEU	3.6
2	B	243	LEU	3.6
1	D	246	THR	3.5
2	C	268	HIS	3.5
2	C	164	GLY	3.5
2	B	247	HIS	3.4
1	D	221	ASP	3.3
2	C	270	HIS	3.3
1	D	292	TYR	3.2
2	B	245	GLY	3.2
1	A	295	ASN	3.2
2	B	238	LEU	3.2
1	D	166	ALA	3.1
2	B	233	GLY	3.1
2	B	259	ALA	3.0
1	D	260	PHE	2.9
2	C	225	GLN	2.9
2	B	244	GLY	2.9
2	C	269	HIS	2.9
1	D	291	ALA	2.8
2	B	239	ALA	2.8
2	B	242	GLU	2.8
2	B	235	LEU	2.8
2	B	221	LYS	2.7
1	D	224	LEU	2.7
2	C	93	LYS	2.7
1	A	166	ALA	2.7
1	D	248	TYR	2.7
2	B	256	SER	2.7
2	C	94	PRO	2.6
2	B	1	MET	2.5
1	D	219	VAL	2.5
2	C	224	HIS	2.5
2	C	262	SER	2.5
1	D	254	VAL	2.5
2	B	2	GLN	2.4
2	C	223	SER	2.4
2	C	231	ILE	2.4
1	D	220	VAL	2.4
2	B	162	VAL	2.4
2	C	91	VAL	2.4
2	C	95	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	255	SER	2.3
1	D	249	PRO	2.2
1	D	287	ALA	2.2
2	C	266	ALA	2.2
1	D	264	LEU	2.2
2	C	245	GLY	2.2
2	B	222	ASN	2.2
1	D	170	LEU	2.2
1	D	222	ASP	2.2
2	C	246	PHE	2.2
2	B	218	MET	2.2
2	B	258	VAL	2.2
1	D	165	MET	2.1
1	D	261	ALA	2.1
2	C	265	ALA	2.1
2	C	226	LEU	2.1
1	D	257	SER	2.1
1	D	290	ILE	2.0
2	C	233	GLY	2.0
1	D	215	LEU	2.0
1	D	251	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	A	3003	1/1	0.83	0.12	58,58,58,58	0
3	MG	D	3001	1/1	0.88	0.07	69,69,69,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	C	2001	4/4	0.98	0.07	16,17,19,19	0
3	MG	A	3002	1/1	0.99	0.04	37,37,37,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.