



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 01:39 PM UTC

PDB ID : 6KRU / pdb_00006kru
Title : Crystal structure of mouse IgG2b Fc
Authors : Taniguchi, Y.; Satoh, T.; Yagi, H.; Kato, K.
Deposited on : 2019-08-22
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	4% 85% 10% 5%
1	B	218	5% 83% 12% 5%
1	C	218	3% 84% 9% 7%
1	D	218	3% 86% 6% 8%
1	E	218	6% 72% 15% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	218	
2	G	9	
2	H	9	
2	I	9	
2	J	9	
2	L	9	
3	K	8	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 10678 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ig gamma-2B chain C region.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	0	0
			1658	1052	279	320	7			
1	B	208	Total	C	N	O	S	0	0	0
			1658	1052	279	320	7			
1	C	203	Total	C	N	O	S	0	0	0
			1620	1028	273	312	7			
1	D	201	Total	C	N	O	S	0	0	0
			1602	1020	271	304	7			
1	E	191	Total	C	N	O	S	0	0	0
			1522	973	257	285	7			
1	F	204	Total	C	N	O	S	0	0	0
			1627	1033	274	313	7			

- Molecule 2 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	G	9	Total	C	N	O	0	0	0
			110	62	4	44			
2	H	9	Total	C	N	O	0	0	0
			110	62	4	44			
2	I	9	Total	C	N	O	0	0	0
			110	62	4	44			
2	J	9	Total	C	N	O	0	0	0
			110	62	4	44			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	L	9	Total	C	N	O	0	0	0
			110	62	4	44			

- Molecule 3 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	K	8	Total	C	N	O	0	0	0
			100	56	4	40			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	62	Total	O	0	0
			62	62		
4	B	67	Total	O	0	0
			67	67		
4	C	44	Total	O	0	0
			44	44		
4	D	53	Total	O	0	0
			53	53		
4	E	49	Total	O	0	0
			49	49		
4	F	66	Total	O	0	0
			66	66		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ig gamma-2B chain C region




- Molecule 1: Ig gamma-2B chain C region




- Molecule 1: Ig gamma-2B chain C region




- Molecule 1: Ig gamma-2B chain C region



- Molecule 1: Ig gamma-2B chain C region



- Molecule 1: Ig gamma-2B chain C region



- Molecule 2: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 22% 67% 11%



- Molecule 2: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L: 33% 44% 22%



- Molecule 3: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 25% 50% 25%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	112.55Å 130.16Å 134.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.98 – 2.30 19.98 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.9 (19.98-2.30) 99.7 (19.98-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.85 (at 2.30Å)	Xtriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.198 , 0.237 0.199 , 0.238	Depositor DCC
R_{free} test set	4489 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	49.8	Xtriage
Anisotropy	0.561	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.005 for -h,l,k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10678	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, MAN, FUC, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/1698	0.63	1/2311 (0.0%)
1	B	0.41	0/1698	0.61	0/2311
1	C	0.38	0/1658	0.57	0/2255
1	D	0.36	0/1640	0.55	0/2228
1	E	0.39	0/1557	0.62	0/2113
1	F	0.39	0/1666	0.61	0/2266
All	All	0.40	0/9917	0.60	1/13484 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	416	LYS	CA-CB-CG	-5.00	104.10	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1658	0	1640	18	0
1	B	1658	0	1640	29	0
1	C	1620	0	1599	11	0
1	D	1602	0	1593	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1522	0	1526	28	0
1	F	1627	0	1607	29	0
2	G	110	0	94	1	0
2	H	110	0	94	0	0
2	I	110	0	94	1	0
2	J	110	0	94	1	0
2	L	110	0	94	1	0
3	K	100	0	85	1	0
4	A	62	0	0	1	0
4	B	67	0	0	4	0
4	C	44	0	0	3	0
4	D	53	0	0	1	0
4	E	49	0	0	1	0
4	F	66	0	0	1	0
All	All	10678	0	10160	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:412:MET:HE1	1:F:423:PHE:CE2	1.53	1.40
1:F:412:MET:CE	1:F:423:PHE:CE2	2.46	0.97
1:F:412:MET:HE1	1:F:423:PHE:CZ	2.00	0.95
1:B:272:ASP:O	4:B:701:HOH:O	1.87	0.93
1:B:412:MET:HE1	1:B:417:TRP:HB2	1.51	0.92
1:B:326:LYS:NZ	4:B:701:HOH:O	2.01	0.91
1:F:426:ASN:OD1	1:F:438:LYS:NZ	2.07	0.88
1:B:412:MET:CE	1:B:417:TRP:HB2	2.07	0.84
1:B:325:ASN:ND2	4:B:701:HOH:O	2.11	0.84
1:F:418:GLU:HG2	1:F:443:ARG:HE	1.46	0.79
1:C:361:LYS:HB3	4:C:742:HOH:O	1.81	0.79
1:F:436:TYR:OH	1:F:438:LYS:NZ	2.16	0.79
1:A:361:LYS:NZ	1:F:362:ASP:CG	2.46	0.74
1:B:270:ASP:HB3	1:B:326:LYS:HE2	1.67	0.74
1:B:412:MET:HE1	1:B:417:TRP:CB	2.17	0.73
1:B:412:MET:HE1	1:B:417:TRP:CA	2.22	0.70
1:E:240:VAL:HG13	1:E:263:VAL:HG12	1.75	0.68
1:A:361:LYS:HZ1	1:F:362:ASP:CG	2.03	0.67
1:B:339:ILE:H	1:B:339:ILE:HD12	1.62	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:430:GLU:OE2	4:F:701:HOH:O	2.14	0.64
1:E:383:SER:OG	1:E:388:GLU:OE2	2.13	0.64
1:B:347:GLN:NE2	4:B:705:HOH:O	2.29	0.63
1:F:412:MET:CE	1:F:423:PHE:CZ	2.78	0.63
1:E:344:ARG:HG2	1:E:371:GLY:O	1.98	0.63
1:A:320:LYS:HB2	1:A:335:THR:HG22	1.81	0.62
1:A:361:LYS:NZ	1:F:362:ASP:OD1	2.33	0.62
1:E:263:VAL:HG22	1:E:302:VAL:HB	1.82	0.62
1:E:322:LYS:HG2	1:E:333:GLU:HG2	1.80	0.62
1:E:339:ILE:HD12	4:E:746:HOH:O	1.99	0.62
4:C:701:HOH:O	2:I:6:GAL:O3	2.16	0.61
1:F:412:MET:HE1	1:F:423:PHE:CD2	2.30	0.60
1:A:412:MET:HE1	1:A:423:PHE:CZ	2.38	0.58
1:B:322:LYS:HG2	1:B:333:GLU:HG2	1.86	0.57
1:B:417:TRP:CD1	1:B:443:ARG:HD2	2.39	0.57
1:A:262:VAL:HG22	1:A:303:VAL:HG13	1.87	0.57
1:B:361:LYS:HE2	1:B:413:LYS:NZ	2.20	0.56
1:C:346:PRO:HB3	1:C:372:PHE:HB3	1.88	0.56
1:E:412:MET:HE1	1:E:417:TRP:CE3	2.40	0.56
1:E:412:MET:HE1	1:E:417:TRP:HE3	1.71	0.55
1:A:346:PRO:HB3	1:A:372:PHE:HB3	1.90	0.54
1:E:365:LEU:HG	1:E:412:MET:HE2	1.90	0.54
1:C:394:THR:HG21	1:D:394:THR:HG21	1.92	0.52
1:E:394:THR:HG22	1:F:397:VAL:HG21	1.92	0.52
1:E:394:THR:HG21	1:F:394:THR:HG21	1.92	0.50
1:C:383:SER:OG	1:C:388:GLU:OE2	2.26	0.50
1:E:360:ARG:NH1	1:F:347:GLN:OE1	2.44	0.50
1:C:322:LYS:HE3	1:C:333:GLU:OE2	2.12	0.50
1:A:361:LYS:HZ2	1:F:362:ASP:CG	2.12	0.50
1:F:360:ARG:HH11	1:F:360:ARG:HG2	1.77	0.49
4:A:701:HOH:O	2:G:6:GAL:O3	2.20	0.48
1:A:273:VAL:HG12	1:A:275:ILE:HG13	1.95	0.48
1:A:412:MET:HE1	1:A:423:PHE:CE1	2.48	0.48
1:E:258:LYS:HB3	1:E:305:THR:HG23	1.95	0.48
1:F:361:LYS:H	1:F:361:LYS:CD	2.26	0.48
1:B:422:SER:HB2	1:B:440:THR:CG2	2.44	0.48
1:F:351:LEU:HB2	1:F:366:THR:HB	1.95	0.48
1:E:365:LEU:CD1	1:E:412:MET:HE2	2.43	0.47
1:E:354:PRO:HG2	1:E:357:GLN:HB2	1.95	0.47
1:B:412:MET:HE1	1:B:417:TRP:N	2.30	0.47
1:D:346:PRO:HB3	1:D:372:PHE:HB3	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:7:MAN:O3	3:K:8:NAG:O5	2.29	0.47
1:A:394:THR:HG21	1:B:394:THR:HG21	1.96	0.47
1:D:320:LYS:HD2	1:D:333:GLU:OE2	2.15	0.46
1:A:416:LYS:HA	1:A:419:LYS:HG3	1.97	0.46
1:B:270:ASP:HB3	1:B:326:LYS:CE	2.43	0.46
1:B:270:ASP:OD2	1:B:326:LYS:HE2	2.15	0.46
1:F:360:ARG:HG2	1:F:360:ARG:NH1	2.29	0.46
1:A:383:SER:HB3	1:A:423:PHE:CE1	2.51	0.46
1:A:361:LYS:NZ	1:F:362:ASP:OD2	2.48	0.46
1:E:420:THR:HG22	1:E:422:SER:H	1.80	0.46
1:F:382:THR:HB	1:F:426:ASN:HD21	1.80	0.46
1:B:270:ASP:CB	1:B:326:LYS:HE2	2.41	0.46
1:E:329:PRO:HB2	1:E:330:SER:H	1.56	0.45
1:D:354:PRO:HG2	1:D:357:GLN:HB2	1.98	0.45
1:E:368:LEU:HD13	1:E:407:TYR:CZ	2.52	0.45
1:A:272:ASP:O	1:A:325:ASN:ND2	2.46	0.45
1:B:278:PHE:CE1	1:B:322:LYS:HD2	2.52	0.45
1:B:320:LYS:HB2	1:B:335:THR:HG22	1.98	0.45
2:L:2:NAG:H83	2:L:4:MAN:O3	2.16	0.45
1:B:339:ILE:HG22	1:D:340:LYS:HE2	1.99	0.45
1:B:418:GLU:HA	1:B:443:ARG:HD3	1.99	0.45
1:B:412:MET:SD	1:B:423:PHE:CE2	3.10	0.45
1:A:354:PRO:HG2	1:A:357:GLN:HB2	1.99	0.45
1:E:351:LEU:HD23	1:F:351:LEU:HD23	2.00	0.43
1:E:365:LEU:HD11	1:E:412:MET:HE2	2.00	0.43
1:C:246:ASN:HB2	4:C:720:HOH:O	2.19	0.43
1:E:292:HIS:O	1:E:300:ILE:HD12	2.19	0.43
1:B:351:LEU:HB2	1:B:366:THR:HB	2.00	0.43
1:B:412:MET:SD	1:B:423:PHE:CZ	3.11	0.43
1:F:354:PRO:HG2	1:F:357:GLN:HB2	2.00	0.43
1:E:263:VAL:CG2	1:E:302:VAL:HB	2.46	0.43
1:B:412:MET:HE2	1:B:417:TRP:HB2	1.94	0.43
1:D:340:LYS:HE3	1:D:340:LYS:HB3	1.88	0.43
1:E:368:LEU:HD13	1:E:407:TYR:CE1	2.54	0.42
1:E:384:ASN:OD1	1:E:421:ASP:HB2	2.19	0.42
1:C:259:VAL:HG23	1:C:308:ILE:HD13	2.01	0.42
1:A:416:LYS:HG2	1:A:419:LYS:HE3	2.01	0.42
1:E:365:LEU:CG	1:E:412:MET:HE2	2.49	0.42
1:F:421:ASP:O	1:F:442:SER:OG	2.27	0.42
1:D:329:PRO:HB2	1:D:330:SER:H	1.67	0.42
1:F:418:GLU:HG2	1:F:443:ARG:NE	2.25	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:275:ILE:HG12	1:F:323:VAL:HG22	2.00	0.42
1:D:308:ILE:HD12	1:D:313:TRP:HB2	2.01	0.42
1:B:320:LYS:HA	1:B:334:ARG:O	2.20	0.41
1:E:262:VAL:HG22	1:E:303:VAL:HG12	2.01	0.41
1:D:246:ASN:HB2	2:J:6:GAL:O4	2.20	0.41
1:D:338:LYS:HE3	4:D:708:HOH:O	2.20	0.41
1:B:371:GLY:HA2	1:B:403:SER:OG	2.20	0.41
1:C:383:SER:HB3	1:C:423:PHE:CD2	2.55	0.41
1:E:258:LYS:NZ	1:E:305:THR:HG21	2.35	0.41
1:E:338:LYS:NZ	1:E:430:GLU:OE1	2.46	0.41
1:C:421:ASP:O	1:C:442:SER:OG	2.35	0.41
1:F:371:GLY:HA2	1:F:403:SER:OG	2.19	0.41
1:F:318:GLU:HG3	1:F:335:THR:OG1	2.20	0.41
1:C:412:MET:HE2	1:C:412:MET:HB3	1.94	0.40
1:A:369:VAL:HB	1:A:406:ILE:HG22	2.03	0.40
1:C:343:VAL:HA	1:C:373:ASN:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/218 (94%)	204 (99%)	2 (1%)	0	100	100
1	B	206/218 (94%)	203 (98%)	3 (2%)	0	100	100
1	C	199/218 (91%)	197 (99%)	2 (1%)	0	100	100
1	D	195/218 (89%)	191 (98%)	4 (2%)	0	100	100
1	E	183/218 (84%)	182 (100%)	0	1 (0%)	24	31
1	F	200/218 (92%)	196 (98%)	4 (2%)	0	100	100
All	All	1189/1308 (91%)	1173 (99%)	15 (1%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	384	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/203 (97%)	195 (100%)	1 (0%)	81	90
1	B	196/203 (97%)	196 (100%)	0	100	100
1	C	191/203 (94%)	189 (99%)	2 (1%)	68	82
1	D	189/203 (93%)	188 (100%)	1 (0%)	81	90
1	E	180/203 (89%)	180 (100%)	0	100	100
1	F	192/203 (95%)	189 (98%)	3 (2%)	55	73
All	All	1144/1218 (94%)	1137 (99%)	7 (1%)	78	89

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	439	LYS
1	C	270	ASP
1	C	282	VAL
1	D	330	SER
1	F	344	ARG
1	F	382	THR
1	F	409	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	288	GLN
1	A	290	GLN
1	B	347	GLN
1	B	373	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	390	ASN
1	E	290	GLN
1	E	292	HIS
1	E	386	HIS
1	F	281	ASN
1	F	324	ASN
1	F	373	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

53 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	G	1	2,1	14,14,15	0.63	1 (7%)	17,19,21	0.87	1 (5%)
2	NAG	G	2	2	14,14,15	0.38	0	17,19,21	0.90	1 (5%)
2	MAN	G	3	2	11,11,12	1.25	1 (9%)	15,15,17	1.31	3 (20%)
2	MAN	G	4	2	11,11,12	0.75	0	15,15,17	1.51	2 (13%)
2	NAG	G	5	2	14,14,15	1.40	2 (14%)	17,19,21	0.87	1 (5%)
2	GAL	G	6	2	11,11,12	1.43	1 (9%)	15,15,17	0.92	1 (6%)
2	MAN	G	7	2	11,11,12	1.55	4 (36%)	15,15,17	2.35	4 (26%)
2	NAG	G	8	2	14,14,15	0.90	1 (7%)	17,19,21	1.03	1 (5%)
2	FUC	G	9	2	10,10,11	0.89	0	14,14,16	0.82	0
2	NAG	H	1	2,1	14,14,15	0.46	0	17,19,21	0.73	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	H	2	2	14,14,15	0.82	1 (7%)	17,19,21	1.10	1 (5%)
2	MAN	H	3	2	11,11,12	1.31	1 (9%)	15,15,17	1.47	3 (20%)
2	MAN	H	4	2	11,11,12	1.16	2 (18%)	15,15,17	1.35	2 (13%)
2	NAG	H	5	2	14,14,15	0.25	0	17,19,21	0.56	0
2	GAL	H	6	2	11,11,12	1.84	2 (18%)	15,15,17	1.20	2 (13%)
2	MAN	H	7	2	11,11,12	0.80	0	15,15,17	1.27	1 (6%)
2	NAG	H	8	2	14,14,15	0.43	0	17,19,21	0.47	0
2	FUC	H	9	2	10,10,11	0.75	0	14,14,16	1.05	1 (7%)
2	NAG	I	1	2,1	14,14,15	0.68	0	17,19,21	0.52	0
2	NAG	I	2	2	14,14,15	0.30	0	17,19,21	0.98	1 (5%)
2	MAN	I	3	2	11,11,12	1.28	1 (9%)	15,15,17	1.67	2 (13%)
2	MAN	I	4	2	11,11,12	0.80	0	15,15,17	1.25	2 (13%)
2	NAG	I	5	2	14,14,15	0.58	1 (7%)	17,19,21	0.49	0
2	GAL	I	6	2	11,11,12	1.48	2 (18%)	15,15,17	0.95	1 (6%)
2	MAN	I	7	2	11,11,12	1.07	1 (9%)	15,15,17	1.77	1 (6%)
2	NAG	I	8	2	14,14,15	0.54	0	17,19,21	0.71	0
2	FUC	I	9	2	10,10,11	1.06	1 (10%)	14,14,16	0.82	0
2	NAG	J	1	2,1	14,14,15	0.22	0	17,19,21	0.90	1 (5%)
2	NAG	J	2	2	14,14,15	0.35	0	17,19,21	0.94	1 (5%)
2	MAN	J	3	2	11,11,12	1.64	1 (9%)	15,15,17	1.57	2 (13%)
2	MAN	J	4	2	11,11,12	0.76	0	15,15,17	1.70	2 (13%)
2	NAG	J	5	2	14,14,15	0.29	0	17,19,21	0.55	0
2	GAL	J	6	2	11,11,12	1.51	3 (27%)	15,15,17	1.62	2 (13%)
2	MAN	J	7	2	11,11,12	1.36	2 (18%)	15,15,17	1.33	2 (13%)
2	NAG	J	8	2	14,14,15	0.69	0	17,19,21	0.57	0
2	FUC	J	9	2	10,10,11	1.09	1 (10%)	14,14,16	0.86	0
3	NAG	K	1	3,1	14,14,15	0.50	0	17,19,21	0.80	0
3	NAG	K	2	3	14,14,15	0.47	0	17,19,21	0.79	1 (5%)
3	MAN	K	3	3	11,11,12	1.35	2 (18%)	15,15,17	1.23	3 (20%)
3	MAN	K	4	3	11,11,12	0.82	0	15,15,17	1.38	2 (13%)
3	NAG	K	5	3	14,14,15	0.24	0	17,19,21	0.63	0
3	GAL	K	6	3	11,11,12	1.06	1 (9%)	15,15,17	0.92	1 (6%)
3	MAN	K	7	3	11,11,12	1.29	3 (27%)	15,15,17	1.04	1 (6%)
3	NAG	K	8	3	14,14,15	0.60	1 (7%)	17,19,21	0.74	1 (5%)
2	NAG	L	1	2,1	14,14,15	0.45	0	17,19,21	0.63	0
2	NAG	L	2	2	14,14,15	0.46	0	17,19,21	1.08	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MAN	L	3	2	11,11,12	1.33	1 (9%)	15,15,17	1.80	2 (13%)
2	MAN	L	4	2	11,11,12	1.44	3 (27%)	15,15,17	0.98	1 (6%)
2	NAG	L	5	2	14,14,15	0.47	0	17,19,21	0.49	0
2	GAL	L	6	2	11,11,12	1.30	1 (9%)	15,15,17	1.27	1 (6%)
2	MAN	L	7	2	11,11,12	1.02	1 (9%)	15,15,17	1.39	2 (13%)
2	NAG	L	8	2	14,14,15	0.77	1 (7%)	17,19,21	0.87	2 (11%)
2	FUC	L	9	2	10,10,11	0.82	0	14,14,16	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	G	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	MAN	G	3	2	-	0/2/19/22	1/1/1/1
2	MAN	G	4	2	-	0/2/19/22	0/1/1/1
2	NAG	G	5	2	-	0/6/23/26	0/1/1/1
2	GAL	G	6	2	-	0/2/19/22	0/1/1/1
2	MAN	G	7	2	-	2/2/19/22	0/1/1/1
2	NAG	G	8	2	-	0/6/23/26	0/1/1/1
2	FUC	G	9	2	-	-	0/1/1/1
2	NAG	H	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
2	MAN	H	3	2	-	0/2/19/22	1/1/1/1
2	MAN	H	4	2	-	1/2/19/22	0/1/1/1
2	NAG	H	5	2	-	0/6/23/26	0/1/1/1
2	GAL	H	6	2	-	0/2/19/22	0/1/1/1
2	MAN	H	7	2	-	1/2/19/22	0/1/1/1
2	NAG	H	8	2	-	2/6/23/26	0/1/1/1
2	FUC	H	9	2	-	-	0/1/1/1
2	NAG	I	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	2/6/23/26	0/1/1/1
2	MAN	I	3	2	-	0/2/19/22	1/1/1/1
2	MAN	I	4	2	-	2/2/19/22	0/1/1/1
2	NAG	I	5	2	-	0/6/23/26	0/1/1/1
2	GAL	I	6	2	-	1/2/19/22	0/1/1/1
2	MAN	I	7	2	-	0/2/19/22	0/1/1/1
2	NAG	I	8	2	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FUC	I	9	2	-	-	0/1/1/1
2	NAG	J	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	2/6/23/26	0/1/1/1
2	MAN	J	3	2	-	0/2/19/22	0/1/1/1
2	MAN	J	4	2	-	0/2/19/22	0/1/1/1
2	NAG	J	5	2	-	0/6/23/26	0/1/1/1
2	GAL	J	6	2	-	0/2/19/22	0/1/1/1
2	MAN	J	7	2	-	0/2/19/22	0/1/1/1
2	NAG	J	8	2	-	2/6/23/26	0/1/1/1
2	FUC	J	9	2	-	-	0/1/1/1
3	NAG	K	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	1/6/23/26	0/1/1/1
3	MAN	K	3	3	-	1/2/19/22	1/1/1/1
3	MAN	K	4	3	-	0/2/19/22	0/1/1/1
3	NAG	K	5	3	-	0/6/23/26	0/1/1/1
3	GAL	K	6	3	-	2/2/19/22	0/1/1/1
3	MAN	K	7	3	-	2/2/19/22	0/1/1/1
3	NAG	K	8	3	-	4/6/23/26	0/1/1/1
2	NAG	L	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	L	2	2	-	2/6/23/26	0/1/1/1
2	MAN	L	3	2	-	0/2/19/22	1/1/1/1
2	MAN	L	4	2	-	0/2/19/22	0/1/1/1
2	NAG	L	5	2	-	0/6/23/26	0/1/1/1
2	GAL	L	6	2	-	1/2/19/22	0/1/1/1
2	MAN	L	7	2	-	1/2/19/22	0/1/1/1
2	NAG	L	8	2	-	2/6/23/26	0/1/1/1
2	FUC	L	9	2	-	-	0/1/1/1

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	3	MAN	O5-C1	-5.15	1.35	1.43
2	H	6	GAL	O2-C2	4.16	1.52	1.43
2	G	5	NAG	O5-C1	-3.81	1.37	1.43
2	G	6	GAL	O2-C2	3.70	1.51	1.43
2	L	3	MAN	O5-C1	-3.56	1.37	1.43
2	H	6	GAL	C1-C2	3.54	1.60	1.52
2	I	3	MAN	O5-C1	-3.42	1.37	1.43
2	L	6	GAL	C1-C2	3.37	1.60	1.52
2	G	5	NAG	C1-C2	3.33	1.56	1.52
3	K	3	MAN	C1-C2	3.33	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	8	NAG	O5-C1	3.16	1.49	1.43
2	I	6	GAL	O2-C2	3.14	1.49	1.43
2	G	3	MAN	O5-C5	3.04	1.49	1.43
2	J	7	MAN	C4-C5	2.94	1.59	1.53
2	H	2	NAG	O5-C1	-2.88	1.38	1.43
2	L	4	MAN	C2-C3	2.75	1.56	1.52
2	I	6	GAL	C1-C2	2.66	1.58	1.52
3	K	3	MAN	O5-C5	2.61	1.48	1.43
2	G	7	MAN	C4-C5	2.54	1.58	1.53
2	G	7	MAN	O5-C5	2.50	1.48	1.43
2	J	6	GAL	C1-C2	2.43	1.58	1.52
3	K	7	MAN	O5-C5	2.42	1.48	1.43
2	J	6	GAL	O2-C2	2.36	1.48	1.43
2	J	7	MAN	O5-C5	2.36	1.48	1.43
2	H	4	MAN	C2-C3	2.36	1.56	1.52
2	L	4	MAN	O5-C5	2.34	1.48	1.43
2	J	6	GAL	O5-C5	2.32	1.48	1.43
2	H	3	MAN	C1-C2	2.32	1.57	1.52
2	L	4	MAN	O5-C1	-2.30	1.39	1.43
2	L	8	NAG	O5-C1	-2.26	1.39	1.43
2	H	4	MAN	O5-C1	-2.25	1.39	1.43
2	I	7	MAN	O5-C5	2.25	1.47	1.43
3	K	7	MAN	C2-C3	2.25	1.55	1.52
2	L	7	MAN	C4-C5	2.23	1.57	1.53
2	G	7	MAN	O2-C2	2.15	1.47	1.43
2	G	1	NAG	O5-C1	-2.14	1.40	1.43
2	J	9	FUC	C2-C3	2.13	1.55	1.52
2	G	7	MAN	C1-C2	2.13	1.57	1.52
2	I	5	NAG	O5-C1	-2.10	1.40	1.43
3	K	8	NAG	C1-C2	2.08	1.55	1.52
3	K	7	MAN	O2-C2	2.08	1.47	1.43
2	I	9	FUC	C2-C3	2.07	1.55	1.52
3	K	6	GAL	C4-C3	2.06	1.57	1.52

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	7	MAN	C1-O5-C5	7.05	121.63	112.19
2	I	7	MAN	C1-O5-C5	5.60	119.69	112.19
2	L	3	MAN	C1-O5-C5	5.57	119.65	112.19
2	J	4	MAN	C1-O5-C5	5.21	119.17	112.19
2	I	3	MAN	C1-O5-C5	5.17	119.11	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	6	GAL	C1-O5-C5	4.66	118.43	112.19
2	J	3	MAN	C1-O5-C5	4.62	118.38	112.19
2	G	4	MAN	C1-O5-C5	4.43	118.12	112.19
2	J	7	MAN	C1-O5-C5	4.22	117.84	112.19
3	K	4	MAN	C1-O5-C5	4.20	117.82	112.19
2	L	7	MAN	C1-O5-C5	3.87	117.38	112.19
2	H	7	MAN	C1-O5-C5	3.78	117.25	112.19
2	G	8	NAG	C1-O5-C5	3.36	116.68	112.19
2	H	4	MAN	C1-O5-C5	3.32	116.64	112.19
2	H	3	MAN	C1-O5-C5	3.17	116.43	112.19
2	G	3	MAN	C1-O5-C5	3.11	116.35	112.19
2	G	7	MAN	C3-C4-C5	3.10	115.85	110.23
2	J	4	MAN	O2-C2-C3	-3.07	103.78	110.15
2	I	4	MAN	C1-O5-C5	2.95	116.14	112.19
2	L	6	GAL	O2-C2-C1	2.95	115.97	109.22
2	J	2	NAG	O4-C4-C5	-2.90	102.17	109.32
2	H	6	GAL	O2-C2-C1	2.85	115.75	109.22
2	I	2	NAG	O4-C4-C3	2.84	117.08	110.38
3	K	4	MAN	O2-C2-C3	-2.83	104.28	110.15
2	L	2	NAG	O4-C4-C3	2.81	117.00	110.38
2	H	2	NAG	O4-C4-C5	-2.80	102.42	109.32
3	K	3	MAN	O2-C2-C3	-2.79	104.37	110.15
2	L	3	MAN	C1-C2-C3	2.77	113.68	109.64
2	H	3	MAN	C1-C2-C3	2.76	113.67	109.64
2	G	2	NAG	O4-C4-C5	-2.75	102.55	109.32
2	J	3	MAN	C1-C2-C3	2.74	113.64	109.64
2	I	3	MAN	C1-C2-C3	2.71	113.58	109.64
3	K	2	NAG	O4-C4-C5	-2.66	102.77	109.32
2	G	7	MAN	O2-C2-C1	2.58	115.12	109.22
2	I	4	MAN	O2-C2-C3	-2.57	104.83	110.15
2	G	4	MAN	O2-C2-C3	-2.55	104.87	110.15
2	L	7	MAN	O2-C2-C3	-2.54	104.89	110.15
2	G	7	MAN	O5-C5-C4	2.49	116.89	110.83
2	G	1	NAG	C1-O5-C5	2.48	115.51	112.19
2	J	6	GAL	O2-C2-C1	2.44	114.81	109.22
3	K	3	MAN	C1-O5-C5	2.40	115.40	112.19
2	J	1	NAG	C1-O5-C5	2.37	115.36	112.19
2	G	3	MAN	C1-C2-C3	2.30	112.99	109.64
2	L	8	NAG	C4-C3-C2	2.28	114.36	111.02
2	H	3	MAN	O6-C6-C5	-2.26	103.64	111.33
3	K	3	MAN	C1-C2-C3	2.26	112.93	109.64
3	K	7	MAN	C1-O5-C5	2.25	115.21	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	6	GAL	O2-C2-C1	2.24	114.36	109.22
2	G	6	GAL	O2-C2-C1	2.22	114.31	109.22
2	G	5	NAG	C4-C3-C2	2.19	114.23	111.02
2	H	4	MAN	O2-C2-C3	-2.17	105.65	110.15
2	I	6	GAL	O2-C2-C1	2.17	114.20	109.22
2	H	9	FUC	C3-C4-C5	-2.14	106.56	109.81
2	H	6	GAL	C1-O5-C5	2.12	115.03	112.19
2	G	3	MAN	O6-C6-C5	-2.11	104.14	111.33
3	K	8	NAG	C1-O5-C5	2.07	114.96	112.19
2	L	8	NAG	C3-C4-C5	2.06	113.97	110.23
2	L	4	MAN	O3-C3-C2	2.02	114.18	110.05
2	J	7	MAN	O2-C2-C3	-2.01	106.00	110.15

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	K	7	MAN	O5-C5-C6-O6
2	H	8	NAG	O5-C5-C6-O6
2	I	2	NAG	O5-C5-C6-O6
2	J	2	NAG	O5-C5-C6-O6
3	K	7	MAN	C4-C5-C6-O6
3	K	6	GAL	C4-C5-C6-O6
2	I	2	NAG	C4-C5-C6-O6
3	K	6	GAL	O5-C5-C6-O6
2	H	8	NAG	C4-C5-C6-O6
2	L	2	NAG	O5-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
2	I	8	NAG	C4-C5-C6-O6
3	K	8	NAG	C4-C5-C6-O6
2	I	8	NAG	O5-C5-C6-O6
2	G	1	NAG	C8-C7-N2-C2
2	G	1	NAG	O7-C7-N2-C2
2	L	8	NAG	C4-C5-C6-O6
3	K	8	NAG	O5-C5-C6-O6
2	J	8	NAG	O5-C5-C6-O6
2	L	2	NAG	C4-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
2	L	8	NAG	O5-C5-C6-O6
3	K	2	NAG	O5-C5-C6-O6
2	G	7	MAN	C4-C5-C6-O6
2	H	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	K	8	NAG	C3-C2-N2-C7
2	I	6	GAL	O5-C5-C6-O6
2	I	4	MAN	C4-C5-C6-O6
2	J	8	NAG	C4-C5-C6-O6
2	L	7	MAN	C4-C5-C6-O6
3	K	3	MAN	O5-C5-C6-O6
3	K	8	NAG	C1-C2-N2-C7
2	H	4	MAN	C4-C5-C6-O6
2	H	7	MAN	C4-C5-C6-O6
2	I	8	NAG	C1-C2-N2-C7
2	G	7	MAN	O5-C5-C6-O6
2	I	4	MAN	O5-C5-C6-O6
2	L	6	GAL	C4-C5-C6-O6


All (5) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	I	3	MAN	C1-C2-C3-C4-C5-O5
3	K	3	MAN	C1-C2-C3-C4-C5-O5
2	G	3	MAN	C1-C2-C3-C4-C5-O5
2	L	3	MAN	C1-C2-C3-C4-C5-O5
2	H	3	MAN	C1-C2-C3-C4-C5-O5


7 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	L	2	NAG	1	0
2	L	4	MAN	1	0
3	K	8	NAG	1	0
2	G	6	GAL	1	0
2	J	6	GAL	1	0
2	I	6	GAL	1	0
3	K	7	MAN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	208/218 (95%)	0.09	8 (3%) 44 46	38, 54, 75, 92	0
1	B	208/218 (95%)	0.07	10 (4%) 35 37	38, 51, 89, 126	0
1	C	203/218 (93%)	0.02	7 (3%) 48 50	42, 55, 91, 112	0
1	D	201/218 (92%)	0.11	6 (2%) 52 54	42, 56, 88, 123	0
1	E	191/218 (87%)	0.24	13 (6%) 23 25	39, 56, 105, 147	0
1	F	204/218 (93%)	0.19	8 (3%) 43 45	40, 55, 91, 116	0
All	All	1215/1308 (92%)	0.12	52 (4%) 40 41	38, 55, 91, 147	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	329	PRO	5.3
1	E	300	ILE	5.0
1	B	328	LEU	4.7
1	E	329	PRO	4.4
1	E	305	THR	3.9
1	A	305	THR	3.8
1	A	421	ASP	3.8
1	A	412	MET	3.8
1	F	305	THR	3.7
1	D	271	PRO	3.7
1	E	299	THR	3.4
1	B	305	THR	3.4
1	B	386	HIS	3.4
1	B	385	GLY	3.2
1	C	395	ALA	3.2
1	E	265	ASP	3.1
1	C	305	THR	3.1
1	D	412	MET	3.1
1	E	238	PRO	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	412	MET	3.0
1	D	325	ASN	3.0
1	E	297	ASN	2.9
1	F	385	GLY	2.9
1	D	267	SER	2.8
1	B	339	ILE	2.8
1	F	395	ALA	2.8
1	C	325	ASN	2.7
1	E	303	VAL	2.7
1	C	412	MET	2.6
1	E	298	SER	2.6
1	C	330	SER	2.5
1	D	329	PRO	2.5
1	A	420	THR	2.4
1	F	412	MET	2.4
1	A	386	HIS	2.4
1	F	384	ASN	2.4
1	E	264	VAL	2.4
1	B	329	PRO	2.3
1	E	412	MET	2.3
1	A	395	ALA	2.3
1	C	271	PRO	2.3
1	E	292	HIS	2.2
1	C	237	GLY	2.2
1	B	326	LYS	2.2
1	E	395	ALA	2.2
1	A	419	LYS	2.2
1	D	305	THR	2.1
1	F	443	ARG	2.1
1	B	325	ASN	2.1
1	A	384	ASN	2.0
1	F	268	GLU	2.0
1	B	360	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	K	1	14/15	0.55	0.18	108,118,132,132	0
2	NAG	G	8	14/15	0.56	0.18	109,119,120,127	0
3	NAG	K	8	14/15	0.58	0.14	115,129,134,134	0
2	NAG	L	8	14/15	0.67	0.14	79,100,109,112	0
2	NAG	J	8	14/15	0.70	0.14	89,102,113,113	0
2	NAG	H	8	14/15	0.71	0.12	75,97,101,103	0
3	MAN	K	7	11/12	0.73	0.11	115,121,125,126	0
2	NAG	I	8	14/15	0.75	0.12	92,102,109,116	0
2	GAL	I	6	11/12	0.77	0.18	63,82,95,96	0
3	GAL	K	6	11/12	0.77	0.17	77,91,107,109	0
3	NAG	K	5	14/15	0.81	0.12	87,100,109,109	0
2	MAN	G	7	11/12	0.82	0.10	90,98,104,105	0
2	GAL	G	6	11/12	0.82	0.18	57,72,87,91	0
2	MAN	I	7	11/12	0.83	0.10	82,90,93,97	0
2	MAN	J	7	11/12	0.85	0.09	78,82,88,95	0
3	MAN	K	4	11/12	0.85	0.11	102,106,111,112	0
3	NAG	K	2	14/15	0.86	0.11	100,102,107,108	0
2	NAG	G	5	14/15	0.86	0.11	61,71,78,83	0
2	MAN	L	7	11/12	0.86	0.10	79,82,86,91	0
2	GAL	J	6	11/12	0.87	0.12	52,65,70,70	0
2	GAL	H	6	11/12	0.87	0.16	49,61,68,68	0
2	MAN	H	7	11/12	0.88	0.09	77,83,91,92	0
2	NAG	G	1	14/15	0.88	0.10	59,65,67,71	0
2	GAL	L	6	11/12	0.88	0.14	54,62,71,72	0
3	MAN	K	3	11/12	0.89	0.09	97,98,103,107	0
2	MAN	G	3	11/12	0.89	0.10	60,66,71,81	0
2	MAN	G	4	11/12	0.90	0.08	67,68,72,75	0
2	MAN	L	4	11/12	0.91	0.08	48,53,56,56	0
2	MAN	J	4	11/12	0.91	0.08	54,56,61,64	0
2	NAG	H	5	14/15	0.91	0.09	49,56,60,60	0
2	NAG	I	5	14/15	0.92	0.08	60,66,72,73	0
2	MAN	I	4	11/12	0.92	0.08	62,64,68,73	0
2	FUC	G	9	10/11	0.93	0.08	60,63,67,72	0
2	MAN	J	3	11/12	0.93	0.08	51,58,68,75	0
2	MAN	L	3	11/12	0.93	0.08	55,59,66,74	0
2	MAN	I	3	11/12	0.93	0.08	60,63,72,79	0
2	NAG	G	2	14/15	0.93	0.11	59,62,66,66	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	J	1	14/15	0.94	0.07	50,55,60,62	0
2	FUC	J	9	10/11	0.94	0.09	52,54,56,59	0
2	NAG	L	1	14/15	0.94	0.08	51,54,60,61	0
2	NAG	J	2	14/15	0.94	0.07	47,54,62,65	0
2	MAN	H	3	11/12	0.94	0.08	54,60,70,71	0
2	MAN	H	4	11/12	0.94	0.08	51,53,60,69	0
2	NAG	I	2	14/15	0.94	0.08	50,60,65,66	0
2	FUC	I	9	10/11	0.94	0.08	53,57,60,62	0
2	NAG	L	5	14/15	0.95	0.07	56,59,64,65	0
2	NAG	J	5	14/15	0.95	0.07	53,58,65,65	0
2	NAG	H	1	14/15	0.95	0.07	44,51,54,54	0
2	NAG	L	2	14/15	0.95	0.07	48,53,59,62	0
2	FUC	H	9	10/11	0.95	0.08	47,50,58,59	0
2	NAG	I	1	14/15	0.95	0.06	49,58,60,62	0
2	NAG	H	2	14/15	0.96	0.06	45,50,55,58	0
2	FUC	L	9	10/11	0.96	0.07	51,54,58,61	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.