



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:49 AM UTC

PDB ID : 1KSW / pdb_00001ksw
Title : Structure of Human c-Src Tyrosine Kinase (Thr338Gly Mutant) in Complex with N6-benzyl ADP
Authors : Witucki, L.A.; Huang, X.; Shah, K.; Liu, Y.; Kyin, S.; Eck, M.J.; Shokat, K.M.
Deposited on : 2002-01-14
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	452	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3691 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTO-ONCOGENE TYROSINE-PROTEIN KINASE SRC.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	450	3611	2294	614	683	1	19	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	82	MET	-	initiating methionine	UNP P12931
A	338	GLY	THR	engineered mutation	UNP P12931
A	527	PTR	TYR	modified residue	UNP P12931

- Molecule 2 is N6-BENZYL ADENOSINE-5'-DIPHOSPHATE (CCD ID: NBS) (formula: $C_{17}H_{21}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	34	17	5	10	2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	46	Total	O	0	0
			46	46		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROTO-ONCOGENE TYROSINE-PROTEIN KINASE SRC



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	50.81Å 87.68Å 106.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.80) 98.4 (20.00-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 2.44Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.231 , 0.294 0.234 , 0.302	Depositor DCC
R_{free} test set	875 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	54.4	Xtriage
Anisotropy	0.241	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 68.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3691	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NBS, PTR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	1/3679 (0.0%)	1.15	23/4984 (0.5%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	457	THR	CA-CB	7.05	1.58	1.53

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	505	GLU	N-CA-C	-10.35	100.72	113.97
1	A	214	ILE	N-CA-C	-9.56	103.59	111.81
1	A	463	TYR	CA-C-N	9.24	129.85	119.32
1	A	463	TYR	C-N-CA	9.24	129.85	119.32
1	A	330	SER	N-CA-C	7.62	119.58	111.28
1	A	120	LEU	N-CA-C	-7.04	98.57	109.76
1	A	494	LEU	N-CA-C	-6.93	103.41	110.97
1	A	290	THR	N-CA-C	6.80	120.94	110.20
1	A	471	VAL	N-CA-C	6.08	116.24	110.53
1	A	138	ALA	N-CA-C	-5.96	102.86	108.22
1	A	91	ASP	N-CA-C	-5.95	102.85	110.53
1	A	377	VAL	N-CA-C	-5.75	104.75	110.62
1	A	249	LYS	N-CA-C	-5.75	102.34	109.64
1	A	171	THR	N-CA-C	-5.62	101.96	110.28
1	A	283	MET	N-CA-C	-5.59	100.56	109.96
1	A	102	PHE	N-CA-C	5.56	116.68	107.73
1	A	454	GLU	N-CA-C	-5.49	105.20	111.07
1	A	443	SER	N-CA-C	-5.48	104.95	111.69
1	A	446	TRP	N-CA-C	-5.43	105.05	110.97
1	A	208	ASP	N-CA-C	-5.14	105.56	111.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	339	GLU	N-CA-C	5.06	117.55	109.96
1	A	326	TYR	N-CA-C	5.02	119.60	112.93
1	A	134	SER	N-CA-C	5.01	117.13	111.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3611	0	3539	204	0
2	A	34	0	18	5	0
3	A	46	0	0	2	0
All	All	3691	0	3557	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (204) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:TRP:HB3	1:A:244:VAL:HG22	1.55	0.87
1:A:115:GLU:HG2	1:A:257:LYS:NZ	1.90	0.87
1:A:340:TYR:OH	1:A:342:SER:HA	1.84	0.77
1:A:524:GLU:N	1:A:525:PRO:HD3	2.02	0.75
1:A:147:GLU:HG2	1:A:244:VAL:HG11	1.68	0.75
1:A:311:ALA:HA	1:A:314:MET:HE3	1.68	0.75
1:A:340:TYR:CZ	1:A:342:SER:HA	2.21	0.75
1:A:310:GLU:HG2	1:A:410:LEU:HD11	1.69	0.75
1:A:222:SER:OG	1:A:224:GLN:HG2	1.87	0.74
1:A:466:MET:HE2	1:A:471:VAL:HG22	1.68	0.73
1:A:206:LYS:HE2	1:A:210:GLY:HA2	1.71	0.73
1:A:135:ASN:HD22	1:A:135:ASN:H	1.33	0.72
1:A:222:SER:HB2	1:A:224:GLN:HE21	1.55	0.71
1:A:329:VAL:HB	1:A:335:TYR:HB2	1.71	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:ALA:O	1:A:195:LYS:HB2	1.91	0.69
1:A:205:ARG:HB2	1:A:213:TYR:CE1	2.26	0.69
1:A:115:GLU:HG2	1:A:257:LYS:HZ3	1.54	0.69
1:A:115:GLU:HG2	1:A:257:LYS:HZ1	1.58	0.68
1:A:346:LEU:O	1:A:350:LEU:HB2	1.94	0.68
1:A:268:ARG:NH1	1:A:288:GLY:H	1.92	0.67
1:A:135:ASN:HD22	1:A:135:ASN:N	1.94	0.66
1:A:500:ARG:O	1:A:506:ARG:HD2	1.95	0.65
1:A:111:VAL:O	1:A:112:ASN:HB2	1.96	0.65
1:A:123:SER:O	1:A:127:GLY:HA2	1.96	0.65
1:A:466:MET:HE1	1:A:471:VAL:HA	1.77	0.65
1:A:483:CYS:HA	1:A:492:HIS:CD2	2.32	0.65
1:A:206:LYS:HA	1:A:211:GLY:O	1.98	0.64
1:A:268:ARG:HH12	1:A:287:ASN:N	1.98	0.62
1:A:302:MET:HE2	1:A:410:LEU:HB2	1.82	0.62
1:A:443:SER:O	1:A:446:TRP:HB3	2.00	0.61
1:A:91:ASP:OD1	1:A:103:LYS:HA	2.00	0.61
1:A:317:LEU:HA	1:A:376:TYR:OH	2.00	0.61
1:A:466:MET:CE	1:A:471:VAL:HA	2.31	0.61
1:A:267:LEU:HD11	1:A:337:VAL:HG21	1.83	0.61
1:A:222:SER:HB2	1:A:224:GLN:NE2	2.15	0.60
1:A:523:THR:OG1	1:A:525:PRO:HG3	2.02	0.60
1:A:273:LEU:HD11	1:A:283:MET:HB2	1.84	0.60
1:A:345:SER:HA	1:A:393:LEU:HD23	1.85	0.59
1:A:103:LYS:HG3	1:A:104:LYS:O	2.03	0.58
1:A:177:SER:OG	1:A:203:LYS:HE2	2.04	0.57
1:A:206:LYS:CE	1:A:210:GLY:HA2	2.34	0.57
1:A:192:ASP:HB3	1:A:195:LYS:HB3	1.87	0.57
1:A:108:LEU:HD23	1:A:123:SER:HA	1.87	0.57
1:A:276:GLY:HA2	2:A:1:NBS:O4P	2.05	0.56
1:A:317:LEU:HD23	1:A:380:MET:HE2	1.87	0.56
1:A:409:ARG:O	1:A:409:ARG:HG2	2.03	0.56
1:A:442:LYS:HE3	1:A:504:GLU:HA	1.87	0.56
1:A:255:LEU:HD13	1:A:286:TRP:CD2	2.41	0.56
1:A:272:LYS:NZ	1:A:275:GLN:HG3	2.20	0.56
1:A:332:GLU:HA	1:A:334:ILE:N	2.21	0.56
1:A:85:THR:CG2	1:A:124:LEU:HD11	2.36	0.56
1:A:340:TYR:HH	1:A:342:SER:HA	1.70	0.56
1:A:264:ARG:NH1	1:A:333:PRO:HD2	2.20	0.56
1:A:388:ARG:HA	1:A:451:LEU:HD12	1.88	0.55
1:A:360:LEU:HD11	1:A:488:PRO:HG3	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:GLU:O	1:A:160:ARG:HB3	2.06	0.55
1:A:190:ASP:O	1:A:197:LEU:HD12	2.07	0.55
1:A:260:TRP:HE1	1:A:312:GLN:HE22	1.55	0.54
1:A:169:ARG:HD3	1:A:191:PHE:HB3	1.88	0.54
1:A:186:LEU:HD21	1:A:241:LEU:HD21	1.90	0.54
1:A:109:GLN:O	1:A:111:VAL:HG13	2.08	0.54
1:A:202:TYR:OH	1:A:238:CYS:SG	2.64	0.54
1:A:463:TYR:CE1	1:A:481:MET:HG3	2.42	0.54
1:A:264:ARG:CZ	1:A:333:PRO:HD2	2.38	0.53
1:A:309:GLN:O	1:A:312:GLN:HB2	2.08	0.53
1:A:268:ARG:HH12	1:A:287:ASN:H	1.55	0.53
1:A:528:GLN:HA	1:A:528:GLN:NE2	2.23	0.53
1:A:99:ASP:HA	1:A:131:TYR:H	1.72	0.53
1:A:239:HIS:ND1	1:A:240:ARG:N	2.56	0.53
1:A:366:MET:O	1:A:370:ILE:HG13	2.08	0.53
1:A:109:GLN:OE1	1:A:109:GLN:HA	2.09	0.52
1:A:449:GLY:O	1:A:452:LEU:HB2	2.09	0.52
1:A:508:THR:O	1:A:511:TYR:HB3	2.09	0.52
1:A:133:PRO:HG2	1:A:136:TYR:HB2	1.92	0.52
1:A:524:GLU:N	1:A:525:PRO:CD	2.73	0.52
1:A:255:LEU:HB3	1:A:286:TRP:CZ3	2.46	0.51
1:A:453:THR:HG22	1:A:495:MET:SD	2.50	0.51
1:A:242:THR:OG1	1:A:243:THR:N	2.43	0.51
1:A:396:GLU:O	1:A:397:ASN:HB2	2.10	0.51
1:A:267:LEU:HD11	1:A:337:VAL:CG2	2.41	0.51
1:A:272:LYS:HZ1	1:A:275:GLN:HG3	1.74	0.51
1:A:310:GLU:O	1:A:314:MET:HG3	2.11	0.51
1:A:139:PRO:HB2	1:A:142:SER:HB3	1.93	0.51
1:A:220:PHE:CD1	1:A:220:PHE:N	2.78	0.51
1:A:257:LYS:C	1:A:259:ALA:H	2.19	0.51
1:A:349:PHE:C	1:A:349:PHE:CD2	2.89	0.50
1:A:523:THR:C	1:A:525:PRO:HD3	2.36	0.50
1:A:446:TRP:CE3	1:A:499:TRP:HA	2.46	0.50
1:A:133:PRO:O	1:A:136:TYR:HB2	2.12	0.50
1:A:86:PHE:CD1	1:A:110:ILE:HG12	2.47	0.49
1:A:112:ASN:HB3	1:A:120:LEU:HB3	1.95	0.49
1:A:136:TYR:OH	1:A:249:LYS:HB3	2.13	0.48
1:A:330:SER:O	1:A:334:ILE:HG12	2.14	0.48
1:A:432:GLU:HG2	1:A:433:ALA:N	2.28	0.48
1:A:122:HIS:HB3	3:A:569:HOH:O	2.12	0.48
1:A:202:TYR:HH	1:A:238:CYS:HG	1.57	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:GLU:OE2	1:A:131:TYR:HE1	1.97	0.48
1:A:260:TRP:NE1	1:A:312:GLN:HE22	2.11	0.48
1:A:205:ARG:HB2	1:A:213:TYR:CZ	2.49	0.47
1:A:384:HIS:O	1:A:385:ARG:HB2	2.14	0.47
1:A:406:GLY:O	1:A:408:ALA:N	2.47	0.47
1:A:308:LEU:O	1:A:312:GLN:HG2	2.14	0.47
1:A:376:TYR:HB2	1:A:379:ARG:NH2	2.28	0.47
1:A:533:LEU:HA	1:A:533:LEU:HD23	1.70	0.47
1:A:285:THR:HA	1:A:290:THR:O	2.15	0.47
1:A:213:TYR:HD2	1:A:215:THR:C	2.23	0.47
1:A:267:LEU:HD13	1:A:294:ILE:HG12	1.95	0.47
1:A:350:LEU:HD21	1:A:455:LEU:HA	1.97	0.47
1:A:85:THR:HG22	1:A:124:LEU:HD11	1.97	0.47
1:A:140:SER:O	1:A:141:ASP:HB2	2.15	0.47
1:A:268:ARG:HG2	1:A:268:ARG:HH11	1.80	0.46
1:A:353:GLU:HG3	1:A:354:THR:N	2.31	0.46
1:A:356:LYS:HG3	1:A:357:TYR:N	2.30	0.46
1:A:283:MET:HE3	1:A:291:ARG:NH2	2.31	0.46
1:A:463:TYR:N	1:A:464:PRO:CD	2.78	0.46
1:A:85:THR:HG21	1:A:124:LEU:HD11	1.96	0.46
1:A:513:GLN:O	1:A:517:GLU:HB2	2.15	0.46
1:A:110:ILE:HD13	1:A:121:ALA:HB2	1.97	0.46
1:A:503:PRO:O	1:A:506:ARG:HB2	2.16	0.46
1:A:213:TYR:HB3	1:A:219:GLN:HB3	1.99	0.45
1:A:391:ASN:O	1:A:392:ILE:HD13	2.16	0.45
1:A:239:HIS:HD1	1:A:240:ARG:N	2.15	0.45
1:A:348:ASP:O	1:A:351:LYS:HG2	2.16	0.45
1:A:385:ARG:HD3	1:A:409:ARG:HB2	1.98	0.45
1:A:446:TRP:HA	1:A:498:CYS:O	2.16	0.45
1:A:466:MET:HE3	1:A:474:GLN:HG3	1.96	0.45
1:A:427:LYS:HD3	1:A:463:TYR:HB2	1.99	0.45
1:A:149:TYR:HD1	1:A:174:VAL:HG12	1.81	0.45
1:A:236:GLY:C	1:A:532:ASN:HD22	2.25	0.45
1:A:253:GLN:HA	1:A:324:GLN:HE22	1.81	0.45
1:A:324:GLN:HG2	1:A:325:LEU:N	2.31	0.45
1:A:160:ARG:HH22	1:A:365:ASP:CG	2.24	0.45
1:A:228:ALA:O	1:A:231:SER:HB2	2.16	0.45
1:A:331:GLU:H	1:A:331:GLU:HG3	1.65	0.45
1:A:491:LEU:HA	1:A:491:LEU:HD23	1.81	0.45
1:A:451:LEU:O	1:A:454:GLU:HB2	2.17	0.45
1:A:452:LEU:HD11	1:A:494:LEU:HD23	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:GLY:HA3	1:A:296:THR:O	2.17	0.45
1:A:302:MET:CE	1:A:410:LEU:HB2	2.47	0.44
1:A:268:ARG:NH1	1:A:268:ARG:HG2	2.33	0.44
1:A:318:ARG:N	1:A:376:TYR:OH	2.51	0.44
1:A:485:PRO:O	1:A:486:GLU:HB2	2.17	0.44
1:A:103:LYS:HG3	1:A:104:LYS:N	2.31	0.44
1:A:162:LEU:HD12	1:A:199:VAL:HG11	1.98	0.44
1:A:374:MET:HB3	1:A:509:PHE:CD2	2.52	0.44
1:A:131:TYR:CE1	1:A:257:LYS:HD2	2.52	0.44
1:A:155:ARG:HG3	1:A:201:HIS:CE1	2.52	0.44
1:A:122:HIS:CD2	1:A:129:THR:HG22	2.53	0.44
1:A:202:TYR:CE2	1:A:528:GLN:CB	3.00	0.44
1:A:446:TRP:O	1:A:449:GLY:N	2.50	0.44
1:A:311:ALA:CA	1:A:314:MET:HE3	2.40	0.44
1:A:376:TYR:O	1:A:380:MET:HG2	2.18	0.44
1:A:466:MET:CE	1:A:474:GLN:HG3	2.48	0.44
1:A:158:SER:HB2	1:A:173:LEU:HD21	2.00	0.43
1:A:148:TRP:O	1:A:148:TRP:HE3	2.01	0.43
1:A:101:SER:O	1:A:102:PHE:HB3	2.18	0.43
1:A:162:LEU:HD23	1:A:245:CYS:SG	2.58	0.43
1:A:185:CYS:SG	1:A:527:PTR:HE1	2.58	0.43
1:A:442:LYS:HG3	1:A:504:GLU:HG2	2.01	0.43
1:A:495:MET:O	1:A:498:CYS:HB2	2.18	0.43
1:A:173:LEU:O	1:A:186:LEU:HD12	2.18	0.43
1:A:323:VAL:HG11	2:A:1:NBS:HB3	2.00	0.43
1:A:152:LYS:O	1:A:152:LYS:HD3	2.19	0.43
1:A:350:LEU:HD21	1:A:455:LEU:HD23	2.00	0.43
1:A:86:PHE:CD1	1:A:110:ILE:CG1	3.02	0.43
1:A:139:PRO:HD2	1:A:142:SER:OG	2.18	0.43
1:A:298:LYS:HG3	1:A:299:PRO:HD2	2.01	0.43
1:A:502:GLU:O	1:A:503:PRO:C	2.62	0.43
1:A:169:ARG:HD3	1:A:191:PHE:CB	2.48	0.42
1:A:169:ARG:NH1	1:A:191:PHE:CG	2.87	0.42
1:A:186:LEU:HB2	1:A:204:ILE:HD11	2.00	0.42
1:A:299:PRO:C	1:A:301:THR:H	2.26	0.42
1:A:370:ILE:O	1:A:371:ALA:C	2.62	0.42
1:A:317:LEU:HD22	1:A:376:TYR:CE2	2.54	0.42
1:A:358:LEU:HD23	1:A:358:LEU:HA	1.84	0.42
1:A:473:ASP:O	1:A:476:GLU:HB3	2.19	0.42
1:A:457:THR:O	1:A:458:LYS:C	2.62	0.42
1:A:148:TRP:CE3	1:A:148:TRP:C	2.97	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:LEU:HB3	1:A:286:TRP:CE3	2.54	0.42
1:A:323:VAL:CG1	2:A:1:NBS:HB3	2.49	0.42
1:A:450:ILE:HD13	1:A:499:TRP:NE1	2.33	0.42
1:A:341:MET:SD	1:A:401:LYS:HD2	2.59	0.42
1:A:236:GLY:O	1:A:532:ASN:ND2	2.49	0.42
1:A:310:GLU:HB2	1:A:410:LEU:HD21	2.00	0.41
1:A:360:LEU:HD22	1:A:364:VAL:HG23	2.02	0.41
1:A:100:LEU:O	1:A:100:LEU:HG	2.20	0.41
1:A:375:ALA:HB3	3:A:560:HOH:O	2.19	0.41
1:A:452:LEU:HA	1:A:452:LEU:HD23	1.80	0.41
1:A:223:LEU:O	1:A:227:VAL:HG23	2.19	0.41
1:A:489:GLU:OE2	1:A:492:HIS:HB3	2.20	0.41
1:A:225:GLN:HE21	1:A:225:GLN:HB2	1.59	0.41
1:A:388:ARG:CA	1:A:451:LEU:HD12	2.48	0.41
1:A:441:ILE:O	1:A:444:ASP:HB2	2.20	0.41
1:A:192:ASP:HB3	1:A:195:LYS:CB	2.49	0.41
1:A:317:LEU:HD22	1:A:380:MET:HG3	2.02	0.41
1:A:408:ALA:HA	1:A:411:ILE:HG12	2.01	0.41
1:A:88:ALA:HB3	1:A:103:LYS:O	2.20	0.41
1:A:193:ASN:HD22	1:A:194:ALA:H	1.69	0.41
1:A:419:ARG:HG2	1:A:434:ALA:HA	2.02	0.41
1:A:393:LEU:HD11	2:A:1:NBS:C5	2.51	0.41
1:A:360:LEU:HB3	1:A:361:PRO:HD3	2.01	0.40
1:A:153:ILE:HD11	1:A:158:SER:N	2.36	0.40
1:A:293:ALA:HB1	2:A:1:NBS:CB7	2.51	0.40
1:A:86:PHE:O	1:A:107:ARG:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/452 (99%)	384 (86%)	52 (12%)	11 (2%)	4	16

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	112	ASN
1	A	195	LYS
1	A	407	LEU
1	A	525	PRO
1	A	114	THR
1	A	343	LYS
1	A	458	LYS
1	A	521	THR
1	A	526	GLN
1	A	414	ASN
1	A	529	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	387/390 (99%)	341 (88%)	46 (12%)	5	17

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	THR
1	A	111	VAL
1	A	113	ASN
1	A	125	SER
1	A	132	ILE
1	A	135	ASN
1	A	153	ILE
1	A	163	LEU
1	A	169	ARG
1	A	181	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	193	ASN
1	A	208	ASP
1	A	209	SER
1	A	218	THR
1	A	219	GLN
1	A	220	PHE
1	A	223	LEU
1	A	224	GLN
1	A	225	GLN
1	A	235	ASP
1	A	268	ARG
1	A	275	GLN
1	A	277	CYS
1	A	291	ARG
1	A	303	SER
1	A	305	GLU
1	A	308	LEU
1	A	318	ARG
1	A	320	GLU
1	A	345	SER
1	A	350	LEU
1	A	351	LYS
1	A	356	LYS
1	A	360	LEU
1	A	362	GLN
1	A	366	MET
1	A	398	LEU
1	A	399	VAL
1	A	472	LEU
1	A	473	ASP
1	A	503	PRO
1	A	518	ASP
1	A	524	GLU
1	A	526	GLN
1	A	528	GLN
1	A	532	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	135	ASN
1	A	164	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	193	ASN
1	A	221	ASN
1	A	224	GLN
1	A	225	GLN
1	A	312	GLN
1	A	324	GLN
1	A	532	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PTR	A	527	1	15,16,17	0.92	0	17,22,24	2.24	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	A	527	1	-	1/10/11/13	0/1/1/1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	527	PTR	CB-CG-CD1	-4.76	112.05	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	527	PTR	CB-CG-CD2	4.11	128.56	120.90
1	A	527	PTR	O3P-P-OH	-2.90	96.75	105.32
1	A	527	PTR	CD1-CE1-CZ	-2.72	116.62	119.73
1	A	527	PTR	OH-P-O1P	-2.37	101.56	109.48
1	A	527	PTR	O3P-P-O2P	2.35	116.61	107.80

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	527	PTR	CA-CB-CG-CD1

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	527	PTR	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NBS	A	1	-	36,37,37	1.36	3 (8%)	53,55,55	1.01	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NBS	A	1	-	-	7/21/37/37	0/4/4/4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	NBS	PA-O3P	5.16	1.65	1.59
2	A	1	NBS	C6-N6	3.70	1.40	1.34
2	A	1	NBS	CB1-CB2	2.04	1.56	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	NBS	O4P-PB-O3P	-3.28	93.64	104.64
2	A	1	NBS	C3'-C2'-C1'	2.34	105.90	101.46
2	A	1	NBS	O3P-PA-O2P	2.15	117.17	110.70
2	A	1	NBS	O5P-PB-O4P	2.02	115.38	107.80

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1	NBS	PA-O3P-PB-O5P
2	A	1	NBS	C4'-C5'-O5'-PA
2	A	1	NBS	N1-C6-N6-CB1
2	A	1	NBS	C5-C6-N6-CB1
2	A	1	NBS	C5'-O5'-PA-O3P
2	A	1	NBS	PA-O3P-PB-O4P
2	A	1	NBS	PA-O3P-PB-O6P


There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	NBS	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	449/452 (99%)	0.05	12 (2%) 56 46	18, 54, 82, 100	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	111	VAL	4.6
1	A	523	THR	4.4
1	A	112	ASN	3.2
1	A	533	LEU	2.9
1	A	114	THR	2.9
1	A	522	SER	2.6
1	A	122	HIS	2.5
1	A	519	TYR	2.4
1	A	357	TYR	2.3
1	A	113	ASN	2.2
1	A	268	ARG	2.1
1	A	182	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	A	527	16/17	0.93	0.08	66,69,75,77	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NBS	A	1	34/34	0.87	0.10	39,58,93,96	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.