



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 05:45 PM UTC

PDB ID : 5KSD / pdb_00005ksd
Title : Crystal Structure of a Plasma Membrane Proton Pump
Authors : Croll, T.; Pedersen, B.P.; Nissen, P.
Deposited on : 2016-07-08
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1085 (3.54-3.46)
Clashscore	190562	1140 (3.54-3.46)
Ramachandran outliers	187476	1113 (3.54-3.46)
Sidechain outliers	187428	1114 (3.54-3.46)
RSRZ outliers	180081	1084 (3.54-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	833	6% 90% 10%
1	B	833	7% 91% 9%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12970 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATPase 2, plasma membrane-type.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	833	Total	C	N	O	S	0	0	0
			6416	4132	1082	1169	33			
1	B	833	Total	C	N	O	S	0	0	0
			6416	4132	1082	1169	33			


- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	B	2	Total	Mg	0	0
			2	2		

- Molecule 3 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	K	0	0
			1	1		
3	B	1	Total	K	0	0
			1	1		

- Molecule 4 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 31	C 11	N 5	O 12	P 3	0	0
4	B	1	Total 31	C 11	N 5	O 12	P 3	0	0

- Molecule 5 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 35	C 24	O 11	0	0
5	B	1	Total 35	C 24	O 11	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATPase 2, plasma membrane-type



- Molecule 1: ATPase 2, plasma membrane-type



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.29Å 144.42Å 312.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	52.02 – 3.50 52.02 – 3.50	Depositor EDS
% Data completeness (in resolution range)	99.7 (52.02-3.50) 99.7 (52.02-3.50)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.64 (at 3.49Å)	Xtriage
Refinement program	PHENIX dev_2376	Depositor
R, R_{free}	0.287 , 0.324 0.292 , 0.329	Depositor DCC
R_{free} test set	2000 reflections (4.03%)	wwPDB-VP
Wilson B-factor (Å ²)	109.6	Xtriage
Anisotropy	0.305	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 81.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.32$, $\langle L^2 \rangle = 0.15$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	12970	wwPDB-VP
Average B, all atoms (Å ²)	139.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LMT, ACP, MG, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.20	1/6542 (0.0%)	0.58	0/8865
1	B	0.18	0/6542	0.60	1/8865 (0.0%)
All	All	0.19	1/13084 (0.0%)	0.59	1/17730 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	4
All	All	0	5

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	285	ILE	C-N	6.88	1.50	1.33

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	773	ARG	CD-NE-CZ	8.91	136.87	124.40

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	487	ASP	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	456	ARG	Sidechain
1	B	472	SER	Peptide
1	B	487	ASP	Peptide
1	B	773	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6416	0	6588	36	0
1	B	6416	0	6588	39	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	31	0	13	0	0
4	B	31	0	13	0	0
5	A	35	0	46	0	0
5	B	35	0	46	0	0
All	All	12970	0	13294	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:497:ILE:HD13	1:A:507:VAL:HB	1.83	0.60
1:B:662:LEU:HD23	1:B:725:VAL:HG21	1.85	0.57
1:A:520:GLU:HG3	1:A:524:ARG:HH12	1.70	0.57
1:A:500:ALA:HB1	1:A:505:VAL:HG23	1.87	0.56
1:B:297:MET:HE3	1:B:642:MET:HE1	1.87	0.55
1:A:651:SER:HB3	1:A:768:LEU:HD21	1.88	0.55
1:A:279:VAL:HA	1:A:282:ILE:HG22	1.89	0.54
1:A:346:VAL:O	1:A:355:LYS:NZ	2.35	0.54
1:A:331:THR:O	1:A:337:ASN:ND2	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:68:PRO:HA	1:B:71:TRP:CD1	2.43	0.54
1:B:451:ALA:HB1	1:B:516:ALA:HB3	1.90	0.54
1:B:712:THR:HA	1:B:841:ILE:HG12	1.90	0.53
1:A:365:ALA:HB3	1:A:423:LYS:HG3	1.91	0.53
1:B:346:VAL:O	1:B:355:LYS:NZ	2.35	0.52
1:B:520:GLU:HG3	1:B:524:ARG:HH12	1.76	0.51
1:A:80:ALA:HB1	1:A:92:ASP:HB3	1.92	0.51
1:B:500:ALA:HB1	1:B:505:VAL:HG13	1.93	0.50
1:A:515:LEU:HD12	1:A:531:MET:HE2	1.93	0.50
1:B:573:VAL:HG21	1:B:599:ALA:HA	1.94	0.49
1:B:492:ASP:OD2	1:B:493:SER:N	2.46	0.49
1:A:662:LEU:HD23	1:A:725:VAL:HG21	1.95	0.48
1:A:432:LEU:HB3	1:A:477:TRP:CD1	2.49	0.48
1:B:343:LYS:HA	1:B:346:VAL:HG23	1.95	0.48
1:B:455:LEU:HD13	1:B:484:PRO:HB2	1.94	0.47
1:A:136:ARG:HH12	1:A:152:ASP:CG	2.22	0.47
1:A:735:ASP:CG	1:A:747:ARG:HH21	2.22	0.47
1:B:378:MET:HE1	1:B:458:LEU:HD22	1.96	0.47
1:A:555:ILE:HG23	1:A:561:PHE:CZ	2.50	0.46
1:B:639:PHE:CE2	1:B:704:TRP:HB2	2.51	0.46
1:B:540:THR:HG23	1:B:541:HIS:H	1.81	0.46
1:B:639:PHE:CZ	1:B:704:TRP:HB2	2.52	0.46
1:A:555:ILE:HG23	1:A:561:PHE:HZ	1.80	0.45
1:A:800:LEU:HA	1:A:803:VAL:HG22	1.97	0.45
1:B:51:GLU:O	1:B:52:GLU:HB3	2.16	0.45
1:A:152:ASP:O	1:A:211:VAL:HG22	2.16	0.45
1:A:705:LYS:H	1:A:705:LYS:HD2	1.81	0.45
1:A:749:ASN:ND2	1:A:752:GLU:OE1	2.50	0.45
1:B:738:SER:HB3	1:B:745:SER:HA	1.99	0.45
1:A:289:MET:HA	1:A:645:TYR:HE2	1.81	0.45
1:B:690:ILE:HG23	1:B:773:ARG:NH1	2.33	0.44
1:B:263:TYR:HB3	1:B:264:PRO:HD3	2.00	0.44
1:A:50:LEU:HD13	1:A:51:GLU:H	1.82	0.44
1:B:539:GLY:HA2	1:B:543:ASP:HA	1.98	0.44
1:B:720:GLN:CD	1:B:764:ILE:HG21	2.43	0.44
1:B:804:TYR:HH	1:B:817:TRP:HE1	1.61	0.44
1:A:715:VAL:HG21	1:A:841:ILE:HB	1.99	0.44
1:A:343:LYS:HA	1:A:346:VAL:HG23	2.00	0.44
1:B:136:ARG:NH2	1:B:152:ASP:OD1	2.41	0.43
1:A:803:VAL:HG23	1:A:804:TYR:CG	2.53	0.43
1:A:259:ILE:HA	1:A:262:MET:HG2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:706:LEU:HD23	1:A:709:ILE:HD11	2.00	0.43
1:B:693:ASP:OD1	1:B:694:ARG:N	2.40	0.43
1:B:68:PRO:HA	1:B:71:TRP:HD1	1.83	0.43
1:A:176:VAL:HB	1:A:200:SER:OG	2.19	0.42
1:B:803:VAL:HG23	1:B:804:TYR:CG	2.54	0.42
1:A:510:ILE:HG23	1:A:564:VAL:HG21	2.01	0.42
1:B:35:THR:HG23	1:B:38:GLY:H	1.84	0.42
1:B:425:ALA:HA	1:B:426:PRO:HD3	1.88	0.42
1:B:654:ILE:HG12	1:B:714:VAL:HA	2.02	0.42
1:B:543:ASP:CG	1:B:544:ALA:H	2.27	0.42
1:A:255:MET:HE1	1:A:281:LEU:HD21	2.00	0.42
1:A:279:VAL:HG12	1:A:673:ALA:HA	2.02	0.41
1:A:198:SER:OG	1:A:218:THR:HG21	2.20	0.41
1:B:365:ALA:HB3	1:B:423:LYS:HG3	2.01	0.41
1:B:705:LYS:NZ	1:B:708:GLU:OE2	2.41	0.41
1:A:325:VAL:HG21	1:A:508:LYS:HE2	2.03	0.41
1:B:251:ILE:O	1:B:255:MET:HG2	2.21	0.41
1:A:425:ALA:HA	1:A:426:PRO:HD3	1.92	0.41
1:B:20:GLU:HG3	1:B:167:ARG:HH22	1.86	0.41
1:A:495:GLU:CD	1:B:453:ARG:HH22	2.29	0.41
1:B:601:ILE:N	1:B:601:ILE:HD12	2.35	0.41
1:A:819:TRP:CD1	1:A:823:ILE:HD11	2.56	0.40
1:B:706:LEU:HD23	1:B:709:ILE:HD11	2.02	0.40
1:B:440:SER:HA	1:B:443:VAL:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	831/833 (100%)	785 (94%)	44 (5%)	2 (0%)	43 74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	831/833 (100%)	777 (94%)	52 (6%)	2 (0%)	43	74
All	All	1662/1666 (100%)	1562 (94%)	96 (6%)	4 (0%)	43	74

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	257	ILE
1	B	257	ILE
1	A	264	PRO
1	B	264	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	685/685 (100%)	667 (97%)	18 (3%)	40	62
1	B	685/685 (100%)	678 (99%)	7 (1%)	68	75
All	All	1370/1370 (100%)	1345 (98%)	25 (2%)	51	69

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	GLU
1	A	50	LEU
1	A	65	MET
1	A	66	TRP
1	A	153	ILE
1	A	174	LEU
1	A	207	ILE
1	A	214	THR
1	A	311	THR
1	A	333	THR
1	A	360	LEU
1	A	469	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	505	VAL
1	A	588	ASP
1	A	687	ILE
1	A	705	LYS
1	A	759	LEU
1	A	812	ILE
1	B	505	VAL
1	B	601	ILE
1	B	683	ASN
1	B	695	VAL
1	B	705	LYS
1	B	759	LEU
1	B	768	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	106	ASN
1	A	371	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ACP	B	904	2	31,33,33	3.38	13 (41%)	47,52,52	2.10	11 (23%)
5	LMT	B	905	-	36,36,36	1.22	4 (11%)	47,47,47	1.02	2 (4%)
4	ACP	A	904	2	31,33,33	3.36	11 (35%)	47,52,52	2.12	12 (25%)
5	LMT	A	905	-	36,36,36	1.21	4 (11%)	47,47,47	0.94	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ACP	B	904	2	-	2/19/38/38	0/3/3/3
5	LMT	B	905	-	-	4/21/61/61	0/2/2/2
4	ACP	A	904	2	-	2/19/38/38	0/3/3/3
5	LMT	A	905	-	-	5/21/61/61	0/2/2/2

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	904	ACP	O4'-C1'	8.46	1.61	1.42
4	A	904	ACP	O4'-C1'	8.46	1.61	1.42
4	B	904	ACP	PB-O3A	7.35	1.66	1.58
4	A	904	ACP	C6-N6	7.17	1.52	1.34
4	B	904	ACP	C6-N6	7.14	1.52	1.34
4	A	904	ACP	PB-O3A	7.12	1.66	1.58
4	B	904	ACP	C2'-C1'	-6.79	1.32	1.53
4	A	904	ACP	O4'-C4'	-6.75	1.30	1.45
4	A	904	ACP	C2'-C1'	-6.70	1.32	1.53
4	B	904	ACP	O4'-C4'	-6.66	1.30	1.45
4	B	904	ACP	PA-O3A	4.13	1.64	1.59
4	A	904	ACP	PA-O3A	3.80	1.63	1.59
4	A	904	ACP	O2'-C2'	3.65	1.52	1.43
4	B	904	ACP	O2'-C2'	3.61	1.51	1.43
4	A	904	ACP	PB-O2B	-3.04	1.49	1.56
5	B	905	LMT	O5'-C1'	3.01	1.49	1.41
5	A	905	LMT	O5'-C1'	2.99	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	905	LMT	O5B-C1B	2.79	1.49	1.41
4	B	904	ACP	C5-N7	-2.68	1.34	1.39
4	A	904	ACP	C5-N7	-2.64	1.34	1.39
5	A	905	LMT	O5B-C1B	2.63	1.48	1.41
4	A	904	ACP	O3'-C3'	-2.61	1.36	1.43
4	B	904	ACP	O3'-C3'	-2.59	1.36	1.43
4	B	904	ACP	PB-O2B	-2.54	1.50	1.56
5	A	905	LMT	C2-C1	2.50	1.61	1.51
5	B	905	LMT	C2-C1	2.44	1.61	1.51
4	B	904	ACP	PA-O5'	2.10	1.67	1.59
5	B	905	LMT	O3B-C3B	2.08	1.48	1.43
5	A	905	LMT	O3B-C3B	2.04	1.48	1.43
4	B	904	ACP	C2-N3	2.03	1.37	1.33
4	A	904	ACP	C2-N3	2.03	1.37	1.33
4	B	904	ACP	PG-O3G	-2.01	1.50	1.55

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	904	ACP	N6-C6-N1	-6.16	104.66	118.38
4	A	904	ACP	N6-C6-N1	-6.07	104.86	118.38
4	A	904	ACP	N3-C2-N1	-5.83	119.75	128.58
4	B	904	ACP	N3-C2-N1	-5.83	119.75	128.58
4	B	904	ACP	C5-C4-N3	-4.93	119.92	126.72
4	A	904	ACP	C5-C4-N3	-4.93	119.93	126.72
4	B	904	ACP	C5-C6-N6	4.87	135.34	123.29
4	A	904	ACP	C5-C6-N6	4.80	135.18	123.29
4	A	904	ACP	N9-C8-N7	-3.94	108.35	113.94
4	B	904	ACP	N9-C8-N7	-3.90	108.40	113.94
4	B	904	ACP	C2-N3-C4	3.43	120.21	111.83
4	A	904	ACP	C2-N3-C4	3.43	120.20	111.83
5	B	905	LMT	C1B-O1B-C4'	-3.36	110.02	117.98
5	A	905	LMT	C1B-O1B-C4'	-3.11	110.60	117.98
4	A	904	ACP	N3-C4-N9	2.88	132.06	127.17
4	B	904	ACP	N3-C4-N9	2.86	132.04	127.17
4	A	904	ACP	C5-N7-C8	2.80	107.86	103.45
4	B	904	ACP	C5-N7-C8	2.74	107.76	103.45
4	A	904	ACP	PB-O3A-PA	-2.38	124.60	132.37
4	B	904	ACP	PB-O3A-PA	-2.31	124.82	132.37
4	A	904	ACP	C4-C5-N7	-2.22	108.05	110.58
4	A	904	ACP	C5'-C4'-C3'	-2.20	107.31	115.21
4	B	904	ACP	C4-C5-N7	-2.16	108.12	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	905	LMT	O1'-C1'-C2'	2.13	111.50	108.27
4	B	904	ACP	C5-C4-N9	2.04	108.04	105.81
4	A	904	ACP	C5-C4-N9	2.02	108.01	105.81

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	905	LMT	O5B-C5B-C6B-O6B
4	A	904	ACP	O4'-C4'-C5'-O5'
4	B	904	ACP	O4'-C4'-C5'-O5'
5	B	905	LMT	C2'-C1'-O1'-C1
5	B	905	LMT	O5B-C5B-C6B-O6B
5	B	905	LMT	C6-C7-C8-C9
5	A	905	LMT	C4B-C5B-C6B-O6B
4	B	904	ACP	C3'-C4'-C5'-O5'
5	B	905	LMT	O5'-C1'-O1'-C1
5	A	905	LMT	C5-C6-C7-C8
5	A	905	LMT	C1-C2-C3-C4
4	A	904	ACP	C3'-C4'-C5'-O5'
5	A	905	LMT	C2-C3-C4-C5

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand ACP B 904




Ligand LMT B 905



Ligand ACP A 904





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	833/833 (100%)	0.33	47 (5%)	30 17	69, 129, 195, 256	0
1	B	833/833 (100%)	0.34	56 (6%)	24 15	65, 136, 227, 311	0
All	All	1666/1666 (100%)	0.33	103 (6%)	26 16	65, 133, 215, 311	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	283	GLY	11.2
1	B	206	GLU	6.5
1	B	170	GLU	6.2
1	B	60	LYS	6.1
1	A	37	GLU	5.6
1	B	683	ASN	5.5
1	B	687	ILE	5.2
1	B	684	ASP	4.9
1	B	768	LEU	4.7
1	B	399	PRO	4.6
1	A	161	ILE	4.6
1	A	282	ILE	4.4
1	B	750	ASN	4.4
1	A	49	LYS	4.3
1	B	293	LEU	4.3
1	A	17	ILE	4.3
1	B	180	ALA	4.2
1	A	438	ASP	4.1
1	B	810	ALA	4.1
1	B	751	HIS	4.1
1	A	441	LYS	3.8
1	B	542	LYS	3.7
1	A	748	ASP	3.6
1	B	811	LYS	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	556	GLU	3.5
1	B	652	ILE	3.5
1	B	49	LYS	3.5
1	B	199	GLY	3.5
1	A	50	LEU	3.5
1	A	425	ALA	3.2
1	A	579	ARG	3.1
1	B	181	LEU	3.1
1	A	383	ALA	3.1
1	B	754	MET	3.1
1	B	669	PHE	3.0
1	A	780	VAL	3.0
1	A	731	ALA	2.9
1	A	660	PHE	2.9
1	A	506	ASN	2.9
1	B	179	SER	2.8
1	B	193	GLY	2.8
1	B	582	ILE	2.8
1	B	323	MET	2.7
1	A	521	THR	2.7
1	A	580	LYS	2.7
1	A	279	VAL	2.7
1	A	236	PHE	2.7
1	A	357	GLN	2.6
1	B	573	VAL	2.6
1	B	167	ARG	2.6
1	B	755	GLY	2.6
1	B	84	ALA	2.6
1	A	458	LEU	2.6
1	B	50	LEU	2.6
1	B	367	ARG	2.5
1	B	158	LEU	2.5
1	B	686	THR	2.5
1	B	238	LYS	2.5
1	A	148	LEU	2.5
1	B	685	GLY	2.5
1	A	535	SER	2.5
1	B	20	GLU	2.4
1	B	314	MET	2.4
1	A	64	PHE	2.4
1	A	178	GLN	2.4
1	B	648	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	658	PHE	2.4
1	A	172	ASP	2.4
1	B	212	ILE	2.4
1	B	767	ALA	2.3
1	B	815	ILE	2.3
1	A	394	GLU	2.3
1	B	671	PHE	2.3
1	A	294	SER	2.3
1	A	305	SER	2.3
1	B	491	HIS	2.3
1	B	691	SER	2.3
1	A	819	TRP	2.2
1	A	844	ILE	2.2
1	A	484	PRO	2.2
1	A	342	ASP	2.2
1	B	89	ARG	2.2
1	B	765	SER	2.2
1	B	151	GLY	2.2
1	A	743	VAL	2.1
1	A	552	GLU	2.1
1	B	208	GLU	2.1
1	B	808	GLU	2.1
1	B	201	THR	2.1
1	B	743	VAL	2.1
1	A	160	ASP	2.1
1	A	297	MET	2.1
1	A	385	PRO	2.1
1	A	202	CYS	2.1
1	A	528	GLY	2.1
1	B	205	GLY	2.1
1	A	471	GLU	2.1
1	A	295	VAL	2.0
1	A	613	ARG	2.0
1	B	807	TRP	2.0
1	B	487	ASP	2.0
1	A	607	ASP	2.0
1	B	95	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	LMT	A	905	35/35	0.71	0.13	98,158,193,193	0
2	MG	A	901	1/1	0.78	0.12	140,140,140,140	0
5	LMT	B	905	35/35	0.79	0.12	79,106,134,153	0
2	MG	A	902	1/1	0.84	0.26	105,105,105,105	0
2	MG	B	902	1/1	0.89	0.16	111,111,111,111	0
4	ACP	A	904	31/31	0.92	0.10	85,106,143,161	0
3	K	A	903	1/1	0.93	0.07	108,108,108,108	0
4	ACP	B	904	31/31	0.93	0.11	74,132,160,193	0
2	MG	B	901	1/1	0.94	0.12	104,104,104,104	0
3	K	B	903	1/1	0.96	0.04	117,117,117,117	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LMT A 905:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT B 905:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ACP A 904:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ACP B 904:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.