



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 06:22 AM UTC

PDB ID : 3KTM / pdb_00003ktm
Title : Structure of the Heparin-induced E1-Dimer of the Amyloid Precursor Protein (APP)
Authors : Dahms, S.O.; Hoefgen, S.; Roeser, D.; Schlott, B.; Guhrs, K.H.; Than, M.E.
Deposited on : 2009-11-25
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	191	2% 62% 25% 8%
1	B	191	2% 55% 34% 9%
1	C	191	4% 59% 30% 9%
1	D	191	3% 67% 20% 9%
1	E	191	4% 68% 23% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	191	
1	G	191	
1	H	191	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ACT	H	6	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amyloid beta A4 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	175	Total	C	N	O	S	32	0	0
			1392	878	245	252	17			
1	B	173	Total	C	N	O	S	27	0	0
			1369	863	241	248	17			
1	C	174	Total	C	N	O	S	20	0	0
			1374	866	242	249	17			
1	D	173	Total	C	N	O	S	26	0	0
			1373	867	241	248	17			
1	E	177	Total	C	N	O	S	35	0	0
			1401	883	247	254	17			
1	F	175	Total	C	N	O	S	37	0	0
			1392	878	245	252	17			
1	G	174	Total	C	N	O	S	50	0	0
			1382	872	242	251	17			
1	H	175	Total	C	N	O	S	38	0	0
			1382	872	243	250	17			

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	MET	-	initiating methionine	UNP P05067
A	191	ILE	-	expression tag	UNP P05067
A	192	GLU	-	expression tag	UNP P05067
A	193	GLY	-	expression tag	UNP P05067
A	194	ARG	-	expression tag	UNP P05067
A	195	LYS	-	expression tag	UNP P05067
A	196	LEU	-	expression tag	UNP P05067
A	197	ALA	-	expression tag	UNP P05067
A	198	ALA	-	expression tag	UNP P05067
A	199	ALA	-	expression tag	UNP P05067
A	200	LEU	-	expression tag	UNP P05067
A	201	GLU	-	expression tag	UNP P05067
A	202	HIS	-	expression tag	UNP P05067

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	203	HIS	-	expression tag	UNP P05067
A	204	HIS	-	expression tag	UNP P05067
A	205	HIS	-	expression tag	UNP P05067
A	206	HIS	-	expression tag	UNP P05067
A	207	HIS	-	expression tag	UNP P05067
B	17	MET	-	initiating methionine	UNP P05067
B	191	ILE	-	expression tag	UNP P05067
B	192	GLU	-	expression tag	UNP P05067
B	193	GLY	-	expression tag	UNP P05067
B	194	ARG	-	expression tag	UNP P05067
B	195	LYS	-	expression tag	UNP P05067
B	196	LEU	-	expression tag	UNP P05067
B	197	ALA	-	expression tag	UNP P05067
B	198	ALA	-	expression tag	UNP P05067
B	199	ALA	-	expression tag	UNP P05067
B	200	LEU	-	expression tag	UNP P05067
B	201	GLU	-	expression tag	UNP P05067
B	202	HIS	-	expression tag	UNP P05067
B	203	HIS	-	expression tag	UNP P05067
B	204	HIS	-	expression tag	UNP P05067
B	205	HIS	-	expression tag	UNP P05067
B	206	HIS	-	expression tag	UNP P05067
B	207	HIS	-	expression tag	UNP P05067
C	17	MET	-	initiating methionine	UNP P05067
C	191	ILE	-	expression tag	UNP P05067
C	192	GLU	-	expression tag	UNP P05067
C	193	GLY	-	expression tag	UNP P05067
C	194	ARG	-	expression tag	UNP P05067
C	195	LYS	-	expression tag	UNP P05067
C	196	LEU	-	expression tag	UNP P05067
C	197	ALA	-	expression tag	UNP P05067
C	198	ALA	-	expression tag	UNP P05067
C	199	ALA	-	expression tag	UNP P05067
C	200	LEU	-	expression tag	UNP P05067
C	201	GLU	-	expression tag	UNP P05067
C	202	HIS	-	expression tag	UNP P05067
C	203	HIS	-	expression tag	UNP P05067
C	204	HIS	-	expression tag	UNP P05067
C	205	HIS	-	expression tag	UNP P05067
C	206	HIS	-	expression tag	UNP P05067
C	207	HIS	-	expression tag	UNP P05067
D	17	MET	-	initiating methionine	UNP P05067

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	191	ILE	-	expression tag	UNP P05067
D	192	GLU	-	expression tag	UNP P05067
D	193	GLY	-	expression tag	UNP P05067
D	194	ARG	-	expression tag	UNP P05067
D	195	LYS	-	expression tag	UNP P05067
D	196	LEU	-	expression tag	UNP P05067
D	197	ALA	-	expression tag	UNP P05067
D	198	ALA	-	expression tag	UNP P05067
D	199	ALA	-	expression tag	UNP P05067
D	200	LEU	-	expression tag	UNP P05067
D	201	GLU	-	expression tag	UNP P05067
D	202	HIS	-	expression tag	UNP P05067
D	203	HIS	-	expression tag	UNP P05067
D	204	HIS	-	expression tag	UNP P05067
D	205	HIS	-	expression tag	UNP P05067
D	206	HIS	-	expression tag	UNP P05067
D	207	HIS	-	expression tag	UNP P05067
E	17	MET	-	initiating methionine	UNP P05067
E	191	ILE	-	expression tag	UNP P05067
E	192	GLU	-	expression tag	UNP P05067
E	193	GLY	-	expression tag	UNP P05067
E	194	ARG	-	expression tag	UNP P05067
E	195	LYS	-	expression tag	UNP P05067
E	196	LEU	-	expression tag	UNP P05067
E	197	ALA	-	expression tag	UNP P05067
E	198	ALA	-	expression tag	UNP P05067
E	199	ALA	-	expression tag	UNP P05067
E	200	LEU	-	expression tag	UNP P05067
E	201	GLU	-	expression tag	UNP P05067
E	202	HIS	-	expression tag	UNP P05067
E	203	HIS	-	expression tag	UNP P05067
E	204	HIS	-	expression tag	UNP P05067
E	205	HIS	-	expression tag	UNP P05067
E	206	HIS	-	expression tag	UNP P05067
E	207	HIS	-	expression tag	UNP P05067
F	17	MET	-	initiating methionine	UNP P05067
F	191	ILE	-	expression tag	UNP P05067
F	192	GLU	-	expression tag	UNP P05067
F	193	GLY	-	expression tag	UNP P05067
F	194	ARG	-	expression tag	UNP P05067
F	195	LYS	-	expression tag	UNP P05067
F	196	LEU	-	expression tag	UNP P05067

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	197	ALA	-	expression tag	UNP P05067
F	198	ALA	-	expression tag	UNP P05067
F	199	ALA	-	expression tag	UNP P05067
F	200	LEU	-	expression tag	UNP P05067
F	201	GLU	-	expression tag	UNP P05067
F	202	HIS	-	expression tag	UNP P05067
F	203	HIS	-	expression tag	UNP P05067
F	204	HIS	-	expression tag	UNP P05067
F	205	HIS	-	expression tag	UNP P05067
F	206	HIS	-	expression tag	UNP P05067
F	207	HIS	-	expression tag	UNP P05067
G	17	MET	-	initiating methionine	UNP P05067
G	191	ILE	-	expression tag	UNP P05067
G	192	GLU	-	expression tag	UNP P05067
G	193	GLY	-	expression tag	UNP P05067
G	194	ARG	-	expression tag	UNP P05067
G	195	LYS	-	expression tag	UNP P05067
G	196	LEU	-	expression tag	UNP P05067
G	197	ALA	-	expression tag	UNP P05067
G	198	ALA	-	expression tag	UNP P05067
G	199	ALA	-	expression tag	UNP P05067
G	200	LEU	-	expression tag	UNP P05067
G	201	GLU	-	expression tag	UNP P05067
G	202	HIS	-	expression tag	UNP P05067
G	203	HIS	-	expression tag	UNP P05067
G	204	HIS	-	expression tag	UNP P05067
G	205	HIS	-	expression tag	UNP P05067
G	206	HIS	-	expression tag	UNP P05067
G	207	HIS	-	expression tag	UNP P05067
H	17	MET	-	initiating methionine	UNP P05067
H	191	ILE	-	expression tag	UNP P05067
H	192	GLU	-	expression tag	UNP P05067
H	193	GLY	-	expression tag	UNP P05067
H	194	ARG	-	expression tag	UNP P05067
H	195	LYS	-	expression tag	UNP P05067
H	196	LEU	-	expression tag	UNP P05067
H	197	ALA	-	expression tag	UNP P05067
H	198	ALA	-	expression tag	UNP P05067
H	199	ALA	-	expression tag	UNP P05067
H	200	LEU	-	expression tag	UNP P05067
H	201	GLU	-	expression tag	UNP P05067
H	202	HIS	-	expression tag	UNP P05067

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
H	203	HIS	-	expression tag	UNP P05067
H	204	HIS	-	expression tag	UNP P05067
H	205	HIS	-	expression tag	UNP P05067
H	206	HIS	-	expression tag	UNP P05067
H	207	HIS	-	expression tag	UNP P05067

- Molecule 2 is (3R)-butane-1,3-diol (CCD ID: BU4) (formula: C₄H₁₀O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	4	2		
2	B	1	Total	C	O	0	0
			6	4	2		
2	C	1	Total	C	O	0	0
			6	4	2		
2	D	1	Total	C	O	0	0
			6	4	2		
2	E	1	Total	C	O	0	0
			6	4	2		
2	F	1	Total	C	O	0	0
			6	4	2		
2	G	1	Total	C	O	0	0
			6	4	2		
2	H	1	Total	C	O	0	0
			6	4	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	H	1	Total C O 4 2 2	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	41	Total O 41 41	0	0
5	B	36	Total O 36 36	0	0
5	C	47	Total O 47 47	0	0
5	D	53	Total O 53 53	0	0
5	E	29	Total O 29 29	0	0
5	F	36	Total O 36 36	0	0
5	G	9	Total O 9 9	0	0
5	H	31	Total O 31 31	0	0




• Molecule 1: Amyloid beta A4 protein



• Molecule 1: Amyloid beta A4 protein




• Molecule 1: Amyloid beta A4 protein



• Molecule 1: Amyloid beta A4 protein





4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	143.99Å 143.99Å 351.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.00 – 2.70 29.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.00-2.70) 99.8 (29.00-2.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.68Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.215 , 0.250 0.215 , 0.250	Depositor DCC
R_{free} test set	3735 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	52.3	Xtriage
Anisotropy	0.079	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.009 for -h,1/3*h-1/3*k-1/3*l,-4/3*h-8/3*k+1/3*l 0.009 for -1/3*h+1/3*k+1/3*l,-k,8/3*h+4/3*k+1/3*l 0.011 for -2/3*h-1/3*k-1/3*l,-1/3*h-2/3*k+1/3*l,-4/3*h+4/3*k+1/3*l 0.008 for 1/3*h+2/3*k-1/3*l,-k,-8/3*h-4/3*k-1/3*l 0.010 for -1/3*h-2/3*k+1/3*l,-2/3*h-1/3*k-1/3*l,4/3*h-4/3*k-1/3*l 0.007 for -h,2/3*h+1/3*k+1/3*l,4/3*h+8/3*k-1/3*l 0.022 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11436	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, BU4, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/1425	1.03	13/1929 (0.7%)
1	B	0.48	0/1401	0.95	3/1896 (0.2%)
1	C	0.49	0/1406	0.94	3/1903 (0.2%)
1	D	0.52	0/1405	1.01	7/1902 (0.4%)
1	E	0.46	0/1434	0.92	4/1941 (0.2%)
1	F	0.52	0/1425	1.01	9/1929 (0.5%)
1	G	0.44	0/1414	0.93	4/1914 (0.2%)
1	H	0.51	0/1414	0.96	4/1914 (0.2%)
All	All	0.50	0/11324	0.97	47/15328 (0.3%)

There are no bond length outliers.

The worst 5 of 47 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	201	GLU	N-CA-C	9.39	130.80	110.80
1	B	88	ALA	N-CA-C	-8.28	99.85	110.53
1	D	60	LYS	N-CA-C	7.13	120.30	108.96
1	E	96	ASN	N-CA-C	6.98	119.74	111.02
1	H	88	ALA	N-CA-C	-6.34	102.16	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1392	0	1360	44	0
1	B	1369	0	1339	56	0
1	C	1374	0	1344	57	0
1	D	1373	0	1347	27	0
1	E	1401	0	1368	33	0
1	F	1392	0	1360	55	0
1	G	1382	0	1353	62	0
1	H	1382	0	1355	58	0
2	A	6	0	10	0	0
2	B	6	0	10	1	0
2	C	6	0	10	0	0
2	D	6	0	10	1	0
2	E	6	0	10	0	0
2	F	6	0	10	2	0
2	G	6	0	10	1	0
2	H	6	0	10	1	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	0	0
3	H	5	0	0	0	0
4	B	4	0	3	1	0
4	C	4	0	3	0	0
4	E	4	0	3	0	0
4	H	4	0	3	3	0
5	A	41	0	0	1	0
5	B	36	0	0	1	0
5	C	47	0	0	3	0
5	D	53	0	0	0	0
5	E	29	0	0	0	0
5	F	36	0	0	0	0
5	G	9	0	0	0	0
5	H	31	0	0	1	0
All	All	11436	0	10918	372	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

The worst 5 of 372 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:95:GLN:HG2	1:F:109:PRO:HG3	1.34	1.09

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:GLN:HG2	1:A:109:PRO:HG3	1.34	1.05
1:A:103:LYS:HE2	1:C:43:MET:HE1	1.34	1.03
1:F:102:ARG:HB2	1:F:102:ARG:HH21	1.26	0.99
1:D:195:LYS:HE2	1:D:197:ALA:HB2	1.48	0.96

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	173/191 (91%)	164 (95%)	8 (5%)	1 (1%)	21	44
1	B	171/191 (90%)	160 (94%)	11 (6%)	0	100	100
1	C	172/191 (90%)	160 (93%)	12 (7%)	0	100	100
1	D	171/191 (90%)	165 (96%)	6 (4%)	0	100	100
1	E	175/191 (92%)	162 (93%)	13 (7%)	0	100	100
1	F	173/191 (91%)	165 (95%)	7 (4%)	1 (1%)	21	44
1	G	172/191 (90%)	161 (94%)	9 (5%)	2 (1%)	10	27
1	H	173/191 (91%)	161 (93%)	12 (7%)	0	100	100
All	All	1380/1528 (90%)	1298 (94%)	78 (6%)	4 (0%)	36	60

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	201	GLU
1	A	201	GLU
1	G	198	ALA
1	G	176	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	156/169 (92%)	150 (96%)	6 (4%)	29	58
1	B	153/169 (90%)	148 (97%)	5 (3%)	33	63
1	C	153/169 (90%)	150 (98%)	3 (2%)	48	76
1	D	154/169 (91%)	146 (95%)	8 (5%)	21	47
1	E	156/169 (92%)	149 (96%)	7 (4%)	24	52
1	F	156/169 (92%)	148 (95%)	8 (5%)	21	48
1	G	155/169 (92%)	148 (96%)	7 (4%)	24	52
1	H	154/169 (91%)	145 (94%)	9 (6%)	18	42
All	All	1237/1352 (92%)	1184 (96%)	53 (4%)	26	54

5 of 53 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	194	ARG
1	F	200	LEU
1	H	108	HIS
1	F	48	GLN
1	F	111	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 40 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	33	GLN
1	H	90	GLN
1	G	81	GLN
1	G	147	HIS
1	H	137	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	H	1	-	4,4,4	0.40	0	6,6,6	0.24	0
4	ACT	B	208	-	3,3,3	0.88	0	3,3,3	0.72	0
2	BU4	D	2	-	5,5,5	0.50	0	5,5,5	0.57	0
2	BU4	E	6	-	5,5,5	0.42	0	5,5,5	0.50	0
2	BU4	A	1	-	5,5,5	0.45	0	5,5,5	0.47	0
2	BU4	G	3	-	5,5,5	0.50	0	5,5,5	0.45	0
3	SO4	D	5	-	4,4,4	0.39	0	6,6,6	0.17	0
2	BU4	C	5	-	5,5,5	0.41	0	5,5,5	0.39	0
2	BU4	B	7	-	5,5,5	0.40	0	5,5,5	0.28	0
3	SO4	E	4	-	4,4,4	0.40	0	6,6,6	0.23	0
3	SO4	B	2	-	4,4,4	0.41	0	6,6,6	0.34	0
4	ACT	E	9	-	3,3,3	0.89	0	3,3,3	0.83	0
3	SO4	C	3	-	4,4,4	0.34	0	6,6,6	0.26	0
4	ACT	H	6	-	3,3,3	0.83	0	3,3,3	0.92	0
2	BU4	H	8	-	5,5,5	0.44	0	5,5,5	0.81	0
2	BU4	F	4	-	5,5,5	0.55	0	5,5,5	1.12	1 (20%)
4	ACT	C	8	-	3,3,3	0.91	0	3,3,3	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BU4	D	2	-	-	3/3/3/3	-
2	BU4	E	6	-	-	1/3/3/3	-
2	BU4	A	1	-	-	1/3/3/3	-
2	BU4	G	3	-	-	2/3/3/3	-
2	BU4	C	5	-	-	1/3/3/3	-
2	BU4	B	7	-	-	1/3/3/3	-
2	BU4	H	8	-	-	3/3/3/3	-
2	BU4	F	4	-	-	2/3/3/3	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	4	BU4	C1-C2-C3	2.45	120.67	114.08

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	5	BU4	O1-C1-C2-C3
2	F	4	BU4	C1-C2-C3-C4
2	G	3	BU4	O1-C1-C2-C3
2	H	8	BU4	O1-C1-C2-C3
2	H	8	BU4	C1-C2-C3-C4

There are no ring outliers.

7 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	208	ACT	1	0
2	D	2	BU4	1	0
2	G	3	BU4	1	0
2	B	7	BU4	1	0
4	H	6	ACT	3	0
2	H	8	BU4	1	0
2	F	4	BU4	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	175/191 (91%)	-0.04	4 (2%) 61 58	19, 39, 69, 86	14 (8%)
1	B	173/191 (90%)	0.05	3 (1%) 69 67	26, 44, 66, 89	10 (5%)
1	C	174/191 (91%)	0.14	7 (4%) 42 38	32, 45, 71, 87	10 (5%)
1	D	173/191 (90%)	-0.17	6 (3%) 47 43	21, 36, 64, 77	14 (8%)
1	E	177/191 (92%)	0.13	8 (4%) 38 34	31, 47, 73, 96	16 (9%)
1	F	175/191 (91%)	0.05	7 (4%) 42 38	25, 42, 73, 95	15 (8%)
1	G	174/191 (91%)	0.67	12 (6%) 23 20	34, 59, 80, 98	22 (12%)
1	H	175/191 (91%)	0.13	4 (2%) 61 58	29, 46, 71, 89	17 (9%)
All	All	1396/1528 (91%)	0.12	51 (3%) 45 41	19, 45, 73, 98	118 (8%)

The worst 5 of 51 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	202	HIS	7.5
1	G	142	ASP	7.4
1	G	140	ARG	5.5
1	G	107	THR	5.1
1	G	143	VAL	4.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACT	C	8	4/4	0.76	0.29	85,86,87,88	0
4	ACT	E	9	4/4	0.78	0.26	71,72,73,74	0
2	BU4	G	3	6/6	0.80	0.19	78,82,83,85	0
2	BU4	F	4	6/6	0.81	0.25	62,70,76,76	0
2	BU4	A	1	6/6	0.83	0.19	50,53,55,55	0
2	BU4	E	6	6/6	0.84	0.21	63,65,71,75	0
2	BU4	H	8	6/6	0.84	0.15	50,57,65,67	0
4	ACT	B	208	4/4	0.88	0.23	68,68,70,73	0
2	BU4	B	7	6/6	0.90	0.18	58,64,65,65	0
2	BU4	D	2	6/6	0.91	0.18	59,60,66,66	0
2	BU4	C	5	6/6	0.91	0.18	51,53,58,58	0
3	SO4	D	5	5/5	0.93	0.10	72,73,75,75	0
4	ACT	H	6	4/4	0.93	0.18	57,57,58,60	0
3	SO4	B	2	5/5	0.98	0.07	27,36,46,50	0
3	SO4	H	1	5/5	0.98	0.04	39,42,48,50	0
3	SO4	C	3	5/5	0.98	0.07	38,42,49,49	0
3	SO4	E	4	5/5	0.99	0.05	39,45,48,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.