



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:53 AM UTC

PDB ID : 6KTR / pdb_00006ktr
Title : Crystal structure of fibroblast growth factor 19 in complex with Fab
Authors : Liu, H.; Zheng, S.; Hou, X.; Liu, X.; Lv, X.; Li, Y.; Li, W.; Sui, J.
Deposited on : 2019-08-28
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	233	5% 73% 17% 9%
1	F	233	% 79% 12% 10%
2	B	216	3% 81% 17% .
2	G	216	% 86% 12% .
3	C	218	3% 56% 6% 38%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	218	 A horizontal bar chart showing the quality of chain D. The bar is divided into three segments: a small red segment at the beginning labeled '2%', a large green segment labeled '57%', and a small yellow segment at the end labeled '5%'. The remaining 38% of the bar is represented by a grey line extending to the right, labeled '38%'.

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8740 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called G1A8-Fab-HC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	0	0	0
			1580	1001	261	312	6			
1	F	210	Total	C	N	O	S	0	0	0
			1573	997	260	310	6			

- Molecule 2 is a protein called G1A8-Fab-LC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	213	Total	C	N	O	S	0	0	0
			1570	977	263	325	5			
2	G	212	Total	C	N	O	S	0	0	0
			1561	971	261	324	5			

- Molecule 3 is a protein called Fibroblast growth factor 19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	136	Total	C	N	O	S	0	0	0
			1067	673	197	189	8			
3	D	136	Total	C	N	O	S	0	0	0
			1071	676	198	189	8			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	217	SER	-	expression tag	UNP O95750
C	218	GLY	-	expression tag	UNP O95750
C	219	GLY	-	expression tag	UNP O95750
C	220	GLY	-	expression tag	UNP O95750
C	221	HIS	-	expression tag	UNP O95750
C	222	HIS	-	expression tag	UNP O95750
C	223	HIS	-	expression tag	UNP O95750
C	224	HIS	-	expression tag	UNP O95750

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	225	HIS	-	expression tag	UNP O95750
C	226	HIS	-	expression tag	UNP O95750
C	227	LEU	-	expression tag	UNP O95750
C	228	ASN	-	expression tag	UNP O95750
C	229	ASP	-	expression tag	UNP O95750
C	230	ILE	-	expression tag	UNP O95750
C	231	PHE	-	expression tag	UNP O95750
C	232	GLU	-	expression tag	UNP O95750
C	233	ALA	-	expression tag	UNP O95750
C	234	GLN	-	expression tag	UNP O95750
C	235	LYS	-	expression tag	UNP O95750
C	236	ILE	-	expression tag	UNP O95750
C	237	GLU	-	expression tag	UNP O95750
C	238	TRP	-	expression tag	UNP O95750
C	239	HIS	-	expression tag	UNP O95750
C	240	GLU	-	expression tag	UNP O95750
D	217	SER	-	expression tag	UNP O95750
D	218	GLY	-	expression tag	UNP O95750
D	219	GLY	-	expression tag	UNP O95750
D	220	GLY	-	expression tag	UNP O95750
D	221	HIS	-	expression tag	UNP O95750
D	222	HIS	-	expression tag	UNP O95750
D	223	HIS	-	expression tag	UNP O95750
D	224	HIS	-	expression tag	UNP O95750
D	225	HIS	-	expression tag	UNP O95750
D	226	HIS	-	expression tag	UNP O95750
D	227	LEU	-	expression tag	UNP O95750
D	228	ASN	-	expression tag	UNP O95750
D	229	ASP	-	expression tag	UNP O95750
D	230	ILE	-	expression tag	UNP O95750
D	231	PHE	-	expression tag	UNP O95750
D	232	GLU	-	expression tag	UNP O95750
D	233	ALA	-	expression tag	UNP O95750
D	234	GLN	-	expression tag	UNP O95750
D	235	LYS	-	expression tag	UNP O95750
D	236	ILE	-	expression tag	UNP O95750
D	237	GLU	-	expression tag	UNP O95750
D	238	TRP	-	expression tag	UNP O95750
D	239	HIS	-	expression tag	UNP O95750
D	240	GLU	-	expression tag	UNP O95750

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	F	2	Total	Na	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	1	Total	Na	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	25	Total	O	0	0
			25	25		
6	B	50	Total	O	0	0
			50	50		
6	C	35	Total	O	0	0
			35	35		
6	D	42	Total	O	0	0
			42	42		
6	F	53	Total	O	0	0
			53	53		
6	G	60	Total	O	0	0
			60	60		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: G1A8-Fab-HC




• Molecule 1: G1A8-Fab-HC



• Molecule 2: G1A8-Fab-LC




• Molecule 2: G1A8-Fab-LC






- Molecule 3: Fibroblast growth factor 19



- Molecule 3: Fibroblast growth factor 19



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.97Å 104.12Å 165.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.72 – 2.60 48.72 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.7 (48.72-2.60) 99.6 (48.72-2.60)	Depositor EDS
R_{merge}	0.02	Depositor
R_{sym}	0.02	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.80 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.202 , 0.253 0.209 , 0.260	Depositor DCC
R_{free} test set	2000 reflections (4.35%)	wwPDB-VP
Wilson B-factor (Å ²)	58.1	Xtriage
Anisotropy	0.294	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8740	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 30.11 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3820e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.14	0/1618	0.35	0/2205
1	F	0.11	0/1611	0.33	0/2195
2	B	0.16	0/1608	0.37	0/2195
2	G	0.10	0/1599	0.30	0/2184
3	C	0.13	0/1091	0.35	0/1471
3	D	0.10	0/1095	0.32	0/1475
All	All	0.13	0/8622	0.34	0/11725

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1580	0	1539	33	0
1	F	1573	0	1532	25	0
2	B	1570	0	1508	44	0
2	G	1561	0	1492	19	0
3	C	1067	0	1061	19	0
3	D	1071	0	1072	7	0
4	B	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	20	0	0	2	0
4	D	20	0	0	1	0
4	G	5	0	0	0	0
5	F	2	0	0	0	0
5	G	1	0	0	0	0
6	A	25	0	0	2	0
6	B	50	0	0	1	0
6	C	35	0	0	1	0
6	D	42	0	0	0	0
6	F	53	0	0	1	0
6	G	60	0	0	0	0
All	All	8740	0	8204	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:170:LYS:NZ	2:B:176:TYR:HE2	1.36	1.22
2:B:137:VAL:HG12	2:B:139:LEU:HD11	1.25	1.13
2:B:170:LYS:NZ	2:B:176:TYR:CE2	2.17	1.11
2:B:170:LYS:CE	2:B:176:TYR:HE2	1.64	1.10
2:B:170:LYS:CD	2:B:176:TYR:CE2	2.46	0.98
2:B:170:LYS:CE	2:B:176:TYR:CE2	2.51	0.94
2:B:170:LYS:HD2	2:B:176:TYR:CE2	2.03	0.93
3:C:42:ILE:CD1	3:C:83:LYS:HD3	1.99	0.92
3:C:42:ILE:HD13	3:C:83:LYS:HD3	1.54	0.88
2:B:170:LYS:CD	2:B:176:TYR:CD2	2.57	0.86
2:B:137:VAL:HG12	2:B:139:LEU:CD1	2.06	0.86
1:A:141:THR:N	1:A:192:SER:HG	1.76	0.84
2:B:170:LYS:CD	2:B:176:TYR:HE2	1.89	0.83
2:B:170:LYS:HD3	2:B:176:TYR:HD2	1.44	0.81
2:B:170:LYS:HD3	2:B:176:TYR:CD2	2.15	0.80
2:B:137:VAL:CG1	2:B:139:LEU:HD11	2.10	0.80
1:F:73:ASP:OD2	1:F:76:LYS:NZ	2.18	0.73
2:B:138:CYS:HB3	2:B:180:SER:HB3	1.72	0.71
1:F:72:ARG:HE	1:F:74:ASN:HD21	1.37	0.71
1:A:62:ASP:OD1	1:A:65:LYS:NZ	2.21	0.70
2:B:170:LYS:HD2	2:B:176:TYR:CD2	2.24	0.70
3:C:42:ILE:HD13	3:C:83:LYS:CD	2.23	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:9:GLY:HA2	1:F:18:LEU:HD21	1.75	0.68
2:G:185:THR:H	2:G:188:GLN:HE21	1.42	0.68
2:B:166:THR:HG22	2:B:179:SER:H	1.59	0.67
3:C:127:ARG:NH1	3:C:129:ASP:OD2	2.29	0.66
3:C:42:ILE:HD12	3:C:83:LYS:HD3	1.78	0.65
3:C:135:ARG:NH2	6:C:401:HOH:O	2.29	0.65
1:A:70:ILE:HD11	1:A:79:LEU:HD11	1.78	0.64
1:A:100:ASN:HA	1:A:107:ASP:OD1	1.97	0.64
1:A:216:LYS:HD3	1:A:218:GLU:OE2	1.97	0.64
1:F:161:ASN:ND2	1:F:201:ILE:H	1.97	0.62
1:F:175:VAL:HG21	2:G:164:GLU:HB3	1.82	0.62
1:A:169:VAL:HG22	1:A:188:VAL:HG12	1.82	0.61
2:B:152:TRP:NE1	2:B:180:SER:OG	2.27	0.61
1:F:161:ASN:HD21	1:F:201:ILE:H	1.50	0.60
1:F:200:TYR:H	1:F:216:LYS:NZ	1.99	0.59
1:F:200:TYR:H	1:F:216:LYS:HZ1	1.51	0.59
2:B:187:GLU:HG3	2:B:190:LYS:NZ	2.18	0.59
1:F:161:ASN:HD21	1:F:200:TYR:HA	1.67	0.59
3:C:151:ARG:NH1	4:C:302:SO4:O2	2.31	0.58
2:B:128:GLU:OE2	6:B:401:HOH:O	2.17	0.57
1:A:73:ASP:OD2	1:A:76:LYS:HG2	2.04	0.57
2:B:200:THR:HG22	2:B:205:THR:HB	1.86	0.56
3:C:42:ILE:HD11	3:C:83:LYS:NZ	2.20	0.56
1:F:142:ALA:N	1:F:192:SER:HG	2.03	0.56
1:F:199:THR:HB	1:F:216:LYS:HE2	1.87	0.56
2:G:153:LYS:HZ1	2:G:158:PRO:HB3	1.71	0.55
2:B:117:PRO:HB3	2:B:143:PHE:HB3	1.88	0.55
2:B:187:GLU:HG3	2:B:190:LYS:HZ3	1.73	0.54
1:A:102:GLN:NE2	6:A:301:HOH:O	2.38	0.54
1:A:60:TYR:CZ	1:A:70:ILE:HG22	2.43	0.53
3:C:48:TYR:CE2	3:C:57:SER:HB2	2.44	0.53
2:B:139:LEU:HD12	2:B:139:LEU:N	2.24	0.53
2:B:170:LYS:NZ	2:B:176:TYR:OH	2.42	0.53
1:A:1:GLU:HG3	1:A:2:VAL:H	1.75	0.52
1:F:190:VAL:HG21	1:F:200:TYR:CZ	2.45	0.52
2:B:155:ASP:OD2	2:B:193:ARG:N	2.43	0.52
3:C:42:ILE:CD1	3:C:83:LYS:NZ	2.74	0.51
2:G:198:GLN:HG2	2:G:207:GLU:HG3	1.93	0.51
2:B:91:SER:HB2	2:B:99:LEU:HD11	1.91	0.51
1:F:72:ARG:NE	1:F:74:ASN:HD21	2.07	0.51
2:G:117:PRO:HB3	2:G:143:PHE:HB3	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:18:ILE:HD11	2:B:77:ILE:HD12	1.93	0.50
2:B:155:ASP:OD1	2:B:194:SER:N	2.42	0.50
3:D:169:LEU:HD12	2:G:57:PRO:HB3	1.93	0.50
2:G:151:ALA:HB1	2:G:153:LYS:HZ3	1.75	0.50
1:A:51:ILE:HD11	1:A:55:GLY:HA2	1.93	0.50
1:A:107:ASP:HB3	1:A:108:TYR:CD2	2.47	0.49
2:G:126:SER:O	2:G:130:GLN:HG3	2.11	0.49
1:A:71:SER:OG	1:A:80:TYR:HB2	2.12	0.49
1:A:73:ASP:OD2	1:A:76:LYS:HE3	2.13	0.49
2:B:57:PRO:HB3	3:C:169:LEU:HD12	1.93	0.49
2:G:171:GLN:HG3	2:G:173:ASN:OD1	2.13	0.49
1:F:177:GLN:HG2	2:G:164:GLU:HG3	1.95	0.48
1:A:52:SER:O	6:A:301:HOH:O	2.20	0.48
1:A:149:LYS:NZ	2:B:128:GLU:OE1	2.42	0.48
1:F:14:PRO:HD2	1:F:119:SER:HB3	1.94	0.48
2:B:163:VAL:HG22	2:B:182:LEU:HD13	1.96	0.48
2:B:129:LEU:HD23	2:B:129:LEU:HA	1.35	0.48
2:B:144:TYR:CD2	2:B:176:TYR:CE1	3.02	0.47
1:A:203:ASN:HD21	1:A:212:LYS:HE2	1.79	0.47
3:D:81:GLU:OE2	3:D:83:LYS:HE2	2.14	0.47
2:G:122:PHE:HB2	2:G:137:VAL:HB	1.97	0.47
2:G:18:ILE:HD11	2:G:77:ILE:HD12	1.96	0.47
2:B:155:ASP:OD2	2:B:192:HIS:HB3	2.15	0.47
1:A:51:ILE:CG1	1:A:72:ARG:HD2	2.45	0.47
1:A:144:LEU:HD12	1:A:188:VAL:HG23	1.96	0.47
1:A:206:HIS:CD2	1:A:208:PRO:HD2	2.50	0.47
1:A:1:GLU:CG	1:A:2:VAL:H	2.29	0.46
1:F:91:THR:HG23	1:F:116:THR:HA	1.97	0.46
2:G:151:ALA:HB1	2:G:153:LYS:NZ	2.30	0.46
3:C:135:ARG:HH11	3:C:135:ARG:HG2	1.79	0.46
1:A:192:SER:HA	1:A:195:LEU:HD11	1.98	0.46
2:B:143:PHE:O	2:B:176:TYR:HD1	1.99	0.45
1:F:201:ILE:HG22	1:F:216:LYS:HA	1.97	0.45
1:F:170:HIS:HE1	2:G:177:ALA:HB3	1.82	0.45
1:A:5:LEU:HB2	1:A:23:ALA:HB3	1.98	0.45
3:C:42:ILE:HD11	3:C:83:LYS:HZ3	1.82	0.45
1:F:8:GLY:O	1:F:113:THR:HG21	2.16	0.45
1:A:51:ILE:HB	1:A:70:ILE:HG12	1.98	0.45
1:A:102:GLN:HB3	3:C:42:ILE:CG1	2.47	0.45
3:D:58:CYS:SG	3:D:145:LEU:HD13	2.57	0.45
2:B:138:CYS:O	2:B:180:SER:N	2.46	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:118:GLU:HG3	3:D:138:LYS:HD2	2.00	0.44
2:G:155:ASP:OD1	2:G:193:ARG:HB2	2.16	0.44
2:B:144:TYR:CD2	2:B:176:TYR:HE1	2.35	0.44
1:F:14:PRO:HG2	1:F:119:SER:HB3	1.99	0.44
1:A:51:ILE:HG12	1:A:72:ARG:HD2	1.99	0.44
1:A:125:PRO:HB3	1:A:151:TYR:HB3	1.98	0.44
1:A:195:LEU:HD12	1:A:195:LEU:N	2.32	0.44
1:A:141:THR:N	1:A:192:SER:OG	2.44	0.44
2:G:52:ASP:HB2	2:G:55:ASN:HD22	1.83	0.43
2:B:145:PRO:HA	2:B:176:TYR:HE1	1.84	0.43
2:B:193:ARG:NE	2:B:193:ARG:HA	2.33	0.43
3:C:42:ILE:CD1	3:C:83:LYS:HZ3	2.32	0.43
1:A:1:GLU:HG3	1:A:2:VAL:N	2.33	0.43
1:F:192:SER:OG	6:F:401:HOH:O	2.21	0.43
1:A:67:ARG:HD3	1:A:87:ARG:HH21	1.83	0.42
1:A:177:GLN:HA	2:B:164:GLU:HG3	2.00	0.42
2:B:184:LEU:HB3	2:B:188:GLN:HG3	2.00	0.42
1:F:12:VAL:O	1:F:117:VAL:HA	2.19	0.42
1:F:100:ASN:HA	1:F:107:ASP:OD2	2.19	0.42
1:A:149:LYS:HG2	1:A:150:ASP:OD2	2.20	0.42
3:C:61:ARG:NH2	4:C:304:SO4:O4	2.53	0.42
2:G:185:THR:H	2:G:188:GLN:NE2	2.14	0.41
3:D:45:ARG:HD2	3:D:167:PRO:HB2	2.02	0.41
2:B:155:ASP:CG	2:B:194:SER:H	2.28	0.41
2:B:196:SER:HB2	2:B:209:THR:HG22	2.03	0.41
2:B:37:TRP:HB2	2:B:50:ILE:HB	2.02	0.41
1:F:175:VAL:HB	2:G:166:THR:HG22	2.02	0.41
3:C:79:LEU:HD23	3:C:95:VAL:HG21	2.02	0.41
2:G:32:TYR:HB3	2:G:34:TYR:CD2	2.55	0.41
3:C:98:VAL:HG22	3:C:98:VAL:O	2.21	0.40
1:F:72:ARG:HE	1:F:74:ASN:ND2	2.11	0.40
3:D:47:LEU:HD23	3:D:47:LEU:HA	1.89	0.40
3:D:151:ARG:NH1	4:D:302:SO4:O2	2.41	0.40
3:C:83:LYS:HG3	3:C:84:ALA:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/233 (89%)	199 (96%)	8 (4%)	0	100	100
1	F	206/233 (88%)	199 (97%)	7 (3%)	0	100	100
2	B	211/216 (98%)	201 (95%)	10 (5%)	0	100	100
2	G	210/216 (97%)	199 (95%)	11 (5%)	0	100	100
3	C	134/218 (62%)	131 (98%)	3 (2%)	0	100	100
3	D	134/218 (62%)	133 (99%)	1 (1%)	0	100	100
All	All	1102/1334 (83%)	1062 (96%)	40 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/195 (90%)	175 (100%)	0	100	100
1	F	174/195 (89%)	174 (100%)	0	100	100
2	B	176/180 (98%)	176 (100%)	0	100	100
2	G	175/180 (97%)	175 (100%)	0	100	100
3	C	114/186 (61%)	114 (100%)	0	100	100
3	D	115/186 (62%)	115 (100%)	0	100	100
All	All	929/1122 (83%)	929 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	84	ASN
1	A	177	GLN
1	A	203	ASN
2	B	55	ASN
2	B	112	GLN
2	B	132	ASN
3	D	77	HIS
3	D	156	ASN
1	F	13	GLN
1	F	74	ASN
1	F	77	ASN
1	F	82	GLN
1	F	84	ASN
1	F	161	ASN
1	F	170	HIS
2	G	171	GLN
2	G	188	GLN
2	G	198	GLN
2	G	201	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 13 ligands modelled in this entry, 3 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	D	303	-	4,4,4	0.23	0	6,6,6	0.10	0
4	SO4	C	304	-	4,4,4	0.24	0	6,6,6	0.07	0
4	SO4	C	301	-	4,4,4	0.23	0	6,6,6	0.08	0
4	SO4	D	301	-	4,4,4	0.24	0	6,6,6	0.05	0
4	SO4	G	301	-	4,4,4	0.24	0	6,6,6	0.09	0
4	SO4	B	301	-	4,4,4	0.24	0	6,6,6	0.09	0
4	SO4	D	304	-	4,4,4	0.24	0	6,6,6	0.10	0
4	SO4	C	302	-	4,4,4	0.23	0	6,6,6	0.07	0
4	SO4	D	302	-	4,4,4	0.23	0	6,6,6	0.10	0
4	SO4	C	303	-	4,4,4	0.23	0	6,6,6	0.09	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	304	SO4	1	0
4	C	302	SO4	1	0
4	D	302	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	211/233 (90%)	0.61	11 (5%)	33 27	44, 72, 113, 126	0
1	F	210/233 (90%)	0.19	2 (0%)	79 76	35, 61, 105, 131	0
2	B	213/216 (98%)	0.30	6 (2%)	55 49	35, 65, 115, 132	0
2	G	212/216 (98%)	0.07	3 (1%)	73 69	32, 60, 101, 109	0
3	C	136/218 (62%)	0.21	6 (4%)	39 33	38, 59, 90, 109	2 (1%)
3	D	136/218 (62%)	-0.01	4 (2%)	53 48	32, 50, 78, 114	2 (1%)
All	All	1118/1334 (83%)	0.24	32 (2%)	53 48	32, 62, 106, 132	4 (0%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	165	LEU	5.0
3	D	53	HIS	3.7
3	D	171	MET	3.6
3	C	55	LEU	3.1
2	B	176	TYR	3.0
1	A	219	PRO	3.0
1	A	1	GLU	2.9
1	F	132	PRO	2.7
3	D	52	PRO	2.7
1	A	167	SER	2.7
1	A	132	PRO	2.6
2	B	213	THR	2.6
3	D	37	GLY	2.5
1	A	131	ALA	2.4
1	A	197	THR	2.3
2	B	194	SER	2.3
1	A	191	PRO	2.3
1	A	168	GLY	2.2
3	C	37	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	170	HIS	2.2
2	B	212	PRO	2.2
2	B	1	GLN	2.1
1	F	1	GLU	2.1
3	C	168	MET	2.1
2	G	213	THR	2.1
2	G	195	TYR	2.0
3	C	56	SER	2.0
2	B	210	VAL	2.0
3	C	83	LYS	2.0
1	A	199	THR	2.0
2	G	212	PRO	2.0
3	C	171	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	C	303	5/5	0.66	0.11	99,102,128,139	0
4	SO4	C	302	5/5	0.68	0.13	96,106,117,117	0
4	SO4	C	304	5/5	0.71	0.08	114,114,136,137	0
4	SO4	D	302	5/5	0.72	0.12	82,88,112,116	0
4	SO4	D	304	5/5	0.76	0.08	104,105,127,138	0
4	SO4	C	301	5/5	0.78	0.09	86,94,129,140	0
4	SO4	D	303	5/5	0.86	0.09	88,95,114,117	0
4	SO4	B	301	5/5	0.87	0.07	90,94,113,114	0
4	SO4	G	301	5/5	0.87	0.11	73,78,101,107	0
5	NA	F	301	1/1	0.96	0.06	46,46,46,46	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	NA	F	302	1/1	0.96	0.12	46,46,46,46	0
5	NA	G	302	1/1	0.96	0.12	48,48,48,48	0
4	SO4	D	301	5/5	0.97	0.08	40,42,58,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SO4 C 303:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 C 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 D 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 D 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 301:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NA F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NA F 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SO4 D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.