



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 05:19 PM UTC

PDB ID : 1KUT / pdb_00001kut
Title : Structural Genomics, Protein TM1243, (SAICAR synthetase)
Authors : Zhang, R.; Skarina, T.; Beasley, S.; Edwards, A.; Joachimiak, A.; Savchenko, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2002-01-22
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	230	
1	B	230	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3583 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoribosylaminoimidazole-succinocarboxamide synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	Se	0	0	0
			1718	1109	286	316	3	4			
1	B	222	Total	C	N	O	S	Se	0	0	0
			1784	1149	298	330	3	4			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP Q9X0X0
A	51	MSE	MET	modified residue	UNP Q9X0X0
A	79	MSE	MET	modified residue	UNP Q9X0X0
A	124	MSE	MET	modified residue	UNP Q9X0X0
A	144	MSE	MET	modified residue	UNP Q9X0X0
B	1	MSE	MET	modified residue	UNP Q9X0X0
B	51	MSE	MET	modified residue	UNP Q9X0X0
B	79	MSE	MET	modified residue	UNP Q9X0X0
B	124	MSE	MET	modified residue	UNP Q9X0X0
B	144	MSE	MET	modified residue	UNP Q9X0X0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	42	Total	O	0	0
			42	42		
2	B	39	Total	O	0	0
			39	39		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoribosylaminoimidazole-succinocarboxamide synthase



- Molecule 1: Phosphoribosylaminoimidazole-succinocarboxamide synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	63.51Å 43.07Å 80.22Å 90.00° 92.30° 90.00°	Depositor
Resolution (Å)	10.00 – 2.20 10.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	82.0 (10.00-2.20) 96.7 (10.00-2.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 2.01Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.245 , 0.281 0.363 , 0.358	Depositor DCC
R_{free} test set	1359 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	30.1	Xtriage
Anisotropy	0.369	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.51 , 82.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.048 for h,-k,-l	Xtriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	3583	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.50	0/1744	0.96	7/2334 (0.3%)
1	B	0.50	0/1811	1.19	19/2425 (0.8%)
All	All	0.50	0/3555	1.08	26/4759 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	208	ARG	NE-CZ-NH1	-18.21	103.29	121.50
1	B	208	ARG	NE-CZ-NH2	17.19	134.67	119.20
1	B	207	ARG	NE-CZ-NH2	-13.06	107.44	119.20
1	B	207	ARG	NE-CZ-NH1	10.82	132.32	121.50
1	A	64	VAL	N-CA-C	-8.05	104.64	111.56
1	B	106	LEU	N-CA-C	-7.95	99.99	110.40
1	B	207	ARG	CD-NE-CZ	7.30	134.62	124.40
1	B	208	ARG	CA-CB-CG	6.83	127.76	114.10
1	B	208	ARG	CB-CG-CD	-6.71	95.86	111.30
1	B	207	ARG	CA-CB-CG	6.46	127.01	114.10
1	A	88	LEU	N-CA-C	-6.29	106.14	113.88
1	B	64	VAL	N-CA-C	-6.25	105.73	111.67
1	B	207	ARG	CG-CD-NE	6.03	125.27	112.00
1	A	108	VAL	N-CA-C	-6.01	104.26	109.19
1	A	73	LYS	N-CA-C	-5.99	99.44	108.96
1	B	208	ARG	CG-CD-NE	5.93	125.05	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	88	LEU	N-CA-C	-5.76	106.80	113.88
1	B	185	ASP	CB-CA-C	-5.69	110.00	116.54
1	A	36	LEU	CB-CG-CD2	5.68	127.75	110.70
1	A	57	LYS	N-CA-C	-5.54	106.37	113.02
1	B	208	ARG	CD-NE-CZ	-5.41	116.83	124.40
1	B	126	CYS	N-CA-C	-5.36	102.26	110.14
1	B	120	ARG	N-CA-C	-5.14	107.30	113.21
1	A	36	LEU	CB-CG-CD1	-5.13	95.31	110.70
1	B	212	ASP	CA-C-N	5.11	125.15	119.32
1	B	212	ASP	C-N-CA	5.11	125.15	119.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	208	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1718	0	1775	85	0
1	B	1784	0	1823	74	0
2	A	42	0	0	1	0
2	B	39	0	0	3	0
All	All	3583	0	3598	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:MSE:HE3	1:B:63:LEU:HB2	1.53	0.91
1:A:37:THR:HG22	1:A:214:LEU:HD13	1.58	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:THR:HG22	1:B:221:LEU:HD13	1.58	0.84
1:B:121:HIS:O	1:B:123:PRO:HD3	1.77	0.83
1:B:126:CYS:H	1:B:129:HIS:HD2	1.24	0.82
1:B:36:LEU:HD11	1:B:213:PRO:HB2	1.61	0.82
1:B:42:ILE:O	1:B:46:THR:HG23	1.80	0.82
1:A:37:THR:CG2	1:A:214:LEU:HD13	2.10	0.81
1:B:47:THR:HG22	1:B:51:MSE:HE2	1.62	0.81
1:A:156:LYS:O	1:A:160:GLU:HG3	1.79	0.81
1:B:42:ILE:HD12	1:B:214:LEU:HD11	1.63	0.80
1:A:168:ASP:OD1	1:A:193:ARG:HG3	1.82	0.80
1:A:189:PRO:HB3	1:A:216:LYS:HE2	1.61	0.79
1:A:227:LEU:C	1:A:229:SER:H	1.90	0.78
1:A:54:LEU:HD21	1:A:151:ILE:HG23	1.68	0.76
1:B:42:ILE:HG21	1:B:217:TYR:HB3	1.67	0.76
1:A:218:ARG:O	1:A:222:GLU:HG3	1.86	0.76
1:B:52:LYS:O	1:B:56:GLU:HG2	1.87	0.74
1:B:51:MSE:CE	1:B:63:LEU:HB2	2.17	0.74
1:B:126:CYS:H	1:B:129:HIS:CD2	2.05	0.73
1:A:84:VAL:HG11	1:A:173:PHE:HE1	1.54	0.72
1:A:225:ARG:C	1:A:230:GLN:HB2	2.15	0.72
1:A:225:ARG:O	1:A:230:GLN:HB2	1.91	0.71
1:A:209:ASP:OD1	1:A:215:LYS:HD3	1.91	0.71
1:A:10:VAL:HG22	1:A:19:LEU:HD13	1.73	0.70
1:B:142:GLU:O	1:B:146:GLU:HG3	1.92	0.68
1:A:42:ILE:HG23	1:A:221:LEU:HD22	1.77	0.67
1:A:131:GLU:CD	1:A:138:LYS:HD3	2.20	0.66
1:B:34:ASP:CG	1:B:35:VAL:H	2.03	0.66
1:B:218:ARG:O	1:B:222:GLU:HG3	1.95	0.66
1:A:83:GLU:HG2	1:A:170:LYS:HE2	1.77	0.65
1:A:128:ASP:O	1:A:132:ILE:HD13	1.97	0.65
1:B:189:PRO:HG3	1:B:220:VAL:HG21	1.79	0.64
1:A:138:LYS:O	1:A:142:GLU:HB2	1.99	0.63
1:A:227:LEU:C	1:A:229:SER:N	2.56	0.63
1:A:145:LYS:O	1:A:149:VAL:HG23	2.00	0.62
1:A:39:LYS:HB3	1:A:214:LEU:HD11	1.82	0.62
1:A:169:ILE:HG13	1:A:192:PHE:HB3	1.82	0.62
1:A:96:ARG:O	1:B:120:ARG:HD3	1.99	0.62
1:B:3:TYR:HB3	1:B:10:VAL:HG12	1.81	0.61
1:A:208:ARG:HG3	1:A:209:ASP:N	2.15	0.61
1:A:84:VAL:HG11	1:A:173:PHE:CE1	2.36	0.61
1:B:23:ASP:HB3	1:B:36:LEU:O	2.00	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:LEU:C	1:A:195:ARG:HD3	2.28	0.59
1:B:25:ILE:HG22	1:B:26:THR:N	2.17	0.59
1:B:119:GLU:C	1:B:121:HIS:H	2.11	0.59
1:B:137:THR:OG1	1:B:140:GLN:HG3	2.02	0.59
1:A:8:LYS:HB2	1:A:20:GLU:O	2.04	0.58
1:B:62:HIS:HB3	1:B:77:LEU:HD11	1.86	0.58
1:A:200:ILE:O	1:A:200:ILE:HG13	2.04	0.57
1:A:52:LYS:O	1:A:52:LYS:HD3	2.04	0.57
1:A:205:VAL:O	1:A:209:ASP:HB3	2.05	0.56
1:B:2:ASN:O	1:B:3:TYR:HB2	2.05	0.56
1:A:9:ILE:HG23	1:A:22:LYS:NZ	2.21	0.55
1:B:177:LYS:HG3	2:B:315:HOH:O	2.08	0.54
1:B:33:HIS:ND1	1:B:34:ASP:N	2.55	0.54
1:B:139:LYS:HE3	1:B:143:LYS:NZ	2.23	0.54
1:A:8:LYS:HB3	1:A:21:PHE:HA	1.89	0.54
1:A:41:SER:HA	1:A:69:PRO:O	2.07	0.54
1:A:188:SER:HB2	1:A:189:PRO:HD2	1.89	0.54
1:A:131:GLU:OE1	1:A:138:LYS:HD3	2.07	0.54
1:B:82:LEU:O	1:B:172:GLU:HG2	2.08	0.54
1:A:67:ILE:HD11	1:A:73:LYS:HB2	1.89	0.54
1:A:143:LYS:HB3	1:A:181:VAL:HG21	1.89	0.54
1:B:3:TYR:HB3	1:B:10:VAL:CG1	2.37	0.54
1:A:188:SER:HB2	1:A:189:PRO:CD	2.37	0.54
1:B:195:ARG:HG3	1:B:195:ARG:HH11	1.70	0.54
1:A:45:GLU:O	1:A:49:ILE:HG13	2.08	0.54
1:B:8:LYS:HD2	1:B:19:LEU:HD11	1.90	0.53
1:A:123:PRO:HG3	1:B:97:ARG:O	2.09	0.53
1:A:126:CYS:H	1:A:129:HIS:CD2	2.26	0.53
1:A:112:GLU:OE2	1:B:129:HIS:HE1	1.91	0.53
1:A:156:LYS:HE2	1:A:160:GLU:OE2	2.09	0.53
1:B:75:ILE:O	1:B:75:ILE:HG13	2.09	0.53
1:B:223:LEU:C	1:B:223:LEU:HD23	2.34	0.52
1:A:42:ILE:HG23	1:A:221:LEU:CD2	2.38	0.52
1:A:62:HIS:HA	1:A:75:ILE:HG23	1.91	0.52
1:B:201:PHE:O	1:B:202:ASP:C	2.50	0.52
1:A:12:VAL:HG12	1:A:14:GLY:H	1.75	0.52
1:A:47:THR:O	1:A:51:MSE:HB2	2.10	0.51
1:B:63:LEU:HD13	1:B:72:LEU:HG	1.93	0.51
1:A:189:PRO:HB2	1:A:217:TYR:CE2	2.46	0.50
1:B:2:ASN:HB2	1:B:10:VAL:O	2.12	0.50
1:A:62:HIS:HB3	1:A:77:LEU:HD11	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:ARG:HG3	1:A:208:ARG:HH11	1.76	0.50
1:A:214:LEU:HA	1:A:217:TYR:HD1	1.76	0.50
1:B:53:TYR:O	1:B:57:LYS:HG3	2.12	0.49
1:A:169:ILE:CG1	1:A:192:PHE:HB3	2.42	0.49
1:B:175:LEU:HA	1:B:180:ASN:O	2.12	0.49
1:B:117:ASP:O	1:B:121:HIS:O	2.31	0.49
1:A:208:ARG:HG3	1:A:208:ARG:NH1	2.27	0.49
1:A:207:ARG:O	1:A:210:LEU:HB3	2.14	0.48
1:B:24:ASP:O	1:B:25:ILE:HD13	2.13	0.48
1:A:8:LYS:NZ	1:A:186:GLU:OE1	2.47	0.47
1:B:46:THR:HG22	1:B:221:LEU:CD1	2.40	0.47
1:B:46:THR:HG21	2:B:310:HOH:O	2.13	0.47
1:A:226:SER:HA	1:A:230:GLN:HB3	1.96	0.47
1:B:195:ARG:CZ	1:B:195:ARG:HB2	2.44	0.47
1:A:117:ASP:OD2	1:A:120:ARG:HD2	2.14	0.47
1:B:118:ASP:OD2	1:B:118:ASP:N	2.46	0.47
1:B:13:THR:HG23	1:B:13:THR:O	2.15	0.46
1:B:111:VAL:HG11	1:B:145:LYS:HG2	1.96	0.46
1:A:207:ARG:O	1:A:210:LEU:CB	2.63	0.46
1:B:188:SER:HB2	1:B:189:PRO:HD2	1.97	0.46
1:B:224:CYS:O	1:B:228:ASN:HB2	2.16	0.46
1:A:80:PHE:CE2	1:A:175:LEU:HD13	2.51	0.45
1:A:227:LEU:O	1:A:229:SER:N	2.48	0.45
1:B:33:HIS:ND1	1:B:33:HIS:C	2.74	0.45
1:A:164:PHE:HB3	1:A:194:LEU:HD11	1.98	0.45
1:B:141:ALA:HA	1:B:144:MSE:HE3	1.97	0.45
1:A:59:ILE:HD11	1:A:150:LYS:HE2	1.98	0.45
1:A:37:THR:HG21	1:A:214:LEU:HD13	1.96	0.45
1:A:42:ILE:HG23	1:A:221:LEU:HB2	1.98	0.45
1:B:80:PHE:HE1	1:B:175:LEU:HD13	1.82	0.45
1:B:164:PHE:CD1	1:B:223:LEU:HD11	2.52	0.45
1:B:188:SER:HB2	1:B:189:PRO:CD	2.46	0.44
1:A:23:ASP:CG	1:A:38:GLY:HA2	2.42	0.44
1:B:164:PHE:CE2	1:B:196:LYS:HD2	2.53	0.44
1:A:204:ASP:O	1:A:208:ARG:HG2	2.18	0.44
1:A:211:GLY:C	1:A:213:PRO:HD3	2.42	0.44
1:B:50:LEU:HD23	1:B:187:ILE:HG22	2.00	0.44
1:A:164:PHE:CE2	1:A:196:LYS:HB3	2.53	0.44
1:A:124:MSE:O	1:B:124:MSE:HE1	2.18	0.43
1:B:101:ALA:HB3	1:B:104:GLU:HB2	1.99	0.43
1:A:52:LYS:HD3	1:A:52:LYS:C	2.43	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:177:LYS:HE3	1:B:177:LYS:HB2	1.76	0.43
1:B:25:ILE:HG22	1:B:26:THR:H	1.83	0.43
1:A:71:THR:HG22	1:A:72:LEU:N	2.34	0.43
1:B:119:GLU:C	1:B:121:HIS:N	2.77	0.43
1:A:22:LYS:HE2	1:A:24:ASP:OD2	2.19	0.43
1:A:216:LYS:HG3	1:A:217:TYR:N	2.34	0.42
1:B:34:ASP:CG	1:B:35:VAL:N	2.72	0.42
1:B:203:LYS:H	1:B:203:LYS:HG2	1.61	0.42
1:A:68:PRO:HA	1:A:69:PRO:HA	1.74	0.42
1:B:20:GLU:HB2	2:B:372:HOH:O	2.20	0.42
1:B:47:THR:CG2	1:B:51:MSE:HE2	2.43	0.42
1:A:117:ASP:CG	1:A:120:ARG:HB2	2.46	0.41
1:B:164:PHE:CE1	1:B:223:LEU:HD12	2.56	0.41
1:A:196:LYS:NZ	1:A:199:GLU:HG3	2.35	0.41
1:A:47:THR:OG1	1:A:186:GLU:HB2	2.19	0.41
1:B:153:LEU:HD12	1:B:153:LEU:HA	1.91	0.41
1:A:219:GLU:O	1:A:223:LEU:HB2	2.20	0.41
1:B:220:VAL:O	1:B:223:LEU:HB3	2.19	0.41
1:A:126:CYS:HB3	2:A:305:HOH:O	2.20	0.41
1:A:39:LYS:HB3	1:A:214:LEU:CD1	2.50	0.41
1:B:212:ASP:O	1:B:212:ASP:CG	2.64	0.41
1:A:188:SER:CB	1:A:189:PRO:CD	2.97	0.41
1:B:176:ASP:OD2	1:B:180:ASN:HB2	2.20	0.41
1:A:176:ASP:OD1	1:A:176:ASP:C	2.63	0.40
1:B:48:ALA:HA	1:B:63:LEU:HD22	2.03	0.40
1:A:227:LEU:HD12	1:A:227:LEU:HA	1.87	0.40
1:A:23:ASP:O	1:A:36:LEU:HD23	2.22	0.40
1:A:145:LYS:HB3	1:A:145:LYS:HE3	1.87	0.40
1:B:25:ILE:CG2	1:B:26:THR:N	2.84	0.40
1:B:8:LYS:NZ	1:B:186:GLU:OE1	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/230 (91%)	202 (97%)	4 (2%)	3 (1%)	9	7
1	B	216/230 (94%)	201 (93%)	11 (5%)	4 (2%)	6	4
All	All	425/460 (92%)	403 (95%)	15 (4%)	7 (2%)	7	6

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	37	THR
1	B	3	TYR
1	A	228	ASN
1	B	34	ASP
1	B	119	GLU
1	A	38	GLY
1	B	35	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/196 (96%)	172 (92%)	16 (8%)	10	11
1	B	194/196 (99%)	175 (90%)	19 (10%)	7	8
All	All	382/392 (97%)	347 (91%)	35 (9%)	8	9

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	THR
1	A	36	LEU
1	A	39	LYS
1	A	50	LEU
1	A	52	LYS
1	A	54	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	62	HIS
1	A	75	ILE
1	A	82	LEU
1	A	88	LEU
1	A	143	LYS
1	A	155	LEU
1	A	175	LEU
1	A	180	ASN
1	A	214	LEU
1	A	227	LEU
1	B	12	VAL
1	B	46	THR
1	B	50	LEU
1	B	54	LEU
1	B	62	HIS
1	B	72	LEU
1	B	82	LEU
1	B	88	LEU
1	B	116	LYS
1	B	121	HIS
1	B	138	LYS
1	B	150	LYS
1	B	153	LEU
1	B	175	LEU
1	B	189	PRO
1	B	202	ASP
1	B	206	TYR
1	B	208	ARG
1	B	230	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	129	HIS
1	A	228	ASN
1	B	2	ASN
1	B	129	HIS
1	B	230	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	209/230 (90%)	1.78	73 (34%) 1 0	15, 27, 48, 55	0
1	B	218/230 (94%)	1.78	84 (38%) 1 0	15, 29, 47, 54	0
All	All	427/460 (92%)	1.78	157 (36%) 1 0	15, 28, 48, 55	0

All (157) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	121	HIS	6.0
1	A	204	ASP	5.8
1	B	211	GLY	5.7
1	A	93	SER	5.1
1	A	15	ASP	4.9
1	B	162	ALA	4.8
1	A	225	ARG	4.8
1	A	197	LYS	4.5
1	B	15	ASP	4.4
1	A	17	ALA	4.4
1	A	214	LEU	4.2
1	A	219	GLU	4.2
1	A	205	VAL	4.1
1	B	164	PHE	4.1
1	A	163	ASN	4.0
1	B	206	TYR	4.0
1	A	222	GLU	4.0
1	B	118	ASP	4.0
1	A	229	SER	4.0
1	B	25	ILE	3.9
1	B	227	LEU	3.9
1	B	198	GLY	3.9
1	A	95	VAL	3.8
1	A	226	SER	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	103	GLY	3.7
1	B	91	ALA	3.7
1	A	160	GLU	3.7
1	B	99	GLY	3.7
1	A	16	TYR	3.6
1	A	105	ASP	3.6
1	B	95	VAL	3.6
1	B	3	TYR	3.5
1	B	32	LYS	3.5
1	A	7	THR	3.5
1	A	210	LEU	3.5
1	B	222	GLU	3.5
1	B	195	ARG	3.4
1	B	220	VAL	3.4
1	B	154	ALA	3.4
1	B	179	GLY	3.4
1	B	139	LYS	3.3
1	B	117	ASP	3.3
1	A	208	ARG	3.3
1	A	12	VAL	3.3
1	A	24	ASP	3.2
1	B	16	TYR	3.2
1	B	70	ARG	3.2
1	A	122	ASP	3.2
1	A	9	ILE	3.2
1	A	120	ARG	3.1
1	A	211	GLY	3.1
1	A	228	ASN	3.1
1	B	178	ASP	3.1
1	B	101	ALA	3.1
1	B	125	VAL	3.1
1	A	206	TYR	3.0
1	B	119	GLU	3.0
1	B	223	LEU	3.0
1	B	158	PHE	3.0
1	A	101	ALA	3.0
1	A	58	GLY	3.0
1	A	56	GLU	3.0
1	B	35	VAL	2.9
1	B	196	LYS	2.9
1	A	126	CYS	2.9
1	A	202	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	55	SER	2.9
1	B	33	HIS	2.9
1	B	208	ARG	2.8
1	A	23	ASP	2.8
1	A	14	GLY	2.8
1	A	38	GLY	2.8
1	B	41	SER	2.8
1	A	213	PRO	2.8
1	B	230	GLN	2.8
1	A	133	LEU	2.8
1	A	22	LYS	2.8
1	A	215	LYS	2.8
1	A	37	THR	2.8
1	B	43	CYS	2.8
1	B	2	ASN	2.8
1	B	212	ASP	2.8
1	B	19	LEU	2.8
1	B	13	THR	2.8
1	B	163	ASN	2.7
1	A	223	LEU	2.7
1	A	167	TRP	2.7
1	B	49	ILE	2.7
1	B	157	GLU	2.7
1	A	158	PHE	2.7
1	B	136	ALA	2.6
1	A	201	PHE	2.6
1	A	161	ARG	2.6
1	A	207	ARG	2.6
1	B	147	ALA	2.6
1	B	122	ASP	2.5
1	B	96	ARG	2.5
1	A	209	ASP	2.5
1	B	105	ASP	2.5
1	B	98	TYR	2.5
1	B	148	ALA	2.5
1	B	38	GLY	2.5
1	A	164	PHE	2.5
1	A	200	ILE	2.5
1	B	72	LEU	2.5
1	B	221	LEU	2.5
1	A	11	LYS	2.5
1	A	154	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	229	SER	2.4
1	A	178	ASP	2.4
1	B	76	PRO	2.4
1	B	24	ASP	2.4
1	B	103	GLY	2.4
1	A	94	PHE	2.4
1	B	39	LYS	2.4
1	B	55	SER	2.4
1	A	196	LYS	2.3
1	A	10	VAL	2.3
1	B	56	GLU	2.3
1	B	34	ASP	2.3
1	B	58	GLY	2.3
1	A	108	VAL	2.3
1	A	155	LEU	2.3
1	B	8	LYS	2.3
1	A	13	THR	2.3
1	B	93	SER	2.3
1	B	159	PHE	2.3
1	B	54	LEU	2.3
1	A	212	ASP	2.2
1	B	207	ARG	2.2
1	B	48	ALA	2.2
1	B	23	ASP	2.2
1	A	119	GLU	2.2
1	B	52	LYS	2.2
1	A	188	SER	2.2
1	B	71	THR	2.2
1	B	190	ASP	2.2
1	B	217	TYR	2.1
1	A	175	LEU	2.1
1	B	69	PRO	2.1
1	A	100	GLY	2.1
1	B	204	ASP	2.1
1	B	228	ASN	2.1
1	A	195	ARG	2.1
1	A	91	ALA	2.1
1	A	102	GLU	2.1
1	B	135	ILE	2.1
1	A	224	CYS	2.1
1	B	224	CYS	2.1
1	B	17	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	153	LEU	2.1
1	A	115	ILE	2.1
1	B	205	VAL	2.1
1	B	201	PHE	2.1
1	A	227	LEU	2.0
1	A	82	LEU	2.0
1	B	225	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.