



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 08:05 AM UTC

PDB ID : 1KV6 / pdb_00001kv6
Title : X-ray structure of the orphan nuclear receptor ERR3 ligand-binding domain in the constitutively active conformation
Authors : Greschik, H.; Wurtz, J.-M.; Sanglier, S.; Bourguet, W.; van Dorselaer, A.; Moras, D.; Renaud, J.-P.; Structural Proteomics in Europe (SPINE)
Deposited on : 2002-01-25
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	230	
1	B	230	
2	C	15	
2	D	15	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3687 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ESTROGEN-RELATED RECEPTOR GAMMA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	222	Total	C	N	O	S	0	0	0
			1749	1121	283	333	12			
1	B	222	Total	C	N	O	S	0	0	0
			1745	1121	283	329	12			

- Molecule 2 is a protein called steroid receptor coactivator 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	10	Total	C	N	O	0	0	0
			77	50	16	11			
2	D	11	Total	C	N	O	0	0	0
			85	54	17	14			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	16	Total	O	0	0
			16	16		
3	B	15	Total	O	0	0
			15	15		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ESTROGEN-RELATED RECEPTOR GAMMA



• Molecule 1: ESTROGEN-RELATED RECEPTOR GAMMA



• Molecule 2: steroid receptor coactivator 1



• Molecule 2: steroid receptor coactivator 1



ARG	H687		L693		SER
H688		L694		PRO	
I689		G695		SER	
L690		E696			
		G697			

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	83.32Å 83.32Å 240.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 15.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	90.1 (15.00-2.70) 89.4 (15.00-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.64 (at 2.51Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.233 , 0.267 0.232 , 0.261	Depositor DCC
R_{free} test set	1120 reflections (3.83%)	wwPDB-VP
Wilson B-factor (Å ²)	51.8	Xtriage
Anisotropy	0.853	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3687	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	2/1779 (0.1%)	1.13	8/2409 (0.3%)
1	B	0.76	0/1775	1.13	10/2403 (0.4%)
2	C	0.55	0/77	0.90	0/103
2	D	0.52	0/85	0.86	0/113
All	All	0.77	2/3716 (0.1%)	1.12	18/5028 (0.4%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	380	MET	SD-CE	7.79	1.99	1.79
1	A	382	ILE	CA-CB	5.17	1.60	1.54

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	448	LYS	N-CA-C	8.33	120.36	111.28
1	A	410	ASP	CA-C-N	7.74	127.41	119.82
1	A	410	ASP	C-N-CA	7.74	127.41	119.82
1	A	357	LYS	N-CA-C	-6.93	103.65	111.07
1	A	250	TYR	N-CA-C	6.84	120.61	109.59
1	A	448	LYS	N-CA-C	6.54	118.20	111.14
1	B	437	ASN	N-CA-C	-6.42	104.21	111.14
1	A	236	LYS	N-CA-C	5.88	118.17	111.11
1	B	351	GLN	N-CA-C	-5.87	104.96	111.36
1	A	340	ALA	N-CA-C	-5.79	106.20	113.72
1	B	263	LYS	N-CA-C	-5.71	104.70	111.03
1	B	236	LYS	N-CA-C	5.66	117.90	111.11
1	B	406	GLN	N-CA-C	5.65	119.90	112.89
1	A	351	GLN	N-CA-C	-5.22	105.50	111.14
1	B	436	TYR	N-CA-C	-5.22	107.08	113.50
1	B	307	GLU	N-CA-C	-5.10	105.80	111.36
1	B	439	LYS	N-CA-C	-5.08	103.78	111.56
1	B	267	THR	N-CA-C	-5.01	105.73	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1749	0	1771	64	0
1	B	1745	0	1771	100	0
2	C	77	0	77	7	0
2	D	85	0	84	11	0
3	A	16	0	0	0	0
3	B	15	0	0	1	0
All	All	3687	0	3703	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:236:LYS:HD2	1:B:236:LYS:H	1.13	1.11
1:B:268:LEU:HD21	1:B:332:MET:HE1	1.36	1.05
1:B:249:ILE:HD11	1:B:278:VAL:HG21	1.45	0.97
1:B:298:MET:O	1:B:302:GLN:HG2	1.68	0.94
1:A:249:ILE:HD11	1:A:278:VAL:HG21	1.51	0.92
1:B:307:GLU:HG2	1:B:424:LEU:HG	1.51	0.90
1:A:412:ARG:HG2	1:B:396:HIS:CE1	2.07	0.89
1:B:446:MET:HB2	1:B:451:LEU:HD11	1.62	0.82
1:B:236:LYS:H	1:B:236:LYS:CD	1.97	0.76
1:B:439:LYS:C	1:B:439:LYS:HD3	2.11	0.75
1:B:271:LEU:HD11	1:B:327:ALA:HB2	1.66	0.75
1:B:435:PHE:O	1:B:454:LEU:HD21	1.86	0.74
1:B:268:LEU:HD21	1:B:332:MET:CE	2.15	0.73
1:B:338:LYS:HE2	1:B:343:LEU:HG	1.71	0.72
1:B:335:ASP:O	1:B:339:LEU:HD13	1.91	0.71
1:B:276:LEU:O	1:B:280:ILE:HG13	1.91	0.70
1:B:382:ILE:HD13	1:B:388:VAL:HG21	1.74	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:GLU:OE2	1:B:331:ILE:HD11	1.92	0.69
1:B:261:ASP:OD2	1:B:262:ILE:N	2.26	0.67
1:A:396:HIS:CE1	1:B:412:ARG:HG2	2.30	0.67
1:B:338:LYS:HG2	1:B:343:LEU:HG	1.78	0.66
1:A:267:THR:HG21	1:A:330:TYR:CE2	2.31	0.65
1:A:273:ASP:O	1:A:277:VAL:HG23	1.96	0.65
1:A:365:GLU:O	1:A:369:LEU:HB2	1.97	0.64
1:B:267:THR:HB	1:B:330:TYR:HE1	1.62	0.63
1:A:275:GLU:O	1:A:279:ILE:HG13	1.98	0.63
1:A:335:ASP:O	1:A:339:LEU:HG	1.99	0.63
1:B:236:LYS:HD2	1:B:236:LYS:N	1.98	0.63
1:B:266:THR:CG2	1:B:445:PRO:HG2	2.30	0.62
1:A:436:TYR:O	1:A:439:LYS:HB3	1.99	0.61
2:D:693:LEU:HD12	2:D:693:LEU:H	1.64	0.61
1:A:441:GLU:O	1:A:443:LYS:N	2.35	0.60
2:D:696:GLU:OE2	2:D:696:GLU:HA	2.01	0.60
1:B:265:LEU:HD23	1:B:438:ILE:HG21	1.83	0.60
1:B:266:THR:HG23	1:B:445:PRO:HG2	1.83	0.60
1:B:262:ILE:CD1	1:B:444:VAL:HG22	2.33	0.58
1:A:280:ILE:CD1	2:C:690:LEU:HD12	2.34	0.58
1:A:324:LEU:HD12	1:A:346:ASN:ND2	2.19	0.58
1:A:368:THR:HG21	1:A:399:LEU:HB2	1.84	0.58
1:B:269:CYS:SG	1:B:446:MET:HE2	2.43	0.58
1:B:307:GLU:HG3	1:B:428:SER:CB	2.34	0.58
1:A:421:LEU:N	1:A:422:PRO:CD	2.67	0.58
1:A:294:LEU:HD23	2:C:691:HIS:CE1	2.39	0.57
2:C:691:HIS:NE2	2:C:695:GLN:OE1	2.37	0.57
1:B:314:VAL:O	1:B:318:LEU:HD13	2.04	0.56
1:A:382:ILE:HD12	1:A:383:GLU:N	2.19	0.56
1:A:366:PHE:CZ	1:A:370:LYS:HE2	2.39	0.56
2:D:693:LEU:HD12	2:D:693:LEU:N	2.20	0.56
1:A:400:GLN:NE2	1:B:412:ARG:HG3	2.21	0.56
1:A:279:ILE:HD11	1:A:309:LEU:CD2	2.37	0.55
1:B:355:LYS:O	1:B:359:MET:HG3	2.07	0.55
1:B:446:MET:CB	1:B:451:LEU:HD11	2.34	0.55
1:B:434:HIS:C	1:B:434:HIS:CD2	2.84	0.55
1:A:433:GLN:HA	1:A:433:GLN:HE21	1.71	0.54
1:A:400:GLN:HE22	1:B:412:ARG:HG3	1.72	0.54
1:A:396:HIS:ND1	1:B:419:MET:HE2	2.22	0.54
1:B:334:GLU:O	1:B:338:LYS:HG3	2.08	0.54
1:B:258:PRO:O	1:B:260:SER:N	2.42	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:310:ILE:O	1:B:314:VAL:HG23	2.08	0.53
1:B:249:ILE:CD1	1:B:278:VAL:HG21	2.29	0.52
1:B:299:SER:O	1:B:303:SER:HB2	2.09	0.52
1:A:279:ILE:HD11	1:A:309:LEU:HD23	1.91	0.52
1:B:428:SER:O	1:B:432:VAL:HG23	2.10	0.52
1:B:446:MET:HB2	1:B:451:LEU:CD1	2.38	0.52
1:A:257:VAL:O	1:A:263:LYS:HE3	2.09	0.52
1:A:298:MET:O	1:A:302:GLN:HG2	2.09	0.52
1:A:359:MET:CE	1:A:416:LYS:HB3	2.39	0.52
1:B:343:LEU:C	1:B:343:LEU:HD23	2.34	0.52
1:B:306:MET:HG2	1:B:432:VAL:HG23	1.91	0.51
2:D:689:ILE:O	2:D:693:LEU:HD13	2.10	0.51
1:A:345:LEU:O	1:A:349:ILE:HG13	2.10	0.51
1:B:359:MET:HE2	1:B:417:MET:HE2	1.93	0.51
2:D:693:LEU:O	2:D:696:GLU:HG2	2.11	0.50
1:A:452:GLU:OE2	2:C:689:ILE:HG13	2.11	0.50
1:B:272:ALA:O	1:B:276:LEU:HG	2.10	0.50
2:D:690:LEU:O	2:D:694:LEU:HD12	2.11	0.50
1:B:421:LEU:N	1:B:422:PRO:CD	2.75	0.50
1:A:261:ASP:HB3	1:A:339:LEU:O	2.10	0.50
1:B:277:VAL:HG22	1:B:449:LEU:HD12	1.92	0.50
1:B:359:MET:O	1:B:360:LYS:HB2	2.11	0.50
1:B:307:GLU:HG3	1:B:428:SER:HB2	1.92	0.50
2:D:693:LEU:H	2:D:693:LEU:CD1	2.24	0.50
1:A:262:ILE:HD12	1:A:262:ILE:N	2.26	0.50
1:A:242:LEU:HD11	1:A:364:GLU:HG3	1.94	0.50
1:B:331:ILE:HG13	1:B:332:MET:N	2.27	0.50
1:B:262:ILE:HD12	1:B:444:VAL:HG22	1.93	0.49
1:B:447:HIS:O	1:B:451:LEU:HD22	2.12	0.49
1:A:396:HIS:CE1	1:B:415:GLY:HA3	2.47	0.49
1:B:306:MET:HE3	1:B:310:ILE:HG13	1.94	0.49
1:A:259:ASP:HA	1:A:263:LYS:HD3	1.94	0.49
1:A:280:ILE:HD11	2:C:690:LEU:HD12	1.94	0.49
1:B:441:GLU:HG2	3:B:1013:HOH:O	2.14	0.48
1:B:257:VAL:HB	1:B:263:LYS:HG3	1.95	0.48
1:B:343:LEU:HD23	1:B:347:ASN:OD1	2.13	0.48
1:A:307:GLU:HG2	1:A:424:LEU:HG	1.96	0.47
1:B:267:THR:CB	1:B:330:TYR:HE1	2.26	0.47
1:B:322:ASP:HA	1:B:350:LEU:CD1	2.45	0.47
1:A:441:GLU:C	1:A:443:LYS:H	2.24	0.46
1:A:293:SER:O	1:A:297:GLN:HG3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:LEU:O	1:A:298:MET:HG3	2.15	0.46
1:A:440:LEU:C	1:A:442:GLY:H	2.24	0.46
1:A:251:ALA:CB	1:A:330:TYR:HB2	2.46	0.46
1:A:267:THR:HG21	1:A:330:TYR:HE2	1.80	0.46
1:B:302:GLN:HA	1:B:305:TRP:HD1	1.79	0.46
1:A:276:LEU:HD21	1:A:305:TRP:CE3	2.51	0.46
1:B:306:MET:O	1:B:310:ILE:HG13	2.14	0.46
1:A:268:LEU:HD21	1:A:332:MET:HE1	1.98	0.46
1:B:248:LYS:HB2	1:B:248:LYS:NZ	2.31	0.46
1:B:407:HIS:CG	1:B:413:ARG:HD3	2.51	0.46
1:B:434:HIS:C	1:B:436:TYR:H	2.23	0.46
1:A:324:LEU:HD12	1:A:346:ASN:CG	2.40	0.45
1:B:325:VAL:HG12	1:B:325:VAL:O	2.16	0.45
1:A:310:ILE:HD12	1:A:428:SER:HA	1.97	0.45
1:A:416:LYS:HE2	1:B:393:ASP:OD1	2.16	0.45
1:B:402:TYR:CE1	1:B:406:GLN:HG3	2.52	0.45
1:B:257:VAL:CG1	1:B:263:LYS:HG3	2.47	0.45
1:A:280:ILE:HD13	2:C:690:LEU:HD12	1.97	0.45
1:A:396:HIS:ND1	1:B:419:MET:CE	2.80	0.45
1:A:306:MET:HE2	1:A:431:ALA:HB1	1.98	0.44
1:B:280:ILE:HD12	2:D:693:LEU:HD22	1.99	0.44
1:B:305:TRP:CE2	1:B:453:MET:HB3	2.53	0.44
1:B:334:GLU:O	1:B:335:ASP:C	2.60	0.44
1:B:452:GLU:OE2	2:D:689:ILE:HG13	2.17	0.44
1:B:271:LEU:O	1:B:275:GLU:HB2	2.17	0.44
1:B:257:VAL:CG1	1:B:258:PRO:HD2	2.47	0.44
1:B:262:ILE:HD13	1:B:443:LYS:O	2.18	0.44
1:A:318:LEU:HD12	1:A:318:LEU:HA	1.74	0.44
1:A:345:LEU:HD21	1:A:431:ALA:HB2	2.00	0.44
1:B:262:ILE:HD13	1:B:444:VAL:HG22	2.00	0.43
1:A:248:LYS:HD3	1:A:328:ASP:OD2	2.17	0.43
1:A:342:LEU:O	1:A:346:ASN:HB2	2.19	0.43
1:B:257:VAL:HG11	1:B:263:LYS:HG3	2.01	0.43
1:B:338:LYS:CE	1:B:343:LEU:HG	2.46	0.43
1:B:434:HIS:C	1:B:436:TYR:N	2.77	0.43
1:A:311:LEU:HD23	1:A:311:LEU:HA	1.85	0.42
1:B:262:ILE:CD1	1:B:443:LYS:O	2.68	0.42
1:B:326:TYR:CD2	1:B:332:MET:HE3	2.53	0.42
1:A:369:LEU:HA	1:A:369:LEU:HD12	1.75	0.42
1:B:320:PHE:CE1	1:B:325:VAL:HG21	2.53	0.42
1:B:453:MET:C	1:B:455:GLU:H	2.27	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:368:THR:CG2	1:A:399:LEU:HB2	2.49	0.42
1:B:452:GLU:OE2	2:D:689:ILE:N	2.52	0.42
1:B:300:LEU:HD21	1:B:382:ILE:HD11	2.02	0.42
2:D:696:GLU:O	2:D:697:GLY:C	2.61	0.42
1:B:282:TRP:CH2	1:B:286:ILE:HD11	2.54	0.42
1:B:333:ASP:O	1:B:334:GLU:C	2.62	0.41
1:A:421:LEU:N	1:A:422:PRO:HD3	2.35	0.41
1:B:322:ASP:HA	1:B:350:LEU:HD13	2.02	0.41
1:A:242:LEU:HD22	1:A:363:LYS:HD3	2.03	0.41
1:B:343:LEU:HD23	1:B:343:LEU:O	2.20	0.41
1:B:248:LYS:O	1:B:249:ILE:HG13	2.21	0.41
1:B:266:THR:HG21	1:B:445:PRO:HG2	2.01	0.41
1:B:268:LEU:N	1:B:268:LEU:CD1	2.83	0.41
1:A:454:LEU:HD12	1:A:454:LEU:HA	1.73	0.41
1:A:359:MET:HE3	1:A:416:LYS:HB3	2.01	0.41
1:A:410:ASP:HA	1:A:411:PRO:HD2	1.83	0.41
2:C:691:HIS:CD2	2:C:691:HIS:C	2.98	0.41
1:B:352:LEU:HD23	1:B:352:LEU:HA	1.94	0.40
1:B:440:LEU:O	1:B:441:GLU:C	2.64	0.40
1:B:343:LEU:C	1:B:343:LEU:CD2	2.93	0.40
1:A:447:HIS:O	1:A:451:LEU:HD22	2.22	0.40
1:A:347:ASN:HD22	1:A:347:ASN:HA	1.59	0.40
1:A:449:LEU:HD23	1:A:449:LEU:HA	1.87	0.40
1:B:311:LEU:HD23	1:B:311:LEU:HA	1.92	0.40
1:B:399:LEU:O	1:B:403:GLU:HG2	2.21	0.40
1:B:338:LYS:CG	1:B:343:LEU:HG	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/230 (96%)	206 (94%)	11 (5%)	3 (1%)	9	23
1	B	220/230 (96%)	197 (90%)	18 (8%)	5 (2%)	5	13
2	C	8/15 (53%)	7 (88%)	1 (12%)	0	100	100
2	D	9/15 (60%)	8 (89%)	1 (11%)	0	100	100
All	All	457/490 (93%)	418 (92%)	31 (7%)	8 (2%)	6	18

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	259	ASP
1	A	442	GLY
1	B	325	VAL
1	B	334	GLU
1	B	330	TYR
1	B	455	GLU
1	A	441	GLU
1	A	455	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	193/203 (95%)	179 (93%)	14 (7%)	13	32
1	B	191/203 (94%)	174 (91%)	17 (9%)	9	23
2	C	7/14 (50%)	7 (100%)	0	100	100
2	D	8/14 (57%)	8 (100%)	0	100	100
All	All	399/434 (92%)	368 (92%)	31 (8%)	11	29

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	265	LEU
1	A	268	LEU
1	A	271	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	275	GLU
1	A	318	LEU
1	A	321	GLU
1	A	339	LEU
1	A	345	LEU
1	A	355	LYS
1	A	382	ILE
1	A	409	GLU
1	A	440	LEU
1	A	449	LEU
1	A	451	LEU
1	B	242	LEU
1	B	243	VAL
1	B	247	GLU
1	B	248	LYS
1	B	262	ILE
1	B	267	THR
1	B	270	ASP
1	B	271	LEU
1	B	275	GLU
1	B	278	VAL
1	B	303	SER
1	B	317	SER
1	B	328	ASP
1	B	331	ILE
1	B	347	ASN
1	B	390	LYS
1	B	451	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	336	GLN
1	A	346	ASN
1	A	347	ASN
1	A	392	GLN
1	A	433	GLN
1	A	437	ASN
1	B	336	GLN
1	B	346	ASN
1	B	392	GLN
1	B	437	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	691	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	222/230 (96%)	-0.50	0 100 100	48, 69, 94, 106	0
1	B	222/230 (96%)	-0.11	4 (1%) 67 65	48, 82, 123, 131	0
2	C	10/15 (66%)	-0.09	0 100 100	83, 87, 92, 94	0
2	D	11/15 (73%)	0.86	2 (18%) 3 3	106, 112, 115, 116	0
All	All	465/490 (94%)	-0.27	6 (1%) 75 73	48, 76, 115, 131	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	697	GLY	4.2
2	D	687	HIS	3.6
1	B	338	LYS	3.2
1	B	456	ALA	2.8
1	B	294	LEU	2.6
1	B	259	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.