



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:09 AM UTC

PDB ID : 4KVD / pdb_00004kvd
Title : Crystal structure of Aspergillus terreus aristolochene synthase complexed with (4aS,7S)-1,4a-dimethyl-7-(prop-1-en-2-yl)decahydroquinolin-1-ium
Authors : Chen, M.; Faraldos, J.A.; Al-lami, N.; Janvier, M.; D'Antonio, E.L.; Cane, D.E.; Allemann, R.K.; Christianson, D.W.
Deposited on : 2013-05-22
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	
1	B	314	
1	C	314	
1	D	314	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10929 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aristolochene synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	0	0
			2454	1566	415	458	15			
1	B	304	Total	C	N	O	S	0	0	0
			2454	1566	415	458	15			
1	C	304	Total	C	N	O	S	0	0	0
			2454	1566	415	458	15			
1	D	304	Total	C	N	O	S	0	0	0
			2454	1566	415	458	15			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q9UR08
A	2	HIS	-	expression tag	UNP Q9UR08
A	3	HIS	-	expression tag	UNP Q9UR08
A	4	HIS	-	expression tag	UNP Q9UR08
A	5	HIS	-	expression tag	UNP Q9UR08
A	6	HIS	-	expression tag	UNP Q9UR08
A	7	HIS	-	expression tag	UNP Q9UR08
B	1	MET	-	expression tag	UNP Q9UR08
B	2	HIS	-	expression tag	UNP Q9UR08
B	3	HIS	-	expression tag	UNP Q9UR08
B	4	HIS	-	expression tag	UNP Q9UR08
B	5	HIS	-	expression tag	UNP Q9UR08
B	6	HIS	-	expression tag	UNP Q9UR08
B	7	HIS	-	expression tag	UNP Q9UR08
C	1	MET	-	expression tag	UNP Q9UR08
C	2	HIS	-	expression tag	UNP Q9UR08
C	3	HIS	-	expression tag	UNP Q9UR08
C	4	HIS	-	expression tag	UNP Q9UR08
C	5	HIS	-	expression tag	UNP Q9UR08
C	6	HIS	-	expression tag	UNP Q9UR08
C	7	HIS	-	expression tag	UNP Q9UR08

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	MET	-	expression tag	UNP Q9UR08
D	2	HIS	-	expression tag	UNP Q9UR08
D	3	HIS	-	expression tag	UNP Q9UR08
D	4	HIS	-	expression tag	UNP Q9UR08
D	5	HIS	-	expression tag	UNP Q9UR08
D	6	HIS	-	expression tag	UNP Q9UR08
D	7	HIS	-	expression tag	UNP Q9UR08

- Molecule 2 is PYROPHOSPHATE 2- (CCD ID: POP) (formula: $\text{H}_2\text{O}_7\text{P}_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O P 9 7 2	0	0
2	B	1	Total O P 9 7 2	0	0
2	C	1	Total O P 9 7 2	0	0
2	D	1	Total O P 9 7 2	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	4	Total Mg 4 4	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Mg	0	0
			3	3		
3	C	3	Total	Mg	0	0
			3	3		
3	D	3	Total	Mg	0	0
			3	3		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is (1R,4aS,7S,8aR)-1,4a-dimethyl-7-(prop-1-en-2-yl)decahydroquinolinium (CCD ID: 1SS) (formula: $C_{14}H_{26}N$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	N	0	0
			15	14	1		
5	B	1	Total	C	N	0	0
			15	14	1		
5	C	1	Total	C	N	0	0
			15	14	1		
5	D	1	Total	C	N	0	0
			15	14	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	298	Total	O	0	0
			298	298		
6	B	339	Total	O	0	0
			339	339		
6	C	207	Total	O	0	0
			207	207		
6	D	136	Total	O	0	0
			136	136		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aristolochene synthase




- Molecule 1: Aristolochene synthase




- Molecule 1: Aristolochene synthase



- Molecule 1: Aristolochene synthase





4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	122.79Å 122.79Å 202.53Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.40 50.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (50.00-2.40) 99.7 (50.00-2.40)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.03 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1370)	Depositor
R, R_{free}	0.174 , 0.212 0.175 , 0.212	Depositor DCC
R_{free} test set	3517 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	24.2	Xtriage
Anisotropy	0.264	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10929	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, 1SS, POP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/2509	0.68	2/3396 (0.1%)
1	B	0.30	0/2509	0.68	2/3396 (0.1%)
1	C	0.29	0/2509	0.68	0/3396
1	D	0.29	0/2509	0.69	2/3396 (0.1%)
All	All	0.29	0/10036	0.69	6/13584 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	116	ILE	CA-C-N	5.36	124.82	119.24
1	A	116	ILE	C-N-CA	5.36	124.82	119.24
1	B	116	ILE	CA-C-N	5.18	124.63	119.24
1	B	116	ILE	C-N-CA	5.18	124.63	119.24
1	D	116	ILE	CA-C-N	5.14	124.59	119.24
1	D	116	ILE	C-N-CA	5.14	124.59	119.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2454	0	2426	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2454	0	2426	18	0
1	C	2454	0	2426	19	0
1	D	2454	0	2426	18	0
2	A	9	0	0	2	0
2	B	9	0	0	2	0
2	C	9	0	0	1	0
2	D	9	0	0	2	0
3	A	4	0	0	0	0
3	B	3	0	0	0	0
3	C	3	0	0	0	0
3	D	3	0	0	0	0
4	A	12	0	16	0	0
4	B	6	0	8	0	0
4	C	6	0	8	0	0
5	A	15	0	26	2	0
5	B	15	0	26	4	0
5	C	15	0	26	3	0
5	D	15	0	26	4	0
6	A	298	0	0	1	0
6	B	339	0	0	1	0
6	C	207	0	0	1	0
6	D	136	0	0	0	0
All	All	10929	0	9840	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:165:TYR:CZ	1:B:169:ARG:HG3	2.23	0.74
1:C:165:TYR:CZ	1:C:169:ARG:HG3	2.25	0.71
1:B:35:LEU:O	1:B:46:ARG:NH2	2.26	0.68
1:A:165:TYR:CZ	1:A:169:ARG:HG3	2.29	0.67
1:D:165:TYR:CZ	1:D:169:ARG:HG3	2.31	0.65
1:D:194:GLU:HB3	1:D:285:LEU:HD11	1.80	0.64
1:A:107:ARG:NH1	6:A:706:HOH:O	2.34	0.58
1:B:15:PHE:HB3	1:B:297:SER:HB3	1.90	0.54
1:B:81:PHE:CE2	5:B:401:1SS:H1	2.43	0.53
1:C:57:VAL:HG22	1:C:302:TRP:CE2	2.43	0.53
1:D:222:LEU:HD22	1:D:226:LYS:HE3	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:81:PHE:CE2	5:D:405:1SS:H1	2.46	0.51
1:B:169:ARG:NH2	2:B:402:POP:O1	2.35	0.50
1:C:81:PHE:CE2	5:C:406:1SS:H1	2.46	0.50
1:C:222:LEU:HD22	1:C:226:LYS:HE3	1.93	0.50
1:B:235:LEU:HD23	1:B:240:GLN:HG3	1.94	0.50
1:C:260:MET:HE2	1:D:256:VAL:HG11	1.95	0.49
1:D:117:PRO:HA	1:D:120:TYR:CE2	2.47	0.49
1:C:117:PRO:HA	1:C:120:TYR:CE2	2.49	0.48
1:D:169:ARG:HH22	2:D:401:POP:P1	2.36	0.48
1:C:46:ARG:NH1	6:C:589:HOH:O	2.38	0.48
1:C:248:VAL:HG13	1:C:252:ALA:HB3	1.95	0.48
1:B:222:LEU:HD22	1:B:226:LYS:HE3	1.94	0.48
1:D:81:PHE:CZ	5:D:405:1SS:H1	2.49	0.48
1:A:81:PHE:CZ	5:A:408:1SS:H1	2.49	0.48
1:B:117:PRO:HA	1:B:120:TYR:CE2	2.50	0.47
1:C:143:PRO:HB3	1:C:176:GLU:HB3	1.96	0.47
1:D:169:ARG:NH2	2:D:401:POP:O3	2.42	0.47
1:A:247:ASP:HB2	1:B:207:LYS:HE2	1.97	0.47
1:C:169:ARG:NH2	2:C:401:POP:O3	2.41	0.46
1:D:293:GLU:HA	1:D:296:MET:HE3	1.98	0.46
1:B:81:PHE:CZ	5:B:401:1SS:H1	2.52	0.45
1:B:240:GLN:HE21	1:B:240:GLN:HB3	1.59	0.45
1:A:117:PRO:HA	1:A:120:TYR:CE2	2.52	0.45
1:C:114:ARG:NH2	1:C:124:ASP:OD1	2.50	0.44
1:D:16:GLN:HA	1:D:17:PRO:HD3	1.79	0.44
1:A:260:MET:HE2	1:B:256:VAL:HG21	1.99	0.44
1:D:65:ALA:HB1	1:D:185:SER:HB2	1.99	0.44
5:C:406:1SS:H13	5:C:406:1SS:H24	1.81	0.44
1:C:293:GLU:HA	1:C:296:MET:HE3	1.99	0.43
5:D:405:1SS:H13	5:D:405:1SS:H15	1.77	0.43
1:A:57:VAL:HB	1:A:302:TRP:CD2	2.53	0.43
1:A:169:ARG:HH22	2:A:401:POP:P1	2.41	0.43
1:D:125:LEU:O	1:D:129:MET:HG3	2.18	0.43
5:B:401:1SS:H13	5:B:401:1SS:H15	1.75	0.43
1:A:169:ARG:NH2	2:A:401:POP:O3	2.46	0.43
1:A:285:LEU:HD12	1:A:285:LEU:HA	1.80	0.42
1:B:101:LYS:HB2	1:B:101:LYS:HE3	1.77	0.42
1:C:20:HIS:HA	1:C:21:PRO:HD3	1.90	0.42
1:A:197:ARG:HD3	1:A:280:LEU:HB3	2.01	0.42
1:C:114:ARG:HH22	1:C:124:ASP:CG	2.27	0.42
1:D:177:LEU:O	1:D:181:LEU:HB2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:HIS:HA	1:A:21:PRO:HD3	1.90	0.42
5:B:401:1SS:H17	2:B:402:POP:O	2.20	0.42
1:A:114:ARG:NH2	1:A:124:ASP:OD1	2.48	0.42
1:D:173:VAL:O	5:D:405:1SS:H10	2.20	0.42
1:C:40:PHE:HA	1:C:41:PRO:HD3	1.93	0.41
1:B:51:ALA:HB1	1:B:307:LEU:HD12	2.02	0.41
1:B:165:TYR:CE2	1:B:169:ARG:HG3	2.54	0.41
1:B:57:VAL:HB	1:B:302:TRP:CG	2.55	0.41
1:C:175:LYS:HG2	1:C:206:SER:HB2	2.02	0.41
1:D:90:MET:HB3	1:D:94:GLU:HB2	2.01	0.41
1:C:57:VAL:HG22	1:C:302:TRP:NE1	2.35	0.41
1:D:276:SER:HA	1:D:281:GLU:HB2	2.02	0.41
1:B:69:ARG:HD2	6:B:785:HOH:O	2.20	0.41
1:B:11:PRO:HB2	1:B:262:ARG:HG3	2.03	0.41
1:D:15:PHE:HB3	1:D:297:SER:HB3	2.03	0.41
1:A:293:GLU:HA	1:A:296:MET:HE3	2.02	0.40
5:A:408:1SS:H15	5:A:408:1SS:H13	1.79	0.40
5:C:406:1SS:H13	5:C:406:1SS:H15	1.78	0.40
1:C:121:ILE:O	1:C:125:LEU:HB2	2.22	0.40
1:C:198:VAL:HG12	1:C:201:ILE:HD12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	302/314 (96%)	300 (99%)	2 (1%)	0	100	100
1	B	302/314 (96%)	298 (99%)	4 (1%)	0	100	100
1	C	302/314 (96%)	296 (98%)	6 (2%)	0	100	100
1	D	302/314 (96%)	298 (99%)	4 (1%)	0	100	100
All	All	1208/1256 (96%)	1192 (99%)	16 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/276 (96%)	248 (93%)	18 (7%)	14	25
1	B	266/276 (96%)	255 (96%)	11 (4%)	27	46
1	C	266/276 (96%)	254 (96%)	12 (4%)	24	42
1	D	266/276 (96%)	257 (97%)	9 (3%)	32	54
All	All	1064/1104 (96%)	1014 (95%)	50 (5%)	23	41

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	LEU
1	A	28	LYS
1	A	86	LEU
1	A	125	LEU
1	A	134	ARG
1	A	169	ARG
1	A	173	VAL
1	A	177	LEU
1	A	188	LEU
1	A	196	GLN
1	A	237	THR
1	A	247	ASP
1	A	258	PHE
1	A	266	LEU
1	A	281	GLU
1	A	285	LEU
1	A	301	LEU
1	A	307	LEU
1	B	86	LEU
1	B	125	LEU
1	B	167	GLU
1	B	169	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	181	LEU
1	B	222	LEU
1	B	240	GLN
1	B	258	PHE
1	B	260	MET
1	B	285	LEU
1	B	301	LEU
1	C	57	VAL
1	C	111	LEU
1	C	125	LEU
1	C	169	ARG
1	C	181	LEU
1	C	188	LEU
1	C	222	LEU
1	C	248	VAL
1	C	258	PHE
1	C	278	GLU
1	C	285	LEU
1	C	301	LEU
1	D	125	LEU
1	D	167	GLU
1	D	169	ARG
1	D	173	VAL
1	D	177	LEU
1	D	181	LEU
1	D	222	LEU
1	D	258	PHE
1	D	301	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	204	ASN
1	A	240	GLN
1	A	244	GLN
1	B	204	ASN
1	B	240	GLN
1	B	244	GLN
1	B	304	GLN
1	C	204	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 25 ligands modelled in this entry, 13 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	1SS	D	405	-	16,16,16	0.71	0	18,24,24	1.71	2 (11%)
5	1SS	A	408	-	16,16,16	0.71	1 (6%)	18,24,24	1.51	3 (16%)
2	POP	D	401	3	6,8,8	0.76	0	12,13,13	0.97	0
2	POP	C	401	3	6,8,8	0.77	0	12,13,13	1.03	0
2	POP	A	401	3	6,8,8	0.78	0	12,13,13	1.02	0
4	GOL	B	406	-	5,5,5	0.36	0	5,5,5	0.31	0
5	1SS	C	406	-	16,16,16	0.70	1 (6%)	18,24,24	1.52	2 (11%)
4	GOL	A	405	-	5,5,5	0.35	0	5,5,5	0.33	0
5	1SS	B	401	-	16,16,16	0.69	0	18,24,24	1.75	2 (11%)
2	POP	B	402	3	6,8,8	0.85	0	12,13,13	1.06	0
4	GOL	C	405	-	5,5,5	0.38	0	5,5,5	0.26	0
4	GOL	A	406	-	5,5,5	0.38	0	5,5,5	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	1SS	D	405	-	-	0/4/31/31	0/2/2/2
5	1SS	A	408	-	-	0/4/31/31	0/2/2/2
2	POP	D	401	3	-	0/6/6/6	-
2	POP	C	401	3	-	0/6/6/6	-
2	POP	A	401	3	-	0/6/6/6	-
4	GOL	B	406	-	-	2/4/4/4	-
5	1SS	C	406	-	-	0/4/31/31	0/2/2/2
4	GOL	A	405	-	-	2/4/4/4	-
5	1SS	B	401	-	-	2/4/31/31	0/2/2/2
2	POP	B	402	3	-	0/6/6/6	-
4	GOL	C	405	-	-	4/4/4/4	-
4	GOL	A	406	-	-	2/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	406	1SS	C4-C5	-2.08	1.52	1.54
5	A	408	1SS	C4-C5	-2.06	1.52	1.54

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	401	1SS	C10-N1-C5	-5.70	106.72	112.70
5	D	405	1SS	C10-N1-C5	-5.55	106.88	112.70
5	C	406	1SS	C10-N1-C5	-4.62	107.86	112.70
5	A	408	1SS	C10-N1-C5	-4.52	107.96	112.70
5	B	401	1SS	C2-C3-C4	-3.25	109.05	113.60
5	D	405	1SS	C2-C3-C4	-3.12	109.23	113.60
5	C	406	1SS	C2-C3-C4	-2.75	109.76	113.60
5	A	408	1SS	C2-C3-C4	-2.51	110.10	113.60
5	A	408	1SS	C1-N1-C5	-2.11	110.02	112.07

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	405	GOL	C1-C2-C3-O3
4	B	406	GOL	O1-C1-C2-C3
4	C	405	GOL	O1-C1-C2-C3
4	C	405	GOL	O2-C2-C3-O3
4	A	406	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	C	405	GOL	C1-C2-C3-O3
4	A	405	GOL	O2-C2-C3-O3
4	A	406	GOL	O1-C1-C2-O2
4	C	405	GOL	O1-C1-C2-O2
4	B	406	GOL	O1-C1-C2-O2
5	B	401	1SS	C13-C12-C8-C7
5	B	401	1SS	C14-C12-C8-C7

There are no ring outliers.

8 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	405	1SS	4	0
5	A	408	1SS	2	0
2	D	401	POP	2	0
2	C	401	POP	1	0
2	A	401	POP	2	0
5	C	406	1SS	3	0
5	B	401	1SS	4	0
2	B	402	POP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/314 (96%)	-0.63	0 100 100	13, 20, 36, 52	0
1	B	304/314 (96%)	-0.72	0 100 100	11, 18, 30, 52	0
1	C	304/314 (96%)	-0.43	1 (0%) 90 88	16, 26, 42, 69	0
1	D	304/314 (96%)	0.15	11 (3%) 46 42	22, 36, 69, 86	0
All	All	1216/1256 (96%)	-0.41	12 (0%) 79 76	11, 24, 48, 86	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	280	LEU	3.3
1	D	272	VAL	2.9
1	C	8	LEU	2.9
1	D	279	GLY	2.8
1	D	283	PRO	2.8
1	D	275	LEU	2.7
1	D	273	ALA	2.6
1	D	111	LEU	2.6
1	D	285	LEU	2.3
1	D	195	LEU	2.2
1	D	282	THR	2.1
1	D	311	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	B	406	6/6	0.62	0.19	36,55,62,64	0
5	1SS	C	406	15/15	0.81	0.24	35,45,57,66	0
5	1SS	B	401	15/15	0.82	0.24	32,41,50,53	0
5	1SS	D	405	15/15	0.82	0.23	37,47,59,69	0
5	1SS	A	408	15/15	0.83	0.19	34,36,43,43	0
4	GOL	A	405	6/6	0.85	0.15	20,27,35,41	0
3	MG	C	404	1/1	0.88	0.07	25,25,25,25	0
4	GOL	A	406	6/6	0.93	0.11	24,31,41,46	0
3	MG	D	404	1/1	0.93	0.06	33,33,33,33	0
4	GOL	C	405	6/6	0.96	0.08	23,28,38,44	0
3	MG	C	403	1/1	0.97	0.06	29,29,29,29	0
3	MG	B	404	1/1	0.97	0.05	17,17,17,17	0
3	MG	D	402	1/1	0.97	0.08	25,25,25,25	0
2	POP	D	401	9/9	0.98	0.05	14,22,25,29	0
2	POP	C	401	9/9	0.98	0.05	18,23,28,28	0
3	MG	B	405	1/1	0.98	0.03	14,14,14,14	0
3	MG	C	402	1/1	0.98	0.05	24,24,24,24	0
2	POP	A	401	9/9	0.99	0.04	11,14,19,21	0
2	POP	B	402	9/9	0.99	0.04	10,12,13,19	0
3	MG	A	402	1/1	0.99	0.09	16,16,16,16	1
3	MG	A	403	1/1	0.99	0.03	16,16,16,16	0
3	MG	A	404	1/1	0.99	0.03	17,17,17,17	0
3	MG	A	407	1/1	0.99	0.02	28,28,28,28	0
3	MG	D	403	1/1	0.99	0.04	25,25,25,25	0
3	MG	B	403	1/1	0.99	0.06	17,17,17,17	0

6.5 Other polymers ⓘ

There are no such residues in this entry.