



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:32 PM UTC

PDB ID : 4KWW / pdb_00004kww
Title : The crystal structure of human quinolinic acid phosphoribosyltransferase in complex with its inhibitor phthalic acid
Authors : Malik, S.S.; Dimeka, P.N.; Ncube, Z.; Toth, E.A.
Deposited on : 2013-05-24
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	83%10%• 5%
1	B	301	% 83%11%• 5%
1	C	301	% 84%9%• 5%
1	D	301	% 86%7%• 6%
1	E	301	2% 83%10%• 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	301	86% 8%5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12448 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nicotinate-nucleotide pyrophosphorylase [carboxylating].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	285	Total	C	N	O	S	0	0	0
			2039	1303	351	376	9			
1	B	285	Total	C	N	O	S	0	0	0
			2017	1291	345	372	9			
1	C	285	Total	C	N	O	S	0	0	0
			2038	1302	352	375	9			
1	D	284	Total	C	N	O	S	0	0	0
			2032	1300	349	374	9			
1	E	284	Total	C	N	O	S	0	0	0
			2042	1305	353	375	9			
1	F	285	Total	C	N	O	S	0	0	0
			2003	1282	343	369	9			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP Q15274
A	-2	PRO	-	expression tag	UNP Q15274
A	-1	GLY	-	expression tag	UNP Q15274
A	0	SER	-	expression tag	UNP Q15274
B	-3	GLY	-	expression tag	UNP Q15274
B	-2	PRO	-	expression tag	UNP Q15274
B	-1	GLY	-	expression tag	UNP Q15274
B	0	SER	-	expression tag	UNP Q15274
C	-3	GLY	-	expression tag	UNP Q15274
C	-2	PRO	-	expression tag	UNP Q15274
C	-1	GLY	-	expression tag	UNP Q15274
C	0	SER	-	expression tag	UNP Q15274
D	-3	GLY	-	expression tag	UNP Q15274
D	-2	PRO	-	expression tag	UNP Q15274
D	-1	GLY	-	expression tag	UNP Q15274
D	0	SER	-	expression tag	UNP Q15274
E	-3	GLY	-	expression tag	UNP Q15274

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	PRO	-	expression tag	UNP Q15274
E	-1	GLY	-	expression tag	UNP Q15274
E	0	SER	-	expression tag	UNP Q15274
F	-3	GLY	-	expression tag	UNP Q15274
F	-2	PRO	-	expression tag	UNP Q15274
F	-1	GLY	-	expression tag	UNP Q15274
F	0	SER	-	expression tag	UNP Q15274

- Molecule 2 is PHTHALIC ACID (CCD ID: PHT) (formula: $C_8H_6O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	8	4		
2	B	1	Total	C	O	0	0
			12	8	4		
2	C	1	Total	C	O	0	0
			12	8	4		
2	D	1	Total	C	O	0	0
			12	8	4		
2	E	1	Total	C	O	0	0
			12	8	4		
2	F	1	Total	C	O	0	0
			12	8	4		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	30	Total 30	O 30	0	0
3	B	27	Total 27	O 27	0	0
3	C	40	Total 40	O 40	0	0
3	D	47	Total 47	O 47	0	0
3	E	29	Total 29	O 29	0	0
3	F	32	Total 32	O 32	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nicotinate-nucleotide pyrophosphorylase [carboxylating]

Chain A: 




- Molecule 1: Nicotinate-nucleotide pyrophosphorylase [carboxylating]

Chain B: 




- Molecule 1: Nicotinate-nucleotide pyrophosphorylase [carboxylating]

Chain C: 





- Molecule 1: Nicotinate-nucleotide pyrophosphorylase [carboxylating]



Chain D: 



● Molecule 1: Nicotinate-nucleotide pyrophosphorylase [carboxylating]



● Molecule 1: Nicotinate-nucleotide pyrophosphorylase [carboxylating]



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	179.84Å 179.84Å 121.37Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	155.74 – 2.55 155.74 – 2.55	Depositor EDS
% Data completeness (in resolution range)	99.7 (155.74-2.55) 99.7 (155.74-2.55)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.17	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.45 (at 2.54Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.195 , 0.231 0.193 , 0.228	Depositor DCC
R_{free} test set	3708 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	33.8	Xtriage
Anisotropy	0.157	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 26.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.018 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12448	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PHT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	1/2081 (0.0%)	1.02	1/2846 (0.0%)
1	B	1.08	7/2060 (0.3%)	1.04	1/2820 (0.0%)
1	C	1.12	3/2081 (0.1%)	1.05	4/2846 (0.1%)
1	D	1.13	1/2075 (0.0%)	1.09	0/2837
1	E	1.11	3/2085 (0.1%)	1.02	0/2849
1	F	1.04	0/2045	1.01	3/2802 (0.1%)
All	All	1.10	15/12427 (0.1%)	1.04	9/17000 (0.1%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	47	TRP	NE1-CE2	-6.51	1.30	1.37
1	B	46	LEU	C-O	-6.47	1.16	1.24
1	E	133	HIS	CG-ND1	-5.81	1.31	1.38
1	C	230	HIS	CG-ND1	-5.80	1.31	1.38
1	D	27	CYS	C-O	-5.73	1.17	1.24
1	B	90	VAL	C-O	-5.67	1.18	1.24
1	B	101	GLU	C-O	-5.59	1.17	1.24
1	B	103	VAL	C-O	-5.45	1.17	1.24
1	E	263	HIS	CG-ND1	-5.39	1.32	1.38
1	B	43	GLN	CA-C	-5.30	1.46	1.52
1	C	263	HIS	CD2-NE2	-5.24	1.32	1.37
1	B	259	PHE	C-O	-5.10	1.17	1.24
1	C	230	HIS	CD2-NE2	-5.07	1.32	1.37
1	B	91	ARG	C-O	-5.02	1.18	1.23
1	A	236	LEU	C-O	-5.01	1.18	1.24

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	225	LYS	N-CA-C	-6.83	101.45	109.93
1	C	229	LEU	N-CA-C	6.54	118.06	111.07
1	F	167	LEU	CB-CA-C	6.35	121.10	110.43
1	F	167	LEU	N-CA-C	-5.86	99.39	108.42
1	C	3	ALA	N-CA-C	5.70	117.49	111.28
1	F	3	ALA	N-CA-C	5.59	118.30	111.82
1	B	193	ASP	CB-CA-C	-5.56	101.98	109.71
1	C	64	PHE	N-CA-C	5.24	117.07	111.36
1	C	225	LYS	N-CA-C	-5.05	102.87	110.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2039	0	2022	19	0
1	B	2017	0	1990	27	0
1	C	2038	0	2027	19	0
1	D	2032	0	2027	19	0
1	E	2042	0	2044	20	0
1	F	2003	0	1977	18	0
2	A	12	0	4	0	0
2	B	12	0	4	0	0
2	C	12	0	4	0	0
2	D	12	0	4	0	0
2	E	12	0	4	0	0
2	F	12	0	4	0	0
3	A	30	0	0	1	0
3	B	27	0	0	2	0
3	C	40	0	0	2	0
3	D	47	0	0	8	0
3	E	29	0	0	5	0
3	F	32	0	0	3	0
All	All	12448	0	12111	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 5.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:42:SER:HB2	3:D:441:HOH:O	1.37	1.23
1:E:258:GLN:HG2	3:E:425:HOH:O	1.38	1.22
1:B:220:LEU:CD1	1:B:246:GLU:HG2	1.77	1.14
1:D:87:VAL:HG22	3:D:431:HOH:O	1.45	1.13
1:E:264:ILE:HD13	1:E:264:ILE:N	1.69	1.06
1:B:220:LEU:HD13	1:B:246:GLU:CG	1.90	1.01
1:B:220:LEU:HD13	1:B:246:GLU:HG2	1.39	1.00
1:D:97:LEU:HD12	3:D:441:HOH:O	1.61	1.00
1:D:94:ALA:HA	3:D:441:HOH:O	1.76	0.86
1:A:183:LYS:CD	1:A:183:LYS:NZ	2.39	0.86
1:E:263:HIS:C	1:E:264:ILE:HD13	1.99	0.85
1:F:271:MET:HB3	3:F:428:HOH:O	1.80	0.82
1:D:160:HIS:HD2	1:D:161:ARG:H	1.32	0.77
1:D:160:HIS:CD2	1:D:161:ARG:H	2.04	0.75
1:E:264:ILE:N	1:E:264:ILE:CD1	2.43	0.74
1:B:160:HIS:HD2	1:B:161:ARG:H	1.36	0.74
1:B:220:LEU:HD13	1:B:246:GLU:CD	2.12	0.74
1:D:201:GLU:HG2	1:D:220:LEU:HG	1.70	0.72
1:C:160:HIS:HD2	1:C:161:ARG:H	1.36	0.71
1:B:90:VAL:HG12	1:B:97:LEU:HD21	1.74	0.70
1:A:160:HIS:HD2	1:A:161:ARG:H	1.40	0.70
1:B:160:HIS:CD2	1:B:161:ARG:H	2.10	0.69
1:C:160:HIS:CD2	1:C:161:ARG:H	2.09	0.69
1:F:160:HIS:HD2	1:F:161:ARG:H	1.39	0.68
1:D:242:SER:HB2	3:D:401:HOH:O	1.93	0.68
1:F:68:ASN:HB3	3:F:410:HOH:O	1.93	0.68
1:E:43:GLN:HG2	3:E:408:HOH:O	1.94	0.67
1:B:90:VAL:HG12	1:B:97:LEU:CD2	2.26	0.65
1:F:220:LEU:HD12	1:F:246:GLU:CD	2.20	0.65
1:B:242:SER:HB2	3:B:406:HOH:O	1.96	0.65
1:E:160:HIS:HD2	1:E:161:ARG:H	1.43	0.65
1:A:160:HIS:CD2	1:A:161:ARG:H	2.15	0.65
1:D:172:ASP:OD1	1:D:173:ASN:N	2.30	0.65
1:F:160:HIS:CD2	1:F:161:ARG:H	2.14	0.64
1:D:90:VAL:HG12	1:D:97:LEU:HD21	1.80	0.64
1:E:160:HIS:CD2	1:E:161:ARG:H	2.15	0.63
1:D:43:GLN:CD	3:D:405:HOH:O	2.41	0.63
1:C:43:GLN:HG2	3:C:404:HOH:O	1.98	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:230:HIS:N	1:C:231:PRO:CD	2.61	0.62
1:B:220:LEU:CD1	1:B:246:GLU:CG	2.57	0.61
1:D:87:VAL:CG2	3:D:431:HOH:O	2.21	0.61
1:C:220:LEU:HD12	1:C:246:GLU:CD	2.26	0.61
1:E:220:LEU:HD12	1:E:246:GLU:CD	2.25	0.60
1:E:43:GLN:CG	3:E:408:HOH:O	2.48	0.58
1:D:9:LEU:CD2	1:F:32:TYR:HA	2.34	0.58
1:D:215:GLY:HA3	3:D:404:HOH:O	2.05	0.57
1:B:277:PRO:HD2	3:B:426:HOH:O	2.04	0.56
1:D:208:ALA:HB1	1:D:236:LEU:HD21	1.89	0.55
1:C:189:ARG:NH2	1:C:196:LEU:O	2.35	0.54
1:C:210:GLN:HG2	3:C:437:HOH:O	2.07	0.54
1:F:98:LEU:HD21	1:F:285:LEU:HD12	1.90	0.53
1:E:90:VAL:HG12	1:E:97:LEU:CD2	2.38	0.53
1:B:98:LEU:HD21	1:B:285:LEU:HD12	1.90	0.53
1:A:191:ALA:HB1	1:B:35:LEU:HD12	1.91	0.52
1:D:98:LEU:HD21	1:D:285:LEU:HD12	1.91	0.52
1:B:9:LEU:CD2	1:E:32:TYR:HA	2.39	0.52
1:A:42:SER:HB3	1:A:285:LEU:HD21	1.92	0.51
1:B:32:TYR:HA	1:C:9:LEU:CD2	2.41	0.51
1:C:286:PHE:C	1:C:286:PHE:CD1	2.89	0.51
1:D:90:VAL:HG12	1:D:97:LEU:CD2	2.40	0.51
1:C:189:ARG:O	1:C:189:ARG:HD3	2.11	0.50
1:B:220:LEU:HD11	1:B:248:SER:HB2	1.93	0.50
1:C:32:TYR:HA	1:E:9:LEU:CD2	2.42	0.49
1:B:90:VAL:CG1	1:B:97:LEU:CD2	2.90	0.49
1:E:135:ALA:O	1:E:268:SER:HA	2.12	0.49
1:F:286:PHE:C	1:F:286:PHE:CD1	2.90	0.49
1:E:43:GLN:NE2	3:E:408:HOH:O	2.46	0.48
1:E:13:VAL:HB	3:E:416:HOH:O	2.12	0.48
1:A:201:GLU:HG3	1:A:220:LEU:HG	1.96	0.47
1:E:90:VAL:HG12	1:E:97:LEU:HD21	1.96	0.47
1:D:42:SER:HB3	1:D:285:LEU:HD21	1.95	0.47
1:F:90:VAL:HG12	1:F:97:LEU:HD21	1.95	0.47
1:A:286:PHE:CD1	1:A:286:PHE:C	2.93	0.47
1:C:90:VAL:HG12	1:C:97:LEU:CD2	2.45	0.46
1:C:57:GLN:HG3	1:C:77:GLU:OE1	2.15	0.46
1:F:90:VAL:HG12	1:F:97:LEU:CD2	2.46	0.46
1:F:220:LEU:HD21	1:F:248:SER:HB3	1.98	0.45
1:C:90:VAL:HG12	1:C:97:LEU:HD21	1.98	0.45
1:B:220:LEU:HD12	1:B:246:GLU:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:GLN:HG2	1:A:73:TRP:CZ2	2.52	0.45
1:E:109:ALA:HB1	1:E:278:ALA:HB1	2.00	0.45
1:A:163:ASP:HB2	1:B:26:ASP:O	2.17	0.44
1:C:98:LEU:HD21	1:C:285:LEU:HD12	1.99	0.44
1:A:55:ALA:HB2	1:A:154:VAL:HG11	2.00	0.44
1:A:90:VAL:HG12	1:A:97:LEU:CD2	2.48	0.43
1:C:43:GLN:HG3	1:C:91:ARG:HG2	1.99	0.43
1:F:42:SER:HB3	1:F:285:LEU:HD21	2.00	0.43
1:F:271:MET:CB	3:F:428:HOH:O	2.51	0.43
1:A:199:GLU:OE2	1:A:246:GLU:OE1	2.36	0.43
1:C:42:SER:HB3	1:C:285:LEU:HD21	2.00	0.43
1:B:160:HIS:HE1	1:B:246:GLU:OE1	2.01	0.43
1:B:220:LEU:HD12	1:B:246:GLU:C	2.44	0.43
1:B:220:LEU:HD12	1:B:246:GLU:HG2	1.85	0.43
1:A:242:SER:HB2	3:A:403:HOH:O	2.19	0.42
1:F:161:ARG:HD3	1:F:167:LEU:HD23	2.01	0.42
1:C:237:LYS:HG3	1:C:263:HIS:HB3	2.02	0.42
1:F:135:ALA:O	1:F:268:SER:HA	2.20	0.42
1:A:161:ARG:HD3	1:A:167:LEU:HD23	2.02	0.42
1:D:90:VAL:CG1	1:D:97:LEU:CD2	2.98	0.42
1:B:286:PHE:CD1	1:B:286:PHE:C	2.98	0.42
1:E:220:LEU:HD21	1:E:248:SER:HB3	2.02	0.41
1:E:163:ASP:HB2	1:F:26:ASP:O	2.21	0.41
1:A:98:LEU:HD21	1:A:285:LEU:HD12	2.02	0.41
1:A:43:GLN:HG3	1:A:91:ARG:HG2	2.03	0.41
1:B:42:SER:HB3	1:B:285:LEU:HD21	2.01	0.41
1:C:230:HIS:N	1:C:231:PRO:HD2	2.35	0.41
1:A:26:ASP:O	1:B:163:ASP:HB2	2.21	0.41
1:A:255:ASN:OD1	1:A:255:ASN:C	2.64	0.41
1:B:195:THR:O	1:F:197:LYS:HD2	2.20	0.41
1:F:11:PRO:HG2	1:F:14:THR:HB	2.03	0.41
1:B:57:GLN:HG2	1:B:73:TRP:CZ2	2.57	0.40
1:E:255:ASN:OD1	1:E:255:ASN:C	2.64	0.40
1:A:135:ALA:O	1:A:268:SER:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/301 (94%)	282 (100%)	1 (0%)	0	100	100
1	B	283/301 (94%)	281 (99%)	2 (1%)	0	100	100
1	C	283/301 (94%)	281 (99%)	2 (1%)	0	100	100
1	D	282/301 (94%)	278 (99%)	4 (1%)	0	100	100
1	E	282/301 (94%)	278 (99%)	4 (1%)	0	100	100
1	F	283/301 (94%)	280 (99%)	3 (1%)	0	100	100
All	All	1696/1806 (94%)	1680 (99%)	16 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/222 (90%)	191 (96%)	8 (4%)	28	42
1	B	195/222 (88%)	187 (96%)	8 (4%)	27	41
1	C	200/222 (90%)	194 (97%)	6 (3%)	36	53
1	D	200/222 (90%)	192 (96%)	8 (4%)	28	42
1	E	202/222 (91%)	190 (94%)	12 (6%)	18	27
1	F	193/222 (87%)	187 (97%)	6 (3%)	35	53
All	All	1189/1332 (89%)	1141 (96%)	48 (4%)	28	42

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	LEU
1	A	18	LEU
1	A	159	SER
1	A	167	LEU
1	A	182	GLU
1	A	189	ARG
1	A	220	LEU
1	A	285	LEU
1	B	2	ASP
1	B	15	LEU
1	B	18	LEU
1	B	159	SER
1	B	167	LEU
1	B	182	GLU
1	B	258	GLN
1	B	285	LEU
1	C	15	LEU
1	C	18	LEU
1	C	159	SER
1	C	167	LEU
1	C	189	ARG
1	C	285	LEU
1	D	15	LEU
1	D	18	LEU
1	D	159	SER
1	D	167	LEU
1	D	213	GLU
1	D	220	LEU
1	D	236	LEU
1	D	285	LEU
1	E	15	LEU
1	E	18	LEU
1	E	159	SER
1	E	167	LEU
1	E	182	GLU
1	E	189	ARG
1	E	228	GLU
1	E	236	LEU
1	E	242	SER
1	E	264	ILE
1	E	284	LYS
1	E	285	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	2	ASP
1	F	15	LEU
1	F	18	LEU
1	F	159	SER
1	F	167	LEU
1	F	285	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	GLN
1	A	66	GLN
1	A	95	HIS
1	A	160	HIS
1	A	274	GLN
1	B	31	ASN
1	B	66	GLN
1	B	160	HIS
1	C	43	GLN
1	C	66	GLN
1	C	160	HIS
1	C	210	GLN
1	D	66	GLN
1	D	95	HIS
1	D	160	HIS
1	D	210	GLN
1	D	223	ASN
1	E	43	GLN
1	E	66	GLN
1	E	95	HIS
1	E	160	HIS
1	F	43	GLN
1	F	66	GLN
1	F	160	HIS
1	F	263	HIS
1	F	274	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	PHT	E	300	-	12,12,12	2.02	1 (8%)	16,16,16	1.20	2 (12%)
2	PHT	C	300	-	12,12,12	1.92	1 (8%)	16,16,16	1.05	0
2	PHT	B	300	-	12,12,12	2.14	1 (8%)	16,16,16	0.95	0
2	PHT	A	300	-	12,12,12	2.24	2 (16%)	16,16,16	1.25	2 (12%)
2	PHT	D	300	-	12,12,12	2.10	1 (8%)	16,16,16	0.96	0
2	PHT	F	300	-	12,12,12	2.09	1 (8%)	16,16,16	1.15	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PHT	E	300	-	-	2/8/8/8	0/1/1/1
2	PHT	C	300	-	-	2/8/8/8	0/1/1/1
2	PHT	B	300	-	-	2/8/8/8	0/1/1/1
2	PHT	A	300	-	-	4/8/8/8	0/1/1/1
2	PHT	D	300	-	-	2/8/8/8	0/1/1/1
2	PHT	F	300	-	-	4/8/8/8	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	300	PHT	C3-C2	6.39	1.51	1.40
2	E	300	PHT	C3-C2	6.14	1.50	1.40
2	D	300	PHT	C3-C2	6.14	1.50	1.40
2	A	300	PHT	C3-C2	5.90	1.50	1.40
2	F	300	PHT	C3-C2	5.90	1.50	1.40
2	C	300	PHT	C3-C2	5.43	1.49	1.40
2	A	300	PHT	C5-C4	2.74	1.43	1.38

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	300	PHT	C4-C3-C2	-2.89	116.02	119.26
2	A	300	PHT	C4-C3-C2	-2.64	116.30	119.26
2	E	300	PHT	C6-C5-C4	2.48	123.30	120.24
2	E	300	PHT	O9-C7-C3	2.30	121.83	115.28
2	A	300	PHT	C1-C2-C3	2.18	121.70	119.26

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	300	PHT	O11-C10-C2-C1
2	A	300	PHT	O12-C10-C2-C1
2	F	300	PHT	O12-C10-C2-C1
2	F	300	PHT	O11-C10-C2-C1
2	C	300	PHT	O11-C10-C2-C1
2	B	300	PHT	O12-C10-C2-C1
2	B	300	PHT	O11-C10-C2-C1
2	C	300	PHT	O12-C10-C2-C1
2	D	300	PHT	O12-C10-C2-C1
2	E	300	PHT	O12-C10-C2-C1
2	D	300	PHT	O11-C10-C2-C1
2	E	300	PHT	O11-C10-C2-C1
2	A	300	PHT	O11-C10-C2-C3
2	A	300	PHT	O12-C10-C2-C3
2	F	300	PHT	O12-C10-C2-C3
2	F	300	PHT	O11-C10-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/301 (94%)	-0.33	1 (0%) 88 90	17, 29, 45, 67	0
1	B	285/301 (94%)	-0.07	2 (0%) 84 86	18, 34, 61, 69	0
1	C	285/301 (94%)	-0.40	3 (1%) 78 79	15, 27, 46, 65	0
1	D	284/301 (94%)	-0.42	3 (1%) 78 79	15, 26, 41, 63	0
1	E	284/301 (94%)	-0.23	5 (1%) 67 68	18, 32, 52, 72	0
1	F	285/301 (94%)	-0.30	1 (0%) 88 90	18, 31, 44, 74	0
All	All	1708/1806 (94%)	-0.29	15 (0%) 81 83	15, 29, 51, 74	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	286	PHE	3.5
1	A	2	ASP	3.2
1	B	227	GLU	3.0
1	D	205	LEU	2.9
1	E	242	SER	2.8
1	D	209	VAL	2.7
1	D	131	THR	2.6
1	E	131	THR	2.6
1	B	131	THR	2.5
1	E	227	GLU	2.4
1	C	227	GLU	2.2
1	C	286	PHE	2.2
1	F	4	GLU	2.2
1	C	2	ASP	2.1
1	E	228	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PHT	B	300	12/12	0.95	0.07	33,38,41,44	0
2	PHT	D	300	12/12	0.96	0.09	27,29,33,34	0
2	PHT	E	300	12/12	0.96	0.09	27,31,36,36	0
2	PHT	F	300	12/12	0.96	0.08	29,32,39,41	0
2	PHT	C	300	12/12	0.97	0.06	22,24,28,29	0
2	PHT	A	300	12/12	0.97	0.07	26,28,31,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.