



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 05:16 PM UTC

PDB ID : 7KWF / pdb_00007kwf
Title : Dihydrodipicolinate synthase (DHDPS) from C.jejuni, H56N mutant with pyruvate bound in the active site and R,R-bislysine bound at the allosteric site
Authors : Saran, S.; Sanders, D.A.R.
Deposited on : 2020-11-30
Resolution : 2.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	7% 84% 12% 5%
1	B	310	8% 78% 17% 5%
1	F	310	6% 77% 17% 5%
2	C	310	10% 81% 17% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	310	7% 82% 16%
2	E	310	8% 76% 19% 5%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13867 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-hydroxy-tetrahydrodipicolinate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	S	0	0	0
			2272	1444	377	438	13			
1	B	296	Total	C	N	O	S	0	0	0
			2276	1447	378	438	13			
1	F	296	Total	C	N	O	S	0	0	0
			2274	1446	377	438	13			

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q9PPB4
A	-10	ARG	-	expression tag	UNP Q9PPB4
A	-9	GLY	-	expression tag	UNP Q9PPB4
A	-8	SER	-	expression tag	UNP Q9PPB4
A	-7	HIS	-	expression tag	UNP Q9PPB4
A	-6	HIS	-	expression tag	UNP Q9PPB4
A	-5	HIS	-	expression tag	UNP Q9PPB4
A	-4	HIS	-	expression tag	UNP Q9PPB4
A	-3	HIS	-	expression tag	UNP Q9PPB4
A	-2	HIS	-	expression tag	UNP Q9PPB4
A	-1	GLY	-	expression tag	UNP Q9PPB4
A	0	SER	-	expression tag	UNP Q9PPB4
A	56	ASN	HIS	engineered mutation	UNP Q9PPB4
B	-11	MET	-	expression tag	UNP Q9PPB4
B	-10	ARG	-	expression tag	UNP Q9PPB4
B	-9	GLY	-	expression tag	UNP Q9PPB4
B	-8	SER	-	expression tag	UNP Q9PPB4
B	-7	HIS	-	expression tag	UNP Q9PPB4
B	-6	HIS	-	expression tag	UNP Q9PPB4
B	-5	HIS	-	expression tag	UNP Q9PPB4
B	-4	HIS	-	expression tag	UNP Q9PPB4
B	-3	HIS	-	expression tag	UNP Q9PPB4
B	-2	HIS	-	expression tag	UNP Q9PPB4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	GLY	-	expression tag	UNP Q9PPB4
B	0	SER	-	expression tag	UNP Q9PPB4
B	56	ASN	HIS	engineered mutation	UNP Q9PPB4
F	-11	MET	-	expression tag	UNP Q9PPB4
F	-10	ARG	-	expression tag	UNP Q9PPB4
F	-9	GLY	-	expression tag	UNP Q9PPB4
F	-8	SER	-	expression tag	UNP Q9PPB4
F	-7	HIS	-	expression tag	UNP Q9PPB4
F	-6	HIS	-	expression tag	UNP Q9PPB4
F	-5	HIS	-	expression tag	UNP Q9PPB4
F	-4	HIS	-	expression tag	UNP Q9PPB4
F	-3	HIS	-	expression tag	UNP Q9PPB4
F	-2	HIS	-	expression tag	UNP Q9PPB4
F	-1	GLY	-	expression tag	UNP Q9PPB4
F	0	SER	-	expression tag	UNP Q9PPB4
F	56	ASN	HIS	engineered mutation	UNP Q9PPB4

- Molecule 2 is a protein called 4-hydroxy-tetrahydrodipicolinate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	305	Total	C	N	O	S	0	0	0
			2337	1481	394	448	14			
2	D	304	Total	C	N	O	S	0	0	0
			2333	1479	393	447	14			
2	E	296	Total	C	N	O	S	0	0	0
			2267	1442	376	436	13			

There are 39 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-11	MET	-	expression tag	UNP Q9PPB4
C	-10	ARG	-	expression tag	UNP Q9PPB4
C	-9	GLY	-	expression tag	UNP Q9PPB4
C	-8	SER	-	expression tag	UNP Q9PPB4
C	-7	HIS	-	expression tag	UNP Q9PPB4
C	-6	HIS	-	expression tag	UNP Q9PPB4
C	-5	HIS	-	expression tag	UNP Q9PPB4
C	-4	HIS	-	expression tag	UNP Q9PPB4
C	-3	HIS	-	expression tag	UNP Q9PPB4
C	-2	HIS	-	expression tag	UNP Q9PPB4
C	-1	GLY	-	expression tag	UNP Q9PPB4
C	0	SER	-	expression tag	UNP Q9PPB4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	56	ASN	HIS	engineered mutation	UNP Q9PPB4
D	-11	MET	-	expression tag	UNP Q9PPB4
D	-10	ARG	-	expression tag	UNP Q9PPB4
D	-9	GLY	-	expression tag	UNP Q9PPB4
D	-8	SER	-	expression tag	UNP Q9PPB4
D	-7	HIS	-	expression tag	UNP Q9PPB4
D	-6	HIS	-	expression tag	UNP Q9PPB4
D	-5	HIS	-	expression tag	UNP Q9PPB4
D	-4	HIS	-	expression tag	UNP Q9PPB4
D	-3	HIS	-	expression tag	UNP Q9PPB4
D	-2	HIS	-	expression tag	UNP Q9PPB4
D	-1	GLY	-	expression tag	UNP Q9PPB4
D	0	SER	-	expression tag	UNP Q9PPB4
D	56	ASN	HIS	engineered mutation	UNP Q9PPB4
E	-11	MET	-	expression tag	UNP Q9PPB4
E	-10	ARG	-	expression tag	UNP Q9PPB4
E	-9	GLY	-	expression tag	UNP Q9PPB4
E	-8	SER	-	expression tag	UNP Q9PPB4
E	-7	HIS	-	expression tag	UNP Q9PPB4
E	-6	HIS	-	expression tag	UNP Q9PPB4
E	-5	HIS	-	expression tag	UNP Q9PPB4
E	-4	HIS	-	expression tag	UNP Q9PPB4
E	-3	HIS	-	expression tag	UNP Q9PPB4
E	-2	HIS	-	expression tag	UNP Q9PPB4
E	-1	GLY	-	expression tag	UNP Q9PPB4
E	0	SER	-	expression tag	UNP Q9PPB4
E	56	ASN	HIS	engineered mutation	UNP Q9PPB4

- Molecule 3 is (2R,5R)-2,5-diamino-2,5-bis(4-aminobutyl)hexanedioic acid (CCD ID: 3VN) (formula: C₁₄H₃₀N₄O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			22	14	4	4		
3	C	1	Total	C	N	O	0	0
			22	14	4	4		
3	E	1	Total	C	N	O	0	0
			22	14	4	4		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	E	1	Total	C	O	0	0
			10	6	4		
6	F	1	Total	C	O	0	0
			10	6	4		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-hydroxy-tetrahydronicotinate synthase




- Molecule 1: 4-hydroxy-tetrahydronicotinate synthase





- Molecule 1: 4-hydroxy-tetrahydronicotinate synthase









• Molecule 2: 4-hydroxy-tetrahydrodipicolinate synthase



• Molecule 2: 4-hydroxy-tetrahydrodipicolinate synthase



• Molecule 2: 4-hydroxy-tetrahydrodipicolinate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	85.26Å 226.72Å 201.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.40 – 2.82 49.40 – 2.82	Depositor EDS
% Data completeness (in resolution range)	99.7 (49.40-2.82) 88.3 (49.40-2.82)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.275 , 0.334 0.277 , 0.334	Depositor DCC
R_{free} test set	2368 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	26.7	Xtriage
Anisotropy	0.308	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 24.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	13867	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: KPI, PGE, ACT, 3VN, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.16	0/2293	0.37	0/3101
1	B	0.38	1/2297 (0.0%)	0.45	2/3105 (0.1%)
1	F	0.31	1/2295 (0.0%)	0.45	0/3103
2	C	0.42	3/2378 (0.1%)	0.42	2/3218 (0.1%)
2	D	0.33	3/2373 (0.1%)	0.39	0/3209
2	E	0.23	0/2303	0.39	0/3115
All	All	0.32	8/13939 (0.1%)	0.41	4/18851 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	120	TYR	C-O	-6.52	1.16	1.24
2	D	29	ARG	CA-C	-5.90	1.45	1.52
2	D	29	ARG	C-O	-5.53	1.17	1.24
1	B	31	ILE	C-O	-5.48	1.17	1.24
1	F	27	TYR	C-O	-5.45	1.17	1.24
2	D	30	LEU	C-O	-5.39	1.17	1.24
2	C	119	LEU	C-O	-5.14	1.18	1.24
2	C	120	TYR	CA-C	-5.10	1.46	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	120	TYR	N-CA-C	-6.54	103.77	111.03
1	B	160	GLU	N-CA-C	6.02	119.72	112.38
1	B	159	CYS	N-CA-C	5.23	117.18	108.02
2	C	20	GLY	N-CA-C	5.18	121.99	115.42

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	166	KPI	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2272	0	2304	24	0
1	B	2276	0	2315	38	0
1	F	2274	0	2309	39	0
2	C	2337	0	2345	32	0
2	D	2333	0	2357	37	0
2	E	2267	0	2302	44	0
3	B	22	0	28	1	0
3	C	22	0	28	1	0
3	E	22	0	28	1	0
4	B	4	0	3	1	0
4	F	4	0	3	1	0
5	C	7	0	10	1	0
5	D	7	0	10	3	0
6	E	10	0	14	1	0
6	F	10	0	14	1	0
All	All	13867	0	14070	196	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (196) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:68:GLU:HG2	2:E:71:LYS:NZ	1.52	1.22
2:E:68:GLU:CG	2:E:71:LYS:HZ3	1.61	1.11
1:F:154:LYS:CD	6:F:302:PGE:H3	1.81	1.10
1:F:56:ASN:O	1:F:60:ARG:HD2	1.77	0.85
2:D:151:THR:OG1	5:D:301:PEG:H42	1.77	0.84
1:B:189:SER:HB3	1:B:206:VAL:HG12	1.67	0.77
2:D:10:MET:HG2	2:D:41:ALA:HB3	1.68	0.74
2:E:107:VAL:HA	2:E:137:TYR:HB3	1.69	0.73
1:F:10:MET:HG2	1:F:41:ALA:HB3	1.71	0.72
2:D:4:ASN:HB2	2:D:133:PRO:HG3	1.74	0.70
2:C:-2:HIS:HB2	2:C:157:ARG:O	1.91	0.70
2:D:166:LYS:HD2	2:D:207:ILE:HD12	1.73	0.70
2:E:10:MET:HG2	2:E:41:ALA:HB3	1.72	0.70
2:E:68:GLU:HG2	2:E:71:LYS:HZ3	0.67	0.69
1:F:107:VAL:HA	1:F:137:TYR:HB3	1.74	0.69
1:B:130:VAL:HG12	1:B:132:ILE:H	1.58	0.69
2:C:10:MET:HG2	2:C:41:ALA:HB3	1.75	0.68
1:B:33:ARG:HH11	1:B:33:ARG:HG2	1.58	0.67
1:A:107:VAL:HA	1:A:137:TYR:HB3	1.77	0.67
2:C:117:GLN:O	2:C:121:GLU:HG3	1.95	0.66
1:A:10:MET:HG2	1:A:41:ALA:HB3	1.79	0.65
1:B:10:MET:HG2	1:B:41:ALA:HB3	1.79	0.65
2:D:127:ALA:O	2:D:161:ASN:ND2	2.31	0.64
2:C:107:VAL:HA	2:C:137:TYR:HB3	1.80	0.64
2:D:51:SER:O	3:E:301:3VN:N19	2.30	0.64
2:D:113:LYS:HE2	2:D:144:GLY:O	1.98	0.64
2:E:68:GLU:CG	2:E:71:LYS:NZ	2.39	0.63
2:E:208:SER:HB3	2:E:211:SER:OG	1.98	0.63
2:E:150:ASP:HB3	6:E:302:PGE:H1	1.81	0.63
2:C:136:LEU:HB2	2:C:165:VAL:HG23	1.78	0.62
1:B:139:VAL:HG13	1:B:143:THR:HG23	1.84	0.60
1:B:35:ILE:HG12	1:B:75:VAL:HG21	1.83	0.59
1:B:282:ASN:HA	1:B:285:LYS:HB2	1.84	0.59
1:B:172:ILE:HG23	2:D:194:ILE:HG21	1.83	0.59
2:C:65:ILE:O	2:C:69:THR:HG23	2.02	0.59
2:E:216:ASP:OD2	2:E:296:LYS:NZ	2.34	0.59
2:D:154:LYS:HD2	5:D:301:PEG:H32	1.83	0.58
1:F:231:LYS:HE2	1:F:232:GLU:OE1	2.04	0.58
2:E:149:THR:O	2:E:153:ILE:HG13	2.04	0.57
1:B:33:ARG:HG2	1:B:33:ARG:NH1	2.20	0.57
2:C:56:ASN:O	2:C:60:ARG:HD2	2.03	0.57
2:C:166:LYS:HD2	2:C:207:ILE:HD12	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:166:KPI:HDA	1:F:207:ILE:HD12	1.86	0.57
2:D:117:GLN:HG2	5:D:301:PEG:H22	1.86	0.57
2:C:142:ARG:NH2	2:C:251:SER:HB3	2.19	0.57
1:F:35:ILE:HG12	1:F:75:VAL:HG21	1.87	0.56
1:B:107:VAL:HA	1:B:137:TYR:HB3	1.88	0.56
1:B:142:ARG:HH21	1:F:112:ASN:HA	1.69	0.56
2:D:136:LEU:HD12	2:D:152:ILE:HG23	1.88	0.56
1:A:5:ILE:HD13	1:A:186:MET:HE2	1.88	0.55
2:C:154:LYS:HZ3	5:C:302:PEG:HO1	1.46	0.55
1:A:166:KPI:HDA	1:A:207:ILE:HD12	1.87	0.55
2:E:234:LYS:NZ	1:F:201:ASN:O	2.35	0.55
2:D:23:ASP:OD1	2:D:25:GLN:HG3	2.07	0.54
2:E:19:ASN:N	2:E:270:GLU:OE1	2.41	0.54
1:F:108:ALA:HB2	1:F:147:ILE:HD11	1.90	0.54
1:B:3:LYS:NZ	1:B:162:ILE:O	2.38	0.54
1:A:192:ASP:OD2	1:A:208:SER:OG	2.23	0.54
1:A:13:LEU:HD11	1:A:42:VAL:HB	1.90	0.54
2:C:189:SER:HB3	2:C:206:VAL:HG12	1.90	0.53
1:A:7:ILE:HG21	1:A:186:MET:HE3	1.91	0.53
2:E:33:ARG:O	2:E:37:ASN:ND2	2.31	0.53
2:E:153:ILE:O	2:E:153:ILE:HG22	2.08	0.53
1:F:164:GLY:HA2	1:F:185:MET:HE3	1.92	0.52
1:B:142:ARG:HD3	4:B:302:ACT:CH3	2.40	0.52
1:F:246:ILE:HD12	1:F:249:CYS:HB3	1.90	0.52
1:A:111:TYR:HA	2:C:142:ARG:O	2.10	0.51
2:C:19:ASN:N	2:C:270:GLU:OE1	2.42	0.51
2:C:247:LEU:HD22	2:C:256:ILE:HA	1.93	0.51
1:F:13:LEU:HD11	1:F:42:VAL:HB	1.93	0.51
2:D:274:PRO:HB3	2:E:122:HIS:HB2	1.93	0.51
1:A:3:LYS:NZ	1:A:156:PHE:O	2.44	0.50
2:D:97:LYS:HD3	2:D:97:LYS:C	2.36	0.50
2:D:155:LEU:HB3	2:D:162:ILE:HD12	1.93	0.50
1:B:221:LEU:HD12	1:B:236:ILE:HG22	1.93	0.50
2:D:142:ARG:NH1	2:E:111:TYR:O	2.44	0.50
2:E:254:ILE:HA	2:E:271:PHE:CE2	2.47	0.50
1:F:33:ARG:O	1:F:37:ASN:ND2	2.35	0.50
1:B:166:KPI:HDA	1:B:207:ILE:HD12	1.93	0.50
2:C:27:TYR:O	2:C:31:ILE:HG13	2.12	0.50
2:E:13:LEU:HD11	2:E:42:VAL:HB	1.92	0.50
1:A:113:LYS:HD3	2:C:142:ARG:HE	1.77	0.50
2:C:57:GLU:O	2:C:61:THR:HG23	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:44:PRO:HD2	2:E:79:ALA:HA	1.94	0.50
1:B:142:ARG:O	1:F:111:TYR:HA	2.13	0.49
1:F:243:ILE:HA	1:F:246:ILE:HG22	1.94	0.49
2:D:208:SER:HB3	2:D:211:SER:HB2	1.94	0.49
2:E:60:ARG:HB3	2:E:95:PHE:CZ	2.48	0.48
1:A:45:VAL:HG12	1:A:51:SER:HB2	1.94	0.48
2:D:170:GLY:N	2:D:191:GLU:OE1	2.44	0.48
1:F:16:PRO:HD2	1:F:27:TYR:HD1	1.78	0.48
2:E:123:TYR:HB2	2:E:155:LEU:HD21	1.95	0.47
1:A:287:GLU:OE1	1:A:291:LYS:NZ	2.48	0.47
1:B:67:VAL:HA	1:B:77:VAL:HG21	1.97	0.47
1:F:179:LEU:HG	1:F:187:LEU:HD12	1.96	0.47
1:F:182:GLU:O	1:F:185:MET:HG2	2.14	0.47
2:C:152:ILE:HG22	2:C:185:MET:HE1	1.96	0.47
2:C:217:MET:HE1	2:C:293:TYR:HD2	1.79	0.47
1:B:60:ARG:HH21	1:B:60:ARG:HB3	1.80	0.47
1:B:274:PRO:HB3	1:F:122:HIS:HB2	1.97	0.47
2:D:148:SER:O	2:D:152:ILE:HG13	2.15	0.46
1:A:178:LEU:HD22	1:A:185:MET:HE1	1.97	0.46
1:F:165:VAL:HG12	1:F:185:MET:HE1	1.96	0.46
1:A:103:GLY:HA2	1:A:132:ILE:HD12	1.97	0.46
1:A:111:TYR:O	2:C:142:ARG:HD3	2.16	0.46
1:B:124:LYS:O	1:B:128:GLN:HG2	2.15	0.46
1:A:113:LYS:HD2	2:C:142:ARG:HG2	1.97	0.46
1:F:33:ARG:NH1	1:F:212:ASN:O	2.48	0.46
1:A:142:ARG:O	2:C:111:TYR:HA	2.16	0.45
1:B:171:ASN:ND2	1:B:174:LYS:HB2	2.31	0.45
2:E:136:LEU:HB2	2:E:165:VAL:HG23	1.97	0.45
2:C:67:VAL:HA	2:C:77:VAL:HG21	1.98	0.45
2:D:113:LYS:HD2	2:E:142:ARG:HD2	1.98	0.45
2:D:243:ILE:HA	2:D:246:ILE:HG22	1.99	0.45
2:E:254:ILE:HD13	2:E:276:CYS:O	2.16	0.45
2:D:60:ARG:HB3	2:D:95:PHE:CZ	2.52	0.45
2:E:194:ILE:HG21	1:F:172:ILE:HG23	1.99	0.45
1:B:130:VAL:HG11	1:B:132:ILE:HG12	1.98	0.45
2:C:74:LYS:O	2:C:74:LYS:HG2	2.16	0.45
2:D:136:LEU:HD21	2:D:162:ILE:HD13	1.99	0.45
1:A:280:LYS:HA	1:A:283:PHE:HB3	1.98	0.45
2:E:294:LYS:HB3	2:E:294:LYS:HE3	1.75	0.45
1:B:60:ARG:HH12	1:B:99:HIS:CE1	2.35	0.44
2:C:285:LYS:O	2:C:289:VAL:HG23	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:166:LYS:HD2	2:E:207:ILE:HD12	1.99	0.44
1:F:48:THR:HG23	1:F:253:PRO:HB3	1.98	0.44
1:F:246:ILE:HD12	1:F:246:ILE:HA	1.84	0.44
1:F:155:LEU:HB3	1:F:162:ILE:HD12	1.98	0.44
2:C:17:PHE:HB2	2:C:270:GLU:HB3	2.00	0.44
2:E:188:ILE:HG21	2:E:207:ILE:HG13	2.00	0.44
1:F:209:VAL:HG11	1:F:252:ASN:HD21	1.82	0.44
1:A:149:THR:HG23	1:A:178:LEU:HD23	1.99	0.44
1:B:194:ILE:HD12	2:D:172:ILE:HG23	2.00	0.44
2:D:111:TYR:HA	2:E:142:ARG:O	2.17	0.43
2:D:131:ASP:OD1	2:D:131:ASP:N	2.50	0.43
2:E:54:LEU:HA	2:E:272:ARG:NH2	2.32	0.43
1:B:148:SER:HB3	1:B:151:THR:OG1	2.18	0.43
2:E:11:THR:HG21	2:E:34:GLN:NE2	2.33	0.43
1:F:97:LYS:HE3	1:F:131:ASP:OD1	2.18	0.43
1:F:204:LYS:HA	1:F:204:LYS:HD3	1.86	0.43
1:B:130:VAL:CG1	1:B:132:ILE:HG12	2.48	0.43
1:B:130:VAL:O	1:B:161:ASN:ND2	2.44	0.43
2:C:153:ILE:O	2:C:157:ARG:HG3	2.19	0.43
2:E:34:GLN:OE1	2:E:39:ILE:HG13	2.19	0.43
1:B:216:ASP:OD1	1:B:216:ASP:N	2.52	0.43
2:E:56:ASN:O	2:E:60:ARG:HG3	2.18	0.43
2:E:245:LYS:NZ	1:F:173:ASP:OD2	2.49	0.43
1:F:254:ILE:HA	1:F:271:PHE:CE1	2.54	0.43
2:E:194:ILE:C	2:E:197:PRO:HD2	2.43	0.43
2:C:104:ILE:HD11	2:C:134:VAL:HG22	2.01	0.43
3:C:301:3VN:H21	3:C:301:3VN:H30	1.57	0.43
2:D:-2:HIS:ND1	2:D:160:GLU:HB3	2.34	0.43
2:E:216:ASP:OD1	2:E:216:ASP:N	2.51	0.43
1:B:122:HIS:HB2	1:F:274:PRO:HB3	1.99	0.43
2:D:194:ILE:C	2:D:197:PRO:HD2	2.44	0.43
2:E:172:ILE:HG23	1:F:194:ILE:HG21	2.00	0.43
2:D:246:ILE:HD12	2:D:246:ILE:HA	1.88	0.42
2:C:39:ILE:HD13	2:C:39:ILE:HA	1.90	0.42
1:F:188:ILE:HG21	1:F:207:ILE:HG13	2.02	0.42
1:A:222:THR:O	1:A:226:LEU:HG	2.20	0.42
1:B:104:ILE:HD11	1:B:134:VAL:HG22	2.00	0.42
2:D:107:VAL:HA	2:D:137:TYR:HB3	2.00	0.42
2:C:212:ASN:HB2	2:C:256:ILE:HD11	2.01	0.42
2:D:10:MET:HA	2:D:41:ALA:O	2.20	0.42
2:E:3:LYS:NZ	2:E:156:PHE:O	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:90:VAL:HG12	2:E:126:ILE:HA	2.02	0.42
2:E:261:TYR:CG	2:E:269:LEU:HB2	2.55	0.42
2:D:221:LEU:HD12	2:D:236:ILE:HG22	2.01	0.42
2:D:142:ARG:O	2:E:111:TYR:HA	2.20	0.42
2:D:280:LYS:HA	2:D:280:LYS:HD2	1.66	0.42
1:A:39:ILE:HD13	1:A:39:ILE:HA	1.91	0.41
2:E:30:LEU:HD11	2:E:266:ILE:HD11	2.02	0.41
1:F:191:GLU:HG2	4:F:301:ACT:OXT	2.21	0.41
1:B:188:ILE:HG21	1:B:207:ILE:HG13	2.02	0.41
1:A:246:ILE:HD12	1:A:246:ILE:HA	1.88	0.41
1:A:44:PRO:HD2	1:A:79:ALA:HA	2.02	0.41
1:B:44:PRO:HD2	1:B:79:ALA:HA	2.01	0.41
1:F:136:LEU:HB2	1:F:165:VAL:HG23	2.03	0.41
1:B:48:THR:HG23	1:B:253:PRO:HB3	2.03	0.41
2:E:40:ASP:OD1	2:E:74:LYS:NZ	2.54	0.41
1:A:198:ILE:HG22	1:A:199:LEU:HD12	2.03	0.41
1:B:45:VAL:O	1:B:45:VAL:HG13	2.21	0.41
1:B:82:GLY:HA3	1:B:107:VAL:H	1.86	0.41
2:D:216:ASP:OD1	2:D:216:ASP:N	2.53	0.41
1:F:7:ILE:HB	1:F:204:LYS:O	2.20	0.41
1:B:97:LYS:HD3	1:B:132:ILE:HG23	2.02	0.41
1:F:10:MET:HA	1:F:41:ALA:O	2.21	0.41
1:B:262:LEU:HD21	1:B:283:PHE:CZ	2.57	0.40
3:B:301:3VN:H30	3:B:301:3VN:H21	1.76	0.40
2:E:48:THR:HG23	2:E:253:PRO:HB3	2.02	0.40
2:C:4:ASN:HB2	2:C:133:PRO:HG3	2.03	0.40
2:D:-5:HIS:HB3	2:D:-4:HIS:H	1.69	0.40
2:D:247:LEU:HD22	2:D:256:ILE:HA	2.03	0.40
1:B:246:ILE:HA	1:B:246:ILE:HD12	1.89	0.40
2:C:106:SER:OG	2:C:123:TYR:HE1	2.04	0.40
1:F:106:SER:OG	1:F:123:TYR:HE1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/310 (94%)	287 (98%)	6 (2%)	0	100	100
1	B	293/310 (94%)	287 (98%)	6 (2%)	0	100	100
1	F	293/310 (94%)	286 (98%)	7 (2%)	0	100	100
2	C	303/310 (98%)	295 (97%)	8 (3%)	0	100	100
2	D	302/310 (97%)	294 (97%)	8 (3%)	0	100	100
2	E	294/310 (95%)	288 (98%)	6 (2%)	0	100	100
All	All	1778/1860 (96%)	1737 (98%)	41 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/260 (95%)	246 (100%)	0	100	100
1	B	247/260 (95%)	244 (99%)	3 (1%)	63	86
1	F	246/260 (95%)	246 (100%)	0	100	100
2	C	253/261 (97%)	252 (100%)	1 (0%)	84	94
2	D	254/261 (97%)	253 (100%)	1 (0%)	84	94
2	E	246/261 (94%)	246 (100%)	0	100	100
All	All	1492/1563 (96%)	1487 (100%)	5 (0%)	86	95

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	32	LYS
1	B	60	ARG
1	B	160	GLU
2	C	21	LYS
2	D	280	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	201	ASN
1	B	201	ASN
1	B	237	ASN
2	C	201	ASN
2	D	99	HIS
2	E	237	ASN
1	F	19	ASN
1	F	25	GLN
1	F	99	HIS
1	F	128	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	KPI	F	166	1	11,13,14	1.56	2 (18%)	9,15,17	3.30	4 (44%)
1	KPI	A	166	1	11,13,14	1.55	2 (18%)	9,15,17	3.36	4 (44%)
1	KPI	B	166	1	11,13,14	1.98	2 (18%)	9,15,17	3.76	5 (55%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KPI	F	166	1	-	2/13/14/16	-
1	KPI	A	166	1	-	5/13/14/16	-
1	KPI	B	166	1	-	5/13/14/16	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	166	KPI	O2-CX2	5.69	1.36	1.22
1	F	166	KPI	O-C	4.33	1.36	1.20
1	A	166	KPI	O-C	4.32	1.36	1.20
1	B	166	KPI	O1-CX2	-2.54	1.23	1.30
1	F	166	KPI	O1-CX2	2.19	1.36	1.30
1	A	166	KPI	O1-CX2	2.15	1.36	1.30

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	166	KPI	C1-CX1-CX2	-7.45	111.09	118.11
1	A	166	KPI	C1-CX1-CX2	-7.41	111.13	118.11
1	B	166	KPI	C1-CX1-CX2	-7.25	111.27	118.11
1	B	166	KPI	O2-CX2-CX1	-5.51	114.61	121.35
1	A	166	KPI	O2-CX2-CX1	5.42	127.97	121.35
1	B	166	KPI	O1-CX2-CX1	5.26	127.72	116.50
1	F	166	KPI	O2-CX2-CX1	5.01	127.46	121.35
1	A	166	KPI	O1-CX2-O2	-2.66	117.58	123.90
1	F	166	KPI	O1-CX2-O2	-2.62	117.65	123.90
1	B	166	KPI	O1-CX2-O2	-2.62	117.67	123.90
1	F	166	KPI	CD-CE-NZ	2.35	114.84	110.67
1	B	166	KPI	CD-CE-NZ	2.30	114.74	110.67
1	A	166	KPI	CD-CE-NZ	2.26	114.67	110.67

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	166	KPI	C-CA-CB-CG
1	B	166	KPI	C-CA-CB-CG
1	B	166	KPI	C1-CX1-NZ-CE
1	F	166	KPI	C-CA-CB-CG
1	A	166	KPI	C1-CX1-NZ-CE
1	A	166	KPI	N-CA-CB-CG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A	166	KPI	NZ-CX1-CX2-O1
1	A	166	KPI	NZ-CX1-CX2-O2
1	B	166	KPI	NZ-CX1-CX2-O1
1	B	166	KPI	NZ-CX1-CX2-O2
1	B	166	KPI	N-CA-CB-CG
1	F	166	KPI	NZ-CX1-CX2-O1

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	F	166	KPI	1	0
1	A	166	KPI	1	0
1	B	166	KPI	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	3VN	C	301	-	17,21,21	1.26	1 (5%)	18,28,28	1.63	5 (27%)
6	PGE	F	302	-	9,9,9	0.35	0	8,8,8	0.58	0
4	ACT	B	302	-	3,3,3	0.97	0	3,3,3	0.64	0
3	3VN	B	301	-	17,21,21	1.24	1 (5%)	18,28,28	1.59	5 (27%)
5	PEG	D	301	-	6,6,6	0.44	0	5,5,5	0.69	0
5	PEG	C	302	-	6,6,6	0.29	0	5,5,5	0.20	0
4	ACT	F	301	-	3,3,3	1.18	1 (33%)	3,3,3	0.70	0
6	PGE	E	302	-	9,9,9	0.40	0	8,8,8	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	3VN	E	301	-	17,21,21	1.17	1 (5%)	18,28,28	1.87	6 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	3VN	C	301	-	-	20/31/31/31	-
6	PGE	F	302	-	-	5/7/7/7	-
3	3VN	B	301	-	-	21/31/31/31	-
5	PEG	D	301	-	-	4/4/4/4	-
5	PEG	C	302	-	-	1/4/4/4	-
6	PGE	E	302	-	-	4/7/7/7	-
3	3VN	E	301	-	-	12/31/31/31	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	301	3VN	C06-C02	2.67	1.57	1.55
3	E	301	3VN	C06-C02	2.55	1.57	1.55
3	B	301	3VN	C06-C02	2.40	1.57	1.55
4	F	301	ACT	OXT-C	-2.02	1.21	1.30

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	301	3VN	C12-C11-C02	-3.60	108.81	115.14
3	E	301	3VN	C11-C12-C13	-3.45	109.06	115.14
3	B	301	3VN	C07-C06-C02	-3.20	109.49	115.16
3	C	301	3VN	C07-C06-C02	-3.16	109.55	115.16
3	E	301	3VN	C16-C15-C13	-3.12	109.63	115.16
3	C	301	3VN	C11-C12-C13	-2.88	110.06	115.14
3	B	301	3VN	C11-C12-C13	-2.53	110.68	115.14
3	C	301	3VN	C16-C15-C13	-2.51	110.71	115.16
3	E	301	3VN	C07-C06-C02	-2.42	110.87	115.16
3	B	301	3VN	O05-C03-C02	2.38	120.05	113.69
3	B	301	3VN	C16-C15-C13	-2.32	111.04	115.16
3	C	301	3VN	O05-C03-C02	2.28	119.78	113.69
3	E	301	3VN	O05-C03-C02	2.24	119.67	113.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	301	3VN	O22-C20-C13	2.22	119.63	113.69
3	C	301	3VN	O22-C20-C13	2.20	119.57	113.69
3	B	301	3VN	O22-C20-C13	2.15	119.43	113.69

There are no chirality outliers.

All (67) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	301	3VN	N01-C02-C03-O05
3	B	301	3VN	N01-C02-C11-C12
3	B	301	3VN	C03-C02-C11-C12
3	B	301	3VN	C06-C02-C11-C12
3	B	301	3VN	C11-C12-C13-C20
3	B	301	3VN	C20-C13-C15-C16
3	C	301	3VN	N01-C02-C03-O04
3	C	301	3VN	N01-C02-C03-O05
3	C	301	3VN	C11-C02-C03-O05
3	C	301	3VN	N01-C02-C11-C12
3	C	301	3VN	C03-C02-C11-C12
3	C	301	3VN	C06-C02-C11-C12
3	C	301	3VN	C20-C13-C15-C16
3	E	301	3VN	N01-C02-C03-O04
3	E	301	3VN	C06-C02-C03-O04
3	E	301	3VN	C06-C02-C03-O05
3	E	301	3VN	C11-C02-C03-O04
3	E	301	3VN	N14-C13-C20-O22
5	D	301	PEG	C1-C2-O2-C3
6	E	302	PGE	O1-C1-C2-O2
3	B	301	3VN	C02-C06-C07-C08
3	C	301	3VN	N14-C13-C15-C16
5	D	301	PEG	O2-C3-C4-O4
6	F	302	PGE	O3-C5-C6-O4
3	E	301	3VN	C06-C07-C08-C09
3	C	301	3VN	C15-C16-C17-C18
3	C	301	3VN	C02-C06-C07-C08
3	B	301	3VN	N14-C13-C15-C16
5	D	301	PEG	O1-C1-C2-O2
6	E	302	PGE	O3-C5-C6-O4
3	B	301	3VN	C16-C17-C18-N19
6	E	302	PGE	O2-C3-C4-O3
3	B	301	3VN	C11-C12-C13-C15
6	F	302	PGE	O2-C3-C4-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	301	3VN	C15-C16-C17-C18
6	F	302	PGE	C1-C2-O2-C3
3	C	301	3VN	C12-C13-C15-C16
3	E	301	3VN	C11-C12-C13-C20
6	F	302	PGE	C3-C4-O3-C5
5	D	301	PEG	C4-C3-O2-C2
6	E	302	PGE	C6-C5-O3-C4
3	B	301	3VN	C11-C12-C13-N14
3	B	301	3VN	C06-C02-C03-O05
3	B	301	3VN	C11-C02-C03-O05
3	B	301	3VN	C15-C13-C20-O21
3	B	301	3VN	C15-C13-C20-O22
3	C	301	3VN	C06-C02-C03-O05
3	C	301	3VN	C12-C13-C20-O22
3	C	301	3VN	C15-C13-C20-O21
3	C	301	3VN	C15-C13-C20-O22
3	E	301	3VN	C11-C02-C03-O05
3	B	301	3VN	C12-C13-C15-C16
3	E	301	3VN	C07-C08-C09-N10
3	C	301	3VN	C11-C12-C13-C20
5	C	302	PEG	C1-C2-O2-C3
3	E	301	3VN	N14-C13-C20-O21
3	E	301	3VN	C15-C16-C17-C18
6	F	302	PGE	C4-C3-O2-C2
3	C	301	3VN	C11-C12-C13-N14
3	B	301	3VN	C06-C02-C03-O04
3	B	301	3VN	C12-C13-C20-O21
3	B	301	3VN	C12-C13-C20-O22
3	C	301	3VN	C11-C02-C03-O04
3	C	301	3VN	C12-C13-C20-O21
3	B	301	3VN	C07-C08-C09-N10
3	C	301	3VN	C07-C08-C09-N10
3	E	301	3VN	C03-C02-C06-C07

There are no ring outliers.

9 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	301	3VN	1	0
6	F	302	PGE	1	0
4	B	302	ACT	1	0
3	B	301	3VN	1	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	301	PEG	3	0
5	C	302	PEG	1	0
4	F	301	ACT	1	0
6	E	302	PGE	1	0
3	E	301	3VN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.










Ligand 3VN B 301




Ligand PEG D 301









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	295/310 (95%)	0.95	21 (7%)	22	16	18, 29, 43, 67	0
1	B	295/310 (95%)	0.93	24 (8%)	18	13	16, 27, 44, 61	0
1	F	295/310 (95%)	1.03	20 (6%)	23	17	17, 30, 43, 67	0
2	C	305/310 (98%)	1.01	31 (10%)	12	9	17, 30, 43, 57	0
2	D	304/310 (98%)	1.03	23 (7%)	20	14	19, 28, 42, 59	0
2	E	296/310 (95%)	1.03	25 (8%)	17	12	15, 30, 42, 55	0
All	All	1790/1860 (96%)	0.99	144 (8%)	18	13	15, 29, 43, 67	0

All (144) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	95	PHE	6.2
1	B	95	PHE	5.5
2	D	230	TYR	4.8
1	B	49	GLY	4.2
2	D	38	GLY	4.2
1	F	201	ASN	4.0
1	F	148	SER	3.9
2	C	145	CYS	3.8
1	F	60	ARG	3.7
2	D	57	GLU	3.7
1	B	3	LYS	3.6
2	C	176	VAL	3.6
2	D	-1	GLY	3.5
2	C	160	GLU	3.5
1	A	172	ILE	3.4
1	A	47	THR	3.4
1	F	208	SER	3.3
2	E	168	ALA	3.3
2	C	165	VAL	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	56	ASN	3.2
2	D	170	GLY	3.2
1	F	200	SER	3.1
2	C	63	ILE	3.1
2	D	-5	HIS	3.1
1	A	200	SER	3.1
1	A	201	ASN	3.1
2	E	137	TYR	3.0
1	B	148	SER	2.9
2	E	268	SER	2.9
2	E	70	CYS	2.9
1	B	85	ALA	2.9
1	B	89	ALA	2.8
2	C	230	TYR	2.8
1	A	125	ALA	2.8
2	E	66	ALA	2.8
2	D	97	LYS	2.8
1	F	274	PRO	2.8
2	E	62	CYS	2.7
2	E	201	ASN	2.7
2	D	232	GLU	2.7
2	C	265	LEU	2.7
1	F	63	ILE	2.7
2	D	132	ILE	2.7
1	B	285	LYS	2.6
2	E	45	VAL	2.6
1	B	229	ASN	2.6
2	C	146	GLU	2.6
2	C	281	GLU	2.6
2	E	169	SER	2.6
1	A	4	ASN	2.6
1	F	25	GLN	2.6
1	F	291	LYS	2.6
2	C	19	ASN	2.5
2	C	82	GLY	2.5
1	A	61	THR	2.5
2	C	161	ASN	2.5
2	D	268	SER	2.5
1	A	202	GLY	2.5
2	D	194	ILE	2.5
2	C	264	GLY	2.5
1	B	146	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	160	GLU	2.5
2	E	248	PHE	2.5
1	F	74	LYS	2.5
1	F	19	ASN	2.5
1	B	144	GLY	2.4
1	B	170	GLY	2.4
2	E	218	ILE	2.4
1	F	268	SER	2.4
2	C	60	ARG	2.4
2	C	250	GLU	2.4
1	A	126	ILE	2.4
1	B	103	GLY	2.4
2	C	-6	HIS	2.4
1	A	82	GLY	2.4
1	A	270	GLU	2.4
2	C	268	SER	2.4
2	C	114	PRO	2.4
1	B	134	VAL	2.3
1	A	177	ASP	2.3
1	A	57	GLU	2.3
1	F	267	GLU	2.3
2	E	9	ALA	2.3
2	D	19	ASN	2.3
1	B	159	CYS	2.3
2	E	175	CYS	2.3
1	B	268	SER	2.3
1	A	111	TYR	2.3
2	C	57	GLU	2.3
2	E	158	ASP	2.3
2	C	74	LYS	2.3
2	D	229	ASN	2.3
1	A	96	ALA	2.3
2	C	131	ASP	2.3
1	A	194	ILE	2.3
2	E	142	ARG	2.3
2	C	144	GLY	2.3
1	F	87	HIS	2.2
1	F	42	VAL	2.2
2	D	144	GLY	2.2
2	E	72	GLY	2.2
1	B	4	ASN	2.2
2	C	155	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	240	LEU	2.2
2	E	57	GLU	2.2
1	B	5	ILE	2.2
1	B	253	PRO	2.2
1	B	113	LYS	2.2
2	C	25	GLN	2.2
2	D	293	TYR	2.2
2	C	2	ASP	2.2
1	B	169	SER	2.2
2	C	240	LEU	2.2
1	B	142	ARG	2.1
2	E	230	TYR	2.1
1	F	58	GLU	2.1
2	D	25	GLN	2.1
2	E	296	LYS	2.1
2	E	297	GLY	2.1
1	A	284	ALA	2.1
1	B	194	ILE	2.1
2	D	45	VAL	2.1
2	D	130	VAL	2.1
2	C	46	GLY	2.1
1	F	61	THR	2.1
2	C	61	THR	2.1
1	F	225	ALA	2.1
1	A	139	VAL	2.1
2	C	45	VAL	2.1
1	A	199	LEU	2.1
1	B	150	ASP	2.1
2	C	73	THR	2.1
2	E	31	ILE	2.1
2	E	266	ILE	2.1
1	F	231	LYS	2.0
2	E	106	SER	2.0
2	C	99	HIS	2.0
2	D	77	VAL	2.0
2	D	264	GLY	2.0
2	E	295	ILE	2.0
1	A	185	MET	2.0
2	E	272	ARG	2.0
2	D	2	ASP	2.0
1	F	67	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KPI	F	166	14/15	0.74	0.18	27,36,48,50	0
1	KPI	B	166	14/15	0.78	0.18	15,21,38,38	0
1	KPI	A	166	14/15	0.78	0.18	24,34,46,46	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACT	B	302	4/4	0.69	0.20	20,20,20,20	0
3	3VN	E	301	22/22	0.78	0.24	38,47,51,52	0
3	3VN	C	301	22/22	0.79	0.16	27,32,35,36	0
6	PGE	E	302	10/10	0.79	0.14	20,20,20,20	0
3	3VN	B	301	22/22	0.80	0.16	29,34,35,36	0
4	ACT	F	301	4/4	0.84	0.17	20,20,20,20	0
6	PGE	F	302	10/10	0.84	0.13	20,20,20,20	0
5	PEG	C	302	7/7	0.86	0.12	20,20,20,20	0
5	PEG	D	301	7/7	0.86	0.12	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ACT B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3VN E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 3VN C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGE E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 3VN B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ACT F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PGE F 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PEG C 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.