



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:38 AM UTC

PDB ID : 1KYY / pdb_00001kyy
Title : Lumazine Synthase from *S.pombe* bound to nitropyrimidinedione
Authors : Gerhardt, S.; Haase, I.; Steinbacher, S.; Kaiser, J.T.; Cushman, M.; Bacher, A.; Huber, R.; Fischer, M.
Deposited on : 2002-02-06
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	159	83% 11% 6%
1	B	159	80% 13% 8%
1	C	159	79% 14% 6%
1	D	159	82% 9% 8%
1	E	159	81% 15% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	INI	A	201	-	X	-	-
3	INI	B	202	-	X	-	-
3	INI	C	203	-	X	-	-
3	INI	D	204	-	X	-	-
3	INI	E	205	-	X	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5966 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6,7-Dimethyl-8-ribityllumazine Synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	149	Total	C	N	O	S	22	1	0
			1142	726	201	211	4			
1	B	147	Total	C	N	O	S	20	1	0
			1129	718	199	208	4			
1	C	149	Total	C	N	O	S	15	1	0
			1148	730	201	213	4			
1	D	147	Total	C	N	O	S	32	1	0
			1129	718	199	208	4			
1	E	152	Total	C	N	O	S	30	1	0
			1161	737	205	215	4			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is 5-NITRO-6-RIBITYL-AMINO-2,4(1H,3H)-PYRIMIDINEDIONE (CCD ID: INI) (formula: C₉H₁₄N₄O₈).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			21	9	4	8		
3	B	1	Total	C	N	O	0	0
			21	9	4	8		
3	C	1	Total	C	N	O	0	0
			21	9	4	8		
3	D	1	Total	C	N	O	0	0
			21	9	4	8		
3	E	1	Total	C	N	O	0	0
			21	9	4	8		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	26	Total 26	O 26	0	0
4	B	32	Total 32	O 32	0	0
4	C	35	Total 35	O 35	0	0
4	D	16	Total 16	O 16	0	0
4	E	18	Total 18	O 18	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain A: 



• Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain B: 



• Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain C: 




• Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain D: 



• Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain E: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	111.26 Å 145.04 Å 127.86 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.58 – 2.40	Depositor
% Data completeness (in resolution range)	(Not available) (15.58-2.40)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.183 , 0.206	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5966	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, INI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	0/1164	0.95	1/1579 (0.1%)
1	B	0.61	0/1150	0.92	1/1560 (0.1%)
1	C	0.60	0/1170	0.93	2/1586 (0.1%)
1	D	0.55	0/1150	0.92	3/1560 (0.2%)
1	E	0.58	0/1184	0.93	4/1608 (0.2%)
All	All	0.58	0/5818	0.93	11/7893 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	13	LEU	N-CA-C	6.59	119.58	110.35
1	E	124	VAL	N-CA-C	6.00	117.49	108.96
1	A	59	VAL	N-CA-C	-5.57	102.72	109.01
1	D	157	ALA	N-CA-C	-5.54	106.53	113.28
1	E	7	GLY	CA-C-N	5.53	125.52	120.21
1	E	7	GLY	C-N-CA	5.53	125.52	120.21
1	D	124	VAL	N-CA-C	5.37	116.58	108.96
1	E	72	SER	N-CA-C	5.34	117.18	111.36
1	B	49	VAL	N-CA-C	-5.24	102.32	109.55
1	D	45	GLU	N-CA-C	5.17	117.65	111.71
1	C	124	VAL	N-CA-C	5.11	116.55	109.29

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1142	0	1156	11	0
1	B	1129	0	1143	13	0
1	C	1148	0	1157	16	0
1	D	1129	0	1143	10	0
1	E	1161	0	1171	15	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
3	A	21	0	14	1	0
3	B	21	0	14	2	0
3	C	21	0	14	0	0
3	D	21	0	14	2	0
3	E	21	0	14	2	0
4	A	26	0	0	0	0
4	B	32	0	0	1	0
4	C	35	0	0	3	0
4	D	16	0	0	1	0
4	E	18	0	0	0	0
All	All	5966	0	5840	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:93:MET:HE2	4:C:1020:HOH:O	1.69	0.93
1:A:103:VAL:HG12	1:B:101:ALA:HB2	1.70	0.72
1:C:13:LEU:O	1:C:47:HIS:HD2	1.75	0.69
1:D:103:VAL:HG12	1:E:101:ALA:HB2	1.76	0.68
1:C:103:VAL:HG12	1:D:101:ALA:HB2	1.74	0.68
1:A:118:ILE:HG23	3:B:202:INI:H121	1.78	0.65
1:C:118:ILE:HG23	3:D:204:INI:H121	1.81	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:ALA:HB2	1:E:103:VAL:HG12	1.82	0.61
1:B:103:VAL:HG12	1:C:101:ALA:HB2	1.81	0.61
1:D:103:VAL:CG1	1:E:101:ALA:HB2	2.32	0.59
1:C:103:VAL:CG1	1:D:101:ALA:HB2	2.33	0.58
1:D:65:LEU:HB2	1:D:66:PRO:HD3	1.86	0.58
1:E:33:GLU:HB2	1:E:34:PRO:HD3	1.85	0.58
1:A:103:VAL:CG1	1:B:101:ALA:HB2	2.34	0.57
1:C:157:ALA:HB3	4:C:1023:HOH:O	2.03	0.57
1:A:94:HIS:CE1	1:A:98:ILE:HD11	2.40	0.56
1:C:65:LEU:HB2	1:C:66:PRO:HD3	1.88	0.55
1:D:33:GLU:HB2	1:D:34:PRO:HD3	1.89	0.55
1:C:94:HIS:CE1	1:C:98:ILE:HD11	2.42	0.54
1:B:31:ALA:O	1:B:34:PRO:HD2	2.07	0.54
1:A:65:LEU:HB2	1:A:66:PRO:HD3	1.90	0.53
1:C:33:GLU:HB2	1:C:34:PRO:HD3	1.91	0.53
1:C:17:GLU:HG3	1:C:159:TYR:OH	2.10	0.51
3:A:201:INI:H122	1:E:119:LEU:O	2.10	0.51
1:E:94:HIS:CE1	1:E:98:ILE:HD11	2.46	0.51
1:B:103:VAL:CG1	1:C:101:ALA:HB2	2.41	0.50
1:D:152:GLU:CD	1:E:26:ARG:HH12	2.19	0.50
1:B:14:LYS:HD2	1:B:48:ASP:OD1	2.13	0.49
1:B:33:GLU:HB2	1:B:34:PRO:HD3	1.95	0.48
1:D:44:ILE:HG22	1:D:45:GLU:N	2.28	0.48
1:B:65:LEU:HB2	1:B:66:PRO:HD3	1.94	0.47
1:B:94:HIS:CE1	1:B:98:ILE:HD11	2.50	0.47
1:E:65:LEU:HB2	1:E:66:PRO:HD3	1.97	0.46
1:A:24:HIS:HA	1:A:84:ILE:O	2.15	0.46
1:A:31:ALA:O	1:A:34:PRO:HD2	2.15	0.46
1:E:64:GLU:OE2	3:E:205:INI:O12	2.34	0.46
1:C:13:LEU:O	1:C:47:HIS:CD2	2.64	0.46
1:B:67:GLN:HB3	4:B:1017:HOH:O	2.17	0.45
1:B:87:LEU:HD23	3:B:202:INI:C4	2.46	0.44
1:B:24:HIS:HA	1:B:84:ILE:O	2.17	0.44
1:C:24:HIS:O	1:C:58:SER:HA	2.18	0.44
1:A:24:HIS:O	1:A:58:SER:HA	2.18	0.43
1:A:101:ALA:HB2	1:E:103:VAL:CG1	2.49	0.43
1:E:87:LEU:HD23	3:E:205:INI:C4	2.49	0.43
1:E:44:ILE:HG22	1:E:45:GLU:N	2.33	0.42
3:D:204:INI:H81	4:D:1015:HOH:O	2.19	0.42
1:D:94:HIS:CE1	1:D:98:ILE:HD11	2.55	0.42
1:E:53:ASN:HD22	1:E:53:ASN:HA	1.64	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:24:HIS:O	1:D:58:SER:HA	2.20	0.42
1:E:21:LEU:HB2	1:E:78:TYR:CE1	2.55	0.41
1:A:84:ILE:HA	1:A:120:GLY:O	2.21	0.41
1:B:44:ILE:HG22	1:B:45:GLU:N	2.35	0.41
1:E:154:GLY:O	1:E:158:LEU:HD13	2.21	0.41
1:C:94:HIS:HD2	4:C:1035:HOH:O	2.04	0.40
1:C:44:ILE:HG22	1:C:45:GLU:N	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	148/159 (93%)	144 (97%)	3 (2%)	1 (1%)	18	28
1	B	146/159 (92%)	141 (97%)	5 (3%)	0	100	100
1	C	148/159 (93%)	144 (97%)	4 (3%)	0	100	100
1	D	146/159 (92%)	142 (97%)	3 (2%)	1 (1%)	18	28
1	E	151/159 (95%)	145 (96%)	5 (3%)	1 (1%)	18	28
All	All	739/795 (93%)	716 (97%)	20 (3%)	3 (0%)	30	43

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	E	13	LEU
1	D	44	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	121/128 (94%)	119 (98%)	2 (2%)	53	74
1	B	119/128 (93%)	117 (98%)	2 (2%)	53	74
1	C	121/128 (94%)	118 (98%)	3 (2%)	42	64
1	D	119/128 (93%)	118 (99%)	1 (1%)	73	86
1	E	123/128 (96%)	122 (99%)	1 (1%)	73	86
All	All	603/640 (94%)	594 (98%)	9 (2%)	57	77

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	LEU
1	A	126	ASN
1	B	51	LEU
1	B	158	LEU
1	C	12	ASP
1	C	30	GLN
1	C	158	LEU
1	D	70	ARG
1	E	30	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	126	ASN
1	B	28	ASN
1	B	53	ASN
1	B	94	HIS
1	B	144	ASN
1	C	47	HIS
1	C	53	ASN
1	C	94	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	144	ASN
1	D	53	ASN
1	D	144	ASN
1	E	28	ASN
1	E	53	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	INI	A	201	-	19,21,21	3.37	8 (42%)	21,29,29	3.43	14 (66%)
3	INI	E	205	-	19,21,21	3.17	8 (42%)	21,29,29	3.34	12 (57%)
2	PO4	E	1003	-	4,4,4	1.48	0	6,6,6	0.49	0
2	PO4	B	1002	-	4,4,4	1.74	2 (50%)	6,6,6	0.50	0
2	PO4	C	1005	-	4,4,4	1.56	0	6,6,6	0.48	0
3	INI	B	202	-	19,21,21	3.18	7 (36%)	21,29,29	3.35	14 (66%)
2	PO4	D	1004	-	4,4,4	1.57	1 (25%)	6,6,6	0.49	0
2	PO4	A	1001	-	4,4,4	1.61	0	6,6,6	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	INI	D	204	-	19,21,21	3.46	9 (47%)	21,29,29	3.21	12 (57%)
3	INI	C	203	-	19,21,21	3.22	7 (36%)	21,29,29	3.42	13 (61%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	INI	A	201	-	-	9/17/19/19	0/1/1/1
3	INI	E	205	-	-	9/17/19/19	0/1/1/1
3	INI	B	202	-	-	9/17/19/19	0/1/1/1
3	INI	D	204	-	-	9/17/19/19	0/1/1/1
3	INI	C	203	-	-	9/17/19/19	0/1/1/1

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	201	INI	C11-C10	9.31	1.69	1.53
3	E	205	INI	C11-C10	9.00	1.69	1.53
3	D	204	INI	C11-C10	8.91	1.69	1.53
3	C	203	INI	C11-C10	8.50	1.68	1.53
3	B	202	INI	C11-C10	8.16	1.67	1.53
3	D	204	INI	C6-N7	6.54	1.42	1.32
3	B	202	INI	C6-N7	6.38	1.42	1.32
3	A	201	INI	C6-N7	6.17	1.42	1.32
3	C	203	INI	C6-N7	5.40	1.41	1.32
3	E	205	INI	C6-N7	5.28	1.40	1.32
3	C	203	INI	C9-C10	5.27	1.62	1.53
3	D	204	INI	C8-C9	5.19	1.59	1.52
3	B	202	INI	C9-C10	5.03	1.62	1.53
3	D	204	INI	C9-C10	5.01	1.62	1.53
3	A	201	INI	C8-C9	4.59	1.58	1.52
3	E	205	INI	C9-C10	4.58	1.61	1.53
3	E	205	INI	C8-C9	4.52	1.58	1.52
3	A	201	INI	C9-C10	4.51	1.61	1.53
3	A	201	INI	C5-C4	4.43	1.55	1.43
3	C	203	INI	C8-C9	4.42	1.58	1.52
3	B	202	INI	C5-C4	4.22	1.55	1.43
3	D	204	INI	C5-C4	4.00	1.54	1.43
3	C	203	INI	C12-C11	3.87	1.61	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	203	INI	C5-C4	3.84	1.54	1.43
3	E	205	INI	C5-C4	3.83	1.54	1.43
3	B	202	INI	C8-C9	3.72	1.57	1.52
3	D	204	INI	C6-N1	3.12	1.41	1.37
3	B	202	INI	C12-C11	3.07	1.59	1.52
3	A	201	INI	C12-C11	3.04	1.59	1.52
3	D	204	INI	C12-C11	2.94	1.59	1.52
3	E	205	INI	C12-C11	2.83	1.59	1.52
3	A	201	INI	O51-N5	-2.50	1.18	1.35
3	E	205	INI	O51-N5	-2.39	1.19	1.35
3	C	203	INI	O51-N5	-2.36	1.19	1.35
3	B	202	INI	O51-N5	-2.33	1.19	1.35
3	E	205	INI	C6-N1	2.26	1.40	1.37
3	D	204	INI	O51-N5	-2.16	1.20	1.35
3	A	201	INI	C6-N1	2.13	1.40	1.37
2	B	1002	PO4	P-O2	-2.11	1.48	1.54
3	D	204	INI	O11-C11	2.04	1.47	1.43
2	B	1002	PO4	P-O4	-2.01	1.48	1.54
2	D	1004	PO4	P-O2	-2.01	1.48	1.54

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	203	INI	C12-C11-C10	8.65	129.80	112.17
3	E	205	INI	C12-C11-C10	8.09	128.66	112.17
3	A	201	INI	C12-C11-C10	8.09	128.65	112.17
3	D	204	INI	C12-C11-C10	7.84	128.15	112.17
3	B	202	INI	C12-C11-C10	7.52	127.50	112.17
3	C	203	INI	C8-N7-C6	-6.70	112.54	126.69
3	E	205	INI	C8-N7-C6	-6.25	113.48	126.69
3	B	202	INI	C8-N7-C6	-6.19	113.62	126.69
3	A	201	INI	C8-N7-C6	-6.13	113.74	126.69
3	D	204	INI	C8-N7-C6	-5.54	114.98	126.69
3	C	203	INI	O11-C11-C10	-4.85	97.90	109.25
3	B	202	INI	O11-C11-C10	-4.73	98.17	109.25
3	E	205	INI	O11-C11-C10	-4.67	98.33	109.25
3	A	201	INI	C11-C10-C9	4.60	121.23	113.57
3	A	201	INI	O11-C11-C10	-4.57	98.56	109.25
3	B	202	INI	C11-C10-C9	4.55	121.15	113.57
3	E	205	INI	O11-C11-C12	-4.55	98.68	109.03
3	D	204	INI	O11-C11-C10	-4.49	98.74	109.25
3	A	201	INI	O11-C11-C12	-4.40	99.02	109.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	203	INI	C11-C10-C9	4.23	120.61	113.57
3	A	201	INI	C8-C9-C10	4.12	123.60	110.70
3	D	204	INI	C11-C10-C9	4.08	120.36	113.57
3	B	202	INI	O11-C11-C12	-3.91	100.14	109.03
3	B	202	INI	C8-C9-C10	3.91	122.92	110.70
3	E	205	INI	C11-C10-C9	3.83	119.94	113.57
3	D	204	INI	C8-C9-C10	3.68	122.22	110.70
3	C	203	INI	O11-C11-C12	-3.66	100.71	109.03
3	C	203	INI	C8-C9-C10	3.59	121.93	110.70
3	E	205	INI	C8-C9-C10	3.52	121.71	110.70
3	D	204	INI	O4-C4-N3	-3.50	113.53	120.11
3	D	204	INI	O12-C12-C11	-3.48	103.85	111.16
3	D	204	INI	O11-C11-C12	-3.47	101.14	109.03
3	B	202	INI	O4-C4-N3	-3.46	113.61	120.11
3	A	201	INI	O2-C2-N1	-3.43	115.77	121.86
3	E	205	INI	O4-C4-N3	-3.25	114.00	120.11
3	E	205	INI	O12-C12-C11	-3.20	104.43	111.16
3	C	203	INI	O4-C4-N3	-3.09	114.31	120.11
3	A	201	INI	O4-C4-N3	-3.09	114.31	120.11
3	B	202	INI	O12-C12-C11	-3.08	104.69	111.16
3	E	205	INI	C5-C4-N3	3.08	118.20	111.84
3	C	203	INI	O9-C9-C8	-3.00	103.78	109.67
3	D	204	INI	C5-C4-N3	2.99	118.02	111.84
3	B	202	INI	O2-C2-N1	-2.98	116.56	121.86
3	C	203	INI	O2-C2-N1	-2.92	116.68	121.86
3	A	201	INI	O2-C2-N3	2.80	126.84	121.86
3	B	202	INI	O9-C9-C8	-2.79	104.18	109.67
3	C	203	INI	O2-C2-N3	2.76	126.77	121.86
3	B	202	INI	O2-C2-N3	2.75	126.75	121.86
3	A	201	INI	O12-C12-C11	-2.74	105.40	111.16
3	E	205	INI	O2-C2-N1	-2.73	117.02	121.86
3	B	202	INI	C5-C4-N3	2.69	117.39	111.84
3	C	203	INI	C5-C4-N3	2.56	117.13	111.84
3	A	201	INI	O9-C9-C8	-2.55	104.66	109.67
3	D	204	INI	O2-C2-N1	-2.51	117.39	121.86
3	A	201	INI	C5-C4-N3	2.51	117.03	111.84
3	E	205	INI	O2-C2-N3	2.48	126.27	121.86
3	D	204	INI	O2-C2-N3	2.42	126.17	121.86
3	C	203	INI	O12-C12-C11	-2.37	106.17	111.16
3	D	204	INI	O9-C9-C8	-2.29	105.17	109.67
3	A	201	INI	N1-C6-N7	-2.13	115.56	118.66
3	B	202	INI	C6-N1-C2	2.10	126.85	120.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	202	INI	N1-C6-N7	-2.08	115.63	118.66
3	E	205	INI	O9-C9-C8	-2.07	105.61	109.67
3	C	203	INI	C6-N1-C2	2.04	126.66	120.68
3	A	201	INI	C6-N1-C2	2.03	126.64	120.68

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	201	INI	N1-C6-N7-C8
3	A	201	INI	C5-C6-N7-C8
3	A	201	INI	C9-C10-C11-O11
3	A	201	INI	C9-C10-C11-C12
3	A	201	INI	O10-C10-C11-O11
3	B	202	INI	N1-C6-N7-C8
3	B	202	INI	C5-C6-N7-C8
3	B	202	INI	C9-C10-C11-O11
3	B	202	INI	C9-C10-C11-C12
3	B	202	INI	O10-C10-C11-O11
3	B	202	INI	C10-C11-C12-O12
3	C	203	INI	N1-C6-N7-C8
3	C	203	INI	C5-C6-N7-C8
3	C	203	INI	C9-C10-C11-O11
3	C	203	INI	O10-C10-C11-O11
3	C	203	INI	C10-C11-C12-O12
3	D	204	INI	N1-C6-N7-C8
3	D	204	INI	C5-C6-N7-C8
3	D	204	INI	C9-C10-C11-O11
3	D	204	INI	O10-C10-C11-O11
3	D	204	INI	C10-C11-C12-O12
3	D	204	INI	O11-C11-C12-O12
3	E	205	INI	N1-C6-N7-C8
3	E	205	INI	C5-C6-N7-C8
3	E	205	INI	C9-C10-C11-O11
3	E	205	INI	C9-C10-C11-C12
3	E	205	INI	O10-C10-C11-O11
3	E	205	INI	O11-C11-C12-O12
3	A	201	INI	O11-C11-C12-O12
3	C	203	INI	O11-C11-C12-O12
3	A	201	INI	C10-C11-C12-O12
3	E	205	INI	C10-C11-C12-O12
3	A	201	INI	O10-C10-C11-C12

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	202	INI	O10-C10-C11-C12
3	C	203	INI	O10-C10-C11-C12
3	D	204	INI	O10-C10-C11-C12
3	E	205	INI	O10-C10-C11-C12
3	C	203	INI	C9-C10-C11-C12
3	D	204	INI	C9-C10-C11-C12
3	B	202	INI	O11-C11-C12-O12
3	A	201	INI	N7-C8-C9-C10
3	C	203	INI	N7-C8-C9-C10
3	B	202	INI	N7-C8-C9-C10
3	D	204	INI	N7-C8-C9-C10
3	E	205	INI	N7-C8-C9-C10


There are no ring outliers.


4 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	201	INI	1	0
3	E	205	INI	2	0
3	B	202	INI	2	0
3	D	204	INI	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.