



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:39 PM UTC

PDB ID : 3KYC / pdb_00003kyc
Title : Human SUMO E1 complex with a SUMO1-AMP mimic
Authors : Lima, C.D.
Deposited on : 2009-12-05
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	346	
2	B	660	
3	D	97	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7681 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SUMO-activating enzyme subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	0	0
			2445	1549	416	467	13			

- Molecule 2 is a protein called SUMO-activating enzyme subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	548	Total	C	N	O	S	0	0	0
			4320	2738	754	808	20			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	expression tag	UNP Q9UBT2
B	-18	GLY	-	expression tag	UNP Q9UBT2
B	-17	SER	-	expression tag	UNP Q9UBT2
B	-16	SER	-	expression tag	UNP Q9UBT2
B	-15	HIS	-	expression tag	UNP Q9UBT2
B	-14	HIS	-	expression tag	UNP Q9UBT2
B	-13	HIS	-	expression tag	UNP Q9UBT2
B	-12	HIS	-	expression tag	UNP Q9UBT2
B	-11	HIS	-	expression tag	UNP Q9UBT2
B	-10	HIS	-	expression tag	UNP Q9UBT2
B	-9	SER	-	expression tag	UNP Q9UBT2
B	-8	SER	-	expression tag	UNP Q9UBT2
B	-7	GLY	-	expression tag	UNP Q9UBT2
B	-6	LEU	-	expression tag	UNP Q9UBT2
B	-5	VAL	-	expression tag	UNP Q9UBT2
B	-4	PRO	-	expression tag	UNP Q9UBT2
B	-3	ARG	-	expression tag	UNP Q9UBT2
B	-2	GLY	-	expression tag	UNP Q9UBT2
B	-1	SER	-	expression tag	UNP Q9UBT2
B	0	HIS	-	expression tag	UNP Q9UBT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	229	CYS	SER	variant	UNP Q9UBT2

- Molecule 3 is a protein called Small ubiquitin-related modifier 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	79	Total	C	N	O	S	0	0	0
			639	401	110	123	5			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	95	CYS	THR	engineered mutation	UNP P63165

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		

- Molecule 5 is 5'-deoxy-5'-(sulfamoylamino)adenosine (CCD ID: JZU) (formula: C₁₀H₁₅N₇O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	D	1	Total	C	N	O	S	0	0
			23	10	7	5	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	58	Total 58	O 58	0	0
6	B	183	Total 183	O 183	0	0
6	D	12	Total 12	O 12	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SUMO-activating enzyme subunit 1





• Molecule 2: SUMO-activating enzyme subunit 2





● Molecule 3: Small ubiquitin-related modifier 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.17Å 133.37Å 159.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.45 25.00 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.2 (25.00-2.45) 99.1 (25.00-2.45)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.5.0093	Depositor
R, R_{free}	0.191 , 0.250 0.193 , 0.253	Depositor DCC
R_{free} test set	2378 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	53.0	Xtriage
Anisotropy	0.397	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7681	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: JZU, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	0/2488	1.24	18/3357 (0.5%)
2	B	1.26	9/4396 (0.2%)	1.33	28/5936 (0.5%)
3	D	0.98	0/649	1.19	2/866 (0.2%)
All	All	1.18	9/7533 (0.1%)	1.29	48/10159 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	187	VAL	CA-CB	6.78	1.62	1.54
2	B	282	LEU	CA-C	-5.67	1.46	1.52
2	B	334	ALA	CA-C	5.62	1.60	1.52
2	B	19	ARG	CA-C	5.50	1.59	1.52
2	B	186	ILE	CA-CB	-5.48	1.47	1.54
2	B	181	GLU	CA-C	5.35	1.57	1.52
2	B	374	PHE	N-CA	-5.22	1.40	1.46
2	B	269	MET	CA-C	-5.18	1.47	1.53
2	B	206	VAL	CA-CB	-5.13	1.48	1.54

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	327	ASN	N-CA-C	9.78	131.64	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	216	VAL	CB-CA-C	-8.57	100.91	111.88
2	B	164	LYS	CA-C-N	-8.22	111.54	119.76
2	B	164	LYS	C-N-CA	-8.22	111.54	119.76
2	B	54	VAL	N-CA-C	8.11	118.20	110.42
2	B	362	ARG	CG-CD-NE	-7.75	94.96	112.00
2	B	540	LYS	N-CA-C	7.01	125.74	110.80
2	B	631	GLU	N-CA-C	6.72	118.34	110.41
2	B	263	ILE	CB-CA-C	6.53	121.23	112.22
2	B	130	LEU	N-CA-C	-6.51	103.68	111.69
1	A	326	ASN	CA-C-N	6.29	133.55	121.54
1	A	326	ASN	C-N-CA	6.29	133.55	121.54
1	A	75	ASP	CA-C-N	6.05	127.40	119.84
1	A	75	ASP	C-N-CA	6.05	127.40	119.84
1	A	261	THR	N-CA-C	-6.02	104.79	113.21
3	D	90	VAL	CB-CA-C	-5.98	102.71	110.84
1	A	326	ASN	N-CA-C	5.79	117.49	109.15
2	B	362	ARG	N-CA-C	-5.76	104.91	111.07
1	A	274	ASN	N-CA-C	5.67	117.14	111.07
2	B	246	SER	CA-C-N	-5.64	113.75	122.49
2	B	246	SER	C-N-CA	-5.64	113.75	122.49
2	B	206	VAL	CA-C-O	5.60	124.02	118.98
2	B	322	PHE	N-CA-C	-5.52	105.35	111.36
2	B	43	HIS	N-CA-C	5.48	117.57	108.20
2	B	207	SER	N-CA-CB	-5.48	102.16	110.05
2	B	98	ASN	CA-C-N	5.46	126.67	119.84
2	B	98	ASN	C-N-CA	5.46	126.67	119.84
1	A	322	ASP	CA-C-N	-5.46	114.76	120.38
1	A	322	ASP	C-N-CA	-5.46	114.76	120.38
3	D	33	GLU	N-CA-C	5.43	117.54	107.60
2	B	254	LEU	N-CA-C	-5.42	105.45	111.36
2	B	362	ARG	NE-CZ-NH2	-5.42	114.32	119.20
1	A	283	SER	CA-C-N	5.39	126.58	119.84
1	A	283	SER	C-N-CA	5.39	126.58	119.84
2	B	36	LEU	N-CA-C	-5.38	105.32	111.14
2	B	362	ARG	CB-CG-CD	5.35	123.60	111.30
2	B	44	ILE	N-CA-C	5.25	115.53	107.77
2	B	337	GLY	N-CA-C	-5.25	101.86	111.25
1	A	287	LEU	CA-C-N	5.15	126.28	119.84
1	A	287	LEU	C-N-CA	5.15	126.28	119.84
2	B	7	LEU	CA-C-N	5.14	125.06	119.76
2	B	7	LEU	C-N-CA	5.14	125.06	119.76
2	B	41	PHE	N-CA-C	-5.09	99.49	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	206	MET	N-CA-C	5.07	117.88	109.46
2	B	416	ILE	CB-CA-C	-5.07	104.03	110.98
2	B	209	ASP	N-CA-C	5.03	116.85	107.99
1	A	328	PHE	N-CA-C	5.01	117.66	109.59
1	A	140	VAL	N-CA-C	5.00	115.23	110.53

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	485	GLY	Peptide
2	B	93	HIS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2445	0	2424	79	0
2	B	4320	0	4378	122	1
3	D	639	0	633	33	0
4	B	1	0	0	0	0
5	D	23	0	14	1	0
6	A	58	0	0	6	0
6	B	183	0	0	16	0
6	D	12	0	0	0	0
All	All	7681	0	7449	227	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:512:ARG:HG2	2:B:512:ARG:HH11	1.07	1.15
2:B:11:LEU:HD13	2:B:407:SER:HB3	1.40	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:217:TRP:HZ3	2:B:274:ARG:NH2	1.58	1.01
2:B:512:ARG:HH11	2:B:512:ARG:CG	1.75	1.00
2:B:150:THR:CG2	2:B:405:ILE:HD11	1.92	1.00
2:B:512:ARG:HG2	2:B:512:ARG:NH1	1.68	0.97
1:A:9:GLY:N	1:A:32:LYS:HZ3	1.64	0.93
3:D:72:ALA:H	3:D:75:HIS:HD2	1.21	0.89
2:B:150:THR:HG23	2:B:405:ILE:HD11	1.52	0.88
2:B:265:TYR:O	2:B:268:THR:HB	1.73	0.88
2:B:114:ASN:ND2	2:B:138:GLU:OE1	2.07	0.88
2:B:640:ASP:HB2	3:D:54:ARG:HH12	1.37	0.87
1:A:273:ARG:HG2	1:A:277:LEU:HD11	1.59	0.83
1:A:252:ASP:O	1:A:253:LYS:HB2	1.77	0.82
2:B:624:ARG:NH1	2:B:624:ARG:HB2	1.94	0.81
1:A:33:ARG:HD3	6:A:355:HOH:O	1.80	0.80
1:A:143:ASP:OD1	1:A:216:VAL:HG23	1.81	0.80
1:A:157:ASP:HB2	1:A:164:TYR:HE2	1.44	0.80
2:B:11:LEU:CD1	2:B:407:SER:HB3	2.12	0.80
1:A:89:ARG:HH11	1:A:89:ARG:CG	1.95	0.79
1:A:143:ASP:CG	1:A:216:VAL:HG23	2.08	0.78
2:B:512:ARG:HG3	2:B:513:ASN:N	2.00	0.76
2:B:150:THR:HG21	2:B:405:ILE:HD11	1.69	0.75
1:A:274:ASN:HA	1:A:277:LEU:HD12	1.69	0.74
2:B:74:GLN:HG2	6:B:797:HOH:O	1.88	0.74
1:A:9:GLY:N	1:A:32:LYS:NZ	2.36	0.74
1:A:34:LEU:HD11	1:A:315:VAL:HG13	1.68	0.73
2:B:496:GLY:HA2	2:B:499:GLU:OE2	1.88	0.73
2:B:217:TRP:CZ3	2:B:274:ARG:NH2	2.50	0.72
1:A:89:ARG:HH11	1:A:89:ARG:HG3	1.54	0.71
1:A:299:MET:HE2	1:A:299:MET:HA	1.71	0.71
1:A:98:ARG:HH21	2:B:82:GLN:HB2	1.55	0.70
1:A:132:THR:HG21	6:A:363:HOH:O	1.91	0.69
2:B:277:LYS:HE3	6:B:715:HOH:O	1.91	0.69
2:B:268:THR:HG23	6:B:721:HOH:O	1.92	0.68
2:B:16:ALA:HA	2:B:42:SER:OG	1.94	0.68
1:A:244:GLN:HE21	1:A:244:GLN:HA	1.59	0.67
2:B:266:LEU:HD23	2:B:269:MET:CE	2.24	0.67
2:B:188:TRP:CE3	2:B:362:ARG:HG3	2.30	0.66
2:B:64:GLN:HG2	6:B:761:HOH:O	1.95	0.66
2:B:34:LYS:HE3	2:B:35:ASN:OD1	1.96	0.65
2:B:268:THR:CG2	6:B:721:HOH:O	2.44	0.65
2:B:457:HIS:O	2:B:505:LYS:HG2	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:PRO:HB3	1:A:290:ASP:OD1	1.96	0.65
2:B:123:ASN:HD21	2:B:164:LYS:HE2	1.62	0.65
2:B:217:TRP:CH2	2:B:271:LYS:HB2	2.32	0.64
1:A:249:PHE:O	1:A:249:PHE:CD2	2.50	0.64
2:B:484:ASP:O	2:B:486:LYS:N	2.29	0.64
2:B:70:ARG:NH2	2:B:78:GLU:OE2	2.29	0.64
1:A:157:ASP:HB2	1:A:164:TYR:CE2	2.30	0.64
2:B:266:LEU:HD23	2:B:269:MET:HE3	1.80	0.63
3:D:72:ALA:N	3:D:75:HIS:HD2	1.95	0.62
2:B:624:ARG:HB2	2:B:624:ARG:CZ	2.27	0.62
2:B:43:HIS:CD2	2:B:88:ASN:HD22	2.18	0.62
2:B:547:VAL:HG12	2:B:548:GLY:N	2.15	0.62
3:D:66:PHE:HB2	3:D:71:ILE:HD11	1.82	0.62
3:D:78:LYS:HG2	3:D:79:GLU:N	2.14	0.61
1:A:147:HIS:CE1	6:A:382:HOH:O	2.53	0.61
2:B:64:GLN:CG	6:B:761:HOH:O	2.48	0.60
3:D:76:THR:HG23	3:D:77:PRO:HD2	1.83	0.60
2:B:15:VAL:HG12	2:B:40:GLY:O	2.02	0.60
3:D:19:GLY:CA	3:D:39:LYS:HE3	2.31	0.60
6:A:383:HOH:O	2:B:421:GLN:HG2	2.00	0.59
3:D:19:GLY:HA3	3:D:39:LYS:HE3	1.82	0.59
3:D:22:ILE:HG23	3:D:40:MET:HE1	1.84	0.59
2:B:103:VAL:HG23	6:B:720:HOH:O	2.01	0.59
1:A:35:ARG:O	1:A:61:LYS:HB2	2.02	0.59
3:D:59:MET:O	3:D:61:SER:N	2.31	0.58
3:D:72:ALA:H	3:D:75:HIS:CD2	2.10	0.58
3:D:78:LYS:HG2	3:D:79:GLU:H	1.68	0.58
1:A:273:ARG:O	1:A:277:LEU:HG	2.03	0.58
2:B:77:LYS:HG3	2:B:89:ILE:HB	1.86	0.58
2:B:171:PRO:HA	2:B:541:ASP:OD2	2.03	0.57
1:A:155:THR:HG22	1:A:166:PHE:HB3	1.87	0.57
3:D:76:THR:HB	3:D:79:GLU:HG3	1.84	0.57
1:A:277:LEU:HD13	1:A:284:PRO:HA	1.87	0.57
3:D:20:GLU:HG2	3:D:21:TYR:H	1.70	0.57
3:D:59:MET:C	3:D:61:SER:H	2.13	0.56
1:A:72:THR:HG22	1:A:74:GLU:H	1.71	0.56
1:A:268:LEU:O	1:A:272:ILE:HG13	2.07	0.55
3:D:25:LYS:HE2	3:D:33:GLU:OE2	2.07	0.55
2:B:496:GLY:CA	2:B:499:GLU:OE2	2.55	0.55
1:A:44:LEU:HD21	1:A:65:MET:HB3	1.89	0.54
1:A:89:ARG:CG	1:A:89:ARG:NH1	2.62	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:540:LYS:HD2	6:B:702:HOH:O	2.07	0.54
1:A:283:SER:O	1:A:285:ASP:N	2.40	0.54
1:A:131:LEU:HD22	1:A:153:PHE:CE1	2.42	0.54
2:B:456:VAL:HG21	2:B:511:ILE:O	2.08	0.54
1:A:282:ILE:O	1:A:284:PRO:HD3	2.08	0.53
1:A:282:ILE:HG23	1:A:286:LEU:HD12	1.91	0.53
2:B:70:ARG:HH22	2:B:78:GLU:CD	2.16	0.53
3:D:47:LEU:C	3:D:47:LEU:HD23	2.34	0.53
2:B:214:GLU:OE1	2:B:276:ARG:NH2	2.37	0.53
2:B:624:ARG:HA	2:B:627:ILE:HB	1.89	0.52
3:D:77:PRO:HA	3:D:82:MET:HG3	1.92	0.52
2:B:504:LYS:HB3	2:B:508:GLU:OE1	2.10	0.52
2:B:634:ASP:HA	3:D:42:THR:HG23	1.92	0.52
1:A:164:TYR:HA	1:A:329:PHE:O	2.09	0.52
2:B:199:GLU:O	2:B:200:GLU:C	2.50	0.52
3:D:62:LEU:HD13	3:D:90:VAL:HG11	1.92	0.52
1:A:143:ASP:CB	1:A:216:VAL:HG23	2.39	0.51
2:B:624:ARG:HB2	2:B:624:ARG:HH11	1.73	0.51
1:A:174:PHE:HE2	1:A:211:VAL:HG12	1.74	0.51
3:D:85:GLU:HA	3:D:85:GLU:OE2	2.10	0.51
1:A:42:VAL:O	1:A:132:THR:HB	2.11	0.51
2:B:44:ILE:O	2:B:89:ILE:HA	2.11	0.50
3:D:25:LYS:HG3	3:D:87:VAL:HG22	1.93	0.50
1:A:261:THR:O	1:A:261:THR:OG1	2.27	0.50
2:B:191:TYR:CD2	2:B:204:GLN:HG2	2.46	0.50
2:B:193:PHE:C	2:B:193:PHE:CD2	2.90	0.50
2:B:217:TRP:CD1	2:B:217:TRP:N	2.80	0.50
2:B:157:GLU:HA	2:B:437:PRO:HA	1.94	0.50
2:B:448:PRO:HG2	2:B:527:THR:O	2.12	0.49
2:B:47:ILE:HG21	2:B:96:ILE:HG23	1.94	0.49
2:B:614:LEU:HA	2:B:617:LYS:HD2	1.94	0.49
2:B:450:VAL:HG22	2:B:528:LEU:HD11	1.94	0.49
1:A:249:PHE:CD2	1:A:249:PHE:C	2.90	0.49
2:B:217:TRP:HZ3	2:B:274:ARG:HH22	1.51	0.49
1:A:20:ASP:O	1:A:24:ARG:HG3	2.13	0.49
1:A:22:GLN:HB3	2:B:387:ILE:HG22	1.95	0.49
1:A:177:GLU:HA	1:A:206:MET:HE2	1.94	0.49
2:B:613:LYS:HG3	2:B:616:GLU:OE2	2.13	0.49
2:B:386:ALA:HA	6:B:657:HOH:O	2.13	0.48
2:B:80:VAL:HA	2:B:83:PHE:CE2	2.49	0.48
1:A:97:GLU:OE2	1:A:97:GLU:HA	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:ASP:CB	1:A:216:VAL:CG2	2.93	0.47
1:A:224:TRP:HA	1:A:229:ALA:HB1	1.97	0.47
1:A:135:SER:OG	1:A:138:VAL:HG23	2.15	0.47
2:B:211:ALA:HB1	2:B:540:LYS:NZ	2.30	0.47
2:B:457:HIS:O	2:B:505:LYS:CG	2.63	0.46
2:B:23:VAL:CG1	2:B:96:ILE:HG12	2.46	0.46
1:A:226:SER:HB3	1:A:229:ALA:HB3	1.96	0.46
2:B:539:GLY:O	2:B:541:ASP:N	2.47	0.46
2:B:465:GLN:HB2	2:B:491:ILE:HD13	1.97	0.46
2:B:421:GLN:HB2	3:D:31:SER:HB2	1.96	0.46
1:A:155:THR:CG2	1:A:166:PHE:HB3	2.44	0.46
2:B:165:PRO:HG3	3:D:61:SER:HA	1.98	0.46
1:A:45:LYS:HD2	1:A:133:CYS:SG	2.56	0.46
2:B:537:ASP:HA	6:B:789:HOH:O	2.16	0.46
2:B:371:LYS:HD3	2:B:379:MET:HE1	1.98	0.45
2:B:77:LYS:HE3	2:B:89:ILE:O	2.15	0.45
2:B:494:GLU:HG3	6:B:808:HOH:O	2.16	0.45
1:A:69:GLU:OE2	1:A:91:ARG:NH2	2.49	0.45
1:A:272:ILE:O	1:A:273:ARG:C	2.57	0.45
2:B:455:ASN:HA	2:B:534:HIS:CE1	2.52	0.45
3:D:19:GLY:HA3	3:D:39:LYS:CE	2.45	0.45
1:A:140:VAL:HG12	1:A:144:GLN:NE2	2.31	0.45
1:A:244:GLN:HA	1:A:244:GLN:NE2	2.29	0.45
1:A:321:ARG:O	1:A:322:ASP:HB2	2.17	0.45
2:B:624:ARG:HG2	2:B:627:ILE:HD12	1.98	0.45
3:D:19:GLY:N	3:D:39:LYS:HE3	2.32	0.45
3:D:27:ILE:CD1	3:D:87:VAL:HG13	2.46	0.45
2:B:456:VAL:H	2:B:534:HIS:CE1	2.35	0.45
2:B:611:LYS:O	2:B:615:ASP:HB2	2.16	0.45
2:B:18:GLY:HA3	2:B:110:ILE:HD11	1.99	0.45
2:B:112:VAL:O	2:B:136:LEU:HA	2.17	0.45
1:A:174:PHE:HE2	1:A:211:VAL:CG1	2.30	0.44
1:A:208:LYS:HE3	1:A:208:LYS:HB2	1.79	0.44
2:B:352:MET:SD	2:B:377:LYS:HG3	2.58	0.44
3:D:23:LYS:HA	3:D:36:PHE:O	2.17	0.44
2:B:401:GLU:OE1	2:B:413:CYS:HA	2.17	0.44
1:A:255:ARG:HH22	1:A:261:THR:HG21	1.81	0.44
2:B:23:VAL:HG11	2:B:96:ILE:HG12	2.00	0.44
2:B:484:ASP:OD1	2:B:487:GLY:N	2.49	0.44
3:D:52:CYS:HB3	3:D:57:VAL:O	2.18	0.44
2:B:43:HIS:CD2	2:B:88:ASN:ND2	2.84	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:47:ILE:HD13	2:B:96:ILE:HG23	1.98	0.44
2:B:423:ASN:OD1	2:B:423:ASN:C	2.61	0.44
2:B:547:VAL:CG1	2:B:548:GLY:N	2.80	0.44
2:B:49:LEU:HD23	5:D:98:JZU:C6	2.47	0.43
1:A:291:PHE:CD1	1:A:292:VAL:N	2.87	0.43
2:B:170:PHE:HA	2:B:171:PRO:HD2	1.84	0.43
3:D:76:THR:HG21	3:D:78:LYS:HD3	2.01	0.43
1:A:131:LEU:HD22	1:A:153:PHE:HE1	1.83	0.43
1:A:226:SER:HB3	1:A:229:ALA:CB	2.49	0.43
2:B:405:ILE:HD13	2:B:405:ILE:HG21	1.73	0.43
1:A:252:ASP:O	1:A:253:LYS:CB	2.56	0.43
1:A:71:VAL:O	1:A:87:VAL:HG13	2.18	0.43
2:B:624:ARG:HH11	2:B:624:ARG:CB	2.32	0.43
2:B:501:ASN:HA	2:B:504:LYS:HD2	2.00	0.43
2:B:512:ARG:HH11	2:B:512:ARG:CB	2.28	0.43
2:B:608:ARG:CG	2:B:612:ARG:NH2	2.82	0.43
1:A:299:MET:HA	1:A:299:MET:CE	2.43	0.42
2:B:18:GLY:HA3	2:B:110:ILE:CD1	2.48	0.42
2:B:533:LEU:HD23	2:B:533:LEU:HA	1.85	0.42
1:A:259:SER:C	1:A:261:THR:H	2.28	0.42
1:A:272:ILE:O	1:A:276:VAL:HG23	2.18	0.42
2:B:454:LEU:C	2:B:454:LEU:HD23	2.45	0.42
2:B:461:VAL:O	2:B:464:LEU:HB3	2.19	0.42
2:B:496:GLY:N	2:B:499:GLU:OE2	2.53	0.42
1:A:89:ARG:NH1	1:A:89:ARG:HG2	2.35	0.42
1:A:161:TYR:HA	1:A:302:VAL:HG21	2.00	0.42
1:A:78:ALA:O	1:A:79:GLN:HG3	2.19	0.42
1:A:148:LYS:HD3	6:A:350:HOH:O	2.20	0.42
1:A:78:ALA:HB2	2:B:84:TYR:CD1	2.55	0.41
2:B:26:GLY:HA2	2:B:60:GLN:OE1	2.20	0.41
2:B:163:PRO:HA	6:B:758:HOH:O	2.20	0.41
2:B:278:PRO:HD2	6:B:715:HOH:O	2.20	0.41
1:A:328:PHE:HB3	1:A:330:PHE:CE1	2.55	0.41
2:B:410:ILE:H	2:B:410:ILE:HG13	1.40	0.41
1:A:240:TYR:CD1	1:A:343:LEU:CD1	3.04	0.41
2:B:402:GLY:O	2:B:403:LEU:C	2.63	0.41
1:A:143:ASP:HB2	1:A:216:VAL:CG2	2.50	0.41
1:A:258:SER:HB3	1:A:261:THR:HG23	2.03	0.41
2:B:164:LYS:H	2:B:164:LYS:HG2	1.37	0.41
3:D:27:ILE:HD12	3:D:87:VAL:HG13	2.02	0.41
2:B:277:LYS:HG3	6:B:715:HOH:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:75:HIS:CE1	3:D:80:LEU:HD21	2.54	0.41
1:A:288:PRO:HB3	1:A:290:ASP:CG	2.45	0.41
2:B:487:GLY:O	2:B:488:THR:C	2.63	0.41
1:A:174:PHE:CE2	1:A:211:VAL:HG12	2.55	0.41
1:A:248:LYS:C	1:A:250:ARG:N	2.78	0.41
1:A:287:LEU:HA	1:A:288:PRO:HD2	1.90	0.41
2:B:43:HIS:HD2	2:B:88:ASN:HD22	1.65	0.41
2:B:81:LEU:HD12	2:B:81:LEU:HA	1.95	0.41
2:B:623:LYS:HE3	2:B:627:ILE:HD11	2.03	0.41
3:D:76:THR:HG23	3:D:77:PRO:CD	2.50	0.41
2:B:423:ASN:HB2	2:B:424:PRO:CD	2.51	0.40
2:B:181:GLU:O	2:B:182:PRO:C	2.62	0.40
2:B:13:GLU:O	2:B:17:GLY:N	2.54	0.40
2:B:456:VAL:HG21	2:B:511:ILE:C	2.47	0.40
2:B:500:ALA:O	2:B:503:HIS:CE1	2.75	0.40
1:A:248:LYS:C	1:A:250:ARG:H	2.30	0.40
2:B:81:LEU:HD12	2:B:85:PRO:HA	2.03	0.40
1:A:229:ALA:HB2	6:A:390:HOH:O	2.21	0.40
2:B:77:LYS:NZ	6:B:762:HOH:O	2.52	0.40
2:B:166:THR:HG23	6:B:745:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:19:ARG:NH1	2:B:639:LEU:O[1_455]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	309/346 (89%)	272 (88%)	28 (9%)	9 (3%)	3 2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	540/660 (82%)	502 (93%)	32 (6%)	6 (1%)	11	12
3	D	77/97 (79%)	62 (80%)	7 (9%)	8 (10%)	0	0
All	All	926/1103 (84%)	836 (90%)	67 (7%)	23 (2%)	4	3

All (23) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	253	LYS
1	A	284	PRO
1	A	327	ASN
2	B	9	ARG
2	B	540	LYS
3	D	31	SER
3	D	59	MET
1	A	179	THR
3	D	68	GLY
3	D	86	ASP
1	A	76	PRO
3	D	30	ASP
3	D	40	MET
1	A	260	ASP
1	A	271	GLN
2	B	239	SER
2	B	613	LYS
2	B	633	LEU
1	A	288	PRO
3	D	56	GLY
3	D	73	ASP
2	B	485	GLY
1	A	322	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/296 (90%)	223 (84%)	43 (16%)	2	1
2	B	475/569 (84%)	427 (90%)	48 (10%)	7	7
3	D	71/87 (82%)	59 (83%)	12 (17%)	2	1
All	All	812/952 (85%)	709 (87%)	103 (13%)	4	4

All (103) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	LEU
1	A	29	GLU
1	A	34	LEU
1	A	40	LEU
1	A	61	LYS
1	A	74	GLU
1	A	76	PRO
1	A	84	THR
1	A	89	ARG
1	A	91	ARG
1	A	93	GLU
1	A	98	ARG
1	A	105	MET
1	A	110	VAL
1	A	118	LYS
1	A	131	LEU
1	A	152	LYS
1	A	175	VAL
1	A	205	THR
1	A	208	LYS
1	A	209	LYS
1	A	210	LYS
1	A	216	VAL
1	A	228	LYS
1	A	230	LYS
1	A	234	LYS
1	A	244	GLN
1	A	248	LYS
1	A	252	ASP
1	A	255	ARG
1	A	261	THR
1	A	266	SER
1	A	267	GLU
1	A	268	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	278	ASP
1	A	279	SER
1	A	287	LEU
1	A	292	VAL
1	A	294	TYR
1	A	299	MET
1	A	310	LEU
1	A	334	MET
1	A	335	LYS
2	B	7	LEU
2	B	32	LEU
2	B	37	VAL
2	B	46	LEU
2	B	66	LYS
2	B	71	SER
2	B	81	LEU
2	B	86	LYS
2	B	96	ILE
2	B	110	ILE
2	B	113	MET
2	B	138	GLU
2	B	164	LYS
2	B	167	GLN
2	B	169	THR
2	B	181	GLU
2	B	205	GLU
2	B	217	TRP
2	B	235	ILE
2	B	237	ARG
2	B	238	ILE
2	B	263	ILE
2	B	268	THR
2	B	275	LYS
2	B	305	LEU
2	B	308	LYS
2	B	320	ARG
2	B	336	LYS
2	B	362	ARG
2	B	410	ILE
2	B	414	ARG
2	B	416	ILE
2	B	425	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	426	LYS
2	B	454	LEU
2	B	471	GLU
2	B	486	LYS
2	B	499	GLU
2	B	512	ARG
2	B	515	SER
2	B	538	LEU
2	B	609	SER
2	B	610	ARG
2	B	613	LYS
2	B	624	ARG
2	B	628	GLU
2	B	630	LYS
2	B	640	ASP
3	D	23	LYS
3	D	31	SER
3	D	32	SER
3	D	38	VAL
3	D	40	MET
3	D	57	VAL
3	D	69	GLN
3	D	70	ARG
3	D	76	THR
3	D	85	GLU
3	D	87	VAL
3	D	90	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	101	ASN
1	A	144	GLN
1	A	162	HIS
1	A	172	HIS
1	A	244	GLN
2	B	43	HIS
2	B	88	ASN
2	B	123	ASN
2	B	195	GLN
2	B	204	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	465	GLN
2	B	481	GLN
2	B	619	ASN
3	D	55	GLN
3	D	74	ASN
3	D	75	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	JZU	D	98	3	24,25,25	1.31	5 (20%)	34,38,38	2.11	10 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	JZU	D	98	3	-	2/9/26/26	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	98	JZU	C5-C6	2.86	1.48	1.41
5	D	98	JZU	C5'-N5'	-2.45	1.43	1.47
5	D	98	JZU	C4-N9	-2.30	1.32	1.37
5	D	98	JZU	C5-N7	-2.26	1.35	1.39
5	D	98	JZU	S-N5'	-2.17	1.54	1.62

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	98	JZU	C5-C4-N3	-5.15	119.63	126.72
5	D	98	JZU	C4'-C5'-N5'	-5.08	102.83	112.53
5	D	98	JZU	O4'-C1'-N9	3.85	115.48	108.09
5	D	98	JZU	C2-N3-C4	3.69	120.84	111.83
5	D	98	JZU	N3-C4-N9	3.48	133.09	127.17
5	D	98	JZU	N3-C2-N1	-3.32	123.55	128.58
5	D	98	JZU	O2S-S-N5'	3.18	114.17	106.64
5	D	98	JZU	C3'-C2'-C1'	2.42	106.05	101.46
5	D	98	JZU	C5-C6-N6	-2.31	117.57	123.29
5	D	98	JZU	N6-C6-N1	2.13	123.11	118.38

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	98	JZU	C3'-C4'-C5'-N5'
5	D	98	JZU	O4'-C4'-C5'-N5'


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	98	JZU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/346 (90%)	-0.08	4 (1%) 75 77	47, 75, 115, 128	0
2	B	548/660 (83%)	-0.26	9 (1%) 70 73	33, 63, 117, 147	0
3	D	79/97 (81%)	0.15	0 100 100	50, 89, 102, 108	0
All	All	940/1103 (85%)	-0.17	13 (1%) 73 75	33, 67, 114, 147	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	633	LEU	4.4
1	A	280	LEU	3.3
2	B	627	ILE	3.0
2	B	548	GLY	2.7
2	B	620	LEU	2.7
2	B	614	LEU	2.5
2	B	628	GLU	2.4
2	B	217	TRP	2.4
2	B	305	LEU	2.2
1	A	286	LEU	2.2
2	B	235	ILE	2.1
1	A	296	PHE	2.1
1	A	282	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	JZU	D	98	23/23	0.98	0.05	46,53,60,62	0
4	ZN	B	641	1/1	1.00	0.01	62,62,62,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.