



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:12 AM UTC

PDB ID : 5KYA / pdb_00005kya
Title : Brain penetrant liver X receptor (LXR) modulators based on a 2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazole core
Authors : Chen, G.; McKeever, B.M.
Deposited on : 2016-07-21
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	 % 76% 8% • 15%
1	E	287	 % 75% 11% • 13%
2	B	256	 2% 77% 7% • 16%
2	F	256	 2% 78% 6% 15%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7550 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Oxysterols receptor LXR-beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	244	Total	C	N	O	S	0	0	0
			1986	1272	348	359	7			
1	E	251	Total	C	N	O	S	0	0	0
			2028	1297	355	369	7			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	194	MET	-	initiating methionine	UNP P55055
A	195	GLY	-	expression tag	UNP P55055
A	196	SER	-	expression tag	UNP P55055
A	197	SER	-	expression tag	UNP P55055
A	198	HIS	-	expression tag	UNP P55055
A	199	HIS	-	expression tag	UNP P55055
A	200	HIS	-	expression tag	UNP P55055
A	201	HIS	-	expression tag	UNP P55055
A	202	HIS	-	expression tag	UNP P55055
A	203	HIS	-	expression tag	UNP P55055
A	204	SER	-	expression tag	UNP P55055
A	205	SER	-	expression tag	UNP P55055
A	206	GLY	-	expression tag	UNP P55055
A	207	LEU	-	expression tag	UNP P55055
A	208	VAL	-	expression tag	UNP P55055
A	209	PRO	-	expression tag	UNP P55055
A	210	ARG	GLN	conflict	UNP P55055
A	213	HIS	GLY	engineered mutation	UNP P55055
A	214	MET	GLU	engineered mutation	UNP P55055
A	259	ALA	GLN	engineered mutation	UNP P55055
A	261	GLY	ARG	engineered mutation	UNP P55055
A	262	SER	ASP	engineered mutation	UNP P55055
A	264	SER	ARG	engineered mutation	UNP P55055
A	462	GLY	-	expression tag	UNP P55055
A	463	SER	-	expression tag	UNP P55055

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	464	GLY	-	expression tag	UNP P55055
A	465	SER	-	expression tag	UNP P55055
A	466	GLY	-	expression tag	UNP P55055
A	467	SER	-	expression tag	UNP P55055
A	468	HIS	-	expression tag	UNP P55055
A	469	LYS	-	expression tag	UNP P55055
A	470	ILE	-	expression tag	UNP P55055
A	471	LEU	-	expression tag	UNP P55055
A	472	HIS	-	expression tag	UNP P55055
A	473	ARG	-	expression tag	UNP P55055
A	474	LEU	-	expression tag	UNP P55055
A	475	LEU	-	expression tag	UNP P55055
A	476	GLN	-	expression tag	UNP P55055
A	477	ASP	-	expression tag	UNP P55055
A	478	SER	-	expression tag	UNP P55055
A	479	SER	-	expression tag	UNP P55055
A	480	SER	-	expression tag	UNP P55055
E	194	MET	-	initiating methionine	UNP P55055
E	195	GLY	-	expression tag	UNP P55055
E	196	SER	-	expression tag	UNP P55055
E	197	SER	-	expression tag	UNP P55055
E	198	HIS	-	expression tag	UNP P55055
E	199	HIS	-	expression tag	UNP P55055
E	200	HIS	-	expression tag	UNP P55055
E	201	HIS	-	expression tag	UNP P55055
E	202	HIS	-	expression tag	UNP P55055
E	203	HIS	-	expression tag	UNP P55055
E	204	SER	-	expression tag	UNP P55055
E	205	SER	-	expression tag	UNP P55055
E	206	GLY	-	expression tag	UNP P55055
E	207	LEU	-	expression tag	UNP P55055
E	208	VAL	-	expression tag	UNP P55055
E	209	PRO	-	expression tag	UNP P55055
E	210	ARG	GLN	conflict	UNP P55055
E	213	HIS	GLY	engineered mutation	UNP P55055
E	214	MET	GLU	engineered mutation	UNP P55055
E	259	ALA	GLN	engineered mutation	UNP P55055
E	261	GLY	ARG	engineered mutation	UNP P55055
E	262	SER	ASP	engineered mutation	UNP P55055
E	264	SER	ARG	engineered mutation	UNP P55055
E	462	GLY	-	expression tag	UNP P55055
E	463	SER	-	expression tag	UNP P55055

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	464	GLY	-	expression tag	UNP P55055
E	465	SER	-	expression tag	UNP P55055
E	466	GLY	-	expression tag	UNP P55055
E	467	SER	-	expression tag	UNP P55055
E	468	HIS	-	expression tag	UNP P55055
E	469	LYS	-	expression tag	UNP P55055
E	470	ILE	-	expression tag	UNP P55055
E	471	LEU	-	expression tag	UNP P55055
E	472	HIS	-	expression tag	UNP P55055
E	473	ARG	-	expression tag	UNP P55055
E	474	LEU	-	expression tag	UNP P55055
E	475	LEU	-	expression tag	UNP P55055
E	476	GLN	-	expression tag	UNP P55055
E	477	ASP	-	expression tag	UNP P55055
E	478	SER	-	expression tag	UNP P55055
E	479	SER	-	expression tag	UNP P55055
E	480	SER	-	expression tag	UNP P55055

- Molecule 2 is a protein called Retinoic acid receptor RXR-beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	216	Total	C	N	O	S	0	0	0
			1726	1106	303	307	10			
2	F	217	Total	C	N	O	S	0	0	0
			1730	1108	304	308	10			

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	292	HIS	-	expression tag	UNP P28702
B	293	MET	GLY	engineered mutation	UNP P28702
B	529	GLY	-	expression tag	UNP P28702
B	530	SER	-	expression tag	UNP P28702
B	531	GLY	-	expression tag	UNP P28702
B	532	SER	-	expression tag	UNP P28702
B	533	GLY	-	expression tag	UNP P28702
B	534	SER	-	expression tag	UNP P28702
B	535	HIS	-	expression tag	UNP P28702
B	536	LYS	-	expression tag	UNP P28702
B	537	ILE	-	expression tag	UNP P28702
B	538	LEU	-	expression tag	UNP P28702
B	539	HIS	-	expression tag	UNP P28702

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	540	ARG	-	expression tag	UNP P28702
B	541	LEU	-	expression tag	UNP P28702
B	542	LEU	-	expression tag	UNP P28702
B	543	GLN	-	expression tag	UNP P28702
B	544	ASP	-	expression tag	UNP P28702
B	545	SER	-	expression tag	UNP P28702
B	546	SER	-	expression tag	UNP P28702
B	547	SER	-	expression tag	UNP P28702
F	292	HIS	-	expression tag	UNP P28702
F	293	MET	GLY	engineered mutation	UNP P28702
F	529	GLY	-	expression tag	UNP P28702
F	530	SER	-	expression tag	UNP P28702
F	531	GLY	-	expression tag	UNP P28702
F	532	SER	-	expression tag	UNP P28702
F	533	GLY	-	expression tag	UNP P28702
F	534	SER	-	expression tag	UNP P28702
F	535	HIS	-	expression tag	UNP P28702
F	536	LYS	-	expression tag	UNP P28702
F	537	ILE	-	expression tag	UNP P28702
F	538	LEU	-	expression tag	UNP P28702
F	539	HIS	-	expression tag	UNP P28702
F	540	ARG	-	expression tag	UNP P28702
F	541	LEU	-	expression tag	UNP P28702
F	542	LEU	-	expression tag	UNP P28702
F	543	GLN	-	expression tag	UNP P28702
F	544	ASP	-	expression tag	UNP P28702
F	545	SER	-	expression tag	UNP P28702
F	546	SER	-	expression tag	UNP P28702
F	547	SER	-	expression tag	UNP P28702

- Molecule 3 is [2-[(6 {R})-2-(3-methylsulfonylphenyl)-6-propan-2-yl-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl]-4-(trifluoromethyl)pyrimidin-5-yl]methanol (CCD ID: 6Y4) (formula: C₂₁H₂₂F₃N₅O₃S).





Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	0	0
			33	21	3	5	3	1		
3	E	1	Total	C	F	N	O	S	0	0
			33	21	3	5	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	7	Total	O	0	0
			7	7		
4	B	2	Total	O	0	0
			2	2		
4	E	4	Total	O	0	0
			4	4		
4	F	1	Total	O	0	0
			1	1		

i

- Molecule 1: Oxysterols receptor LXR-beta





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.44Å 101.09Å 143.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.48 – 2.60 44.48 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.9 (44.48-2.60) 99.9 (44.48-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.8.0071	Depositor
R, R_{free}	0.197 , 0.249 0.200 , 0.246	Depositor DCC
R_{free} test set	1581 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	48.2	Xtriage
Anisotropy	0.013	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 24.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7550	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6Y4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	0/2023	0.90	1/2733 (0.0%)
1	E	0.88	0/2067	0.95	3/2796 (0.1%)
2	B	0.83	0/1755	0.92	1/2362 (0.0%)
2	F	0.77	0/1759	0.89	0/2367
All	All	0.84	0/7604	0.92	5/10258 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	219	GLN	N-CA-C	7.54	120.62	109.24
1	A	219	GLN	N-CA-C	7.37	120.55	108.99
1	E	254	LEU	N-CA-C	6.60	121.36	113.12
1	E	255	GLY	N-CA-C	6.56	128.72	113.18
2	B	464	ARG	CG-CD-NE	6.35	125.96	112.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1986	0	2023	14	0
1	E	2028	0	2062	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1726	0	1777	14	0
2	F	1730	0	1780	9	0
3	A	33	0	0	0	0
3	E	33	0	0	1	0
4	A	7	0	0	0	0
4	B	2	0	0	0	0
4	E	4	0	0	0	0
4	F	1	0	0	0	0
All	All	7550	0	7642	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:444:ILE:O	2:B:464:ARG:NH1	2.06	0.88
1:A:221:THR:HG22	1:A:223:ALA:H	1.55	0.72
1:E:294:GLN:O	1:E:391:ARG:NH2	2.23	0.71
1:E:221:THR:HG22	1:E:223:ALA:H	1.55	0.71
1:E:423:MET:HG3	2:F:468:TYR:OH	1.92	0.69
1:E:255:GLY:O	1:E:256:ALA:HB3	1.94	0.67
1:E:356:PHE:CZ	1:E:360:MET:HE3	2.32	0.65
1:E:477:ASP:OD1	1:E:477:ASP:C	2.40	0.63
1:E:356:PHE:CE1	1:E:360:MET:HE1	2.34	0.62
1:E:255:GLY:O	1:E:256:ALA:CB	2.46	0.61
2:B:447:PHE:O	2:B:464:ARG:NH1	2.37	0.57
1:E:356:PHE:CZ	1:E:360:MET:CE	2.87	0.57
1:A:477:ASP:OD1	1:A:477:ASP:C	2.48	0.56
1:E:363:LEU:HB3	1:E:365:LEU:HD13	1.89	0.55
1:E:221:THR:HG22	1:E:223:ALA:N	2.23	0.54
1:A:221:THR:HG22	1:A:223:ALA:N	2.24	0.53
1:A:332:ASP:OD1	1:A:332:ASP:N	2.41	0.52
1:A:369:GLU:OE2	1:A:407:THR:HG22	2.09	0.52
2:F:525:MET:HE2	2:F:525:MET:HA	1.90	0.52
2:B:365:LEU:HD11	2:B:542:LEU:CD1	2.40	0.51
1:A:363:LEU:HB3	1:A:365:LEU:HD13	1.92	0.51
2:B:542:LEU:O	2:B:543:GLN:HG3	2.10	0.51
1:E:369:GLU:OE2	1:E:407:THR:HG22	2.11	0.50
1:E:356:PHE:CE2	1:E:360:MET:HE3	2.46	0.50
1:E:356:PHE:CE1	1:E:360:MET:CE	2.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:389:ILE:O	2:F:429:ARG:NH1	2.37	0.49
2:F:542:LEU:O	2:F:543:GLN:HG3	2.11	0.49
2:B:389:ILE:O	2:B:429:ARG:NH1	2.38	0.49
1:A:456:ILE:HG23	1:A:457:TRP:CD1	2.48	0.48
2:B:413:VAL:HG13	2:B:413:VAL:O	2.13	0.48
2:F:413:VAL:HG13	2:F:413:VAL:O	2.15	0.47
2:B:365:LEU:CD1	2:B:542:LEU:HD13	2.45	0.47
1:E:423:MET:HA	1:E:423:MET:HE2	1.97	0.47
2:F:413:VAL:O	2:F:413:VAL:CG1	2.63	0.47
2:B:512:LEU:C	2:B:513:ILE:HG13	2.39	0.47
2:B:413:VAL:O	2:B:413:VAL:CG1	2.63	0.46
2:B:373:ARG:NH1	2:B:527:GLU:O	2.45	0.45
2:F:512:LEU:C	2:F:513:ILE:HG13	2.40	0.45
1:E:333:PHE:HB3	1:E:335:TYR:CE2	2.51	0.45
1:A:351:ASN:HB2	1:A:352:PRO:HD3	1.99	0.44
1:A:411:ARG:HD2	1:A:413:GLN:HE22	1.82	0.44
1:E:274:LEU:HD22	3:E:501:6Y4:C17	2.48	0.44
1:E:456:ILE:HG23	1:E:457:TRP:CD1	2.53	0.43
2:B:365:LEU:CD1	2:B:542:LEU:CD1	2.97	0.43
1:E:351:ASN:HB2	1:E:352:PRO:HD3	2.01	0.43
1:A:319:ARG:HD3	1:A:328:THR:O	2.19	0.42
1:E:423:MET:HG3	2:F:468:TYR:CZ	2.54	0.42
1:E:403:LEU:HD11	1:E:421:MET:HE1	2.01	0.42
1:A:423:MET:HG3	2:B:468:TYR:OH	2.20	0.41
2:B:384:PHE:C	2:B:384:PHE:CD1	2.97	0.41
1:A:397:GLN:HB3	1:A:398:PRO:HD3	2.02	0.41
1:E:366:ASP:C	1:E:366:ASP:OD1	2.64	0.41
1:A:333:PHE:HB3	1:A:335:TYR:CE2	2.56	0.41
2:F:421:LEU:O	2:F:426:SER:HB2	2.19	0.41
1:A:338:ASP:HB3	1:A:342:ARG:NH1	2.36	0.40
1:E:397:GLN:HB3	1:E:398:PRO:HD3	2.03	0.40
2:B:424:LEU:HD23	2:B:424:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/287 (83%)	237 (100%)	1 (0%)	0	100	100
1	E	247/287 (86%)	242 (98%)	3 (1%)	2 (1%)	16	34
2	B	208/256 (81%)	199 (96%)	9 (4%)	0	100	100
2	F	209/256 (82%)	201 (96%)	8 (4%)	0	100	100
All	All	902/1086 (83%)	879 (98%)	21 (2%)	2 (0%)	43	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	256	ALA
1	E	260	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/250 (87%)	215 (99%)	3 (1%)	59	81
1	E	222/250 (89%)	215 (97%)	7 (3%)	34	62
2	B	189/217 (87%)	183 (97%)	6 (3%)	34	62
2	F	189/217 (87%)	182 (96%)	7 (4%)	30	57
All	All	818/934 (88%)	795 (97%)	23 (3%)	38	66

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	332	ASP
1	A	397	GLN
1	A	444	LEU
2	B	361	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	383	SER
2	B	407	SER
2	B	413	VAL
2	B	435	LYS
2	B	542	LEU
1	E	218	VAL
1	E	241	ARG
1	E	397	GLN
1	E	420	ARG
1	E	444	LEU
1	E	459	VAL
1	E	476	GLN
2	F	361	SER
2	F	383	SER
2	F	399	THR
2	F	407	SER
2	F	413	VAL
2	F	435	LYS
2	F	519	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	239	ASN
1	A	294	GLN
1	A	385	ASN
1	A	396	GLN
2	B	341	GLN
2	B	535	HIS
1	E	237	GLN
1	E	239	ASN
1	E	246	GLN
1	E	288	GLN
1	E	294	GLN
1	E	396	GLN
1	E	415	GLN
1	E	435	HIS
1	E	476	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	6Y4	E	501	-	34,36,36	2.96	5 (14%)	40,56,56	3.60	20 (50%)
3	6Y4	A	501	-	34,36,36	3.32	4 (11%)	40,56,56	3.03	17 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	6Y4	E	501	-	-	5/26/38/38	0/4/4/4
3	6Y4	A	501	-	-	8/26/38/38	0/4/4/4

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	501	6Y4	C16-S	-17.62	1.59	1.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	501	6Y4	C16-S	-14.97	1.61	1.77
3	A	501	6Y4	C14-N4	-5.25	1.33	1.43
3	E	501	6Y4	C14-N4	-5.15	1.33	1.43
3	E	501	6Y4	C21-C3	-3.97	1.45	1.51
3	E	501	6Y4	C17-S	-3.52	1.63	1.75
3	A	501	6Y4	C17-S	-3.02	1.64	1.75
3	A	501	6Y4	C21-C3	-2.93	1.47	1.51
3	E	501	6Y4	N4-N5	2.62	1.40	1.36

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	501	6Y4	C5-N2-C4	10.68	125.14	115.68
3	A	501	6Y4	C5-N2-C4	9.27	123.89	115.68
3	E	501	6Y4	C17-S-C16	8.31	113.70	104.55
3	E	501	6Y4	O3-S-C16	-6.91	102.85	108.23
3	E	501	6Y4	O2-S-C16	6.64	113.39	108.23
3	E	501	6Y4	F2-C21-C3	-6.04	102.77	112.36
3	A	501	6Y4	C9-N5-N4	-5.96	99.69	105.39
3	E	501	6Y4	C14-C15-C16	5.67	124.40	119.16
3	A	501	6Y4	F1-C21-C3	-5.00	104.42	112.36
3	A	501	6Y4	N1-C4-N3	4.96	122.51	116.96
3	A	501	6Y4	C17-S-C16	4.93	109.98	104.55
3	A	501	6Y4	C8-N4-N5	4.69	117.13	112.31
3	E	501	6Y4	F3-C21-C3	-4.54	105.15	112.36
3	A	501	6Y4	O2-S-O3	-4.21	110.85	117.99
3	A	501	6Y4	N2-C4-N1	-4.11	121.94	126.12
3	A	501	6Y4	F2-C21-C3	-4.04	105.94	112.36
3	E	501	6Y4	N1-C4-N3	3.89	121.31	116.96
3	A	501	6Y4	C6-N3-C4	3.88	129.10	123.30
3	E	501	6Y4	F1-C21-C3	-3.82	106.30	112.36
3	E	501	6Y4	C2-C5-N2	-3.71	117.80	123.83
3	A	501	6Y4	O2-S-C17	3.68	113.86	108.47
3	E	501	6Y4	O3-S-C17	-3.67	103.09	108.47
3	E	501	6Y4	C8-C7-C9	2.94	106.87	105.14
3	A	501	6Y4	C14-N4-C8	-2.94	124.88	129.12
3	E	501	6Y4	C14-N4-C8	-2.92	124.90	129.12
3	E	501	6Y4	N2-C4-N1	-2.86	123.20	126.12
3	E	501	6Y4	C9-N5-N4	-2.77	102.74	105.39
3	E	501	6Y4	C20-C14-N4	2.76	122.95	119.58
3	A	501	6Y4	C2-C5-N2	-2.76	119.35	123.83
3	A	501	6Y4	F3-C21-C3	-2.75	107.99	112.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	6Y4	C14-C15-C16	2.66	121.62	119.16
3	E	501	6Y4	F2-C21-F1	2.49	114.77	105.77
3	E	501	6Y4	C8-N4-N5	2.33	114.71	112.31
3	E	501	6Y4	F1-C21-F3	2.29	114.03	105.77
3	A	501	6Y4	F2-C21-F1	2.20	113.72	105.77
3	E	501	6Y4	C6-N3-C4	2.18	126.56	123.30
3	A	501	6Y4	O2-S-C16	-2.13	106.57	108.23

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	6Y4	N3-C10-C11-C13
3	A	501	6Y4	N3-C10-C11-C12
3	A	501	6Y4	C9-C10-C11-C12
3	E	501	6Y4	C15-C16-S-C17
3	E	501	6Y4	C18-C16-S-C17
3	E	501	6Y4	O1-C1-C2-C5
3	A	501	6Y4	C15-C16-S-C17
3	A	501	6Y4	C18-C16-S-C17
3	A	501	6Y4	C15-C16-S-O3
3	A	501	6Y4	C18-C16-S-O3
3	E	501	6Y4	C15-C16-S-O3
3	E	501	6Y4	C18-C16-S-O3
3	A	501	6Y4	O1-C1-C2-C5


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	501	6Y4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	244/287 (85%)	-0.20	4 (1%) 70 66	30, 43, 81, 112	0
1	E	251/287 (87%)	-0.26	4 (1%) 70 66	28, 43, 74, 97	0
2	B	216/256 (84%)	0.05	6 (2%) 55 49	29, 51, 85, 113	0
2	F	217/256 (84%)	0.21	6 (2%) 55 49	35, 59, 89, 119	0
All	All	928/1086 (85%)	-0.06	20 (2%) 62 57	28, 48, 83, 119	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	336	VAL	5.1
1	A	218	VAL	4.8
2	F	335	PRO	4.5
2	B	510	PHE	4.5
2	B	335	PRO	4.0
2	B	528	ALA	4.0
1	E	218	VAL	3.8
2	F	514	GLY	3.8
1	E	459	VAL	3.5
2	F	336	VAL	3.5
2	F	528	ALA	3.3
2	F	533	GLY	3.1
1	A	254	LEU	2.5
2	B	514	GLY	2.3
2	B	519	ASP	2.3
2	F	510	PHE	2.3
1	E	456	ILE	2.3
1	A	243	PHE	2.1
1	A	261	GLY	2.1
1	E	469	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	6Y4	A	501	33/33	0.95	0.09	37,45,85,95	0
3	6Y4	E	501	33/33	0.96	0.08	31,38,68,72	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 6Y4 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 6Y4 E 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.