



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 12:33 AM UTC

PDB ID : 6KYA / pdb_00006kya
Title : Crystal structure of human TLR8 in complex TH1027
Authors : Tanji, H.; Sakaniwa, K.; Ohto, U.; Shimizu, T.
Deposited on : 2019-09-17
Resolution : 2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	811	71% 17% 8%
1	B	811	66% 20% 10%
2	C	4	75% 25%
2	F	4	75% 25%
3	D	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	2	 100%
4	E	5	 20%80%
4	H	5	 80%20%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12305 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Toll-like receptor 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	743	Total	C	N	O	S	0	0	0
			5986	3829	1018	1120	19			
1	B	730	Total	C	N	O	S	0	0	0
			5889	3769	1001	1100	19			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	ARG	-	expression tag	UNP Q9NR97
A	24	SER	-	expression tag	UNP Q9NR97
A	25	PRO	-	expression tag	UNP Q9NR97
A	26	TRP	-	expression tag	UNP Q9NR97
A	828	GLU	-	expression tag	UNP Q9NR97
A	829	PHE	-	expression tag	UNP Q9NR97
A	830	LEU	-	expression tag	UNP Q9NR97
A	831	VAL	-	expression tag	UNP Q9NR97
A	832	PRO	-	expression tag	UNP Q9NR97
A	833	ARG	-	expression tag	UNP Q9NR97
B	23	ARG	-	expression tag	UNP Q9NR97
B	24	SER	-	expression tag	UNP Q9NR97
B	25	PRO	-	expression tag	UNP Q9NR97
B	26	TRP	-	expression tag	UNP Q9NR97
B	828	GLU	-	expression tag	UNP Q9NR97
B	829	PHE	-	expression tag	UNP Q9NR97
B	830	LEU	-	expression tag	UNP Q9NR97
B	831	VAL	-	expression tag	UNP Q9NR97
B	832	PRO	-	expression tag	UNP Q9NR97
B	833	ARG	-	expression tag	UNP Q9NR97

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	4	Total	C	N	O	0	0	0
			50	28	2	20			
2	F	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	5	Total	C	N	O	0	0	0
			61	34	2	25			
4	H	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 5 is 3-[5-methylsulfanyl-4-(3,4,5-trimethylphenyl)-1,2,4-triazol-3-yl]propan-1-ol (CCD ID: DY3) (formula: C₁₅H₂₁N₃OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			20	15	3	1	1		
5	B	1	Total	C	N	O	S	0	0
			20	15	3	1	1		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Toll-like receptor 8



• Molecule 1: Toll-like receptor 8





- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 75% 25%



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 75% 25%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%




- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 20% 80%



- Molecule 4: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain H:



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.75Å 96.87Å 140.86Å 90.00° 107.65° 90.00°	Depositor
Resolution (Å)	48.44 – 2.89 48.44 – 2.89	Depositor EDS
% Data completeness (in resolution range)	94.1 (48.44-2.89) 94.1 (48.44-2.89)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.228 , 0.277 0.223 , 0.273	Depositor DCC
R_{free} test set	1881 reflections (4.59%)	wwPDB-VP
Wilson B-factor (Å ²)	84.0	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 57.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12305	wwPDB-VP
Average B, all atoms (Å ²)	101.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DY3, NAG, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	0/6109	0.90	9/8284 (0.1%)
1	B	0.65	0/6009	0.90	9/8148 (0.1%)
All	All	0.66	0/12118	0.90	18/16432 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	186	VAL	N-CA-C	13.28	124.13	110.72
1	A	186	VAL	N-CA-C	10.52	121.35	110.62
1	A	737	SER	N-CA-C	-8.97	102.49	112.72
1	A	732	LEU	N-CA-C	-7.50	103.42	112.58
1	A	167	SER	N-CA-C	-6.47	101.55	110.35
1	B	39	LYS	N-CA-C	6.20	118.61	109.24
1	A	99	ASN	N-CA-C	6.01	118.98	110.14
1	B	267	CYS	CB-CA-C	5.99	119.37	110.14
1	A	377	TYR	N-CA-C	-5.96	104.12	111.40
1	B	377	TYR	N-CA-C	-5.91	104.19	111.40
1	B	186	VAL	CB-CA-C	-5.77	104.26	112.22
1	A	807	GLY	CA-C-N	5.70	132.43	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	807	GLY	C-N-CA	5.70	132.43	121.54
1	A	180	ASN	N-CA-C	5.70	118.69	111.69
1	B	99	ASN	N-CA-C	5.26	117.88	110.14
1	B	471	THR	N-CA-C	5.09	119.76	113.50
1	B	776	CYS	CA-CB-SG	-5.08	102.71	114.40
1	B	261	PHE	N-CA-C	-5.07	104.62	108.78

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	470	PHE	Peptide
1	B	470	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5986	0	5974	187	0
1	B	5889	0	5873	204	1
2	C	50	0	43	4	0
2	F	50	0	43	4	0
3	D	28	0	25	0	0
3	G	28	0	25	0	0
4	E	61	0	52	0	0
4	H	61	0	52	1	0
5	A	20	0	0	4	0
5	B	20	0	0	2	0
6	A	56	0	52	0	0
6	B	56	0	52	0	1
All	All	12305	0	12191	387	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (387) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:185:LYS:HE2	1:A:186:VAL:CG1	1.50	1.40
1:A:185:LYS:CE	1:A:186:VAL:HG12	1.54	1.36
1:B:260:CYS:SG	1:B:267:CYS:C	2.09	1.36
1:B:35:PRO:CD	1:B:60:THR:OG1	1.74	1.35
1:A:185:LYS:CE	1:A:186:VAL:CG1	2.03	1.34
1:B:159:TYR:CD1	1:B:187:CYS:HB2	1.60	1.33
1:A:185:LYS:CG	1:A:186:VAL:H	1.39	1.29
1:B:50:SER:O	1:B:52:ARG:CD	1.84	1.26
1:B:680:ASN:OD1	1:B:682:THR:OG1	1.54	1.25
1:B:777:THR:O	1:B:780:ILE:HG22	1.35	1.21
1:B:804:ALA:O	1:B:810:ARG:NH2	1.76	1.19
1:A:220:LEU:H	1:A:243:LYS:NZ	1.40	1.18
1:B:159:TYR:CD1	1:B:187:CYS:CB	2.27	1.18
1:B:50:SER:O	1:B:52:ARG:HD2	1.44	1.17
1:B:35:PRO:HD3	1:B:60:THR:OG1	1.38	1.16
1:A:714:LEU:O	1:A:737:SER:O	1.67	1.12
1:B:35:PRO:CG	1:B:60:THR:OG1	1.97	1.11
1:A:185:LYS:HG2	1:A:186:VAL:N	1.54	1.11
1:B:797:ARG:NH1	1:B:800:ASP:OD2	1.81	1.11
1:B:34:TYR:CG	1:B:35:PRO:HA	1.88	1.09
1:B:601:ASP:HB3	1:B:602:LYS:HE3	1.34	1.08
1:A:185:LYS:CG	1:A:186:VAL:HG12	1.84	1.07
1:B:167:SER:O	1:B:168:ARG:HB2	1.49	1.07
1:B:428:ASN:C	1:B:491:ASN:OD1	1.96	1.07
1:A:273:GLY:O	1:A:300:ARG:NH2	1.88	1.05
1:B:273:GLY:O	1:B:300:ARG:NH2	1.88	1.04
1:A:185:LYS:HE3	1:A:186:VAL:CG1	1.86	1.04
1:B:809:GLN:HG3	1:B:812:LYS:HE3	1.40	1.03
1:B:566:HIS:HD2	1:B:568:PHE:H	1.06	1.01
1:A:720:SER:OG	1:A:742:ASP:OD2	1.79	1.01
1:B:50:SER:O	1:B:52:ARG:NE	1.93	1.00
1:A:185:LYS:HG2	1:A:186:VAL:HG12	1.44	1.00
1:B:603:TYR:CE2	1:B:630:ARG:HD2	1.97	1.00
1:A:185:LYS:HE3	1:A:186:VAL:HG12	1.41	0.99
1:A:185:LYS:CE	1:A:186:VAL:HG11	1.91	0.99
1:A:261:PHE:CE2	1:A:350:LYS:CD	2.47	0.98
1:A:261:PHE:CZ	1:A:350:LYS:CD	2.47	0.97
1:B:720:SER:OG	1:B:742:ASP:OD2	1.80	0.96
1:A:261:PHE:CE2	1:A:350:LYS:HD3	2.01	0.95
1:B:809:GLN:CG	1:B:812:LYS:HE3	1.96	0.95
1:B:50:SER:C	1:B:52:ARG:CD	2.39	0.94
1:A:261:PHE:CZ	1:A:350:LYS:HD3	2.04	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:730:GLY:O	1:A:733:SER:OG	1.85	0.92
1:A:378:VAL:HG21	5:A:901:DY3:C8	2.00	0.92
1:B:159:TYR:HD1	1:B:187:CYS:CB	1.75	0.91
1:A:185:LYS:HG2	1:A:186:VAL:H	0.76	0.91
1:B:49:CYS:O	1:B:52:ARG:HD3	1.70	0.91
1:B:566:HIS:CD2	1:B:568:PHE:H	1.88	0.90
1:B:378:VAL:HG11	5:B:901:DY3:C8	2.02	0.90
1:B:164:GLU:N	1:B:167:SER:OG	2.05	0.90
1:A:261:PHE:CZ	1:A:350:LYS:HD2	2.07	0.89
1:B:84:GLN:OE1	1:B:85:GLY:N	2.06	0.89
1:B:164:GLU:H	1:B:167:SER:HG	1.19	0.89
1:B:181:CYS:SG	1:B:187:CYS:O	2.31	0.89
1:A:185:LYS:CD	1:A:186:VAL:HG12	2.01	0.88
1:A:708:SER:OG	1:A:734:GLU:HB2	1.73	0.88
1:B:428:ASN:O	1:B:491:ASN:OD1	1.92	0.88
1:A:37:ASP:OD2	1:A:52:ARG:NH1	2.07	0.88
1:A:642:THR:OG1	1:A:667:THR:HB	1.74	0.87
1:B:35:PRO:HD3	1:B:60:THR:CB	2.05	0.86
1:A:185:LYS:HE2	1:A:186:VAL:HG13	1.58	0.86
1:A:566:HIS:CD2	1:A:568:PHE:H	1.94	0.86
1:A:181:CYS:C	1:A:187:CYS:SG	2.57	0.85
1:A:185:LYS:HE2	1:A:186:VAL:HG11	1.49	0.85
1:A:220:LEU:N	1:A:243:LYS:NZ	2.23	0.85
1:B:260:CYS:SG	1:B:268:VAL:N	2.50	0.85
1:A:159:TYR:CE1	1:A:187:CYS:HB3	2.11	0.85
1:B:52:ARG:HG3	1:B:52:ARG:HH11	1.43	0.84
1:B:50:SER:C	1:B:52:ARG:HD2	2.00	0.83
1:B:603:TYR:HE2	1:B:630:ARG:HD2	1.40	0.83
1:A:156:ASN:C	1:A:180:ASN:OD1	2.20	0.82
1:A:220:LEU:H	1:A:243:LYS:HZ3	1.23	0.82
1:B:167:SER:O	1:B:168:ARG:CB	2.25	0.81
1:A:730:GLY:O	1:A:733:SER:CB	2.29	0.81
1:A:185:LYS:HG2	1:A:186:VAL:CG1	2.11	0.80
1:B:34:TYR:CD1	1:B:35:PRO:O	2.35	0.80
1:A:753:LYS:O	1:A:754:SER:OG	2.00	0.79
1:A:33:SER:CB	1:A:38:GLU:HG3	2.13	0.79
1:A:185:LYS:CG	1:A:186:VAL:N	2.17	0.79
1:B:794:LYS:HE3	1:B:795:ILE:N	1.97	0.79
1:B:157:ASN:O	1:B:159:TYR:CE2	2.36	0.79
1:A:809:GLN:NE2	1:A:817:LEU:CD1	2.47	0.78
1:B:34:TYR:CD1	1:B:35:PRO:HA	2.18	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:190:THR:OG1	1:B:213:LEU:HD23	1.84	0.78
1:B:146:GLU:OE1	1:B:146:GLU:N	2.11	0.77
1:B:603:TYR:CE2	1:B:630:ARG:CD	2.69	0.75
1:B:50:SER:C	1:B:52:ARG:HD3	2.10	0.75
1:B:49:CYS:C	1:B:52:ARG:HD3	2.11	0.74
1:B:159:TYR:CE1	1:B:187:CYS:CB	2.69	0.74
1:A:809:GLN:NE2	1:A:817:LEU:HD11	2.03	0.74
1:B:566:HIS:HD2	1:B:568:PHE:N	1.85	0.74
1:A:163:LYS:HA	1:A:167:SER:OG	1.87	0.74
1:A:611:VAL:HG13	1:A:642:THR:HG22	1.71	0.73
1:B:570:ILE:HD13	1:B:570:ILE:O	1.88	0.73
1:B:566:HIS:CD2	1:B:567:TYR:N	2.57	0.72
1:A:182:TYR:H	1:A:182:TYR:HD2	1.34	0.72
1:B:163:LYS:O	1:B:164:GLU:HB3	1.89	0.71
1:A:261:PHE:HZ	1:A:350:LYS:HD2	1.51	0.71
1:A:45:VAL:HG13	1:A:65:VAL:HA	1.73	0.71
1:B:188:GLU:OE2	1:B:188:GLU:N	2.19	0.71
1:B:159:TYR:CE1	1:B:187:CYS:HB3	2.26	0.70
1:A:730:GLY:O	1:A:733:SER:HB3	1.91	0.70
1:B:52:ARG:HD2	1:B:52:ARG:N	2.07	0.70
1:A:813:SER:OG	1:A:815:VAL:HG22	1.91	0.70
1:B:159:TYR:CD1	1:B:187:CYS:HB3	2.26	0.70
1:B:34:TYR:CD2	1:B:35:PRO:HA	2.26	0.69
1:B:159:TYR:CE1	1:B:187:CYS:HB2	2.24	0.69
1:B:601:ASP:HB3	1:B:602:LYS:CE	2.18	0.69
1:A:33:SER:HB3	1:A:38:GLU:HG3	1.74	0.69
1:A:45:VAL:CG1	1:A:64:TYR:O	2.41	0.69
1:A:220:LEU:H	1:A:243:LYS:HZ1	1.36	0.68
1:B:562:SER:HG	1:B:592:SER:HG	1.41	0.68
1:B:777:THR:O	1:B:780:ILE:CG2	2.29	0.68
1:B:156:ASN:C	1:B:180:ASN:OD1	2.38	0.67
1:A:780:ILE:HG23	1:A:781:GLY:N	2.10	0.66
1:A:809:GLN:NE2	1:A:817:LEU:HD13	2.11	0.66
1:A:259:ARG:NH1	1:A:321:ASN:O	2.29	0.66
1:A:46:ILE:HG13	1:A:67:GLU:HB2	1.79	0.65
1:B:601:ASP:O	1:B:602:LYS:HD3	1.97	0.65
1:A:261:PHE:HZ	1:A:350:LYS:CD	2.06	0.65
1:A:159:TYR:OH	1:A:186:VAL:HG13	1.98	0.64
1:A:185:LYS:HG3	1:A:186:VAL:H	1.55	0.64
1:B:542:LEU:H	1:B:564:ASN:HD21	1.44	0.64
1:B:570:ILE:HD13	1:B:570:ILE:C	2.22	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:732:LEU:HD22	1:A:762:THR:HG21	1.79	0.64
1:A:809:GLN:HA	1:A:809:GLN:OE1	1.97	0.64
1:A:261:PHE:CE2	1:A:350:LYS:HD2	2.25	0.64
1:B:259:ARG:NH1	1:B:321:ASN:O	2.30	0.64
1:A:708:SER:HB3	1:A:735:VAL:HG23	1.78	0.64
1:A:732:LEU:HD22	1:A:732:LEU:O	1.99	0.63
1:B:375:ARG:HD2	1:B:400:ASN:HD21	1.64	0.63
1:B:34:TYR:CE1	1:B:35:PRO:O	2.52	0.62
1:B:159:TYR:HD1	1:B:187:CYS:SG	2.22	0.62
1:B:794:LYS:HE3	1:B:795:ILE:H	1.63	0.62
1:B:601:ASP:C	1:B:602:LYS:HD3	2.24	0.62
1:B:51:ASN:C	1:B:52:ARG:HD2	2.24	0.62
1:A:779:ASP:OD2	1:A:779:ASP:N	2.27	0.62
1:A:261:PHE:HE2	1:A:350:LYS:CD	2.06	0.62
1:B:764:LEU:HD12	1:B:765:SER:N	2.15	0.62
1:B:35:PRO:HG2	1:B:60:THR:OG1	1.98	0.62
1:A:185:LYS:HE3	1:A:186:VAL:HG11	1.63	0.61
1:B:478:GLN:NE2	4:H:2:NAG:O3	2.32	0.61
1:A:780:ILE:O	1:A:782:ASP:N	2.34	0.61
1:B:181:CYS:SG	1:B:187:CYS:C	2.84	0.61
1:B:753:LYS:O	1:B:753:LYS:HG2	2.00	0.60
1:B:168:ARG:HG3	1:B:168:ARG:HH11	1.66	0.60
1:A:45:VAL:O	1:A:46:ILE:HD12	2.01	0.60
1:B:542:LEU:H	1:B:564:ASN:ND2	2.00	0.60
1:B:34:TYR:CG	1:B:35:PRO:CA	2.76	0.60
1:A:780:ILE:CG2	1:A:781:GLY:N	2.65	0.59
1:A:708:SER:CB	1:A:734:GLU:HB2	2.32	0.59
1:B:378:VAL:HG21	5:B:901:DY3:C8	2.33	0.59
1:B:568:PHE:HB2	1:B:570:ILE:CG2	2.33	0.59
1:B:49:CYS:HA	1:B:52:ARG:CZ	2.33	0.59
1:B:163:LYS:O	1:B:164:GLU:CB	2.51	0.59
1:A:243:LYS:CG	1:A:244:GLY:H	2.14	0.58
1:B:749:LYS:HD3	1:B:775:GLU:OE2	2.03	0.58
1:A:211:ASN:O	1:A:232:THR:HA	2.04	0.58
1:B:805:SER:HA	1:B:806:PRO:C	2.28	0.58
1:A:181:CYS:SG	1:A:187:CYS:C	2.85	0.58
1:B:182:TYR:OH	1:B:266:PRO:HD2	2.04	0.58
1:A:729:SER:HA	1:A:754:SER:OG	2.03	0.58
1:A:265:PHE:CZ	1:B:571:ALA:O	2.57	0.57
1:B:35:PRO:HG3	1:B:60:THR:OG1	2.00	0.57
1:B:211:ASN:O	1:B:232:THR:HA	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:195:GLY:O	1:B:198:GLU:HG2	2.04	0.57
1:A:611:VAL:HG13	1:A:642:THR:CG2	2.35	0.57
1:A:730:GLY:H	1:A:754:SER:HB2	1.69	0.57
1:B:805:SER:HB2	1:B:806:PRO:HA	1.86	0.57
1:B:49:CYS:HA	1:B:52:ARG:NH1	2.20	0.56
1:B:777:THR:HG23	1:B:779:ASP:N	2.21	0.56
1:A:195:GLY:O	1:A:198:GLU:HG2	2.05	0.56
1:A:730:GLY:C	1:A:733:SER:HB3	2.30	0.56
1:B:181:CYS:CB	1:B:190:THR:HG23	2.36	0.55
1:A:243:LYS:HG3	1:A:244:GLY:H	1.71	0.55
1:A:375:ARG:HD2	1:A:400:ASN:HD21	1.70	0.55
1:B:275:SER:HA	1:B:298:SER:HB2	1.87	0.55
1:B:738:LEU:O	1:B:738:LEU:HD23	2.06	0.55
1:A:167:SER:CB	1:A:199:THR:HG21	2.35	0.55
1:A:262:ASN:HB2	5:A:901:DY3:O	2.07	0.55
1:B:680:ASN:CG	1:B:682:THR:OG1	2.45	0.55
1:B:226:LYS:CE	2:F:2:NAG:H81	2.37	0.55
1:A:113:GLY:HA3	1:A:136:GLN:HB2	1.89	0.55
1:A:708:SER:HB3	1:A:735:VAL:H	1.72	0.55
1:B:250:LEU:HD23	1:B:250:LEU:C	2.31	0.55
1:A:159:TYR:CE1	1:A:187:CYS:CB	2.87	0.54
1:B:113:GLY:HA3	1:B:136:GLN:HB2	1.90	0.54
1:A:226:LYS:CE	2:C:2:NAG:H81	2.37	0.54
1:B:85:GLY:O	1:B:86:LEU:HD23	2.06	0.54
1:B:41:GLN:OE1	1:B:42:ASN:HB2	2.06	0.54
1:A:351:GLY:HA2	1:B:495:PHE:CE1	2.42	0.54
1:B:375:ARG:HD2	1:B:400:ASN:ND2	2.23	0.54
1:A:250:LEU:C	1:A:250:LEU:HD23	2.33	0.54
1:B:656:ASN:OD1	1:B:680:ASN:ND2	2.34	0.54
1:A:706:SER:OG	1:A:734:GLU:OE2	2.24	0.54
1:A:720:SER:OG	1:A:742:ASP:CG	2.51	0.53
1:A:45:VAL:HG11	1:A:64:TYR:C	2.33	0.53
1:B:265:PHE:CD1	1:B:265:PHE:N	2.74	0.53
1:B:155:GLN:HE21	1:B:463:PRO:HG3	1.72	0.53
1:B:188:GLU:H	1:B:188:GLU:CD	2.15	0.53
1:A:156:ASN:CA	1:A:180:ASN:OD1	2.57	0.53
1:A:187:CYS:SG	1:A:187:CYS:O	2.67	0.53
1:B:185:LYS:HG3	1:B:186:VAL:HG23	1.90	0.53
1:B:714:LEU:O	1:B:738:LEU:HB2	2.09	0.53
1:A:720:SER:HA	1:A:744:SER:O	2.09	0.53
1:B:720:SER:OG	1:B:742:ASP:CG	2.52	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:SER:HA	1:A:298:SER:HB2	1.90	0.53
1:A:632:ILE:HD12	1:A:657:GLU:HG2	1.91	0.53
1:B:462:ASP:O	1:B:465:SER:OG	2.27	0.52
1:B:764:LEU:HD12	1:B:764:LEU:C	2.34	0.52
1:A:797:ARG:NH1	1:A:800:ASP:OD2	2.42	0.52
1:A:219:LYS:CA	1:A:243:LYS:HZ1	2.22	0.52
1:A:541:ARG:HA	1:A:565:SER:O	2.09	0.52
1:A:780:ILE:O	1:A:781:GLY:C	2.52	0.52
1:B:541:ARG:HA	1:B:565:SER:O	2.09	0.52
1:B:226:LYS:HE2	2:F:2:NAG:H81	1.92	0.52
1:B:37:ASP:OD1	1:B:794:LYS:NZ	2.26	0.52
1:B:168:ARG:HG3	1:B:168:ARG:NH1	2.23	0.52
1:A:261:PHE:HE2	1:A:350:LYS:HG3	1.73	0.51
1:A:731:PHE:O	1:A:732:LEU:HB3	2.11	0.51
1:A:628:ASP:OD2	1:B:185:LYS:NZ	2.44	0.51
1:B:574:THR:HG22	1:B:598:THR:HG23	1.93	0.51
1:A:163:LYS:CA	1:A:167:SER:OG	2.59	0.51
1:A:780:ILE:O	1:A:783:PHE:N	2.42	0.51
1:B:163:LYS:HG3	1:B:193:GLU:OE2	2.11	0.51
1:B:87:GLN:NE2	1:B:87:GLN:HA	2.26	0.51
1:A:162:THR:C	1:A:163:LYS:O	2.53	0.51
1:A:261:PHE:HE2	1:A:350:LYS:CG	2.23	0.51
1:A:574:THR:HG22	1:A:598:THR:HG23	1.93	0.51
1:B:127:LEU:O	1:B:147:SER:HB2	2.10	0.51
1:A:566:HIS:CD2	1:A:568:PHE:N	2.73	0.51
1:A:703:LEU:HG	1:A:724:ILE:HD13	1.92	0.51
1:A:732:LEU:O	1:A:732:LEU:HD13	2.11	0.50
5:A:901:DY3:C8	5:A:901:DY3:C6	2.90	0.50
1:B:53:ARG:NH2	1:B:799:VAL:HG12	2.27	0.50
1:B:34:TYR:CD1	1:B:35:PRO:C	2.89	0.50
1:B:159:TYR:N	1:B:159:TYR:CD2	2.79	0.50
1:B:52:ARG:HG3	1:B:52:ARG:NH1	2.17	0.50
1:A:182:TYR:CD2	1:A:182:TYR:N	2.74	0.50
1:A:226:LYS:NZ	2:C:2:NAG:H81	2.27	0.50
1:A:538:THR:HG22	1:A:562:SER:HB2	1.94	0.50
1:A:703:LEU:HD21	1:A:724:ILE:CD1	2.42	0.50
1:B:809:GLN:O	1:B:810:ARG:C	2.54	0.50
1:B:163:LYS:CG	1:B:193:GLU:CD	2.85	0.50
1:B:181:CYS:HB2	1:B:190:THR:HG23	1.94	0.50
1:B:532:VAL:HB	1:B:553:LEU:HD22	1.94	0.50
1:A:43:ASP:O	1:A:44:SER:HB3	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:570:ILE:CG2	1:B:264:PRO:HG3	2.42	0.49
1:B:181:CYS:HB2	1:B:190:THR:CG2	2.43	0.49
2:F:2:NAG:O3	2:F:2:NAG:H82	2.12	0.49
1:A:243:LYS:CG	1:A:244:GLY:N	2.76	0.49
1:B:164:GLU:N	1:B:167:SER:HG	1.99	0.49
1:A:570:ILE:HG23	1:B:264:PRO:HG3	1.95	0.48
1:B:428:ASN:CA	1:B:491:ASN:OD1	2.59	0.48
1:A:163:LYS:O	1:A:164:GLU:CB	2.60	0.48
1:A:219:LYS:N	1:A:243:LYS:HZ1	2.11	0.48
1:A:242:PHE:O	1:A:243:LYS:HG2	2.13	0.48
1:B:469:HIS:C	1:B:469:HIS:CD2	2.91	0.48
1:B:778:CYS:O	1:B:779:ASP:C	2.54	0.48
1:B:34:TYR:CD1	1:B:35:PRO:CA	2.93	0.48
1:A:51:ASN:HA	1:A:72:ASP:O	2.14	0.48
1:A:163:LYS:O	1:A:164:GLU:HB3	2.13	0.48
1:A:636:LYS:HE2	1:A:661:ASN:OD1	2.14	0.48
1:B:776:CYS:O	1:B:806:PRO:HD3	2.14	0.48
1:A:375:ARG:HD2	1:A:400:ASN:ND2	2.29	0.48
1:B:35:PRO:CD	1:B:60:THR:HG1	2.12	0.48
1:A:167:SER:HB3	1:A:199:THR:HG21	1.95	0.48
1:A:532:VAL:HB	1:A:553:LEU:HD22	1.95	0.48
1:B:682:THR:HA	1:B:710:PHE:CE1	2.49	0.48
1:B:226:LYS:NZ	2:F:2:NAG:H81	2.29	0.47
1:A:154:ILE:HD13	1:A:463:PRO:HG2	1.96	0.47
1:A:45:VAL:CG1	1:A:64:TYR:C	2.86	0.47
1:A:167:SER:O	1:A:168:ARG:CG	2.62	0.47
1:B:491:ASN:C	1:B:515:ASN:OD1	2.57	0.47
1:B:636:LYS:HE2	1:B:661:ASN:OD1	2.14	0.47
1:B:738:LEU:HD23	1:B:738:LEU:C	2.40	0.47
1:A:242:PHE:O	1:A:245:LEU:HG	2.14	0.47
1:B:243:LYS:HE2	1:B:285:ASN:ND2	2.30	0.47
1:A:242:PHE:C	1:A:243:LYS:HG2	2.40	0.47
1:B:566:HIS:CD2	1:B:566:HIS:C	2.92	0.47
1:B:777:THR:HG23	1:B:779:ASP:H	1.80	0.47
1:A:728:PRO:O	1:A:731:PHE:HB3	2.14	0.47
1:B:373:HIS:HA	1:B:400:ASN:HB3	1.97	0.47
1:B:690:LEU:O	1:B:713:SER:HB2	2.14	0.46
1:B:776:CYS:N	1:B:805:SER:O	2.48	0.46
1:B:804:ALA:C	1:B:810:ARG:NH2	2.67	0.46
1:B:538:THR:HG22	1:B:562:SER:HB2	1.97	0.46
1:A:708:SER:HB3	1:A:735:VAL:CG2	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:ASN:C	1:B:159:TYR:CE2	2.94	0.46
1:B:465:SER:O	1:B:467:PHE:HD2	1.99	0.46
1:B:814:ILE:O	1:B:817:LEU:HG	2.15	0.46
1:B:265:PHE:N	1:B:265:PHE:HD1	2.14	0.46
1:B:573:VAL:HG12	1:B:574:THR:N	2.31	0.46
1:A:156:ASN:HB2	1:A:180:ASN:OD1	2.16	0.45
1:A:159:TYR:CD1	1:A:187:CYS:HB2	2.50	0.45
1:A:296:SER:HA	1:A:320:PHE:O	2.16	0.45
1:A:181:CYS:HB3	1:A:190:THR:OG1	2.16	0.45
1:A:682:THR:HA	1:A:710:PHE:CD1	2.51	0.45
1:A:736:SER:C	1:A:738:LEU:H	2.24	0.45
1:B:357:ILE:HG13	1:B:377:TYR:CZ	2.51	0.45
1:A:357:ILE:HG13	1:A:377:TYR:CZ	2.52	0.45
1:A:378:VAL:CG2	5:A:901:DY3:C8	2.86	0.45
1:B:146:GLU:H	1:B:146:GLU:CD	2.10	0.45
1:A:45:VAL:HG11	1:A:64:TYR:O	2.17	0.45
1:B:154:ILE:HD13	1:B:463:PRO:HG2	1.99	0.45
1:B:190:THR:OG1	1:B:212:SER:O	2.31	0.45
1:B:772:ASN:HB2	1:B:774:PHE:CE2	2.51	0.45
1:B:49:CYS:HB3	1:B:70:LEU:HD23	1.98	0.44
1:A:46:ILE:CG1	1:A:67:GLU:HB2	2.47	0.44
1:B:140:ILE:HD13	1:B:166:ILE:HG23	2.00	0.44
2:C:2:NAG:H82	2:C:2:NAG:O3	2.18	0.44
1:A:46:ILE:HD11	1:A:67:GLU:HG3	1.99	0.44
1:B:190:THR:OG1	1:B:213:LEU:CD2	2.60	0.44
1:A:50:SER:O	1:A:52:ARG:NE	2.46	0.44
1:A:264:PRO:HD3	1:B:566:HIS:CE1	2.53	0.44
1:A:373:HIS:HA	1:A:400:ASN:HB3	2.00	0.44
1:B:35:PRO:HD3	1:B:60:THR:HB	1.95	0.44
1:B:51:ASN:HA	1:B:72:ASP:O	2.18	0.44
1:B:724:ILE:N	1:B:724:ILE:HD12	2.31	0.44
1:A:46:ILE:HD11	1:A:67:GLU:CG	2.47	0.44
1:A:265:PHE:N	1:A:265:PHE:CD1	2.86	0.44
1:A:38:GLU:C	1:A:39:LYS:HG2	2.42	0.43
1:B:163:LYS:HG2	1:B:193:GLU:CD	2.42	0.43
1:A:708:SER:OG	1:A:733:SER:O	2.35	0.43
1:A:772:ASN:HB2	1:A:774:PHE:CE2	2.53	0.43
1:A:597:TYR:CE2	1:A:598:THR:HG22	2.53	0.43
1:A:732:LEU:CD2	1:A:762:THR:HG21	2.48	0.43
1:A:753:LYS:C	1:A:754:SER:HG	2.10	0.43
1:A:226:LYS:HE2	2:C:2:NAG:H81	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140:ILE:HD13	1:A:166:ILE:HG23	2.00	0.43
1:A:166:ILE:HG13	1:A:167:SER:N	2.33	0.43
1:A:493:ILE:O	1:A:517:ASN:ND2	2.49	0.43
1:A:642:THR:HG1	1:A:667:THR:HB	1.79	0.43
1:B:163:LYS:HG2	1:B:163:LYS:H	1.57	0.43
1:A:38:GLU:HA	1:A:46:ILE:O	2.19	0.43
1:B:720:SER:HA	1:B:744:SER:O	2.18	0.43
1:A:220:LEU:N	1:A:243:LYS:HZ3	2.04	0.42
1:A:265:PHE:HZ	1:B:571:ALA:O	2.02	0.42
1:A:722:ASN:O	1:A:746:ASN:OD1	2.37	0.42
1:B:412:LYS:HB3	1:B:503:ASN:HB3	2.00	0.42
1:B:597:TYR:CE2	1:B:598:THR:HG22	2.54	0.42
1:B:156:ASN:O	1:B:180:ASN:OD1	2.35	0.42
1:B:157:ASN:HB3	1:B:159:TYR:OH	2.19	0.42
1:B:205:LEU:C	1:B:205:LEU:HD23	2.44	0.42
1:B:296:SER:HA	1:B:320:PHE:O	2.20	0.42
1:B:466:ASN:ND2	1:B:469:HIS:HB3	2.35	0.42
1:B:688:PRO:O	1:B:713:SER:HB3	2.19	0.42
1:A:45:VAL:HG11	1:A:64:TYR:CB	2.50	0.42
1:B:262:ASN:ND2	1:B:262:ASN:C	2.76	0.42
1:B:461:PHE:CD1	1:B:462:ASP:OD1	2.73	0.42
1:B:812:LYS:HB2	1:B:812:LYS:HE2	1.79	0.42
1:A:220:LEU:N	1:A:243:LYS:HZ1	2.07	0.42
1:A:235:LYS:H	1:A:235:LYS:HG2	1.76	0.42
1:B:603:TYR:CD1	1:B:603:TYR:N	2.88	0.42
1:B:616:SER:HA	1:B:647:SER:O	2.20	0.42
1:A:809:GLN:OE1	1:A:812:LYS:HD3	2.20	0.42
1:B:278:ILE:HB	1:B:306:TRP:CZ2	2.54	0.42
1:A:412:LYS:HB3	1:A:503:ASN:HB3	2.01	0.41
1:B:809:GLN:O	1:B:812:LYS:HB2	2.20	0.41
1:A:45:VAL:HG11	1:A:64:TYR:HB3	2.01	0.41
1:A:733:SER:OG	1:A:734:GLU:HG3	2.20	0.41
1:B:179:TRP:NE1	1:B:463:PRO:HB3	2.34	0.41
1:B:701:LEU:HD23	1:B:723:ARG:HB2	2.02	0.41
1:B:776:CYS:SG	1:B:814:ILE:HG22	2.60	0.41
1:A:159:TYR:CD1	1:A:187:CYS:CB	3.04	0.41
1:A:228:PHE:HA	1:A:252:ASP:HB3	2.02	0.41
1:A:181:CYS:O	1:A:187:CYS:SG	2.77	0.41
1:A:780:ILE:C	1:A:782:ASP:N	2.78	0.41
1:B:166:ILE:HD11	1:B:196:VAL:HG22	2.03	0.41
1:B:479:CYS:SG	1:B:534:TYR:HB3	2.61	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:462:ASP:OD1	1:B:462:ASP:N	2.52	0.41
1:A:159:TYR:OH	1:A:185:LYS:HE2	2.21	0.41
1:A:544:PHE:CD2	1:A:544:PHE:N	2.88	0.41
1:A:698:ASN:C	1:A:722:ASN:OD1	2.64	0.41
1:A:803:CYS:HB2	1:A:809:GLN:O	2.20	0.41
1:B:724:ILE:HD12	1:B:724:ILE:H	1.86	0.41
1:A:46:ILE:CD1	1:A:67:GLU:HB2	2.50	0.40
1:B:35:PRO:CG	1:B:60:THR:HG1	2.23	0.40
1:B:163:LYS:HG3	1:B:193:GLU:CD	2.46	0.40
1:A:43:ASP:O	1:A:44:SER:CB	2.69	0.40
1:A:278:ILE:HB	1:A:306:TRP:CZ2	2.56	0.40
1:B:35:PRO:HD2	1:B:60:THR:OG1	1.98	0.40
1:B:213:LEU:O	1:B:214:SER:HB2	2.21	0.40
1:A:319:GLU:OE1	1:A:343:ASP:HB3	2.21	0.40
1:A:730:GLY:H	1:A:754:SER:CB	2.31	0.40
1:B:49:CYS:C	1:B:52:ARG:CD	2.87	0.40
1:B:214:SER:HA	1:B:233:GLN:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:691:GLU:OE2	6:B:902:NAG:O4[4_455]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	735/811 (91%)	684 (93%)	46 (6%)	5 (1%)	18	48
1	B	720/811 (89%)	673 (94%)	42 (6%)	5 (1%)	18	48
All	All	1455/1622 (90%)	1357 (93%)	88 (6%)	10 (1%)	18	48

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	44	SER
1	B	573	VAL
1	A	781	GLY
1	A	378	VAL
1	A	808	ASP
1	B	164	GLU
1	A	187	CYS
1	B	168	ARG
1	B	378	VAL
1	B	752	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	691/755 (92%)	651 (94%)	40 (6%)	18	49
1	B	679/755 (90%)	633 (93%)	46 (7%)	14	42
All	All	1370/1510 (91%)	1284 (94%)	86 (6%)	16	45

All (86) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	GLU
1	A	39	LYS
1	A	46	ILE
1	A	48	GLU
1	A	49	CYS
1	A	52	ARG
1	A	81	GLU
1	A	90	THR
1	A	139	GLN
1	A	167	SER
1	A	168	ARG
1	A	170	ILE
1	A	182	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	186	VAL
1	A	199	THR
1	A	222	SER
1	A	243	LYS
1	A	260	CYS
1	A	261	PHE
1	A	262	ASN
1	A	317	ASP
1	A	384	GLU
1	A	388	GLN
1	A	392	GLN
1	A	465	SER
1	A	471	THR
1	A	478	GLN
1	A	544	PHE
1	A	667	THR
1	A	702	PHE
1	A	706	SER
1	A	708	SER
1	A	727	LEU
1	A	732	LEU
1	A	778	CYS
1	A	779	ASP
1	A	797	ARG
1	A	808	ASP
1	A	816	SER
1	A	818	GLU
1	B	41	GLN
1	B	45	VAL
1	B	46	ILE
1	B	49	CYS
1	B	52	ARG
1	B	81	GLU
1	B	90	THR
1	B	139	GLN
1	B	147	SER
1	B	163	LYS
1	B	190	THR
1	B	199	THR
1	B	222	SER
1	B	246	ILE
1	B	260	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	265	PHE
1	B	317	ASP
1	B	384	GLU
1	B	392	GLN
1	B	416	ASN
1	B	465	SER
1	B	471	THR
1	B	478	GLN
1	B	564	ASN
1	B	570	ILE
1	B	574	THR
1	B	581	GLN
1	B	582	ASN
1	B	602	LYS
1	B	657	GLU
1	B	667	THR
1	B	682	THR
1	B	685	GLN
1	B	689	ARG
1	B	706	SER
1	B	708	SER
1	B	713	SER
1	B	725	SER
1	B	737	SER
1	B	738	LEU
1	B	753	LYS
1	B	794	LYS
1	B	797	ARG
1	B	809	GLN
1	B	816	SER
1	B	818	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	77	HIS
1	A	96	HIS
1	A	160	ASN
1	A	174	ASN
1	A	184	ASN
1	A	262	ASN
1	A	355	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	380	GLN
1	A	416	ASN
1	A	469	HIS
1	A	499	ASN
1	A	531	HIS
1	A	564	ASN
1	A	575	HIS
1	A	581	GLN
1	B	41	GLN
1	B	87	GLN
1	B	96	HIS
1	B	155	GLN
1	B	160	ASN
1	B	174	ASN
1	B	262	ASN
1	B	285	ASN
1	B	355	GLN
1	B	380	GLN
1	B	469	HIS
1	B	531	HIS
1	B	564	ASN
1	B	566	HIS
1	B	581	GLN
1	B	726	HIS
1	B	752	ASN
1	B	792	ASN
1	B	809	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

22 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2,1	14,14,15	0.63	0	17,19,21	1.61	4 (23%)
2	NAG	C	2	2	14,14,15	0.75	0	17,19,21	1.52	3 (17%)
2	BMA	C	3	2	11,11,12	0.68	0	15,15,17	1.71	4 (26%)
2	MAN	C	4	2	11,11,12	0.75	0	15,15,17	1.22	2 (13%)
3	NAG	D	1	3,1	14,14,15	0.63	0	17,19,21	1.41	4 (23%)
3	NAG	D	2	3	14,14,15	0.76	0	17,19,21	1.37	2 (11%)
4	NAG	E	1	1,4	14,14,15	0.54	0	17,19,21	1.76	3 (17%)
4	NAG	E	2	4	14,14,15	0.97	1 (7%)	17,19,21	1.60	4 (23%)
4	BMA	E	3	4	11,11,12	0.69	0	15,15,17	1.07	1 (6%)
4	MAN	E	4	4	11,11,12	0.55	0	15,15,17	1.51	3 (20%)
4	MAN	E	5	4	11,11,12	0.60	0	15,15,17	1.31	0
2	NAG	F	1	2,1	14,14,15	0.60	0	17,19,21	1.23	3 (17%)
2	NAG	F	2	2	14,14,15	0.95	1 (7%)	17,19,21	1.32	1 (5%)
2	BMA	F	3	2	11,11,12	0.68	0	15,15,17	1.54	4 (26%)
2	MAN	F	4	2	11,11,12	0.59	0	15,15,17	0.78	1 (6%)
3	NAG	G	1	3,1	14,14,15	0.56	0	17,19,21	1.85	4 (23%)
3	NAG	G	2	3	14,14,15	0.70	0	17,19,21	1.88	6 (35%)
4	NAG	H	1	1,4	14,14,15	0.58	0	17,19,21	1.12	2 (11%)
4	NAG	H	2	4	14,14,15	1.01	1 (7%)	17,19,21	1.75	5 (29%)
4	BMA	H	3	4	11,11,12	0.56	0	15,15,17	1.85	3 (20%)
4	MAN	H	4	4	11,11,12	0.52	0	15,15,17	1.57	1 (6%)
4	MAN	H	5	4	11,11,12	0.53	0	15,15,17	1.37	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	BMA	C	3	2	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	C	4	2	-	2/2/19/22	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
4	NAG	E	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	BMA	E	3	4	-	1/2/19/22	0/1/1/1
4	MAN	E	4	4	-	2/2/19/22	0/1/1/1
4	MAN	E	5	4	-	1/2/19/22	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	BMA	F	3	2	-	0/2/19/22	0/1/1/1
2	MAN	F	4	2	-	2/2/19/22	0/1/1/1
3	NAG	G	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
4	NAG	H	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	BMA	H	3	4	-	0/2/19/22	0/1/1/1
4	MAN	H	4	4	-	1/2/19/22	0/1/1/1
4	MAN	H	5	4	-	1/2/19/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	2	NAG	O3-C3	-2.20	1.37	1.43
2	F	2	NAG	O5-C1	-2.19	1.40	1.43
4	E	2	NAG	C1-C2	2.05	1.55	1.52

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	4	MAN	C1-O5-C5	4.76	118.56	112.19
3	G	1	NAG	C1-O5-C5	4.65	118.41	112.19
2	F	2	NAG	O5-C1-C2	-4.59	104.19	111.29
3	G	2	NAG	C1-C2-N2	-4.57	103.23	110.43
4	E	1	NAG	C1-O5-C5	3.90	117.41	112.19
4	H	3	BMA	C1-O5-C5	3.89	117.39	112.19
2	C	2	NAG	O5-C1-C2	-3.80	105.41	111.29
4	E	1	NAG	C2-N2-C7	-3.64	118.02	122.90
4	E	2	NAG	O7-C7-C8	-3.62	115.62	122.05
2	C	3	BMA	C3-C4-C5	3.51	116.59	110.23
4	H	2	NAG	O6-C6-C5	-3.47	99.51	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	1	NAG	O7-C7-C8	-3.34	116.11	122.05
4	H	3	BMA	C1-C2-C3	3.30	114.45	109.64
4	E	4	MAN	C1-O5-C5	3.30	116.60	112.19
4	E	1	NAG	O3-C3-C2	-3.27	102.60	109.40
2	F	3	BMA	C3-C4-C5	3.26	116.14	110.23
2	C	1	NAG	O5-C1-C2	-3.23	106.29	111.29
3	D	2	NAG	O7-C7-C8	-3.18	116.39	122.05
3	D	1	NAG	O7-C7-C8	-3.15	116.44	122.05
2	C	3	BMA	O5-C5-C6	3.03	113.56	107.66
4	E	2	NAG	O7-C7-N2	2.92	127.14	121.98
2	C	1	NAG	O7-C7-C8	-2.92	116.86	122.05
4	H	3	BMA	C3-C4-C5	2.91	115.50	110.23
2	F	1	NAG	O5-C1-C2	-2.90	106.80	111.29
4	H	5	MAN	O5-C5-C6	2.84	113.19	107.66
3	G	2	NAG	C3-C4-C5	-2.82	105.13	110.23
4	H	2	NAG	O3-C3-C2	-2.76	103.67	109.40
2	C	4	MAN	C2-C3-C4	2.74	115.68	110.86
2	F	3	BMA	O5-C5-C6	2.66	112.85	107.66
4	H	1	NAG	O5-C1-C2	-2.58	107.30	111.29
2	C	1	NAG	C1-O5-C5	2.56	115.62	112.19
3	D	1	NAG	C6-C5-C4	-2.55	106.76	113.02
2	C	1	NAG	O6-C6-C5	-2.55	102.66	111.33
2	C	3	BMA	C1-C2-C3	-2.51	105.99	109.64
3	G	1	NAG	O7-C7-N2	2.50	126.40	121.98
2	C	4	MAN	C3-C4-C5	2.50	114.76	110.23
3	D	1	NAG	O6-C6-C5	-2.44	103.04	111.33
4	H	2	NAG	O3-C3-C4	-2.43	104.66	110.38
3	G	2	NAG	C8-C7-N2	-2.41	112.12	116.12
3	G	1	NAG	O5-C5-C6	-2.40	102.98	107.66
2	C	2	NAG	C8-C7-N2	2.40	120.09	116.12
4	E	3	BMA	C3-C4-C5	2.40	114.58	110.23
4	H	2	NAG	O5-C1-C2	-2.37	107.62	111.29
4	H	5	MAN	O3-C3-C4	-2.36	104.81	110.38
4	E	2	NAG	O3-C3-C4	-2.35	104.84	110.38
2	C	2	NAG	C3-C4-C5	2.34	114.48	110.23
3	G	2	NAG	O5-C1-C2	-2.31	107.72	111.29
4	H	2	NAG	C2-N2-C7	-2.30	119.81	122.90
2	C	3	BMA	O6-C6-C5	2.27	119.07	111.33
2	F	3	BMA	O5-C1-C2	-2.26	105.41	110.79
2	F	1	NAG	C1-C2-N2	2.25	113.98	110.43
4	H	5	MAN	C2-C3-C4	2.25	114.82	110.86
3	D	1	NAG	O7-C7-N2	2.24	125.94	121.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	2	NAG	C1-C2-N2	2.23	113.95	110.43
3	G	2	NAG	C4-C3-C2	2.22	114.28	111.02
2	F	3	BMA	C2-C3-C4	2.18	114.70	110.86
4	H	1	NAG	C1-C2-N2	2.15	113.82	110.43
4	E	4	MAN	O3-C3-C2	2.13	114.41	110.05
4	E	2	NAG	C6-C5-C4	-2.09	107.89	113.02
2	F	4	MAN	O5-C5-C6	2.06	111.67	107.66
2	F	1	NAG	O7-C7-C8	-2.04	118.43	122.05
3	G	2	NAG	O4-C4-C5	2.03	114.32	109.32
4	E	4	MAN	C2-C3-C4	-2.02	107.30	110.86

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	F	4	MAN	O5-C5-C6-O6
2	C	4	MAN	O5-C5-C6-O6
4	E	4	MAN	C4-C5-C6-O6
2	C	4	MAN	C4-C5-C6-O6
2	F	4	MAN	C4-C5-C6-O6
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2
2	F	2	NAG	C8-C7-N2-C2
2	F	2	NAG	O7-C7-N2-C2
4	E	4	MAN	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
4	H	5	MAN	O5-C5-C6-O6
4	E	5	MAN	O5-C5-C6-O6
4	H	4	MAN	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
4	E	3	BMA	C4-C5-C6-O6
2	C	3	BMA	C4-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	2	NAG	1	0
2	C	2	NAG	4	0
2	F	2	NAG	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	B	902	1	14,14,15	0.68	0	17,19,21	1.73	4 (23%)
6	NAG	A	915	1	14,14,15	0.58	0	17,19,21	1.24	2 (11%)
6	NAG	B	907	1	14,14,15	0.54	0	17,19,21	1.26	1 (5%)
6	NAG	B	916	1	14,14,15	0.47	0	17,19,21	1.52	2 (11%)
6	NAG	B	915	1	14,14,15	0.64	0	17,19,21	1.47	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	A	902	1	14,14,15	0.57	0	17,19,21	2.54	4 (23%)
6	NAG	A	907	1	14,14,15	0.54	0	17,19,21	0.99	1 (5%)
5	DY3	B	901	-	21,21,21	2.19	6 (28%)	27,29,29	3.19	16 (59%)
6	NAG	A	916	1	14,14,15	0.74	1 (7%)	17,19,21	0.92	1 (5%)
5	DY3	A	901	-	21,21,21	2.52	6 (28%)	27,29,29	4.07	12 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	902	1	-	4/6/23/26	0/1/1/1
6	NAG	A	915	1	-	2/6/23/26	0/1/1/1
6	NAG	B	907	1	-	2/6/23/26	0/1/1/1
6	NAG	B	916	1	-	2/6/23/26	0/1/1/1
6	NAG	B	915	1	-	0/6/23/26	0/1/1/1
6	NAG	A	902	1	-	2/6/23/26	0/1/1/1
6	NAG	A	907	1	-	2/6/23/26	0/1/1/1
5	DY3	B	901	-	-	2/10/10/10	0/2/2/2
6	NAG	A	916	1	-	2/6/23/26	0/1/1/1
5	DY3	A	901	-	-	6/10/10/10	0/2/2/2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	901	DY3	C4-N1	-7.59	1.32	1.44
5	B	901	DY3	C4-N1	-5.59	1.35	1.44
5	A	901	DY3	C-N1	-4.85	1.31	1.38
5	B	901	DY3	C7-C5	4.80	1.48	1.40
5	A	901	DY3	C7-C5	3.93	1.47	1.40
5	A	901	DY3	C1-N1	-3.59	1.30	1.38
5	B	901	DY3	C3-C5	3.57	1.46	1.40
5	B	901	DY3	C-N1	-3.39	1.33	1.38
5	A	901	DY3	C3-C5	3.12	1.45	1.40
5	B	901	DY3	C-N	3.04	1.36	1.31
5	A	901	DY3	C-N	2.36	1.35	1.31
5	B	901	DY3	C1-N1	-2.19	1.33	1.38
6	A	916	NAG	O5-C1	-2.07	1.40	1.43

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	901	DY3	C1-N1-C	14.84	110.82	104.52
5	B	901	DY3	C1-N1-C	9.00	108.34	104.52
5	A	901	DY3	N1-C-N	-8.01	105.28	110.43
6	A	902	NAG	C1-O5-C5	7.68	122.48	112.19
5	A	901	DY3	C8-S-C1	7.57	110.49	100.43
5	B	901	DY3	N1-C-N	-5.80	106.70	110.43
5	B	901	DY3	C4-N1-C	-5.61	117.67	127.02
5	A	901	DY3	C4-N1-C	-5.17	118.40	127.02
5	A	901	DY3	S-C1-N1	4.68	130.36	121.20
6	B	907	NAG	C1-O5-C5	4.66	118.42	112.19
5	B	901	DY3	C10-C9-C	-4.52	105.08	113.38
5	B	901	DY3	S-C1-N1	4.22	129.46	121.20
6	A	902	NAG	C8-C7-N2	4.14	122.98	116.12
6	B	902	NAG	C8-C7-N2	3.75	122.33	116.12
6	B	902	NAG	O5-C1-C2	-3.58	105.75	111.29
5	B	901	DY3	C4-N1-C1	3.39	133.32	123.18
5	B	901	DY3	C3-C5-C7	-3.36	115.16	119.73
6	B	916	NAG	O5-C1-C2	-3.35	106.10	111.29
6	A	902	NAG	C4-C3-C2	-3.35	106.11	111.02
6	B	915	NAG	C4-C3-C2	3.08	115.53	111.02
6	B	916	NAG	C1-O5-C5	3.08	116.31	112.19
5	A	901	DY3	C3-C5-C7	-2.99	115.67	119.73
6	A	916	NAG	O5-C1-C2	-2.89	106.83	111.29
5	B	901	DY3	C4-C2-C3	2.80	124.33	121.55
5	B	901	DY3	C6-C4-N1	2.77	122.75	119.22
5	A	901	DY3	C10-C9-C	-2.57	108.67	113.38
5	B	901	DY3	C14-C3-C5	-2.53	117.60	121.18
5	B	901	DY3	C4-C6-C7	2.53	124.06	121.55
5	A	901	DY3	C4-N1-C1	2.51	130.69	123.18
6	A	915	NAG	O6-C6-C5	-2.47	102.92	111.33
6	A	915	NAG	O5-C1-C2	-2.31	107.72	111.29
6	B	915	NAG	C1-C2-N2	-2.29	106.83	110.43
5	B	901	DY3	C12-C5-C7	2.26	123.58	119.67
6	B	902	NAG	O7-C7-C8	-2.26	118.03	122.05
6	A	907	NAG	O5-C5-C6	2.23	112.01	107.66
6	B	915	NAG	C3-C4-C5	2.22	114.25	110.23
5	B	901	DY3	C6-C4-C2	-2.20	115.75	120.19
5	B	901	DY3	C1-N2-N	-2.19	102.76	107.08
6	B	902	NAG	O4-C4-C5	2.19	114.71	109.32
5	A	901	DY3	C4-C2-C3	2.18	123.72	121.55
5	B	901	DY3	C8-S-C1	2.11	103.24	100.43
6	A	902	NAG	O7-C7-N2	-2.07	118.32	121.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	901	DY3	C-N-N2	2.04	109.83	107.59
5	A	901	DY3	C1-N2-N	-2.02	103.09	107.08
5	A	901	DY3	C-N-N2	2.01	109.80	107.59
5	A	901	DY3	C6-C7-C5	2.01	121.13	119.10

There are no chirality outliers.

All (24) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	901	DY3	N1-C1-S-C8
5	A	901	DY3	N2-C1-S-C8
5	B	901	DY3	N1-C1-S-C8
5	B	901	DY3	N2-C1-S-C8
6	A	916	NAG	O5-C5-C6-O6
6	A	916	NAG	C4-C5-C6-O6
6	A	907	NAG	O5-C5-C6-O6
6	A	907	NAG	C4-C5-C6-O6
6	B	916	NAG	C4-C5-C6-O6
6	A	902	NAG	C8-C7-N2-C2
6	A	902	NAG	O7-C7-N2-C2
6	B	902	NAG	C8-C7-N2-C2
6	B	902	NAG	O7-C7-N2-C2
6	B	916	NAG	O5-C5-C6-O6
6	B	902	NAG	C4-C5-C6-O6
6	B	907	NAG	C4-C5-C6-O6
5	A	901	DY3	C9-C10-C11-O
6	B	907	NAG	O5-C5-C6-O6
6	A	915	NAG	C4-C5-C6-O6
5	A	901	DY3	C11-C10-C9-C
5	A	901	DY3	N-C-C9-C10
6	A	915	NAG	O5-C5-C6-O6
6	B	902	NAG	O5-C5-C6-O6
5	A	901	DY3	N1-C-C9-C10


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	902	NAG	0	1
5	B	901	DY3	2	0
5	A	901	DY3	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	743/811 (91%)	-0.19	5 (0%) 84 79	64, 94, 135, 180	0
1	B	730/811 (90%)	-0.08	2 (0%) 90 87	66, 102, 152, 179	0
All	All	1473/1622 (90%)	-0.14	7 (0%) 87 83	64, 98, 142, 180	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	467	PHE	3.0
1	A	754	SER	2.7
1	B	61	VAL	2.6
1	A	751	ILE	2.4
1	A	461	PHE	2.4
1	B	737	SER	2.3
1	A	179	TRP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MAN	E	4	11/12	0.58	0.10	110,123,134,134	0
4	MAN	H	4	11/12	0.58	0.09	117,131,137,143	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MAN	H	5	11/12	0.69	0.10	108,115,138,138	0
4	MAN	E	5	11/12	0.71	0.08	96,108,115,131	0
2	MAN	F	4	11/12	0.74	0.08	119,135,148,149	0
2	MAN	C	4	11/12	0.76	0.10	94,116,124,137	0
2	BMA	F	3	11/12	0.77	0.08	106,113,124,133	0
3	NAG	G	2	14/15	0.81	0.10	70,103,129,146	0
2	BMA	C	3	11/12	0.85	0.08	84,95,111,117	0
4	NAG	H	2	14/15	0.89	0.09	63,72,78,80	0
3	NAG	D	2	14/15	0.90	0.08	81,88,94,99	0
2	NAG	F	2	14/15	0.91	0.09	78,87,97,99	0
4	BMA	H	3	11/12	0.91	0.07	82,93,114,136	0
4	BMA	E	3	11/12	0.92	0.06	82,87,96,106	0
4	NAG	E	1	14/15	0.93	0.09	51,66,69,70	0
2	NAG	C	1	14/15	0.95	0.09	62,78,84,96	0
2	NAG	C	2	14/15	0.95	0.07	70,78,84,85	0
4	NAG	E	2	14/15	0.95	0.10	54,60,76,77	0
4	NAG	H	1	14/15	0.95	0.07	63,72,76,80	0
2	NAG	F	1	14/15	0.96	0.07	71,85,91,107	0
3	NAG	G	1	14/15	0.97	0.07	64,73,79,85	0
3	NAG	D	1	14/15	0.98	0.06	62,66,85,85	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain D:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	B	915	14/15	0.65	0.15	126,138,148,152	0
6	NAG	A	902	14/15	0.66	0.11	84,99,108,111	0
6	NAG	B	916	14/15	0.66	0.11	117,136,149,160	0
6	NAG	B	907	14/15	0.79	0.07	100,134,144,144	0
6	NAG	B	902	14/15	0.83	0.08	109,126,138,140	0
6	NAG	A	916	14/15	0.85	0.09	116,135,153,163	0
6	NAG	A	915	14/15	0.91	0.09	94,105,110,111	0
6	NAG	A	907	14/15	0.93	0.07	96,103,111,116	0
5	DY3	B	901	20/20	0.95	0.09	75,89,104,111	0
5	DY3	A	901	20/20	0.97	0.10	73,85,105,120	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DY3 B 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DY3 A 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.